

User Registration:

http://127.0.0.1:5000/register

POST

http://127.0.0.1:5000/register

Send

ParamsAuthorizationHeaders (9)BodyPre-request ScriptTestsSettings

noneform-datax-www-form-urlencodedrawbinaryJSON

1

2

3

4

5

6

"username": "Surya",

"password": "Surya@123",

"role": "user"

BodyCookiesHeaders (5)Test Results

201 CREATED28 ms218 BSave Response

PrettyRawPreviewVisualizeJSON

1

2

3

"message": "User registered successfully"

Login:

http://127.0.0.1:5000/login

POST

http://127.0.0.1:5000/login

Send

ParamsAuthorizationHeaders (9)BodyPre-request ScriptTestsSettings

Query Params

	Key	Value	Bulk Edit
	Key	Value	

BodyCookiesHeaders (5)Test Results

200 OK13 ms201 BSave Response

PrettyRawPreviewVisualizeJSON

1

2

3

"message": "Login successful"

Adding a Train:

The screenshot shows a Postman interface for a POST request to `http://127.0.0.1:5000/add_train`. The request is successful, returning a 201 CREATED status with a response time of 16 ms and a body size of 214 B. The response body is a JSON object: `{"message": "Train added successfully"}`.

Request Details:

- Method: POST
- URL: `http://127.0.0.1:5000/add_train`
- Headers: 9
- Body: (selected)
- Pre-request Script: (empty)
- Tests: (empty)
- Settings: (empty)
- Cookies: (empty)

Response Details:

- Status: 201 CREATED
- Time: 16 ms
- Size: 214 B
- Save Response: (button)

Response Body (JSON):

```
1 {
2   "message": "Train added successfully"
3 }
```

Searching for a Train:

The screenshot shows a Postman interface for a GET request to `http://127.0.0.1:5000/trains?source=Delhi&destination=Mumbai`. The request is successful, returning a 200 OK status with a response time of 15 ms and a body size of 244 B. The response body is a JSON object: `{"available_seats": 200, "id": 3, "name": "Express 123"}`.

Request Details:

- Method: GET
- URL: `http://127.0.0.1:5000/trains?source=Delhi&destination=Mumbai`
- Headers: 9
- Body: (selected)
- Pre-request Script: (empty)
- Tests: (empty)
- Settings: (empty)
- Cookies: (empty)

Query Params:

Key	Value	Bulk Edit
<input checked="" type="checkbox"/> source	Delhi	
<input checked="" type="checkbox"/> destination	Mumbai	
Key	Value	


Response Details:

- Status: 200 OK
- Time: 15 ms
- Size: 244 B
- Save Response: (button)

Response Body (JSON):

```
1 {
2   "available_seats": 200,
3   "id": 3,
4   "name": "Express 123"
5 }
```

Booking a Train:



Registration:

