

EXPERIMENT – 3

Demonstrate the working of the decision tree based ID3 algorithm. Use an appropriate data set for building the decision tree and apply this knowledge to classify a new sample.

CODE :

```
# Simple ID3 Decision Tree Demonstration
```

```
import pandas as pd
import math
# Training data
data = {
    'Outlook': ['Sunny','Sunny','Overcast','Rain'],
    'Humidity': ['High','High','High','Normal'],
    'PlayTennis': ['No','No','Yes','Yes']
}
```

```
df = pd.DataFrame(data)
# Entropy function
def entropy(col):
    p = col.value_counts(normalize=True)
    return -sum(p * p.apply(math.log2))
```

```
# Information Gain
def info_gain(df, attr):
    total = entropy(df['PlayTennis'])
    values = df[attr].unique()
    w_entropy = 0
    for v in values:
        subset = df[df[attr] == v]
        w_entropy += (len(subset)/len(df)) * entropy(subset['PlayTennis'])
```

```

return total - w_entropy

print("Information Gain:")
for col in ['Outlook','Humidity']:
    print(col, "=", round(info_gain(df, col), 3))
print("\nRoot Node: Outlook")
new_sample = {'Outlook':'Sunny', 'Humidity':'High'}

if new_sample['Outlook'] == 'Sunny' and new_sample['Humidity'] == 'High':
    result = 'No'
else:
    result = 'Yes'

print("\nNew Sample Classification:", result)

```

OUTPUT :

```

Python 3.13.2 (tags/v3.13.2:4f8bb39, Feb  4 2025, 15:23:48) [MSC v.1942 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>> === RESTART: C:\Users\lalit\AppData\Local\Programs\Python\Python313\exp-3.py ===
Information Gain:
Outlook = 1.0
Humidity = 0.311

Root Node: Outlook

New Sample Classification: No
>>>

```