ABSTRACT

1. ABSTRACT

Intensity Care Of Mother and Kids is to Computerize all off Aanganwadi activities such as managing all information about Mothers, generate different types reports etc. This application can store contacts up to 4000. Which can be searched very quickly and effectively with different criteria?

Functionalities of Intensity Care Of Mother and Kids:-

- Manage No of Aanganwadi Centers.
- Store up to 4000 contacts.
- Sorting can be done by first, last name.
- Search using any field in contact records.
- Quick log for ANC reports.
- Quick log for Child Card report.
- A user can manage appointments.

By using **Intensity Care Of Mother and Kids** a user can organize his/her time schedule, saves multiple information varying from business related task, Mothers and Kids information, appointment, some useful information, Various test and Doses, contact details and several multiple event in an organized manner at one place that will be easy to remember and also it will save a user's time and money.

This system deals with all included activities handled by a manual handling like paper works and conducting examination with a minimum span of time, etc.

This system is developed to eliminate all the complexities that can even occurred during the manual entry to manage information about Aanganwadi center, Schedule Task according to our priority..

In this project I am developed an A **Intensity Care Of Mother and Kids** application for Windows Operating System.

LITERATURE SURVEY

2. LITERATURE SURVEY

2.1 Initial Investigation

The project that we have undertaken gives the all information about **"**Aanganwadi **Center Activities"** and it provides such kinds of functionality (Such as: - managing all contacts, mothers, kids and center details etc.) with different-different modules. All these modules are made under different names and are integrated in one name as **"Intensity Care Of Mother and Kids"** and this is the name of the project.

The coding is done using **Visual Basic 6**. We used **Oracle 10g** as back end. To make-work easier, the project is divided into modules. The division of modules and task like, analyses, estimation, requirement etc. was the initial stage of work towards the project. The job and schedules like project specifications and planning was completed before the coding started.

2.2 Problem definition

The Solution of the problem is that develop a Windows application that is able to maintain all type of record of a Aanganwadi Center and that application should be able to solve all the problem of current system. The great advantage of this application is that it saves lot of time and stationary as well.

The new system has been designed as per the user requirements so that it is fulfills almost all the requirement.

- An application can be access any time.
- Perform all the small operation on Computer.
- Maintain all Aanganwadi Center record on Computer.
- Maintain all Mother record on Computer.
- Get information about every Aanganwadi, Mother and Kids on a single click.
- Provide entry for Various type test of organization.
- A user of this app can manage appointments.
- Fast Working.
- App should provide good UI.

2.3 Evaluation of Existing System

The Current system of a company or firm is highly complicated and expensive. In terms of time, every time you have to go through the whole procedure for a simple task. Various tasks have to be done repeatedly.

- Keep information about mother, kids, and Aanganwadi Center.
- Keep record of all.
- Fix a meeting.
- Keep record of past meeting.
- Keep records of a/c like various types test.

Weaknesses in Current System

The current system is as mentioned earlier very complicated and expensive as compared to the new system. It also wastes the precious time of the user.

2.4 Cost Estimation

COCOMO MODEL

Constructive Cost Model (COCOMO) is an example of static single variable model.

Barry Boehm introduces three forms COCOMO, they are

- Basic COCOMO
- Intermediate COCOMO
- Advanced COCOMO

COCOMO may be applied to three classes of software project.

- Organic Projects: - Relatively small, simple software project.
- Semi – detached Projects: - Intermediate (in size & Complexity) software projects.
- Embedded projects: - software project that must be developed within a set of tight hardware, software, and operational constraints.

BASIC COCOMO:- The basic COCOMO equation take the form , E=a(KLOC)b where E is the effort applied in man- months, KLOC is the estimated number of delivered lines of code for the project (expressed in thousands). The coefficient a, b are given,

Mode	**a**	**b**
Organic	2.4	1.05
Semi-detached	3.0	1.12
Embedded	3.6	1.20

Basic COCOMO is good for quick, early, rough order of magnitude estimates of software costs, but its accuracy is necessarily limited.

Cost of project:-

Effort = a(KLOC)b
= 2.4(1.56)1.05
= 2.4*1.638
= 3.9312

Cost = Effort*Hours per Month*Labor

Rate With minimum 88 (daily 4 hours) working hours per Month and labor rate of Rs. 50 per hour then our total working hours are 352 Hours (88 days).

Cots = 3.9312*352*50

Rs.- = 69189.12/-

2.5 Software Selection

2.5.1 FORNT END TOOLS

Visual Basic :-

Like the BASIC programming language, Visual Basic was designed to accommodate beginner programmers. Programmers can create both simple and complex GUI applications. Programming in VB is a combination of visually arranging components or controls on a form, specifying attributes, and actions for those components, and writing additional lines of code for more functionality. Since VB defines default attributes and actions for the components, a programmer can develop a simple program without writing much code. Programs built with earlier versions suffered performance problems, but faster computers and native code compilation has made this less of an issue.



Though VB programs can be compiled into native code executable from version 5 on, they still require the presence of around 1 MB of runtime libraries. Runtime libraries are included by default in Windows 2000 and later. Earlier versions of Windows (95/98/NT), require that the runtime libraries be distributed with the executable, Forms are created using drag-and-drop techniques. A tool is used to place controls (e.g., text boxes, buttons, etc.) on the form (window). Controls have attributes and event handlers associated with them. Default values are provided when the control is created, but may be changed by the programmer. Many attribute values can be modified during run time based on user actions or changes in the environment, providing a dynamic application. For example, code can be inserted into the form resize event handler to reposition a control so that it remains centered on the form, expands to fill up the form, etc. By inserting code into the event handler for a key press in a text box, the program can automatically translate the case of the text being entered, or even prevent certain characters from being inserted.

Visual Basic can create executable (EXE files), ActiveX controls, or DLL files, but is primarily used to develop Windows applications and to interface database systems. Dialog boxes with less functionality can be used to provide pop-up capabilities. Controls provide the basic functionality of the application, while programmers can insert additional logic within the appropriate event handlers.

For example, a drop-down combination box automatically displays a list. When the user selects an element, an event handler is called that executes code that the programmer created to perform the action for that list item.

Alternatively, a Visual Basic component can have no user interface, and instead provide ActiveX objects to other programs via Component Object Model (COM). This allows for server-side processing or an add-in module.

The runtime recovers unused memory using reference counting, which depends on variables passing out of scope or being set to *Nothing*, avoiding the problem of memory leaks common to other languages. There is a large library of utility objects, and the language provides basic object oriented support. Unlike many other programming languages, Visual Basic is generally not case sensitive—though it transforms keywords into a standard case configuration and forces the case of variable names to conform to the case of the entry in the symbol table. String comparisons are case sensitive by default.

The Visual Basic compiler is shared with other Visual Studio languages (C, C++), but restrictions in the IDE do not allow creation of some targets (Windows model DLLs) and threading models.

2.5.2 BACK END:-

Oracle 10g:-

Every organization has data that needs to be collected, managed, and analyzed. A relational database fulfills these needs. Along with the powerful features of a relational database some requirements for developing and maintaining the database. Data analysts, database designers, and database administrators (DBAs) need to be able to translate the data in a database into useful information for both day-to-day operations and long-term planning.

Relational databases can be a bit intimidating at first, even if you're a specialist in some other informational technology area, such as networking, web development, or programming. This chapter will give you a good overview of current relational and object-relational database concepts. It begins by comparing a database with another tool that almost everyone has used—a spreadsheet (also known as the "poor man's" database). Then you'll learn about the basic components of a relational database, the data modeling process, and object-relational database features.

Structured Query Language (SQL) is the set of statements with which all programs and users access data in an Oracle database. Application programs and Oracle tools often allow users access to the database without using SQL directly, but these applications in turn must use SQL when executing the user's request.

3.5.3 Reason of using this tool:- The main reason of using this tools is that this is an Windows based application and windows based application can be develop using java only. As I know all the highly secured application develops in VB 6. So I develop this application on android using Visual Basic.

H/W AND S/W REQUIREMENTS

3. H/W AND S/W REQUIREMENTS

3.1 Hardware Requirements and Specification

- **Hardware Requirements:-**
  - Processor : 1.66 GHz and Higher.
  - Memory Size : 1 GB RAM.
  - Storage : 80 GB.
  - Display : Colors Display, High Colors (32 Bit).
  - Keyboard : Key Pad.
- **Hardware Specifications:-**
  - Processor : 1.66 GHz and Higher.
  - Memory Size : 1 GB RAM.
  - Storage : 80 GB.

3.2 Software Requirements and Specifications

- **Software Requirements:-**
  - Platforms : Windows XP and Higher.
- **Software Specifications:-**
  - Language : MS Visual Basic 6.0
  - Database : Oracle 10g.
  - IDE : Visual Studio 6.

SOFTWARE REQUIREMENT SPECIFICATION

4. SRS

4.1 Software Scope

The first activity in software project planning is the determination of software scope. Software scope describes the data and control to be processed, function, performance, constraints, interfaces, and reliability.

4.1.1 Gathering Information Necessary for Scope

The most commonly used technique to bridge communication gap between customer and the software developer to get the communication process started is to conduct a preliminary meeting or interview. When I visited the site we have been introduced to the Manager of the center, there were another two persons. Out of one are the technical adviser and another one was the cost accountant. Neither of us knows what to ask or say. We were very much worried that what we say will be misinterpreted.

We started to asking context-free questions; that is, a set of questions that will lead to a basic understanding of the problem. The first set of context-free questions was like this:

- What do you want to be done?
- Who will use this solution?
- What is wrong with your existing working systems?
- Is there another source for the solution?
- Can you show us (or describe) the environment in which the solution will be used?

After first round of above asked questions. We revisited the site and asked many more questions considering the final set of questions.

- Are our questions relevant to the problem that you need to be solved?
- Are we asking too many questions?
- Should we be asking you anything else?

4.1.2 Feasibility

Not everything imaginable is feasible, not even in software. Software feasibility has four dimensions:

Technology—is a project technically feasible? Is it within the state of the art?

Finance – Is it financially feasible?

Time—will the project be completed within specified time?

Resources—does the organization have the resources needed to succeed?

After taking into consideration of above said dimensions, we found it could be feasible for us to develop this project.

Technical Feasibility:-

Our project is "**Intensity Care Of Mother and Kids**" which is going to be implemented on an Android platform. For the front end we use **Visual Basic** which has capability to develop an **Windows Apps.** and it support the functions which we want to implement. As a back end we use **Oracle 10g**. It has capability to store large data and give output according to query.

1) **Are** there technical guarantee of accuracy, reliability, ease of access and data security?
   - **Yes** the technology Visual Basic which we are using this is fully secure, reliable, guarantees ease of access.
2) **Can** be the system expand in future?
   - **Yes**, the system can be expanded and many more modules like: - **Aanganwadi System** etc. might be added as per time and requirement of organization.

Economic Feasibility:-

Economic analysis is the most frequently used method for evaluating the effectiveness of a new system. More commonly known as cost/benefit analysis, the procedure is to determine the benefits and savings that are expected from a candidate system and compare them with costs. If benefits outweigh costs, then the decision is made to design and implement the system. An entrepreneur must accurately weigh the cost versus benefits before taking an action. Time Based: Contrast to the manual system management can generate any report just by single click.

Cost Based:

No special investment is needed to develop this application because it is completely base on android platform. And Windows app is developing using Visual Basic. So here whichever tools are required for development they all are open source (like: - VB).

No specific training is required for user to use this app. Investment requires only once at the time of installation. The software used in this project is freeware so the cost of developing the app is minimal.

Time Feasibility:-

Time feasibility is a determination of whether a proposed project can be implemented fully within a stipulated time frame. If a project takes too much time it is likely to be rejected. The time duration 4-month was sufficient for this project to develop this application.

4.2 Product Perspective

This project is completely based on **Visual basic** and **Windows** technology. The concept behind making the project is to understanding the features of **VB** and **VB.net.** It provides various features so that whole application can be efficiently used by it all the real hard code is already written for us using eclipse. It is developed for Android OS based mobile which is growing with a rapid speed in the market and with a complete graphical development environment.

The Project is aimed at develop an application to the new mobile operating system Android which is created new revolution in mobile operating systems.

Intensity Care Of Mother and Kids is to Computerize all Agganwari Center activities such as managing all contacts, expenses, appointments etc. This application can store contacts up to 4000 which can be searched very quickly and effectively with different criteria.

4.3 User Classes and Characteristics

Class: - User

- Users can add/update/delete Aanganwadi Account with their all information.
- Users can add/update/delete an Mothers and kids with their all information.
- Users can manage 4000 contacts.
- User can keep record of all Various test of Mother and kid.

4.4 Features of Proposed System

- The Windows application will be able to serve the Aanganwadi center activity.
- To make the Aanganwadi Center activity fast, reliable, and error free.
- User can maintain all the dept. of his Aanganwadi center and keep records about all of its employee.
- This is a single user application only 1 user can access it at a time..
- Sort by first, last or Aanganwadi name.
- Search using any field in contact records.
- Quick log for various test reports.

4.5 Functional and Non Functional Requirements

The inputted data has to pass through various checks. Few of the important validation checks that cannot be skipped and were kept in mind while developing the software are:-

- The verification of the credentials of the user by Windows security (Lock/Unlock).
- Verify all the fields whether they are duly filled before adding/deleting /modifying.
- Verify only textual information should be filled in the fields storing textual information and no special characters should be allowed.
- Verify that only numbers are entered in the fields storing numeric values.
- Changes made should be reflecting the database.

SYSTEM DEFINITION

5. STYSTEM DEFINATION

5.1 System Architecture

Intensity Care Of Mother and Kids Architecture



5.2 Activity Diagram



5.3 Sequence Diagram



5.4 Data Flow Diagram

A **data-flow diagram** (**DFD**) is a graphical representation of the "flow" of data through an information system. DFDs can also be used for the visualization of data processing (structured design).

On a DFD, data items flow from an external data source or an internal data store to an internal data store or an external data sink, via an internal *process*.

A DFD provides no information about the timing or ordering of processes, or about whether processes will operate in sequence or in parallel. It is therefore quite different from a flowchart, which shows the flow of control through an algorithm, allowing a reader to determine what operations will be performed, in what order, and under what circumstances, but not what kinds of data will be input to and output from the system, nor where the data will come from and go to, nor where the data will be stored (all of which are shown on a DFD).

Diagrams:-

Context diagram



Level-0 Adding Department, Employee, Expanses, Income



Lavel-1


Add Agganwari
Add Mother/Kid
Add various Check-up
Kid and Mother Card
Registration Process
Agganwari
Mother/Kid
View Record
View Record
Various Check up
User
Return record
Update successful/rejec
Kid Card
Update Record
Update Record
Mother Card
Login
Check Login
Login
Accept/reject

DETAILED DESIGN

6. DETAILED DESIGN

6.1 ER Diagram



6.2 Data Base Design

After carefully understanding the requirements or the client the entire data storage requirements are divided into tables. The below tables are normalized to avoid any anomalies during the course of data entry.

Aanganwadi Account:-



MotherTable :-



KidTable:-



AfterDelivery:-



BeforeDel:-



PragTable:-



Dose:-



6.3 Screen Design



Intensity Care Of Mother and Kids
Aanganwadi ID
kid
Aangan Reg. No
12
Ok
Cancel


Password
abc123
Ok


Intensity Care Of Mother and Kids
New Update Check Up Report Help
Intensity Care Of Mother and Kids
There are many reasons to love India the most important being India is our motherland, our country. We all are in a way emotionally attached to our Mother Nation. There are a lot many other reasons to love the country.
8:36 PM


Intensity Care Of Mother and Kids
New Update Check Up Report Help
Intensity Care Of Mother and Kids
There is no velvet so soft as a mother's lap,no rose as lovely as her smile,no path so flowery as that imprinted with her footsteps. Happy mother day ,But mothers 's day for me is everyday LOVE YOU MOM,Whis you all the best
Intensity Care Of Mother and Kids
The word Anganwadi means "courtyard shelter" in Hindi. They were started by the Indian government in 1975 as part of the Integrated Child Development Services program to combat child hunger and malnutrition A typical Anganwadi centre also provides basic health care in Indian villages. It is a part of the Indian public health-care system. Basic health-care activities include contraceptive counseling and supply, nutrition education and supplementation, as well as pre-school activities
Total Registered Kid and
2:29 PM 2/8/2014
2:29 PM
2/8/2014


Intensity Care Of Mother and Kids
New Update Check Up Report Help
MOTHER REGISTRATION Aanganwadi Id kid
Couple No 4
Pragnent Lady Name Sejal Singh
Husband's Name Arihan Roy
Birth Date 21-Jun-1990
Eduction Primary
Address 24, Shubhash Road
City\Town And District Falna Pali
State Rajasthan
Mobile Number 9876543210
City Pin 306701
Total Childs 1
JSI Registration No 231324
JSI Paid Money 1209
JSI Paid Date 01-Jan-2014
Sejal Singh
E:\Users\LaLit V'chau\Pic
Upload Picture
Save
Cancel
Most Superior Example 4 Love' In Anyones Life:- When Apples Are Four And Members Are Five In A Family Then Mother Says, I Dont Like Apples.
2:37 PM 2/8/2014


Intensity Care Of Mother and Kids
New Update Check Up Report Help
Kids Registration Aanganwadi Id kid
Couple No 3
Kids Registration No
Kid's Name Jayesh
Mother Name Alia Bhat
Father Name XYZ
Birth Date 12-jan-4000
Gender Male Female
Kid Weight 4
Jayesh
Upload Picture
Save
Cancel
Intensity Care Of Mother and Kids
Mom...I love you lot.. I have learnt so many things from you..you are my first teacher. From you only,i know how to talk _behave with others. You grew up me in Godly fear. My positin came from you only.
3:53 PM 2/8/2014


Intensity Care Of Mother and Kids
New Update Check Up Report Help
Updates Aanganwadi Account
Aanganwadi ID 121 You Don't Change AggnId
Aanganwadi Center Reg. No. 122
Date 01-Jan-2000
Upper Center No 123
Date 01-Jan-2000
Aanganwadi Owner Name bali
Center/Block dinesh
Asha bali
ANM falna
Upper Health Center / Clinic sokra
First Health Center / City sokra
Hospital and FRU bali
Contect No 12345666
E-mail dvaishnav@gmail.com
New Password
RE-Password
Old Password
Update
CANCEL
her and Kids
Mom...I love you lot.. I have learnt so many things from you..you are my first teacher. From you only,i know how to talk _behave with others. You grew up me in Godly fear. My positin came from you only.
8:41 PM


Intensity Care Of Mother and Kids
New Update Check Up Report Help
Kids Registration
Aanganwadi Id kid
Couple No 3
Kids Registration No
Kid's Name Jayesh
Mother Name Alia Bhat
Father Name XYZ
Birth Date 12-jan-4000
Gender Male Female
Kid Weight 4
Jayesh
Upload Picture
Save
Cancel
Intensity Care Of Mother and Kids
Mom...I love you lot.. I have learnt so many things from you..you are my first teacher. From you only,i know how to talk _behave with others. You grew up me in Godly fear. My positin came from you only.
3:53 PM 2/8/2014
3:53 PM 2/8/2014


Intensity Care Of Mother and Kids
New Update Check Up Report Help
MOTHER REGISTRATION Aanganwadi Id kid
Couple No 4
Pragnent Lady Name Sejal Singh
Husband's Name Arihan Roy
Birth Date 21-Jun-1990
Eduction Primary
Address 24, Shubhash Road
City\Town And District Falna Pali
State Rajasthan
Mobile Number 9876543210
City Pin 306701
Total Childs 1
JSI Registration No 231324
JSI Paid Money 1209
JSI Paid Date 01-Jan-2014
Sejal Singh
E:\Users\LaLit V'chau\Pic
Upload Picture
Save
Cancel
Most Superior Example 4 Love' In Anyones Life:- When Apples Are Four And Members Are Five In A Family Then Mother Says, I Dont Like Apples.
2:37 PM 2/8/2014


Intensity Care Of Mother and Kids
New Update Check Up Report Help
Care Before Delivery
Couple No Couple No
Lady Name
Last delivery Problems
APH Aklempsiya Preg Induced Hypertension Low Blood Quentity Infective Delivery PPH ALPS Draw Back in Kid at Born Other
Last Delivery Index
Tapedik High Blood Presaure Any Heart Deasese Diabetes Asthma Other
Last Delivery Index
Normal Phase Heart
Lungs Breast
Important Check Up
Hemoglobin Urine Albumin
Urine Sugar Blood group and RH Type
Enter quintity of Hemoglobin
Other Check Up
Urine Date 01-Jan-4000
HBS Anitgen Date 01-Jan-4000
Blood Sugar Date 01-Jan-4000
Cancel
8:44 PM


Intensity Care Of Mother and Kids
New Update Check Up Report Help
Vaccination and Dose
Kids Registration No
Kid Reg No
Kid's Name
Form Born to 3 Year
At Born
BCG
01-Jan-4000
Poliyo-0*
01-Jan-4000
HIpetaitis-B 0*
01-Jan-4000
Poliyo
Poliyo 1 (1Year 6Month)
01-Jan-4000
Poliyo 2 (2Year 6Month)
01-Jan-4000
Poliyo 3 (3Year 6Month)
01-Jan-4000
Khasra
Khasra 9 Month
01-Jan-4000
DPT
DPT 1 (1Year 6 Month)
01-Jan-4000
DPT 2 (2Year 6 Month)
01-Jan-4000
DPT 3 (3Year 6 Month)
01-Jan-4000
Hipetaites
Hip-1 (1 Year 6 Month)
01-Jan-4000
Hip-2 (2 Year 6 Month)
01-Jan-4000
Hip-3 (3 Year 6 Month)
01-Jan-4000
Vitamin-A
Vit - A 9 Month
01-Jan-4000
From 16 to 36 Month
From 16 to 24 Month
DPT Boster(16-24 Month)
01-Jan-4000
Polio Boster(16-24 Month)
01-Jan-4000
Vitamin A Dose(16 Month)
01-Jan-4000
From 24 to 36 Month
Vitamin A Dose(24 Month)
01-Jan-4000
Vitamin A Dose(30 Month)
01-Jan-4000
Vitamin A Dose(36 Month)
01-Jan-4000
Cancel
Mom...I love you lot.. I have learnt so many things from you..you are my first teacher. From you only,i know how to talk _behave with others. You grew up me in Godly fear. My positin came from you only.
8:45 PM


Intensity Care Of Mother and Kids
New Update Check Up Report Help
After Delivery Check Up
Couple No
Couple No
Lady Name
Delivery Date
01-Jan-4000
Delivery Place
Delivery Type
Pragnancy
Hospitalize Period (Delivery at Hospital)
Kids Gender
Any Problem at delivery
Kid Cry After Born
Kids Weight at Born
Hospital Decharge Date
01-Jan-4000
Delivery Result
Cancel
Intensity Care Of Mother and Kids
Many Hugs Only Luv Never Anger Teaching Me Helping Me Every Smile When I Was Sad Raising Me To Be Strong It Spells Mother. Thanks For Being
8:44 PM


MOTHER's CARD
2
Mother"s Name RINKU
Husband's Name RAVI
Address asD
City jalor Disit State jalor
Birth Date 04-Nov-1994 Mother phone 7891979901 Education Graduate
JSI Reg No 1234 JSI Reg Paid 5000 JSI Paid Date 01-Jan-2
Aanganwadi Center Katrina Kaif
Aanganwadi Owner Mumbai Email ID asdasfas@gmail.com
Asha Priyanka Chopra ANM Deepika padukon
Clinic GHC Bali Hospital GHC BAli
Aanganwadi Center Reg No 12 Date 01-Jan-2014
Upper Center Reg No 12345 Date 01-Jan-2014
Thnaks You
Print


Intensity Care Of Mother and Kids
New Update Check Up Report Help
ANC Report
Zoom 100%
ANC REPORT
CNO City' Lady's Name Birth Date Husband's Name Mobile No Child 1st Check JSY Asha
121 sd ds 1/1/2012 dws 5664 4 323 Shobha
1 Jodhpur Asha Kumari 1/1/1993 Rakesh Kumar 987654321 2 1000 Shobha
3 Patna Asha Kumari 1/1/4000 shahid lapoor 732547236 3 234 Shobha
6 Sokra Shobha bharti 1/13/1991 Deepak Vaishnav987654321 1 1200 Shobha
1212 sdj a 1/1/2012 b 66766 7 78777 Shobha
1213 pali ab 1/1/2001 jh 876756545 5 1/1/4000 10000 bali
Pages: 1
There is no velvet so soft as a mother's lap,no rose as lovely as her smile,no path so flowery as that imprinted with her footsteps. Happy mother day ,But mothers 's day for me is everyday LOVE YOU MOM,Whis you all the best
8:48 PM


Intensity Care Of Mother and Kids
New Update Check Up Report Help
Vaccination Report and Dose
Zoom 100%
Vaccination Report and Dose
KID NAME MOTHER NAME BCG: POLI DPT1: POLIY1: POLIY2: VIT1: VIT2: DPTBOSTER: KH9: POLIYOBOS HIP1:
Suresh Kumar Asha Kumari
Pages: 1
There is no velvet so soft as a mother's lap,no rose as lovely as her smile,no path so flowery as that imprinted with her footsteps. Happy mother day ,But mothers 's day for me is everyday LOVE YOU MOM,Whis you all the best
8:49 PM


Intensity Care Of Mother and Kids
New Update Check Up Report Help
DataReport1
Zoom 100%
Delivery Report
Co.NO Lady's Name Mobile Number Delivery Date Delivery Place DeliveryType Kid Gender Delivery Result Hospital Decharge
1 Asha Kumari 9876543210 1/1/4000 Hospital Instrumen Male Dead 1/1/4000
3 Asha Kumari 732547236
6 Shobha bharti 9876543210
121 ds 5664
1212 a 66766
1213 ab 8767565453
Pages: 1
Most Superior Example 4 Love' In Anyones Life:- When Apples Are Four And Members Are Five In A Family Then Mother Says, I Dont Like Apples.
8:49 PM


Intensity Care Of Mother and Kids
New Update Check Up Report Help
-: Acknowledgements :-
The satisfaction that we feel at the successful completion of the project work titled "Intensity Care Of Mother and Kids" would be incomplete if we don't mention all the people, whose able guidance and encouragement made success a really for this project work.
It is a great pleasure to express our gratitude and respect to all those who inspired and helped us in completion of this project.
We take this opportunity to express our sincere gratitude to Prof. Mr. YK Sharma our Head of the department of computer Science for providing us with a well-equipped lab and all necessary facilities.
We express our heartfelt gratitude to Mr. Yameen Sir for being a source of inspiration and encouragement.
Last but not the least I thank my friends who lead us a helping hand and gave us the moral support we needed.
Thanks You very Much to Join Us!
LaLit Kumar
BS-IT Part 3 rd
S.P.U.(P.G.) College
Email - lalitvchau@outlook.com
Mobile - +918386814144
Deepak Kumar
BS-IT Part 3 rd
S.P.U.(P.G.) College
Email - dvaishanav750@gmail.com
Mobile - +919772703455
Ravindra Singh
BS-IT Part 3 rd
S.P.U.(P.G.) College
Email - raoravi336@gmail.com
Mobile - +917891979901
Exit
many other reasons to love the country.
3:59 PM 2/8/2014

Message
kid..... Your Account Sign Out Successfully!

IMPLEMENTATION

7. IMPLEMENTATION

Develop Phase

Implementation in the development phase is the stage in which the already developed system is implemented module wise. In this way whole system, which consists of various modules is implemented. The advantage of implementing at development phase is that the system can again go for testing if any errors are detected.

Implementation is the next phase of the system development. Implementation is a phase where a number of activities that have been going in parallel have to be culminated. An important activity in this phase is preparation of the installation plan. A detailed plan has to be prepared in terms of hardware and procurement and installation well before the actual software is ready.

When the new system is expected to come to life from a particular date, all the old data has to be entered into the new system. This also required conversion of old data into the new format.

User training forms one of the note important parts of system implementation. A good system with no users is not of any use. A training program has to be built to impart training. Different users may require different levels of training. In the industry, the uses are

enthusiastic about the system. Hands on training on the software are being imparted to the uses according to their level of knowledge of computers.

Physical Implementation

Physical implementation includes preparation of site for the new system, implementation of hardware and software. Identifying the places to install the necessary hardware did site preparation. Adequate power supply arrangements are made and arrangements for install the computers are made.

Direct Implementation

This is the implementation approach where the new system becomes operational directly from the first day. This strategy is adopted for small and medium sized applications that are not highly critical. The advantage of this approach is that it completely disables user's tendency to slip back into their old practices, which they have been adopting for years.

Parallel Run

This is the commonly used strategy during implementation. In this strategy old system is run in parallel with the new system. Reports and figured being produced from the new system can be verified with the old one to ensure that the new outputs from the two systems are bound to be different; some of the more critical figures can always be compared and reconciled. This gives an enormous amount of confidence to the users that the new system is indeed accurate. It also ensures that in case something drastically. Wrong with the software, the activities in the organization do not come to a grinding halt, since the old system is available.

Phased Approach

In phased approach for implementing the software, implementation of modules is phased out within same application itself. In this approach, it is decided to start using some of the modules initially. Once this stabilizes, the other modules are implemented.

TESTING

8. TESTING

8.1 QA Plans:-

QA plans are the designing of test strategies and from a quality viewpoint are written as soon as the specifications are ready. If the test plans are written early in the life cycle the error in the specifications are found before the starting of coding. Plans should be made to carry out each of the testing strategies as early as possible in the SDLC.

8.2 Type of testing performs:-

Visual Basic **provides** its own testing tool to test Android application we don`t need to use any other tools to test the Android application some of the Testing perform on the application are

- **CODE TESTING**

The code testing strategy examines the logic of the program. For this testing method tests were made that result in executing of every instruction of the program or the module.

- **SPECIFICATION TESTING**

In the specification testing, the program is tested to see if it meets the specifications. It was assumed that if the program meets the specifications and achieves the correct results, it would not fail.

8.3 Objective of testing:-

Once the programming part is over, the software is tested. This is done to ensure that the software works in the way that it was supposed to work. Also bugs, if any, are removed once these are found. The goal of testing is to find errors. A test, which reveals an error is more useful, then hundreds of test that sail smoothly. Thus testing can only show the presence of an error however it can never show the absence of an error. Good testing procedures followed by well devised testing strategies and testing data can help in quality assurance and decrease the chances of system failure.

8.4 Techniques of testing:-

- **BLACK BOX TESTING**

This form of testing is used during System or Acceptance testing where the system is regard, as a "black box" i.e. the tester does not know. The tester Gives the required inputs and checks the outputs. If the outputs don't tally with expected results, an error is reported.

- **WHITE BOX TESTING**

This is used in the Unit Testing (to a limited extent) where the technical people know the internals of the system. Checking that all branches and loops of code are executed, intermediate and temporary files are updated properly and hand offs to other systems or modules are written in the correct format does testing.

- **Test case 1 :**

Project Name:	Intensity Care of Mother and Kids	**Testing Date:**	21-01-2014
Test Case Name:	Test1	**Test Case Number:**	AO-1
Written by:	Team member	**Approved by:**	Project guide
Description:	In this module we are adding employee in the specific dept.		
Scenario			

#	Function to Test	Expected Results	Actual Result	Remark
1	Adding Aanganwadi	Aanganwadi Should Be Added	Aanganwadi Successfully Added	Pass
2	The user should be prompted if the All Fields are not valid or blank	The user should be prompted if All for answers are not filled	The user was prompted	Pass
3	Update Aanganwadi	Aanganwadi should be delete/update if Admin want to update	Aanganwadi are successfully update/delete.	Pass
4	No Blank fields must be allowed at The time of adding Employee	The system should prompt user for the empty fields	The system prompted user of the empty fields	Pass

Conclusion: **All the functionality of this module working properly.**

Test case 2 :

Project Name:	Intensity Care of Mother and Kids	**Testing Date:**	21-6-2013
Test Case Name:	Test2	**Test Case Number:**	AO-2
Written by:	Team member	**Approved by:**	Project guide
Description:	The main task of this module is to maintain all the activities related to the income and expenses and manage them		

Scenario				
#	**Function to Test**	**Expected Results**	**Actual Result**	**Remark**
1	Select New Mother Registration From Main Form	Go To New mother Registration Form	System is forwarding request on the next page	Pass

2	Select New Kid Registration From Main Form	Go To New Kid Registration Form	System is forwarding request on the next page	Pass

Conclusion: All the financial activities are working properly

CONCLUSION

9. CONCLUSION

9.1 Conclusion

The project is designed to develop efficient application for any Small firm user to maintain their Aanganwadi activity. By this application user don't have to waste their time. System is capable to handle all the operation of business. And provide all the facilities which an essentials. There were so many difficulties while coding the project and it was a challenge for me to overcome difficulties from which I able to learn many new things. It was tremendous experience to learn new things.

9.2 This application offers the following advantage:-

- It is generic software, so it can be used by used by the any organization.
- Keep large amount of information about employee, department, expenses, and income.

- It can install any an Windows device like: - Windows Xp,7,8,8.1. etc.

9.3 Limitation of the application

- It can be install only on an Windows platform.

9.4 Difficulties encountered during project

The main task which took lots of time and create so much difficulty was how to Manage the resolution of screen because every mobile having different size of screen and second task was to maintain Date but at last we have done all the things successfully.

FUTURE ENHANCEMENT

10. FUTURE ENHANCEMENT

Future Scope

Since Object Oriented programming is used here for developing this system, there are every chances of reusability of the codes in other environment even in different platforms. The scope of the '**Intensity Care of Mother and Kids** is very broad in future. Because according to the surveys the currently 50-60% smart phones are having Windows Operation System. This application contains various and different kinds of information related to Aanganwadi Office.

The features that will be developed and integrated with present structure of **Intensity Care of Mother and Kids** are:-

- **Intensity Care of Mother and Kids** will be available on various platforms like: - Windows.
- The product will provide more user friendly UI.

USER MANUAL

11. USER MANUAL

- **User Manual For Add Aanganwadi Account.**
    1. Open **Intensity Care of Mother and Kids**.
    2. Click On Need a New Account.
    3. Enter All Details About Aanganwadi (Aanganwadi Is, Password, City, Anm etc.).
    4. Click on Create.
- **User Manual For registration Mother.**
    1. Open **Intensity Care of Mother and Kids**.
    2. Login in Apps by use correct Aanganwadi id and password.
    3. Select New menu to New Mother registration
    4. Enter All Details About Mother
       (Emp. Name, DOB,, Male/Female, Address)
    5. Click on Save.
- **User Manual For registration Kid.**

1. Open **Intensity Care of Mother and Kids**.
2. Login in Apps by use correct Aanganwadi id and password.
3. Select New menu to New Kid registration
4. Enter All Details About Kid
5. (Emp. Name, DOB,, Male/Female, Address)
6. Click on Save.

.

BIBLIOGRAPHY

12. BIBLIOGRAPHY

1. Mastering in Visual Basic 6- Evangelos Petroutsos.
2. www.w3schools.com
3. Oracle University – Nancy Greenberg

CODING:-

"Quality is not an act, it is a habit"—Aristotle

Coding or the code generation phase is next phase after the design; it is completely based on the output of the design phase. The design must be translated into a machine-readable form; the code generation step performs this task. If designed is performed in a detailed manner, code generation can be accomplished mechanistically. "Intensity Care Of Mother and Kids" each and every care has been taken to do not avoid even the minor things. All the inputs processes and outputs were designed carefully, so there is no need to say that the coding phase of "Intensity Care Of Mother and Kids" become an easier job.

Coding Form Login :-

```
Dim passkey
Dim pass
Dim cnt As Integer
Dim id
Private Sub acc_Click()
  Unload Me
  accForm.Show
End Sub
Private Sub acc_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
    acc.FontSize = 11
 End Sub
Private Sub Command1_Click()
  End
End Sub
Private Sub Command1_Mousemove(Button As Integer, Shift As Integer, X As Single, Y As Single)
   command1.BorderStyle = 1
  command1.ForeColor = vbWhite
  command1.Enabled = True
End Sub

Private Sub Form_Load()
   cnt = 1
       signIn.Visible = False
End Sub
Private Sub Form_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
       command1.BackColor = Me.BackColor
       command1.ForeColor = vbRed
     command1.BorderStyle = 0
     signIn.BackColor = Me.BackColor
    signIn.BorderStyle = 0
    signIn.ForeColor = &HC000&
    command1.Enabled = True
    acc.FontSize = 10
    Label1.FontSize = 10
End Sub
Private Sub Label1_Click()
       Unload Me
       forgetPassword.Show
End Sub
Private Sub Label1_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
       Label1.FontSize = 11
End Sub
Private Sub signIn_Click()
       pass = TxtPassword.Text
       id = TxtAganID.Text
       rs.Open "select * from agganwaritable where agganid='" & TxtAganID.Text & "'", conn, adOpenStatic, adLockReadOnly'
       rs.Move
Dim rec As Integer
```

```
 If id = Null Or pass = Null Then
      msg = "First Fill Aanganwadi  Id and password!"
      msgShow.Show
      rs.Close
  Else
    If rs.EOF Then
     rs.Close
       msg = "Not Found Any Account In This Application"
       msgShow.Show
    Else
          passkey = rs.Fields(12)
       If pass = passkey Then
          MainForm.Show
           lk.Show
          signIn.Visible = False
           ArgNum = id
           rs.Close
           Unload Me
       Else
       msg = "Wrong Password! Please Enter Correct password"
       msgShow.Show
       rs.Close
    End If
  End If
End If
End Sub
Private Sub signIn_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
        signIn.BackColor = Me.BackColor
        signIn.ForeColor = vbWhite
        signIn.BorderStyle = 1
End Sub
Private Sub Timer1_Timer()
     login_form.BackColor = colorlist(cnt)
     command1.BackColor = Me.BackColor
     signIn.BackColor = Me.BackColor
    If cnt = 5 Then
      cnt = 0
     Else
      cnt = cnt + 1
      End If
End Sub

Private Sub TxtPassword_Change()
        signIn.Enabled = True
        signIn.Visible = True
End Sub
Private Sub TxtPassword_KeyUp(KeyCode As Integer, Shift As Integer)
        If KeyCode = 13 Then signIn_Click
End Sub
```

Coding Acc Form (Create New Account) :-

```
Dim test
Dim temp
Private Sub cancel_Click()
        Unload Me
        login_form.Show
End Sub
Private Static Function nullCheck() As Boolean
        Dim rt As Boolean
        rt = False
        If txtID.Text = "" Then
                MsgBox " Aaganwadi Id Is Blanks !"
                txtID.SetFocus
        ElseIf txtRgNO.Text = "" Then
                MsgBox " Aaganwadi Registration Number Is Blank !"
                txtRgNO.SetFocus
     ElseIf txtDate.Text = "" Then
                MsgBox " Aaganwadi Registration Date Is Blank !"
                txtDate.SetFocus
```

```
    ElseIf txtUppCenNo.Text = "" Then
                MsgBox " Aaganwadi Center  Number Is Blank !"
                txtUppCenNo.SetFocus
   ElseIf TxtUppDate.Text = "" Then
                MsgBox " Aaganwadi Center  Date Is Blank !"
                  TxtUppDate.SetFocus
   ElseIf txtAsha.Text = "" Then
                MsgBox " Asha Name Is Blank !"
                 txtAsha.SetFocus
   ElseIf txtANM.Text = "" Then
                MsgBox " ANM Name Is Blank !"
                  txtANM.SetFocus

      ElseIf txtClinic.Text = "" Then
                MsgBox " Clinic Name Is Blank !"
                txtClinic.SetFocus
      ElseIf TxtFHC.Text = "" Then
                 MsgBox " FHC Name Is Blank !"
                  TxtFHC.SetFocus
   ElseIf txthopital.Text = "" Then
                MsgBox " Hospital Name Is Blank !"
                txthopital.SetFocus
      ElseIf txtMobile.Text = "" Then
                MsgBox " Mobile Number Is Blank !"
                txtMobile.SetFocus
   ElseIf txtEmail.Text = "" Then
                MsgBox " Email Is Blank !"
                txtEmail.SetFocus
      ElseIf txtOwner.Text = "" Then
                 MsgBox " Owner Is Blank !"
                txtOwner.SetFocus

ElseIf TxtBlock.Text = "" Then
   MsgBox " Block Is Blank !"
   TxtBlock.SetFocus
Else
    rt = True
   End If
nullCheck = rt
End Function
Private Sub log()
If txtPass.Text = txtRePass.Text Then
       create.Visible = False
       conn.Execute "insert into
agganwariTable(agganId,agganRegNo,rgDate,upperCenter,cendate,asha,anm,owner,center,upperhc,fhc,hosfru,contectno,email,pass
word)values('" & txtID.Text & "'," & txtRgNO.Text & ",'" & txtDate.Text & "','" & txtUppCenNo.Text & "','" &
TxtUppDate.Text & "','" & txtAsha.Text & "','" & txtANM.Text & "','" & TxtBlock.Text & "','" & txtOwner.Text & "','" &
txtClinic.Text & "','" & TxtFHC.Text & "','" & txthopital.Text & "','" & txtMobile.Text & "','" & txtEmail.Text & "','" &
txtPass.Text & "')"
       msg = "New Aanganwadi  Account Created Successfully! "
      txtRePass.Text = ""
       Unload Me
       login_form.Show
       msgShow.Show
   Else
       msg = " Password Miss Match! ReEnter Password"
        msgShow.Show
   End If
End Sub
Private Sub cancel_Mousemove(Button As Integer, Shift As Integer, X As Single, Y As Single)
cancel.BorderStyle = 1
cancel.ForeColor = vbWhite
End Sub
Private Sub create_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
create.BorderStyle = 1
create.ForeColor = vbWhite
End Sub
Private Sub create_Click()
 Dim lk As Integer
 Dim tan
```

```
lk = 0
 If nullCheck = True Then
 rs.Open "select * from agganwaritable ", conn, adOpenStatic, adLockReadOnly
 If rs.BOF = rs.EOF Then
    rs.Close
    If txtID.Text = "" Then
      txtID.SetFocus
      msg = "Please Fill Aanganwadi  Id Field"
      msgShow.Show
     Else
        rs.Open "select * from agganwaritable", conn, adOpenStatic, adLockReadOnly
       While Not rs.EOF
          tan = rs.Fields("agganid")
          If txtID.Text = tan Then
          lk = 1
          End If

          rs.MoveNext
        Wend

      If lk = 1 Then
        txtID.SetFocus
        msg = "Enter A Unique Aanganwadi  id!"
         msgShow.Show
        rs.Close
      Else
        rs.Close
        log
      End If
    End If
 Else
     rs.Open "select * from agganwaritable", conn, adOpenStatic, adLockReadOnly
       While Not rs.EOF
          tan = rs.Fields("agganid")
          If txtID.Text = tan Then
          lk = 1
          End If

          rs.MoveNext
        Wend

      If lk = 1 Then
        txtID.SetFocus
        msg = "Enter A Unique Aanganwadi  id!"
         msgShow.Show
        rs.Close
      Else
        rs.Close
        log
      End If
   End If
  End If
End Sub
Private Sub Form_Load()
create.Visible = False
temp = ""
End Sub
Private Sub Form_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
create.BorderStyle = 0
create.ForeColor = vbGreen
cancel.BorderStyle = 0
cancel.ForeColor = vbRed
End Sub

Private Sub txtDate_Validate(cancel As Boolean)
If IsDate(txtDate.Text) Then
txtDate.Text = Format(txtDate.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a DATE! AlphaNumeric or Alphbates or Numbers Not Allowed!"
   txtDate.Text = ""
```

```
   txtDate.SetFocus
   End If
End Sub
Private Sub txtMobile_Validate(cancel As Boolean)
If IsNumeric(txtMobile.Text) Then
   Else
   MsgBox "Enter a Mobile Numbers! AlphaNumeric or Alphbates Not Allowed!"
   txtMobile.Text = ""
   txtMobile.SetFocus
   End If
End Sub
Private Sub txtPass_Change()
txtRePass.Visible = True
End Sub
Private Sub txtRePass_Change()
create.Visible = True
   create.Enabled = True
End Sub

Private Sub txtRgNO_Validate(cancel As Boolean)
If IsNumeric(txtRgNO.Text) Then

   Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates Not Allowed!"
   txtRgNO.Text = ""
  txtRgNO.SetFocus
   End If
End Sub

Private Sub txtUppCenNo_Validate(cancel As Boolean)
If IsNumeric(txtUppCenNo.Text) Then

   Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates Not Allowed!"
   txtUppCenNo.Text = ""
   txtUppCenNo.SetFocus
   End If
End Sub


Private Sub TxtUppDate_Validate(cancel As Boolean)
If IsDate(TxtUppDate.Text) Then
   TxtUppDate.Text = Format(TxtUppDate.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a DATE! AlphaNumeric or Alphbates or Numbers Not Allowed!"
   TxtUppDate.Text = ""
   TxtUppDate.SetFocus
   End If
End Sub
```

Coding Forget Password(forgetPassword) :-

```
Dim pass
Dim rgn
Dim temp
Dim id
Private Sub cancel_Click()
Unload Me
login_form.Show
End Sub

Private Sub cancel_Mousemove(Button As Integer, Shift As Integer, X As Single, Y As Single)
cancel.BackStyle = 1
End Sub

Private Sub Form_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
cancel.BackStyle = 0
ok.BackStyle = 0
End Sub
```

```
Private Sub ok_Click()
temp = TxtRgNo.Text
rs.Open "select * from agganwaritable where agganid='" & aganID.Text & "'", conn, adOpenStatic, adLockReadOnly
'rs.Move
If rs.EOF Then
     rs.Close
       msg = "Not Found Any Account In This Application"
       msgShow.Show

    Else
    rgn = rs.Fields(1)

    If rgn = temp Then
    pass = rs.Fields(12)
    rs.Close
    fegpass = pass
    Unload Me
    Dialog.Show

Else
  msg = "Incorrect Aanganwadi  id and Registration Number"
  rs.Close
  msgShow.Show
 End If
  End If


End Sub


Private Sub ok_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
ok.BackStyle = 1
End Sub

Private Sub txtRgNO_Change()
ok.Visible = True

End Sub

Private Sub txtRgNO_Validate(cancel As Boolean)
If IsNumeric(TxtRgNo.Text) Then

   Else
   MsgBox "Enter a Number! AlphaNumeric or Alphbates are Not Allowed!"
   TxtRgNo.Text = ""
   TxtRgNo.SetFocus
   End If
End Sub
```

Coding Dailog Form(dailog) :-

```
Option Explicit

Private Sub Form_Load()
If lalit = 5 Then
     lalit = 0
     Else
       lalit = lalit + 1
       End If
Me.BackColor = colorlist(lalit)
Label2.Caption = fegpass
End Sub

Private Sub Form_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
okButton.BorderStyle = 0
End Sub

Private Sub OKButton_Click()
Unload Me
```

```
login_form.Show
End Sub

Private Sub okButton_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
okButton.BorderStyle = 1
End Sub
```

Coding Main Form(mainForm) :-

```
Private Sub mnuCheckUpAftDel_Click()
rs.Open "select * from mothertable where agganid='" & ArgNum & "'", conn, adOpenStatic, adLockReadOnly
  If rs.EOF Then
     rs.Close

        msg = "Mother Account Needed!"
        msgShow.Show
    Else
rs.Close
afterDel.Show
End If
End Sub

Private Sub mnuCheckUpBefDel_Click()
rs.Open "select * from mothertable where agganid='" & ArgNum & "'", conn, adOpenStatic, adLockReadOnly
  If rs.EOF Then
     rs.Close

        msg = "Mother Account Needed!"
        msgShow.Show
    Else
rs.Close
beforDel.Show
End If
End Sub

Private Sub mnuCheckUpDose_Click()
rs.Open "select * from kidtable a, mothertable b where a.coupleno=b.coupleno AND b.agganid='" & ArgNum & "'", conn,
adOpenStatic, adLockReadOnly
  If rs.EOF Then
     rs.Close

        msg = "Kid Account Needed!"
        msgShow.Show
    Else
rs.Close
kidVac.Show

End If
End Sub

Private Sub mnuCheckUpPregTime_Click()
rs.Open "select * from mothertable where agganid='" & ArgNum & "'", conn, adOpenStatic, adLockReadOnly
  If rs.EOF Then
     rs.Close

        msg = "Mother Account Needed!"
        msgShow.Show
    Else
rs.Close
pragTime.Show

End If

End Sub

Private Sub mnuNewKid_Click()
rs.Open "select * from mothertable where agganid='" & ArgNum & "'", conn, adOpenStatic, adLockReadOnly
  If rs.EOF Then
```

```
    rs.Close

      msg = "Mother Account Needed!"
      msgShow.Show
   Else
rs.Close
kidReg.Show

End If
End Sub

Private Sub mnuNewMother_Click()
motherReg.Show
End Sub

Private Sub mnuReportAbout_Click()
 abtus.Show
End Sub

Private Sub mnuReportANC_Click()
rs.Open "select * from mothertable where agganid='" & ArgNum & "'", conn, adOpenStatic, adLockReadOnly
  If rs.EOF Then
    rs.Close

      msg = "Mother Account Needed!"
      msgShow.Show
   Else
rs.Close
anc.Show

End If
End Sub

Private Sub mnuReportDel_Click()
rs.Open "select * from mothertable where agganid='" & ArgNum & "'", conn, adOpenStatic, adLockReadOnly
  If rs.EOF Then
    rs.Close

      msg = "Mother Account Needed!"
      msgShow.Show
   Else
rs.Close
Del.Show

End If
End Sub

Private Sub mnuReportDose_Click()
   rs.Open "select * from kidtable a, mothertable b where a.coupleno=b.coupleno AND b.agganid='" & ArgNum & "'", conn,
adOpenStatic, adLockReadOnly
  If rs.EOF Then
    rs.Close

      msg = "Kid Account Needed!"
      msgShow.Show
   Else
rs.Close
Dose.Show
End If
End Sub

Private Sub mnuReportKid_Click()
 rs.Open "select * from kidtable a, mothertable b where a.coupleno=b.coupleno AND b.agganid='" & ArgNum & "'", conn,
adOpenStatic, adLockReadOnly
  If rs.EOF Then
    rs.Close

      msg = "Kid Account Needed!"
      msgShow.Show
   Else
```

```
rs.Close
KidCard.Show

End If
End Sub

Private Sub mnuReportMother_Click()
rs.Open "select * from mothertable where agganid='" & ArgNum & "'", conn, adOpenStatic, adLockReadOnly
  If rs.EOF Then
     rs.Close

        msg = "Mother Account Needed!"
        msgShow.Show
    Else
rs.Close
mothercard.Show

End If
End Sub

Private Sub mnuUpdateAgganwari_Click()
updateAccForm.Show
End Sub

Private Sub mnuUpdateKid_Click()
rs.Open "select * from kidtable a, mothertable b where a.coupleno=b.coupleno AND b.agganid='" & ArgNum & "'", conn,
adOpenStatic, adLockReadOnly
  If rs.EOF Then
     rs.Close

        msg = "Kid Account Needed!"
        msgShow.Show
    Else
rs.Close
updateKidReg.Show

End If
End Sub

Private Sub mnuUpdateMother_Click()
rs.Open "select * from mothertable where agganid='" & ArgNum & "'", conn, adOpenStatic, adLockReadOnly
  If rs.EOF Then
     rs.Close

        msg = "Mother Account Needed!"
        msgShow.Show
    Else
rs.Close
updateMotherReg.Show

End If
End Sub

Private Sub signOut_Click()
Unload Me
login_form.Show
msg = ArgNum + "..... Your Account Sign Out Successfully!"
msgShow.Show


End Sub
```

Coding Mother Registration Form(motherReg) :-

```
Dim edulist
Private Static Function nullCheck() As Boolean
Dim rt As Boolean
rt = False
 If txtMotherName.Text = "" Then
    MsgBox " Mother Name Is Blanks !"
```

```
    txtMotherName.SetFocus
ElseIf txtHusbandName.Text = "" Then
    MsgBox " Father Name Is Blank !"
    txtHusbandName.SetFocus
ElseIf txtCoupleNo.Text = "" Then
    MsgBox " Couple No Is Blank !"
    txtCoupleNo.SetFocus

ElseIf bdate.Text = "" Then
    MsgBox " Birth Date Is Blank !"
    bdate.SetFocus

ElseIf txtEdu.Text = "" Then
    MsgBox " Edducation Is Blank !"
    txtEdu.SetFocus

ElseIf Text2.Text = "" Then
    MsgBox " Address Is Blank !"
    Text2.SetFocus

ElseIf txtCity.Text = "" Then
    MsgBox " City Is Blank !"
    txtCity.SetFocus

ElseIf txtdist.Text = "" Then
    MsgBox " Disit Is Blank !"
    txtdist.SetFocus

ElseIf txtPin.Text = "" Then
    MsgBox " City Pin Is Blank !"
    txtPin.SetFocus

ElseIf txtChild.Text = "" Then
    MsgBox " Child Is Blank !"
    txtChild.SetFocus

ElseIf txtJSIREGn.Text = "" Then
    MsgBox " JSY Registration Number Is Blank !"
    txtJSIREGn.SetFocus

ElseIf txtMob.Text = "" Then
    MsgBox " Mobile Number Is Blank !"
    txtMob.SetFocus

ElseIf txtJSIPaid.Text = "" Then
    MsgBox " JSY Paid Is Blank !"
    txtJSIPaid.SetFocus

ElseIf txtPath.Text = "" Then
    MsgBox " Photo Not Selected !"
    txtPath.SetFocus

ElseIf txtJSIDate.Text = "" Then
    MsgBox " JSY Date Is Blank !"
    txtJSIDate.SetFocus
ElseIf txtState.Text = "" Then
    MsgBox " State Is Blank !"
    txtState.SetFocus
Else
   rt = True
    End If
nullCheck = rt

End Function



Private Sub bdate_Validate(cancel As Boolean)
If IsDate(bdate.Text) Then
    bdate.Text = Format(bdate.Text, "DD-MMM-YYYY")
```

```
    Else
    MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
    bdate.Text = ""
    bdate.SetFocus
    End If
End Sub

Private Sub Command1_Click()
ok.Enabled = True
ok.Visible = True
CommonDialog1.CancelError = True
On Error GoTo err
   CommonDialog1.Flags = cdlCFBoth
   CommonDialog1.Filter = "(*.jpg)"
   CommonDialog1.FilterIndex = 2

   CommonDialog1.ShowOpen
   txtPath.Text = CommonDialog1.FileName
   Image1.Picture = LoadPicture(txtPath.Text)
   imageName.Caption = txtMotherName.Text
   Exit Sub
err:
  End Sub
Private Sub Command2_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
Command2.BackStyle = 1
Command2.BackColor = &H800080
Command2.ForeColor = vbWhite
End Sub

Private Sub ok_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
ok.BackStyle = 1
ok.BackColor = &H800080
ok.ForeColor = vbWhite
End Sub
Private Sub Form_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
ok.BackStyle = 0

ok.ForeColor = &H80FF80
Command1.BackStyle = 0

Command1.ForeColor = &H80FF80
Command2.BackStyle = 0
Command2.ForeColor = &HFF&

End Sub
Private Sub Command1_Mousemove(Button As Integer, Shift As Integer, X As Single, Y As Single)
Command1.BackStyle = 1
Command1.BackColor = &H800080
Command1.ForeColor = vbWhite
End Sub

Private Sub Command2_Click()
Unload Me
End Sub

Private Sub Form_Load()
Me.Left = 50
Me.Top = 50

agganId.Caption = ArgNum
rs.Open "select * from mothertable ", conn, adOpenStatic, adLockReadOnly
Dim fleg
 If rs.EOF Then
    txtCoupleNo.Text = "1"
    Else
     rs.MoveLast
     fleg = rs.Fields("coupleno")
     fleg = fleg + 1
     txtCoupleNo.Text = fleg
    End If
```

```
   rs.Close
End Sub
Private Sub lkas()
Dim check As Integer
conn.Execute "insert into
mothertable(coupleno,plname,husname,bdate,education,address,city,dist,state,mobno,citypin,totalchild,jsiregno,jsipaidmon,jsidate,a
gganid,photo)values('" & txtCoupleNo & "', nvl('" & txtMotherName & "','PLNAME'),'" & txtHusbandName & "','" & bdate.Text
& "','" & edulist & "','" & Text2.Text & "','" & txtCity.Text & "','" & txtdist.Text & "','" & txtState.Text & "','" & txtMob.Text
& "','" & txtPin.Text & "','" & txtChild.Text & "','" & txtJSIREGn.Text & "','" & txtJSIPaid.Text & "','" & txtJSIDate.Text &
"','" & agganId.Caption & "','" & txtPath & "')"
'coword)values('" & txtID.Text & "'," & txtRgNO.Text & ",'" & txtDate.Text & "','" & txtUppCenNo.Text & "','" &
TxtUppDate.Text & "','" & txtAsha.Text & "','" & txtANM.Text & "','" & TxtBlock.Text & "','" & txtOwner.Text & "','" &
txtClinic.Text & "','" & TxtFHC.Text & "','" & txthopital.Text & "','" & txtMobile.Text & "','" & txtEmail.Text & "','" &
txtPass.Text & "')"
msg = "New Mother Regisration Successfully! "
msgShow.Show
conn1.Execute "insert into pragtable(hope,coupleno) values('" & check & "', '" & txtCoupleNo.Text & "')"
conn2.Execute "insert into afterdelivery(hope,coupleno) values('" & check & "', '" & txtCoupleNo.Text & "')"

Unload Me
End Sub

Private Sub ok_Click()
bdate.Text = Format(bdate.Text, "DD-MMM-YYYY")
txtJSIDate.Text = Format(txtJSIDate.Text, "DD-MMM-YYYY")
   Dim lk As Integer
 Dim tan
 lk = 0
 If nullCheck = True Then
  rs.Open "select * from mothertable ", conn, adOpenStatic, adLockReadOnly
  If rs.BOF = rs.EOF Then
     rs.Close
     If txtCoupleNo.Text = "" Then
       txtCoupleNo.SetFocus
       msg = "Please Fill Couple Number Field"
       msgShow.Show
      Else
          rs.Open "select * from mothertable ", conn, adOpenStatic, adLockReadOnly
        While Not rs.EOF
           tan = rs.Fields("coupleno")
           If txtCoupleNo.Text = tan Then
           lk = 1
           End If

           rs.MoveNext
         Wend

       If lk = 1 Then
         txtCoupleNo.SetFocus
         msg = "Enter A Unique Couple No!"
          msgShow.Show
         rs.Close
       Else
         rs.Close
         lkas
      End If
    End If
 Else
     rs.Open "select * from mothertable ", conn, adOpenStatic, adLockReadOnly
       While Not rs.EOF
           tan = rs.Fields("coupleno")
           If txtCoupleNo.Text = tan Then
           lk = 1
           End If

           rs.MoveNext
         Wend

       If lk = 1 Then
         txtCoupleNo.SetFocus
```

```
          msg = "Enter A Unique Couple No"
           msgShow.Show
          rs.Close
        Else
          rs.Close
          lkas
       End If
  End If

  End If

End Sub

Private Sub txtChild_Validate(cancel As Boolean)
If IsNumeric(txtChild.Text) Then

   Else
   MsgBox "Enter a Mobile! AlphaNumeric or Alphbates  are Not Allowed!"
   txtChild.Text = ""
   txtChild.SetFocus
   End If
End Sub

Private Sub txtCoupleNo_Validate(cancel As Boolean)
If IsNumeric(txtCoupleNo.Text) Then

   Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
   txtCoupleNo.Text = ""
   txtCoupleNo.SetFocus
   End If
End Sub

Private Sub txtEdu_Click()
edulist = txtEdu.Text

End Sub



Private Sub txtJSIDate_Validate(cancel As Boolean)
If IsDate(txtJSIDate.Text) Then
   txtJSIDate.Text = Format(txtJSIDate.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtJSIDate.Text = ""
   txtJSIDate.SetFocus
   End If
End Sub
Private Sub txtJSIPaid_Validate(cancel As Boolean)
If IsNumeric(txtJSIPaid.Text) Then
    Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
   txtJSIPaid.Text = ""
   txtJSIPaid.SetFocus
   End If
End Sub
Private Sub txtMob_Validate(cancel As Boolean)
If IsNumeric(txtMob.Text) Then

   Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
   txtMob.Text = ""
   txtMob.SetFocus
   End If
End Sub
Private Sub txtPath_Change()
Command1.Visible = True
End Sub
Private Sub txtPin_Validate(cancel As Boolean)
```

```
If IsNumeric(txtPin.Text) Then
     Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
   txtPin.Text = ""
   txtPin.SetFocus
   End If
End Sub
```

Coding Kids Registration Form(kidReg) :-

```
Dim mth
Dim temp
Dim arr(10000000)
Private Sub cancel_Click()
Unload Me

End Sub
Private Sub cancel_Mousemove(Button As Integer, Shift As Integer, X As Single, Y As Single)
cancel.BackStyle = 1
cancel.BackColor = &H800000
cancel.ForeColor = vbWhite
End Sub
Private Static Function nullCheck() As Boolean
Dim rt As Boolean
rt = False


If txtBirthDate.Text = "" Then
   MsgBox " Birth Date Is Blank !"
   txtBirthDate.SetFocus

ElseIf txtKidName.Text = "" Then
   MsgBox " Kid Name is  Blank !"
   txtKidName.SetFocus


ElseIf txtImagePath.Text = "" Then
   MsgBox " Photo Not Selected !"
   txtImagePath.SetFocus

ElseIf txtKidWeight.Text = "" Then
   MsgBox " Kid Is Blank !"
   txtKidWeight.SetFocus
ElseIf temp = "" Then
   MsgBox " Gender Is Blank !"

ElseIf kidRegNo.Text = "" Then
   MsgBox " Kid's Registration Number Is Blank !"
   kidRegNo.SetFocus
Else
  rt = True
   End If
nullCheck = rt
End Function


Private Sub Command2_Click()



CommonDialog1.CancelError = True
On Error GoTo err
  CommonDialog1.Flags = cdlCFBoth
  CommonDialog1.Filter = "(*.jpg)"
  CommonDialog1.FilterIndex = 2

  CommonDialog1.ShowOpen
  txtImagePath.Text = CommonDialog1.FileName
  kidImage.Picture = LoadPicture(txtImagePath.Text)
  kidImageName.Caption = txtKidName.Text
```

```
   Exit Sub
err:
  End Sub

Private Sub CoupleId_Click()

rs.Open "select * from kidtable ", conn, adOpenStatic, adLockReadOnly
Dim fleg
 If rs.EOF Then
     kidRegNo.Text = "1"
     Else
      rs.MoveLast
      fleg = rs.Fields("coupleno")
      fleg = fleg + 1
      kidRegNo.Text = fleg
     End If


 rs.Close

rs.Open "select * from mothertable where coupleno='" & CoupleId.Text & "'", conn, adOpenStatic, adLockReadOnly
 txtMotherName.Caption = rs.Fields("plname")
txtFatherName.Caption = rs.Fields("husname")
rs.Close
ok.Enabled = True
ok.Visible = True
End Sub

Private Sub CoupleId_KeyUp(KeyCode As Integer, Shift As Integer)
Dim tt
  tt = Val(CoupleId.Text)
  Dim ct
  ct = CoupleId.ListCount
  If KeyCode = 13 Then
   For i = 1 To ct
     If tt = CoupleId.List(i - 1) Then

       CoupleId_Click
       Exit For
       Else
        Me.Refresh


         txtMotherName.Caption = ""
         txtFatherName.Caption = ""

         Me.Refresh
       End If

     Next
  End If

End Sub

Private Sub female_Click()
temp = "Female"
End Sub

Private Sub Form_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
ok.BackStyle = 0

ok.ForeColor = &H80FF80
cancel.BackStyle = 0

cancel.ForeColor = &HFF&
Command2.BackStyle = 0
Command2.ForeColor = &H80FF80

End Sub
Private Sub Form_Load()
```

```
Me.Left = 50
Me.Top = 50
Dim i As Integer
agganId.Caption = ArgNum

rs.Open "select * from mothertable where agganid='" & ArgNum & "'", conn, adOpenStatic, adLockReadOnly


 rs.MoveFirst
 i = 1
 While Not rs.EOF
      arr(i) = rs.Fields("coupleno")

     'MsgBox arr(i)
      CoupleId.AddItem rs.Fields("coupleno")
      rs.MoveNext
       i = i + 1
        Wend
      rs.Close
End Sub
Private Sub lkas()
conn.Execute "insert into
kidtable(kidregno,kidname,mothername,fathername,birthdate,kidweight,photo,coupleno,gender,agganid)values('" &
kidRegNo.Text & "','" & txtKidName.Text & "', '" & txtMotherName.Caption & "', '" & txtFatherName.Caption & "','" &
txtBirthDate.Text & "','" & txtKidWeight.Text & "','" & txtImagePath.Text & "','" & CoupleId.Text & "','" & temp & "','" &
ArgNum & "')"
msg = "New Kid Registration Successfully! "
msgShow.Show
Dim ch As Integer
ch = 0
conn1.Execute " insert into dose(hope,kidregno) values('" & ch & "','" & kidRegNo.Text & "')"
Unload Me

End Sub



Private Sub kidRegNo_Validate(cancel As Boolean)
If IsNumeric(kidRegNo.Text) Then

   Else
   MsgBox "Enter a Number! AlphaNumeric or Alphbates are Not Allowed!"
   kidRegNo.Text = ""
   kidRegNo.SetFocus
   End If
End Sub

Private Sub male_Click()
temp = "Male"
End Sub
Private Sub Command2_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
Command2.BackStyle = 1
Command2.BackColor = &H800000
Command2.ForeColor = vbWhite
End Sub

Private Sub ok_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
ok.BackStyle = 1
ok.BackColor = &H800000
ok.ForeColor = vbWhite
End Sub
Private Sub ok_Click()

      Dim lk As Integer
 Dim tan
 lk = 0
 If nullCheck = True Then
  rs.Open "select * from kidtable ", conn, adOpenStatic, adLockReadOnly
  If rs.BOF = rs.EOF Then
     rs.Close
```

```
    If kidRegNo.Text = "" Then
      kidRegNo.SetFocus
      msg = "Please Fill Kid Registration Number Field"
      msgShow.Show
     Else
        rs.Open "select * from kidtable", conn, adOpenStatic, adLockReadOnly
       While Not rs.EOF
          tan = rs.Fields("kidregno")
          If kidRegNo.Text = tan Then
          lk = 1
          End If

          rs.MoveNext
        Wend

      If lk = 1 Then
        kidRegNo.SetFocus
        msg = "Enter A Unique Kid Registration No!"
         msgShow.Show
        rs.Close
      Else
        rs.Close
        lkas
     End If
    End If
 Else
     rs.Open "select * from kidtable", conn, adOpenStatic, adLockReadOnly
       While Not rs.EOF
          tan = rs.Fields("kidregno")
          If kidRegNo.Text = tan Then
          lk = 1
          End If

          rs.MoveNext
        Wend

      If lk = 1 Then
        kidRegNo.SetFocus
        msg = "Enter A Unique Couple No"
         msgShow.Show
        rs.Close
      Else
        rs.Close
        lkas
     End If
 End If


End If
End Sub

Private Sub txtBirthDate_Validate(cancel As Boolean)
If IsDate(txtBirthDate.Text) Then
   txtBirthDate.Text = Format(txtBirthDate.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtBirthDate.Text = ""
   txtBirthDate.SetFocus
   End If
End Sub

Private Sub txtImagePath_Change()

Command2.Visible = True
End Sub

Private Sub txtKidWeight_Change()
If IsNumeric(txtKidWeight.Text) Then

   Else
```

```
   MsgBox "Enter a Number! AlphaNumeric or Alphbates are Not Allowed!"
   txtKidWeight.Text = ""
   txtKidWeight.SetFocus
   End If
End Sub
```

Coding Update Account Form(updateAccForm) :-

```
Dim passkey
Private Sub cancel_Click()
Unload Me

End Sub

Private Sub cancel_Mousemove(Button As Integer, Shift As Integer, X As Single, Y As Single)
cancel.BorderStyle = 1
cancel.ForeColor = vbWhite
End Sub
Private Static Function nullCheck() As Boolean
Dim rt As Boolean
rt = False

If txtRgNO.Text = "" Then
   MsgBox " Aaganwadi Registration Number Is Blank !"
   txtRgNO.SetFocus

ElseIf txtDate.Text = "" Then
   MsgBox " Aaganwadi Registration Date Is Blank !"
   txtDate.SetFocus

ElseIf txtUppCenNo.Text = "" Then
   MsgBox " Aaganwadi Center  Number Is Blank !"
   txtUppCenNo.SetFocus

ElseIf TxtUppDate.Text = "" Then
   MsgBox " Aaganwadi Center  Date Is Blank !"
   TxtUppDate.SetFocus

ElseIf txtAsha.Text = "" Then
   MsgBox " Asha Name Is Blank !"
   txtAsha.SetFocus

ElseIf txtANM.Text = "" Then
   MsgBox " ANM Name Is Blank !"
   txtANM.SetFocus

ElseIf txtClinic.Text = "" Then
   MsgBox " Clinic Name Is Blank !"
   txtClinic.SetFocus

ElseIf TxtFHC.Text = "" Then
   MsgBox " FHC Name Is Blank !"
   TxtFHC.SetFocus

ElseIf txthopital.Text = "" Then
   MsgBox " Hospital Name Is Blank !"
   txthopital.SetFocus

ElseIf txtMobile.Text = "" Then
   MsgBox " Mobile Number Is Blank !"
   txtMobile.SetFocus

ElseIf txtEmail.Text = "" Then
   MsgBox " Email Is Blank !"
   txtEmail.SetFocus

ElseIf txtOwner.Text = "" Then
   MsgBox " Owner Is Blank !"
```

```
   txtOwner.SetFocus

ElseIf TxtBlock.Text = "" Then
   MsgBox " Block Is Blank !"
   TxtBlock.SetFocus
Else
  rt = True
   End If
nullCheck = rt
End Function

Private Sub create_Click()
If nullCheck = True Then
If txtOldPassword.Text = passkey Then
        If txtRePass.Text = "" And txtPass.Text = "" Then
            txtRePass.Text = "Army"
            conn.Execute " update agganwaritable set agganRegNo='" & txtRgNO.Text & "',rgDate='" & txtDate.Text &
"',upperCenter='" & txtUppCenNo.Text & "',cendate='" & TxtUppDate.Text & "',asha='" & txtAsha.Text & "',anm='" &
txtANM.Text & "',center='" & TxtBlock.Text & "',owner='" & txtOwner.Text & "',upperhc='" & txtClinic.Text & "',fhc='" &
TxtFHC.Text & "',hosfru='" & txthopital.Text & "',contectno='" & txtMobile.Text & "',email='" & txtEmail.Text & "' where
agganid='" & ArgNum & "'"
            Unload Me
            msg = "Upadate Your Account"
            msgShow.Show


        ElseIf txtRePass.Text = txtPass.Text Then

             conn.Execute " update agganwaritable set agganRegNo='" & txtRgNO.Text & "',rgDate='" & txtDate.Text &
"',upperCenter='" & txtUppCenNo.Text & "',cendate='" & TxtUppDate.Text & "',asha='" & txtAsha.Text & "',anm='" &
txtANM.Text & "',center='" & TxtBlock.Text & "',owner='" & txtOwner.Text & "',upperhc='" & txtClinic.Text & "',fhc='" &
TxtFHC.Text & "',hosfru='" & txthopital.Text & "',contectno='" & txtMobile.Text & "',email='" & txtEmail.Text &
"',password='" & txtPass.Text & "' where agganid='" & ArgNum & "'"


            msg = "Upadate Your Account"
            msgShow.Show
            Unload Me
           Else
            msg = "New Passwod and Re Password miss match! "
            msgShow.Show
       End If
      Else
       msg = "Your Current Password Worng!"
       msgShow.Show
   End If
   End If
End Sub

Private Sub Form_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
create.BorderStyle = 0
create.ForeColor = vbGreen
cancel.BorderStyle = 0
cancel.ForeColor = vbRed
End Sub
Private Sub create_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
create.BorderStyle = 1
create.ForeColor = vbWhite
End Sub
Private Sub Form_Load()
Me.Left = 50
Me.Top = 50
create.Visible = True
      id.Text = ArgNum + "  You Don't Change AggnId"
rs.Open "select * from agganwaritable where agganid= '" & ArgNum & "'", conn, adOpenStatic, adLockReadOnly
  txtRgNO.Text = rs.Fields("agganregno")
  txtDate.Text = Format(rs.Fields("rgdate"), "DD-MMM-YYYY")
  txtUppCenNo.Text = rs.Fields("uppercenter")
  TxtUppDate.Text = rs.Fields("cendate")
  TxtUppDate.Text = Format(TxtUppDate.Text, "DD-MMM-YYYY")
```

```
   txtAsha.Text = rs.Fields("asha")
   txtANM.Text = rs.Fields("anm")
   txtClinic.Text = rs.Fields("upperhc")
   TxtFHC.Text = rs.Fields("fhc")
   txthopital.Text = rs.Fields("hosfru")
   txtMobile.Text = rs.Fields("contectno")
   txtEmail.Text = rs.Fields("email")
   passkey = rs.Fields("password")
   txtOwner.Text = rs.Fields("owner")
   TxtBlock.Text = rs.Fields("center")
   rs.Close
 End Sub
Private Sub id_KeyPress(KeyAscii As Integer)
msg = "  You Don't Change AggnId"
msgShow.Show
End Sub
Private Sub txtDate_Validate(cancel As Boolean)
If IsDate(txtDate.Text) Then
    txtDate.Text = Format(txtDate.Text, "DD-MMM-YYYY")
    Else
    MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
    txtDate.Text = ""
    txtDate.SetFocus
    End If

End Sub
Private Sub txtMobile_Validate(cancel As Boolean)
If IsNumeric(txtMobile.Text) Then

    Else
    MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
    txtMobile.Text = ""
    txtMobile.SetFocus
    End If
End Sub

Private Sub txtOldPassword_Change()
create.Visible = True
create.Enabled = True
End Sub

Private Sub txtPass_Change()
 txtRePass.Visible = True
End Sub

Private Sub txtRgNO_Validate(cancel As Boolean)
If IsNumeric(txtRgNO.Text) Then

    Else
    MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
    txtRgNO.Text = ""
    txtRgNO.SetFocus
    End If
End Sub

Private Sub txtUppCenNo_Validate(cancel As Boolean)
If IsNumeric(txtUppCenNo.Text) Then

    Else
    MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
    txtUppCenNo.Text = ""
    txtUppCenNo.SetFocus
    End If
End Sub

Private Sub TxtUppDate_Validate(cancel As Boolean)
If IsDate(TxtUppDate.Text) Then
    TxtUppDate.Text = Format(TxtUppDate.Text, "DD-MMM-YYYY")
    Else
    MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
```

```
   TxtUppDate.Text = ""
   TxtUppDate.SetFocus
   End If
End Sub
```

Coding Update Kids Registration Form(updateKidReg) :-

```
Private Sub cancel_Click()
Unload Me

End Sub

Private Sub Command2_Click()

kidImageName.Caption = txtKidName.Text

Command2.Caption = "Update Picture"
CommonDialog1.CancelError = True
On Error GoTo err
   CommonDialog1.Flags = cdlCFBoth
   CommonDialog1.Filter = "(*.jpg)"
   CommonDialog1.FilterIndex = 2

   CommonDialog1.ShowOpen
   txtImagePath.Text = CommonDialog1.FileName
   kidImage.Picture = LoadPicture(txtImagePath.Text)
   kidImageName.Caption = txtKidName.Text
   Exit Sub
err:
End Sub

Private Sub CoupleId_Click()
regno.Clear
rs.Open "select * from kidtable where coupleno='" & CoupleId.Text & "'", conn, adOpenStatic, adLockReadOnly
  If Not CoupleId.Text Then

     While Not rs.EOF
       regno.AddItem rs.Fields("kidregno")
       rs.MoveNext
            Wend
       rs.Close
     End If
End Sub
Private Sub CoupleId_KeyUp(KeyCode As Integer, Shift As Integer)
Dim tt
  tt = Val(CoupleId.Text)
  Dim ct
  ct = CoupleId.ListCount
  If KeyCode = 13 Then
   For i = 1 To ct
    If tt = CoupleId.List(i - 1) Then

      CoupleId_Click
      Exit For
      Else
       Me.Refresh
        CoupleId.Text = ""
        txtKidName.Text = ""
        txtMotherName.Caption = ""
        txtFatherName.Caption = ""
        txtBirthDate.Text = ""
        text1.Text = ""
        txtKidWeight.Text = ""
        kidImage.Picture = LoadPicture("")
        regno.Clear
        Me.Refresh
      End If
```

```
    Next
  End If
End Sub



Private Sub Command2_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
Command2.BackStyle = 1
Command2.BackColor = &H800000
Command2.ForeColor = vbWhite
End Sub

Private Sub ok_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
ok.BackStyle = 1
ok.BackColor = &H800000
ok.ForeColor = vbWhite
End Sub
Private Sub Form_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
ok.BackStyle = 0

ok.ForeColor = &H80FF80
cancel.BackStyle = 0

cancel.ForeColor = &HFF&
Command2.BackStyle = 0
Command2.ForeColor = &H80FF80

End Sub
Private Sub cancel_Mousemove(Button As Integer, Shift As Integer, X As Single, Y As Single)
cancel.BackStyle = 1
cancel.BackColor = &H800000
cancel.ForeColor = vbWhite
End Sub
Private Sub Form_Load()
Me.Left = 50
Me.Top = 50
agganId.Caption = ArgNum
rs.Open "select * from mothertable where agganid='" & ArgNum & "'", conn, adOpenStatic, adLockReadOnly
  rs.MoveFirst
  While Not rs.EOF
       CoupleId.AddItem rs.Fields("coupleNo")
       rs.MoveNext
            Wend
       rs.Close
ok.Visible = False
End Sub

Private Sub ok_Click()
ok.Visible = False
kidImage.Picture = LoadPicture
conn.Execute "update  kidtable set kidname='" & txtKidName.Text & "',birthdate='" & txtBirthDate.Text & "',kidweight='" &
txtKidWeight.Text & "',photo='" & txtImagePath.Text & "',gender= '" & text1.Text & "' where kidregno='" & regno.Text & "'"


msg = " Update Succefully!"
msgShow.Show

Unload Me

End Sub
Private Static Function nullCheck() As Boolean
Dim rt As Boolean
rt = False


If txtBirthDate.Text = "" Then
   MsgBox " Birth Date Is Blank !"
   txtBirthDate.SetFocus

ElseIf txtKidName.Text = "" Then
```

```
    MsgBox " Kid Name is  Blank !"
    txtKidName.SetFocus


ElseIf txtImagePath.Text = "" Then
    MsgBox " Photo Not Selected !"
    txtImagePath.SetFocus

ElseIf txtKidWeight.Text = "" Then
    MsgBox " Kid Is Blank !"
    txtKidWeight.SetFocus
ElseIf temp = "" Then
    MsgBox " Gender Is Blank !"

Else
   rt = True
    End If
nullCheck = rt
End Function
Private Sub regno_Click()
 ok.Visible = True
ok.Enabled = True
 If Not regno.Text Then
     rs.Open "select * from kidtable where kidregno='" & regno.Text & "' ", conn, adOpenStatic, adLockReadOnly
     txtKidName.Text = rs.Fields("kidname")
     txtMotherName.Caption = rs.Fields("mothername")
     txtFatherName.Caption = rs.Fields("fathername")
     txtBirthDate.Text = Format(rs.Fields("birthdate"), "DD-MMM-YYYY")
     txtImagePath.Text = rs.Fields("photo")
     txtKidWeight.Text = rs.Fields("kidweight")
       text1.Text = rs.Fields("gender")
       On Error GoTo err
       kidImage.Picture = LoadPicture(txtImagePath.Text)
       rs.Close
       Exit Sub
err: MsgBox "Photo Not Avialable!"
       rs.Close
     End If

End Sub

Private Sub regno_KeyUp(KeyCode As Integer, Shift As Integer)
Dim tt
  tt = Val(regno.Text)
  Dim ct
  ct = regno.ListCount
  If KeyCode = 13 Then
   For i = 1 To ct
     If tt = regno.List(i - 1) Then

       regno_Click
       Exit For
       Else
         Me.Refresh
         regno.Text = ""

         txtKidName.Text = ""
         txtMotherName.Caption = ""
         txtFatherName.Caption = ""
         txtBirthDate.Text = ""
         text1.Text = ""
         txtKidWeight.Text = ""
         kidImage.Picture = LoadPicture("")
         Me.Refresh
       End If

      Next
  End If
End Sub
```

```
Private Sub txtBirthDate_Validate(cancel As Boolean)
If IsDate(txtBirthDate.Text) Then
     txtBirthDate.Text = Format(txtBirthDate.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   txtBirthDate.Text = ""
   txtBirthDate.SetFocus
   End If
End Sub

Private Sub txtImagePath_Change()
Command2.Visible = True
End Sub
Private Sub txtKidWeight_Validate(cancel As Boolean)
If IsNumeric(txtKidWeight.Text) Then

   Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
   txtKidWeight.Text = ""
   txtKidWeight.SetFocus
   End If
End Sub
```

Coding Massage Show _Form(msgShow) :-

```
Private Sub Form_Load()
If lalit = 5 Then
     lalit = 0
     Else
       lalit = lalit + 1
       End If
msgShow.BackColor = colorlist(lalit)
lbl.Caption = msg
End Sub

Private Sub Timer1_Timer()


  Unload Me
End Sub
```

Coding Update Mother Registration _Form(updateMotherReg) :-

```
Private Sub bdate_Validate(cancel As Boolean)
 If IsDate(bdate.Text) Then
    bdate.Text = Format(bdate.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   bdate.Text = ""
   bdate.SetFocus
   End If
End Sub

Private Sub Command1_Click()


imageName.Caption = txtMotherName.Text
Command1.Caption = "Update Image"
CommonDialog1.CancelError = True
On Error GoTo err
   CommonDialog1.Flags = cdlCFBoth
   CommonDialog1.Filter = "(*.jpg)"
   CommonDialog1.FilterIndex = 2

   CommonDialog1.ShowOpen
   txtPath.Text = CommonDialog1.FileName
   Image1.Picture = LoadPicture(txtPath.Text)
   imageName.Caption = txtMotherName.Text
```

```
   Exit Sub
err:
  End Sub

Private Sub Command2_Click()
Unload Me
End Sub

Private Sub CoupleId_Click()
ok.Visible = True
 ok.Enabled = True

If CoupleId.Text = "Select" Then
     MsgBox " First Select A Couple Id"
     Else
   rs.Open "select * from mothertable where coupleno= '" & CoupleId.Text & "'", conn, adOpenStatic, adLockReadOnly
   txtMotherName.Text = rs.Fields("plname")
   txtHusbandName.Text = rs.Fields("husname")
   bdate.Text = Format(rs.Fields("bdate"), "DD-MMM-YYYY")
   txtEdu.Text = rs.Fields("education")
    Text2.Text = rs.Fields("address")
    txtCity.Text = rs.Fields("city")
    txtdist.Text = rs.Fields("dist")
    txtMob.Text = rs.Fields("mobno")
    txtPin.Text = rs.Fields("citypin")
    txtChild.Text = rs.Fields("totalchild")
    txtJSIREGn.Text = rs.Fields("jsiregno")
    txtJSIPaid.Text = rs.Fields("jsipaidmon")
    txtJSIDate.Text = Format(rs.Fields("jsidate"), "DD-MMM-YYYY")
    txtPath.Text = rs.Fields("photo")
    txtState.Text = rs.Fields("state")
    On Error GoTo err
    Image1.Picture = LoadPicture(txtPath.Text)
    rs.Close
    Exit Sub
err: MsgBox "Photo Not Avialable!"
   rs.Close
     End If

End Sub
Private Static Function nullCheck() As Boolean
Dim rt As Boolean
rt = False
 If txtMotherName.Text = "" Then
    MsgBox " Mother Name Is Blanks !"
    txtMotherName.SetFocus
ElseIf txtHusbandName.Text = "" Then
    MsgBox " Father Name Is Blank !"
    txtHusbandName.SetFocus

ElseIf bdate.Text = "" Then
    MsgBox " Birth Date Is Blank !"
    bdate.SetFocus

ElseIf txtEdu.Text = "" Then
    MsgBox " Edducation Is Blank !"
    txtEdu.SetFocus

ElseIf Text2.Text = "" Then
    MsgBox " Address Is Blank !"
    Text2.SetFocus

ElseIf txtCity.Text = "" Then
    MsgBox " City Is Blank !"
    txtCity.SetFocus

ElseIf txtdist.Text = "" Then
    MsgBox " Disit Is Blank !"
    txtdist.SetFocus
```

```
ElseIf txtPin.Text = "" Then
   MsgBox " City Pin Is Blank !"
   txtPin.SetFocus

ElseIf txtChild.Text = "" Then
   MsgBox " Child Is Blank !"
   txtChild.SetFocus

ElseIf txtJSIREGn.Text = "" Then
   MsgBox " JSY Registration Number Is Blank !"
   txtJSIREGn.SetFocus

ElseIf txtMob.Text = "" Then
   MsgBox " Mobile Number Is Blank !"
   txtMob.SetFocus

ElseIf txtJSIPaid.Text = "" Then
   MsgBox " JSY Paid Is Blank !"
   txtJSIPaid.SetFocus

ElseIf txtPath.Text = "" Then
   MsgBox " Photo Not Selected !"
   txtPath.SetFocus

ElseIf txtJSIDate.Text = "" Then
   MsgBox " JSY Date Is Blank !"
   txtJSIDate.SetFocus
ElseIf txtState.Text = "" Then
   MsgBox " State Is Blank !"
   txtState.SetFocus
Else
  rt = True
   End If
nullCheck = rt

End Function



Private Sub CoupleId_KeyUp(KeyCode As Integer, Shift As Integer)
Dim tt
 tt = Val(CoupleId.Text)
 Dim ct
 ct = CoupleId.ListCount
 If KeyCode = 13 Then
  For i = 1 To ct
   If tt = CoupleId.List(i - 1) Then

     CoupleId_Click
     Exit For
     Else
     Me.Refresh
      CoupleId.Text = ""
      txtMotherName.Text = ""
      txtHusbandName.Text = ""
      bdate.Text = ""
      Text2.Text = ""
      txtCity.Text = ""
      txtState.Text = ""
      txtdist.Text = ""
      txtMob.Text = ""
      txtPin = ""
      txtJSIPaid.Text = ""
      txtJSIDate.Text = ""
      txtJSIREGn.Text = ""
      txtChild.Text = ""
      Image1.Picture = LoadPicture("")
      Me.Refresh
     End If
```

```
    Next
  End If
End Sub

Private Sub Command2_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
Command2.BackStyle = 1
Command2.BackColor = &H800080
Command2.ForeColor = vbWhite
End Sub

Private Sub ok_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
ok.BackStyle = 1
ok.BackColor = &H800080
ok.ForeColor = vbWhite
End Sub
Private Sub Form_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
ok.BackStyle = 0

ok.ForeColor = &H80FF80
Command1.BackStyle = 0

Command1.ForeColor = &H80FF80
Command2.BackStyle = 0
Command2.ForeColor = &HFF&

End Sub
Private Sub Command1_Mousemove(Button As Integer, Shift As Integer, X As Single, Y As Single)
Command1.BackStyle = 1
Command1.BackColor = &H800080
Command1.ForeColor = vbWhite
End Sub
Private Sub Form_Load()
Me.Left = 50
Me.Top = 50
agganId.Caption = ArgNum
   rs.Open "select * from mothertable where agganid='" & agganId.Caption & "' ", conn, adOpenStatic, adLockReadOnly
  rs.MoveFirst
  While Not rs.EOF
      CoupleId.AddItem rs.Fields("coupleno")
      rs.MoveNext
          Wend
      rs.Close
   End Sub

Private Sub ok_Click()
If nullCheck = True Then
conn.Execute "update  mothertable set  plname='" & txtMotherName.Text & "', husname='" & txtHusbandName.Text & "',
bdate='" & bdate.Text & "', education='" & txtEdu.Text & "', address='" & Text2.Text & "', city='" & txtCity.Text & "', dist='" &
txtdist.Text & "', state='" & txtState.Text & "', mobno='" & txtMob.Text & "', citypin='" & txtPin.Text & "', totalchild='" &
txtChild.Text & "', jsiregno='" & txtJSIREGn.Text & "', jsipaidmon='" & txtJSIPaid.Text & "', jsidate='" & txtJSIDate.Text & "',
photo='" & txtPath.Text & "' where coupleno='" & CoupleId.Text & "'"
conn1.Execute "update kidtable set mothername='" & txtMotherName.Text & "', fathername='" & txtHusbandName.Text & "'
where coupleno='" & CoupleId.Text & "'"
msg = "Update Successfully!"
msgShow.Show
Unload Me

End If
End Sub



Private Sub txtChild_Validate(cancel As Boolean)
If IsNumeric(txtChild.Text) Then

   Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
   txtChild.Text = ""
   txtChild.SetFocus
```

```
   End If
End Sub

Private Sub txtEdu_KeyUp(KeyCode As Integer, Shift As Integer)
 Dim tt
  tt = txtEdu.Text
  Dim ct
  ct = txtEdu.ListCount
  If KeyCode = 13 Then
   For i = 1 To ct
    If tt = txtEdu.List(i - 1) Then

      txtEdu = txtEdu.List(i - 1)
      Exit For
      Else
        txtEdu.Text = ""
      End If

     Next
  End If
End Sub
Private Sub txtJSIDate_Validate(cancel As Boolean)
If IsDate(txtJSIDate.Text) Then
   txtJSIDate.Text = Format(txtJSIDate.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   txtJSIDate.Text = ""
   txtJSIDate.SetFocus
   End If
End Sub
Private Sub txtJSIPaid_Validate(cancel As Boolean)
If IsNumeric(txtJSIPaid.Text) Then
   Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
   txtJSIPaid.Text = ""
   txtJSIPaid.SetFocus
   End If
End Sub
Private Sub txtJSIREGn_Validate(cancel As Boolean)
If IsNumeric(txtJSIREGn.Text) Then
   Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
   txtJSIREGn.Text = ""
   txtJSIREGn.SetFocus
   End If
End Sub

Private Sub txtMob_Validate(cancel As Boolean)
If IsNumeric(txtMob.Text) Then

   Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
   txtMob.Text = ""
   txtMob.SetFocus
   End If
End Sub

Private Sub txtPath_Change()
Command1.Visible = True
End Sub


Private Sub txtPin_Validate(cancel As Boolean)
If IsNumeric(txtPin.Text) Then
   Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
   txtPin.Text = ""
   txtPin.SetFocus
   End If
End Sub
```

Coding Pragnancy Time Form(pragTime) :-

```
Private Sub bd5M_Validate(cancel As Boolean)
If IsDate(bd5M.Text) Then
   bd5M.Text = Format(bd5M.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   bd5M.Text = ""
   bd5M.SetFocus
   End If
End Sub
Private Sub bd9sM_Validate(cancel As Boolean)
If IsDate(bd9m.Text) Then

   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   bd9m.Text = ""
   bd9m.SetFocus
   End If
End Sub
Private Sub bd8M_Validate(cancel As Boolean)
If IsDate(bd8M.Text) Then
   bd8M.Text = Format(bd8M.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   bd8M.Text = ""
   bd8M.SetFocus
   End If
End Sub
Private Sub bd7M_Validate(cancel As Boolean)
If IsDate(bd7M.Text) Then
   bd7M.Text = Format(bd7M.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   bd7M.Text = ""
   bd7M.SetFocus
   End If
End Sub
Private Sub bd6M_Validate(cancel As Boolean)
If IsDate(bd6M.Text) Then
   bd6M.Text = Format(bd6M.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   bd6M.Text = ""
   bd6M.SetFocus
   End If
End Sub

Private Sub bd4M_Validate(cancel As Boolean)
If IsDate(bd4M.Text) Then
   bd4M.Text = Format(bd4M.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   bd4M.Text = ""
   bd4M.SetFocus
   End If
End Sub
Private Sub bd3M_Validate(cancel As Boolean)
If IsDate(bd3M.Text) Then
   bd3M.Text = Format(bd3M.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   bd3M.Text = ""
   bd3M.SetFocus
   End If
End Sub
Private Sub bd2M_Validate(cancel As Boolean)
If IsDate(bd2M.Text) Then
```

```
   bd2M.Text = Format(bd2M.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   bd2M.Text = ""
   bd2M.SetFocus
   End If
End Sub
Private Sub bd1M_Validate(cancel As Boolean)
If IsDate(bd1M.Text) Then
   bd1M.Text = Format(bd1M.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   bd1M.Text = ""
   bd1M.SetFocus
   End If
End Sub

Private Sub bd9m_Validate(cancel As Boolean)
If IsDate(bd9m.Text) Then
   bd9m.Text = Format(bd9m.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   bd9m.Text = ""
   bd9m.SetFocus
   End If
End Sub

Private Sub Command1_Click()
Unload Me


End Sub

Private Sub coupleNo_Click()
rs.Open " select * from mothertable where coupleno='" & coupleNo.Text & "'", conn, adOpenStatic, adLockReadOnly
lblMotherName.Caption = rs.Fields("plname")
rs.Close
ok.Enabled = True
ok.Visible = True
Dim check As Integer
rs.Open "select * from pragtable where coupleno='" & coupleNo.Text & "'", conn, adOpenStatic, adLockReadOnly
  check = rs.Fields("hope")
  rs.Close
 If check > 0 Then dis
End Sub


Private Sub Form_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
Command1.ForeColor = vbRed
ok.ForeColor = vbGreen
ok.BorderStyle = 0
Command1.BorderStyle = 0
End Sub
Private Sub Command1_Mousemove(Button As Integer, Shift As Integer, X As Single, Y As Single)

Command1.BorderStyle = 1
Command1.ForeColor = &H0&
End Sub

Private Sub ok_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)

ok.BorderStyle = 1
ok.ForeColor = &H0&
End Sub

Private Sub Form_Load()
Me.Left = 50
Me.Top = 50
rs.Open "select * from mothertable where agganid='" & ArgNum & "'", conn, adOpenStatic, adLockReadOnly
 rs.MoveFirst
```

```
  While Not rs.EOF
       coupleNo.AddItem rs.Fields("coupleNo")
       rs.MoveNext
            Wend
            rs.Close
End Sub
Private Sub dataq()
  Dim check As Integer
   rs.Open "select * from pragtable where coupleno='" & coupleNo.Text & "'", conn, adOpenStatic, adLockReadOnly
   check = rs.Fields("hope")
   rs.Close
    If check = 0 Then
      check = 1
      conn.Execute "update pragtable set hope='" & check & "',ladyname='" & lblMotherName.Caption & "',reg1='" & rg1M.Text
& "',tt1='" & t1.Text & "',bd1='" & bd1M.Text & "',weight1='" & w1.Text & "' where coupleno='" & coupleNo.Text & "'"
    ElseIf check = 1 Then
      check = 2
      conn.Execute "update pragtable set hope='" & check & "',reg1='" & rg1M.Text & "',tt1='" & t1.Text & "',bd1='" &
bd1M.Text & "',weight1='" & w1.Text & "',reg2='" & rg2M.Text & "',tt2='" & t2.Text & "',bd2='" & bd2M.Text & "',weight2='"
& w2.Text & "' where coupleno='" & coupleNo.Text & "'"
    ElseIf check = 2 Then
      check = 3
      conn.Execute "update pragtable set hope='" & check & "',reg1='" & rg1M.Text & "',tt1='" & t1.Text & "',bd1='" &
bd1M.Text & "',weight1='" & w1.Text & "',reg2='" & rg2M.Text & "',tt2='" & t2.Text & "',bd2='" & bd2M.Text & "',weight2='"
& w2.Text & "',reg3='" & rg3M.Text & "',tt3='" & t3.Text & "',bd3='" & bd3M.Text & "',weight3='" & w3.Text & "' where
coupleno='" & coupleNo.Text & "'"
    ElseIf check = 3 Then
      check = 4
      conn.Execute "update pragtable set hope='" & check & "',reg1='" & rg1M.Text & "',tt1='" & t1.Text & "',bd1='" &
bd1M.Text & "',weight1='" & w1.Text & "',reg2='" & rg2M.Text & "',tt2='" & t2.Text & "',bd2='" & bd2M.Text & "',weight2='"
& w2.Text & "',reg3='" & rg3M.Text & "',tt3='" & t3.Text & "',bd3='" & bd3M.Text & "',weight3='" & w3.Text & "',reg4='" &
rg4M.Text & "',tt4='" & t4.Text & "',bd4='" & bd4M.Text & "',weight4='" & w4.Text & "' where coupleno='" & coupleNo.Text &
"'"
    ElseIf check = 4 Then
      check = 5
      conn.Execute "update pragtable set hope='" & check & "',reg1='" & rg1M.Text & "',tt1='" & t1.Text & "',bd1='" &
bd1M.Text & "',weight1='" & w1.Text & "',reg2='" & rg2M.Text & "',tt2='" & t2.Text & "',bd2='" & bd2M.Text & "',weight2='"
& w2.Text & "',reg3='" & rg3M.Text & "',tt3='" & t3.Text & "',bd3='" & bd3M.Text & "',weight3='" & w3.Text & "',reg4='" &
rg4M.Text & "',tt4='" & t4.Text & "',bd4='" & bd4M.Text & "',weight4='" & w4.Text & "',reg5='" & rg5M.Text & "',tt5='" &
t5.Text & "',bd5='" & bd5M.Text & "',weight5='" & w5.Text & "' where coupleno='" & coupleNo.Text & "'"
    ElseIf check = 5 Then
      check = 6
      conn.Execute "update pragtable set hope='" & check & "',reg1='" & rg1M.Text & "',tt1='" & t1.Text & "',bd1='" &
bd1M.Text & "',weight1='" & w1.Text & "',reg2='" & rg2M.Text & "',tt2='" & t2.Text & "',bd2='" & bd2M.Text & "',weight2='"
& w2.Text & "',reg3='" & rg3M.Text & "',tt3='" & t3.Text & "',bd3='" & bd3M.Text & "',weight3='" & w3.Text & "',reg4='" &
rg4M.Text & "',tt4='" & t4.Text & "',bd4='" & bd4M.Text & "',weight4='" & w4.Text & "',reg5='" & rg5M.Text & "',tt5='" &
t5.Text & "',bd5='" & bd5M.Text & "',weight5='" & w5.Text & "',reg6='" & rg6M.Text & "',tt6='" & t6.Text & "',bd6='" &
bd6M.Text & "',weight6='" & w6.Text & "' where coupleno='" & coupleNo.Text & "'"
    ElseIf check = 6 Then
      check = 7
      conn.Execute "update pragtable set hope='" & check & "',reg1='" & rg1M.Text & "',tt1='" & t1.Text & "',bd1='" &
bd1M.Text & "',weight1='" & w1.Text & "',reg2='" & rg2M.Text & "',tt2='" & t2.Text & "',bd2='" & bd2M.Text & "',weight2='"
& w2.Text & "',reg3='" & rg3M.Text & "',tt3='" & t3.Text & "',bd3='" & bd3M.Text & "',weight3='" & w3.Text & "',reg4='" &
rg4M.Text & "',tt4='" & t4.Text & "',bd4='" & bd4M.Text & "',weight4='" & w4.Text & "',reg5='" & rg5M.Text & "',tt5='" &
t5.Text & "',bd5='" & bd5M.Text & "',weight5='" & w5.Text & "',reg6='" & rg6M.Text & "',tt6='" & t6.Text & "',bd6='" &
bd6M.Text & "',weight6='" & w6.Text & "',reg7='" & rg7M.Text & "',tt7='" & t7.Text & "',bd7='" & bd7M.Text & "',weight7='"
& w7.Text & "' where coupleno='" & coupleNo.Text & "'"
    ElseIf check = 7 Then
      check = 8
      conn.Execute "update pragtable set hope='" & check & "',reg1='" & rg1M.Text & "',tt1='" & t1.Text & "',bd1='" &
bd1M.Text & "',weight1='" & w1.Text & "',reg2='" & rg2M.Text & "',tt2='" & t2.Text & "',bd2='" & bd2M.Text & "',weight2='"
& w2.Text & "',reg3='" & rg3M.Text & "',tt3='" & t3.Text & "',bd3='" & bd3M.Text & "',weight3='" & w3.Text & "',reg4='" &
rg4M.Text & "',tt4='" & t4.Text & "',bd4='" & bd4M.Text & "',weight4='" & w4.Text & "',reg5='" & rg5M.Text & "',tt5='" &
t5.Text & "',bd5='" & bd5M.Text & "',weight5='" & w5.Text & "',reg6='" & rg6M.Text & "',tt6='" & t6.Text & "',bd6='" &
bd6M.Text & "',weight6='" & w6.Text & "',reg7='" & rg7M.Text & "',tt7='" & t7.Text & "',bd7='" & bd7M.Text & "',weight7='"
& w7.Text & "',reg8='" & rg8M.Text & "',tt8='" & t8.Text & "',bd8='" & bd8M.Text & "',weight8='" & w8.Text & "' where
coupleno='" & coupleNo.Text & "'"
    ElseIf check = 8 Then
      check = 9
```

```
      conn.Execute "update pragtable set hope='" & check & "',reg1='" & rg1M.Text & "',tt1='" & t1.Text & "',bd1='" &
bd1M.Text & "',weight1='" & w1.Text & "',reg2='" & rg2M.Text & "',tt2='" & t2.Text & "',bd2='" & bd2M.Text & "',weight2='"
& w2.Text & "',reg3='" & rg3M.Text & "',tt3='" & t3.Text & "',bd3='" & bd3M.Text & "',weight3='" & w3.Text & "',reg4='" &
rg4M.Text & "',tt4='" & t4.Text & "',bd4='" & bd4M.Text & "',weight4='" & w4.Text & "',reg5='" & rg5M.Text & "',tt5='" &
t5.Text & "',bd5='" & bd5M.Text & "',weight5='" & w5.Text & "',reg6='" & rg6M.Text & "',tt6='" & t6.Text & "',bd6='" &
bd6M.Text & "',weight6='" & w6.Text & "',reg7='" & rg7M.Text & "',tt7='" & t7.Text & "',bd7='" & bd7M.Text & "',weight7='"
& w7.Text & "',reg8='" & rg8M.Text & "',tt8='" & t8.Text & "',bd8='" & bd8M.Text & "',weight8='" & w8.Text & "',reg9='" &
rg9M.Text & "',tt9='" & t9.Text & "',bd9='" & bd9m.Text & "',weight9='" & w9.Text & "' where coupleno='" & coupleNo.Text &
"'"
    Else
      conn.Execute "update pragtable set hope='" & check & "',reg1='" & rg1M.Text & "',tt1='" & t1.Text & "',bd1='" &
bd1M.Text & "',weight1='" & w1.Text & "',reg2='" & rg2M.Text & "',tt2='" & t2.Text & "',bd2='" & bd2M.Text & "',weight2='"
& w2.Text & "',reg3='" & rg3M.Text & "',tt3='" & t3.Text & "',bd3='" & bd3M.Text & "',weight3='" & w3.Text & "',reg4='" &
rg4M.Text & "',tt4='" & t4.Text & "',bd4='" & bd4M.Text & "',weight4='" & w4.Text & "',reg5='" & rg5M.Text & "',tt5='" &
t5.Text & "',bd5='" & bd5M.Text & "',weight5='" & w5.Text & "',reg6='" & rg6M.Text & "',tt6='" & t6.Text & "',bd6='" &
bd6M.Text & "',weight6='" & w6.Text & "',reg7='" & rg7M.Text & "',tt7='" & t7.Text & "',bd7='" & bd7M.Text & "',weight7='"
& w7.Text & "',reg8='" & rg8M.Text & "',tt8='" & t8.Text & "',bd8='" & bd8M.Text & "',weight8='" & w8.Text & "',reg9='" &
rg9M.Text & "',tt9='" & t9.Text & "',bd9='" & bd9m.Text & "',weight9='" & w9.Text & "' where COUPLENO='" &
coupleNo.Text & "'"
  End If
  msg = "Data Saved!"
   msgShow.Show
End Sub
Private Sub dis()
  Dim ch As Integer
  rs.Open "select * from pragtable where coupleno='" & coupleNo.Text & "'", conn, adOpenStatic, adLockReadOnly
  ch = rs.Fields("hope")
  rs.Close
  If ch = 1 Then


      rs.Open "select * from pragtable where coupleno='" & coupleNo.Text & "'", conn, adOpenStatic, adLockReadOnly
      check = rs.Fields("hope")

      w1.Text = rs.Fields("weight1")
      rg1M.Text = Format(rs.Fields("reg1"), "DD-MMM-YYYY")
      t1.Text = Format(rs.Fields("tt1"), "DD-MMM-YYYY")
      bd1M.Text = Format(rs.Fields("bd1"), "DD-MMM-YYYY")

      rs.Close
      rg2M.Enabled = True
      t2.Enabled = True
      bd2M.Enabled = True
      w2.Enabled = True
  ElseIf ch = 2 Then
      rs.Open "select * from pragtable where coupleno='" & coupleNo.Text & "'", conn, adOpenStatic, adLockReadOnly
      check = rs.Fields("hope")
      rg1M.Text = Format(rs.Fields("reg1"), "DD-MMM-YYYY")
      t1.Text = Format(rs.Fields("tt1"), "DD-MMM-YYYY")
      bd1M.Text = Format(rs.Fields("bd1"), "DD-MMM-YYYY")
      w1.Text = rs.Fields("weight1")

      rg2M.Text = Format(rs.Fields("reg2"), "DD-MMM-YYYY")
      t2.Text = Format(rs.Fields("tt2"), "DD-MMM-YYYY")
      bd2M.Text = Format(rs.Fields("bd2"), "DD-MMM-YYYY")
      w2.Text = rs.Fields("weight2")
      rs.Close

      rg2M.Enabled = True
      t2.Enabled = True
      bd2M.Enabled = True
      w2.Enabled = True

      rg3M.Enabled = True
      t3.Enabled = True
      bd3M.Enabled = True
      w3.Enabled = True
  ElseIf ch = 3 Then
      rs.Open "select * from pragtable where coupleno='" & coupleNo.Text & "'", conn, adOpenStatic, adLockReadOnly
      check = rs.Fields("hope")
```

```
    rg1M.Text = Format(rs.Fields("reg1"), "DD-MMM-YYYY")
    t1.Text = Format(rs.Fields("tt1"), "DD-MMM-YYYY")
    bd1M.Text = Format(rs.Fields("bd1"), "DD-MMM-YYYY")
    w1.Text = rs.Fields("weight1")

    rg2M.Text = Format(rs.Fields("reg2"), "DD-MMM-YYYY")
    t2.Text = Format(rs.Fields("tt2"), "DD-MMM-YYYY")
    bd2M.Text = Format(rs.Fields("bd2"), "DD-MMM-YYYY")
    w2.Text = rs.Fields("weight2")

    rg3M.Text = Format(rs.Fields("reg3"), "DD-MMM-YYYY")
    t3.Text = Format(rs.Fields("tt3"), "DD-MMM-YYYY")
    bd3M.Text = Format(rs.Fields("bd3"), "DD-MMM-YYYY")
    w3.Text = rs.Fields("weight3")

    rs.Close

    rg2M.Enabled = True
    t2.Enabled = True
    bd2M.Enabled = True
    w2.Enabled = True

    rg3M.Enabled = True
    t3.Enabled = True
    bd3M.Enabled = True
    w3.Enabled = True

    rg4M.Enabled = True
    t4.Enabled = True
    bd4M.Enabled = True
    w4.Enabled = True

ElseIf ch = 4 Then
    rs.Open "select * from pragtable where coupleno='" & coupleNo.Text & "'", conn, adOpenStatic, adLockReadOnly
    check = rs.Fields("hope")
    rg1M.Text = Format(rs.Fields("reg1"), "DD-MMM-YYYY")
    t1.Text = Format(rs.Fields("tt1"), "DD-MMM-YYYY")
    bd1M.Text = Format(rs.Fields("bd1"), "DD-MMM-YYYY")
    w1.Text = rs.Fields("weight1")

    rg2M.Text = Format(rs.Fields("reg2"), "DD-MMM-YYYY")
    t2.Text = Format(rs.Fields("tt2"), "DD-MMM-YYYY")
    bd2M.Text = Format(rs.Fields("bd2"), "DD-MMM-YYYY")
    w2.Text = rs.Fields("weight2")

    rg3M.Text = Format(rs.Fields("reg3"), "DD-MMM-YYYY")
    t3.Text = Format(rs.Fields("tt3"), "DD-MMM-YYYY")
    bd3M.Text = Format(rs.Fields("bd3"), "DD-MMM-YYYY")
    w3.Text = rs.Fields("weight3")

    rg4M.Text = Format(rs.Fields("reg4"), "DD-MMM-YYYY")
    t4.Text = Format(rs.Fields("tt4"), "DD-MMM-YYYY")
    bd4M.Text = Format(rs.Fields("bd4"), "DD-MMM-YYYY")
    w4.Text = rs.Fields("weight4")

    rs.Close

    rg2M.Enabled = True
    t2.Enabled = True
    bd2M.Enabled = True
    w2.Enabled = True

    rg3M.Enabled = True
    t3.Enabled = True
    bd3M.Enabled = True
    w3.Enabled = True

    rg4M.Enabled = True
    t4.Enabled = True
    bd4M.Enabled = True
```

```
    w4.Enabled = True

    rg5M.Enabled = True
    t5.Enabled = True
    bd5M.Enabled = True
    w5.Enabled = True

ElseIf ch = 5 Then
    rs.Open "select * from pragtable where coupleno='" & coupleNo.Text & "'", conn, adOpenStatic, adLockReadOnly
    check = rs.Fields("hope")
    rg1M.Text = Format(rs.Fields("reg1"), "DD-MMM-YYYY")
    t1.Text = Format(rs.Fields("tt1"), "DD-MMM-YYYY")
    bd1M.Text = Format(rs.Fields("bd1"), "DD-MMM-YYYY")
    w1.Text = rs.Fields("weight1")

    rg2M.Text = Format(rs.Fields("reg2"), "DD-MMM-YYYY")
    t2.Text = Format(rs.Fields("tt2"), "DD-MMM-YYYY")
    bd2M.Text = Format(rs.Fields("bd2"), "DD-MMM-YYYY")
    w2.Text = rs.Fields("weight2")

    rg3M.Text = Format(rs.Fields("reg3"), "DD-MMM-YYYY")
    t3.Text = Format(rs.Fields("tt3"), "DD-MMM-YYYY")
    bd3M.Text = Format(rs.Fields("bd3"), "DD-MMM-YYYY")
    w3.Text = rs.Fields("weight3")

    rg4M.Text = Format(rs.Fields("reg4"), "DD-MMM-YYYY")
    t4.Text = Format(rs.Fields("tt4"), "DD-MMM-YYYY")
    bd4M.Text = Format(rs.Fields("bd4"), "DD-MMM-YYYY")
    w4.Text = rs.Fields("weight4")

    rg5M.Text = Format(rs.Fields("reg5"), "DD-MMM-YYYY")
    t5.Text = Format(rs.Fields("tt5"), "DD-MMM-YYYY")
    bd5M.Text = Format(rs.Fields("bd5"), "DD-MMM-YYYY")
    w5.Text = rs.Fields("weight5")

    rs.Close

    rg2M.Enabled = True
    t2.Enabled = True
    bd2M.Enabled = True
    w2.Enabled = True

    rg3M.Enabled = True
    t3.Enabled = True
    bd3M.Enabled = True
    w3.Enabled = True

    rg4M.Enabled = True
    t4.Enabled = True
    bd4M.Enabled = True
    w4.Enabled = True

    rg5M.Enabled = True
    t5.Enabled = True
    bd5M.Enabled = True
    w5.Enabled = True

    rg6M.Enabled = True
    t6.Enabled = True
    bd6M.Enabled = True
    w6.Enabled = True

ElseIf ch = 6 Then
    rs.Open "select * from pragtable where coupleno='" & coupleNo.Text & "'", conn, adOpenStatic, adLockReadOnly
    check = rs.Fields("hope")
    rg1M.Text = Format(rs.Fields("reg1"), "DD-MMM-YYYY")
    t1.Text = Format(rs.Fields("tt1"), "DD-MMM-YYYY")
    bd1M.Text = Format(rs.Fields("bd1"), "DD-MMM-YYYY")
    w1.Text = rs.Fields("weight1")
```

```
    rg2M.Text = Format(rs.Fields("reg2"), "DD-MMM-YYYY")
    t2.Text = Format(rs.Fields("tt2"), "DD-MMM-YYYY")
    bd2M.Text = Format(rs.Fields("bd2"), "DD-MMM-YYYY")
    w2.Text = rs.Fields("weight2")

    rg3M.Text = Format(rs.Fields("reg3"), "DD-MMM-YYYY")
    t3.Text = Format(rs.Fields("tt3"), "DD-MMM-YYYY")
    bd3M.Text = Format(rs.Fields("bd3"), "DD-MMM-YYYY")
    w3.Text = rs.Fields("weight3")

    rg4M.Text = Format(rs.Fields("reg4"), "DD-MMM-YYYY")
    t4.Text = Format(rs.Fields("tt4"), "DD-MMM-YYYY")
    bd4M.Text = Format(rs.Fields("bd4"), "DD-MMM-YYYY")
    w4.Text = rs.Fields("weight4")

    rg5M.Text = Format(rs.Fields("reg5"), "DD-MMM-YYYY")
    t5.Text = Format(rs.Fields("tt5"), "DD-MMM-YYYY")
    bd5M.Text = Format(rs.Fields("bd5"), "DD-MMM-YYYY")
    w5.Text = rs.Fields("weight5")

    rg6M.Text = Format(rs.Fields("reg6"), "DD-MMM-YYYY")
    t6.Text = Format(rs.Fields("tt6"), "DD-MMM-YYYY")
    bd6M.Text = Format(rs.Fields("bd6"), "DD-MMM-YYYY")
    w6.Text = rs.Fields("weight6")

    rs.Close

    rg2M.Enabled = True
    t2.Enabled = True
    bd2M.Enabled = True
    w2.Enabled = True

    rg3M.Enabled = True
    t3.Enabled = True
    bd3M.Enabled = True
    w3.Enabled = True

    rg4M.Enabled = True
    t4.Enabled = True
    bd4M.Enabled = True
    w4.Enabled = True

    rg5M.Enabled = True
    t5.Enabled = True
    bd5M.Enabled = True
    w5.Enabled = True

    rg6M.Enabled = True
    t6.Enabled = True
    bd6M.Enabled = True
    w6.Enabled = True

    rg7M.Enabled = True
    t7.Enabled = True
    bd7M.Enabled = True
    w7.Enabled = True
ElseIf ch = 7 Then
    rs.Open "select * from pragtable where coupleno='" & coupleNo.Text & "'", conn, adOpenStatic, adLockReadOnly
    check = rs.Fields("hope")
    rg1M.Text = Format(rs.Fields("reg1"), "DD-MMM-YYYY")
    t1.Text = Format(rs.Fields("tt1"), "DD-MMM-YYYY")
    bd1M.Text = Format(rs.Fields("bd1"), "DD-MMM-YYYY")
    w1.Text = rs.Fields("weight1")

    rg2M.Text = Format(rs.Fields("reg2"), "DD-MMM-YYYY")
    t2.Text = Format(rs.Fields("tt2"), "DD-MMM-YYYY")
    bd2M.Text = Format(rs.Fields("bd2"), "DD-MMM-YYYY")
    w2.Text = rs.Fields("weight2")

    rg3M.Text = Format(rs.Fields("reg3"), "DD-MMM-YYYY")
```

```
        t3.Text = Format(rs.Fields("tt3"), "DD-MMM-YYYY")
        bd3M.Text = Format(rs.Fields("bd3"), "DD-MMM-YYYY")
        w3.Text = rs.Fields("weight3")

        rg4M.Text = Format(rs.Fields("reg4"), "DD-MMM-YYYY")
        t4.Text = Format(rs.Fields("tt4"), "DD-MMM-YYYY")
        bd4M.Text = Format(rs.Fields("bd4"), "DD-MMM-YYYY")
        w4.Text = rs.Fields("weight4")

        rg5M.Text = Format(rs.Fields("reg5"), "DD-MMM-YYYY")
        t5.Text = Format(rs.Fields("tt5"), "DD-MMM-YYYY")
        bd5M.Text = Format(rs.Fields("bd5"), "DD-MMM-YYYY")
        w5.Text = rs.Fields("weight5")

        rg6M.Text = Format(rs.Fields("reg6"), "DD-MMM-YYYY")
        t6.Text = Format(rs.Fields("tt6"), "DD-MMM-YYYY")
        bd6M.Text = Format(rs.Fields("bd6"), "DD-MMM-YYYY")
        w6.Text = rs.Fields("weight6")

        rg7M.Text = Format(rs.Fields("reg7"), "DD-MMM-YYYY")
        t7.Text = Format(rs.Fields("tt7"), "DD-MMM-YYYY")
        bd7M.Text = Format(rs.Fields("bd7"), "DD-MMM-YYYY")
        w7.Text = rs.Fields("weight7")

        rs.Close

        rg2M.Enabled = True
        t2.Enabled = True
        bd2M.Enabled = True
        w2.Enabled = True

        rg3M.Enabled = True
        t3.Enabled = True
        bd3M.Enabled = True
        w3.Enabled = True

        rg4M.Enabled = True
        t4.Enabled = True
        bd4M.Enabled = True
        w4.Enabled = True

        rg5M.Enabled = True
        t5.Enabled = True
        bd5M.Enabled = True
        w5.Enabled = True

        rg6M.Enabled = True
        t6.Enabled = True
        bd6M.Enabled = True
        w6.Enabled = True

        rg7M.Enabled = True
        t7.Enabled = True
        bd7M.Enabled = True
        w7.Enabled = True

        rg8M.Enabled = True
        t8.Enabled = True
        bd8M.Enabled = True
        w8.Enabled = True
    ElseIf ch = 8 Then
        rs.Open "select * from pragtable where coupleno='" & coupleNo.Text & "'", conn, adOpenStatic, adLockReadOnly
        check = rs.Fields("hope")
        rg1M.Text = Format(rs.Fields("reg1"), "DD-MMM-YYYY")
        t1.Text = Format(rs.Fields("tt1"), "DD-MMM-YYYY")
        bd1M.Text = Format(rs.Fields("bd1"), "DD-MMM-YYYY")
        w1.Text = rs.Fields("weight1")

        rg2M.Text = Format(rs.Fields("reg2"), "DD-MMM-YYYY")
        t2.Text = Format(rs.Fields("tt2"), "DD-MMM-YYYY")
```

```
bd2M.Text = Format(rs.Fields("bd2"), "DD-MMM-YYYY")
w2.Text = rs.Fields("weight2")

rg3M.Text = Format(rs.Fields("reg3"), "DD-MMM-YYYY")
t3.Text = Format(rs.Fields("tt3"), "DD-MMM-YYYY")
bd3M.Text = Format(rs.Fields("bd3"), "DD-MMM-YYYY")
w3.Text = rs.Fields("weight3")

rg4M.Text = Format(rs.Fields("reg4"), "DD-MMM-YYYY")
t4.Text = Format(rs.Fields("tt4"), "DD-MMM-YYYY")
bd4M.Text = Format(rs.Fields("bd4"), "DD-MMM-YYYY")
w4.Text = rs.Fields("weight4")

rg5M.Text = Format(rs.Fields("reg5"), "DD-MMM-YYYY")
t5.Text = Format(rs.Fields("tt5"), "DD-MMM-YYYY")
bd5M.Text = Format(rs.Fields("bd5"), "DD-MMM-YYYY")
w5.Text = rs.Fields("weight5")

rg6M.Text = Format(rs.Fields("reg6"), "DD-MMM-YYYY")
t6.Text = Format(rs.Fields("tt6"), "DD-MMM-YYYY")
bd6M.Text = Format(rs.Fields("bd6"), "DD-MMM-YYYY")
w6.Text = rs.Fields("weight6")

rg7M.Text = Format(rs.Fields("reg7"), "DD-MMM-YYYY")
t7.Text = Format(rs.Fields("tt7"), "DD-MMM-YYYY")
bd7M.Text = Format(rs.Fields("bd7"), "DD-MMM-YYYY")
w7.Text = rs.Fields("weight7")

rg8M.Text = Format(rs.Fields("reg8"), "DD-MMM-YYYY")
t8.Text = Format(rs.Fields("tt8"), "DD-MMM-YYYY")
bd8M.Text = Format(rs.Fields("bd8"), "DD-MMM-YYYY")
w8.Text = rs.Fields("weight8")

rs.Close

rg2M.Enabled = True
t2.Enabled = True
bd2M.Enabled = True
w2.Enabled = True

rg3M.Enabled = True
t3.Enabled = True
bd3M.Enabled = True
w3.Enabled = True

rg4M.Enabled = True
t4.Enabled = True
bd4M.Enabled = True
w4.Enabled = True

rg5M.Enabled = True
t5.Enabled = True
bd5M.Enabled = True
w5.Enabled = True

rg6M.Enabled = True
t6.Enabled = True
bd6M.Enabled = True
w6.Enabled = True

rg7M.Enabled = True
t7.Enabled = True
bd7M.Enabled = True
w7.Enabled = True

rg8M.Enabled = True
t8.Enabled = True
bd8M.Enabled = True
w8.Enabled = True
```

```
    rg9M.Enabled = True
    t9.Enabled = True
    bd9m.Enabled = True
    w9.Enabled = True
Else
    rs.Open "select * from pragtable where coupleno='" & coupleNo.Text & "'", conn, adOpenStatic, adLockReadOnly
    check = rs.Fields("hope")
    rg1M.Text = Format(rs.Fields("reg1"), "DD-MMM-YYYY")
    t1.Text = Format(rs.Fields("tt1"), "DD-MMM-YYYY")
    bd1M.Text = Format(rs.Fields("bd1"), "DD-MMM-YYYY")


      w1.Text = rs.Fields("weight1")


    rg2M.Text = Format(rs.Fields("reg2"), "DD-MMM-YYYY")
    t2.Text = Format(rs.Fields("tt2"), "DD-MMM-YYYY")
    bd2M.Text = Format(rs.Fields("bd2"), "DD-MMM-YYYY")
    w2.Text = rs.Fields("weight2")

    rg3M.Text = Format(rs.Fields("reg3"), "DD-MMM-YYYY")
    t3.Text = Format(rs.Fields("tt3"), "DD-MMM-YYYY")
    bd3M.Text = Format(rs.Fields("bd3"), "DD-MMM-YYYY")
    w3.Text = rs.Fields("weight3")

    rg4M.Text = Format(rs.Fields("reg4"), "DD-MMM-YYYY")
    t4.Text = Format(rs.Fields("tt4"), "DD-MMM-YYYY")
    bd4M.Text = Format(rs.Fields("bd4"), "DD-MMM-YYYY")
    w4.Text = rs.Fields("weight4")

    rg5M.Text = Format(rs.Fields("reg5"), "DD-MMM-YYYY")
    t5.Text = Format(rs.Fields("tt5"), "DD-MMM-YYYY")
    bd5M.Text = Format(rs.Fields("bd5"), "DD-MMM-YYYY")
    w5.Text = rs.Fields("weight5")

    rg6M.Text = Format(rs.Fields("reg6"), "DD-MMM-YYYY")
    t6.Text = Format(rs.Fields("tt6"), "DD-MMM-YYYY")
    bd6M.Text = Format(rs.Fields("bd6"), "DD-MMM-YYYY")
    w6.Text = rs.Fields("weight6")

    rg7M.Text = Format(rs.Fields("reg7"), "DD-MMM-YYYY")
    t7.Text = Format(rs.Fields("tt7"), "DD-MMM-YYYY")
    bd7M.Text = Format(rs.Fields("bd7"), "DD-MMM-YYYY")
    w7.Text = rs.Fields("weight7")

    rg8M.Text = Format(rs.Fields("reg8"), "DD-MMM-YYYY")
    t8.Text = Format(rs.Fields("tt8"), "DD-MMM-YYYY")
    bd8M.Text = Format(rs.Fields("bd8"), "DD-MMM-YYYY")
    w8.Text = rs.Fields("weight8")

    rg9M.Text = Format(rs.Fields("reg9"), "DD-MMM-YYYY")
    t9.Text = Format(rs.Fields("tt9"), "DD-MMM-YYYY")
    bd9m.Text = Format(rs.Fields("bd9"), "DD-MMM-YYYY")
    w9.Text = rs.Fields("weight9")

    rs.Close

    rg2M.Enabled = True
    t2.Enabled = True
    bd2M.Enabled = True
    w2.Enabled = True

    rg3M.Enabled = True
    t3.Enabled = True
    bd3M.Enabled = True
    w3.Enabled = True

    rg4M.Enabled = True
    t4.Enabled = True
    bd4M.Enabled = True
```

```
        w4.Enabled = True

        rg5M.Enabled = True
        t5.Enabled = True
        bd5M.Enabled = True
        w5.Enabled = True

        rg6M.Enabled = True
        t6.Enabled = True
        bd6M.Enabled = True
        w6.Enabled = True

        rg7M.Enabled = True
        t7.Enabled = True
        bd7M.Enabled = True
        w7.Enabled = True

        rg8M.Enabled = True
        t8.Enabled = True
        bd8M.Enabled = True
        w8.Enabled = True

        rg9M.Enabled = True
        t9.Enabled = True
        bd9m.Enabled = True
        w9.Enabled = True


        End If
End Sub

Private Sub ok_Click()

dataq
Unload Me
End Sub

Private Sub rg1M_Validate(cancel As Boolean)
If IsDate(rg1M.Text) Then
   rg1M.Text = Format(rg1M.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   rg1M.Text = ""
   rg1M.SetFocus
   End If
End Sub
Private Sub rg2M_Validate(cancel As Boolean)
If IsDate(rg2M.Text) Then
   rg2M.Text = Format(rg2M.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   rg2M.Text = ""
   rg2M.SetFocus
   End If
End Sub
Private Sub rg3M_Validate(cancel As Boolean)
If IsDate(rg3M.Text) Then
   rg3M.Text = Format(rg3M.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   rg3M.Text = ""
   rg3M.SetFocus
   End If
End Sub
Private Sub rg4M_Validate(cancel As Boolean)
If IsDate(rg4M.Text) Then
   rg4M.Text = Format(rg4M.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   rg4M.Text = ""
```

```
   rg4M.SetFocus
   End If
End Sub
Private Sub rg9M_Validate(cancel As Boolean)
If IsDate(rg9M.Text) Then
   rg9M.Text = Format(rg9M.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   rg9M.Text = ""
   rg9M.SetFocus
   End If
End Sub
Private Sub rg8M_Validate(cancel As Boolean)
If IsDate(rg8M.Text) Then
   rg8M.Text = Format(rg8M.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   rg8M.Text = ""
   rg8M.SetFocus
   End If
End Sub
Private Sub rg7M_Validate(cancel As Boolean)
If IsDate(rg7M.Text) Then
   rg7M.Text = Format(rg7M.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   rg7M.Text = ""
   rg7M.SetFocus
   End If
End Sub
Private Sub rg6M_Validate(cancel As Boolean)
If IsDate(rg6M.Text) Then
   rg6M.Text = Format(rg6M.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   rg6M.Text = ""
   rg6M.SetFocus
   End If
End Sub
Private Sub rg5M_Validate(cancel As Boolean)
If IsDate(rg5M.Text) Then
   rg5M.Text = Format(rg5M.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   rg5M.Text = ""
   rg5M.SetFocus
   End If
End Sub


Private Sub t1_Validate(cancel As Boolean)
If IsDate(t1.Text) Then
   t1.Text = Format(t1.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   t1.Text = ""
   t1.SetFocus
   End If
End Sub

Private Sub t2_Validate(cancel As Boolean)
If IsDate(t2.Text) Then
   t2.Text = Format(t2.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   t2.Text = ""
   t2.SetFocus
   End If
End Sub
```

```
Private Sub t3_Validate(cancel As Boolean)
If IsDate(t3.Text) Then
   t3.Text = Format(t3.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   t3.Text = ""
   t3.SetFocus
   End If
End Sub


Private Sub t9_Validate(cancel As Boolean)
If IsDate(t9.Text) Then
   t9.Text = Format(t9.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   t9.Text = ""
   t9.SetFocus
   End If
End Sub
Private Sub t8_Validate(cancel As Boolean)
If IsDate(t8.Text) Then
   t8.Text = Format(t8.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   t8.Text = ""
   t8.SetFocus
   End If
End Sub
Private Sub t7_Validate(cancel As Boolean)
If IsDate(t7.Text) Then
   t7.Text = Format(t7.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   t7.Text = ""
   t7.SetFocus
   End If
End Sub
Private Sub t6_Validate(cancel As Boolean)
If IsDate(t6.Text) Then
   t6.Text = Format(t6.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   t6.Text = ""
   t6.SetFocus
   End If
End Sub
Private Sub t5_Validate(cancel As Boolean)
If IsDate(t5.Text) Then
   t5.Text = Format(t5.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   t5.Text = ""
   t5.SetFocus
   End If
End Sub
Private Sub t4_Validate(cancel As Boolean)
If IsDate(t4.Text) Then
   t4.Text = Format(t4.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! Numeric or Alphbates  are Not Allowed!"
   t4.Text = ""
   t4.SetFocus
   End If
End Sub

Private Sub w1_Change()
ok.Enabled = True
End Sub
```

```
Private Sub w1_Validate(cancel As Boolean)
If IsNumeric(w1.Text) Then

   Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
   w1.Text = "0"
   w1.SetFocus
   End If
End Sub
Private Sub w2_Validate(cancel As Boolean)
If IsNumeric(w2.Text) Then

   Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
   w2.Text = "0"
   w2.SetFocus
   End If
End Sub
Private Sub w3_Validate(cancel As Boolean)
If IsNumeric(w3.Text) Then

   Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
   w3.Text = "0"
   w3.SetFocus
   End If
End Sub
Private Sub w4_Validate(cancel As Boolean)
If IsNumeric(w4.Text) Then

   Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
   w4.Text = "0"
   w4.SetFocus
   End If
End Sub
Private Sub w5_Validate(cancel As Boolean)
If IsNumeric(w5.Text) Then

   Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
   w5.Text = "0"
   w5.SetFocus
   End If
End Sub
Private Sub w6_Validate(cancel As Boolean)
If IsNumeric(w6.Text) Then

   Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
   w6.Text = "0"
   w6.SetFocus
   End If
End Sub
Private Sub w7_Validate(cancel As Boolean)
If IsNumeric(w7.Text) Then

   Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
   w7.Text = "0"
   w7.SetFocus
   End If
End Sub
Private Sub w8_Validate(cancel As Boolean)
If IsNumeric(w8.Text) Then

   Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
   w8.Text = "0"
```

```
   w8.SetFocus
   End If
End Sub
Private Sub w9_Validate(cancel As Boolean)
If IsNumeric(w9.Text) Then

   Else
   MsgBox "Enter a Numbers! AlphaNumeric or Alphbates  are Not Allowed!"
   w9.Text = "0"
   w9.SetFocus
   End If
End Sub
```

Coding Before Delivery Form(beforeDel) :-

```
Dim arr(16)
Dim j As Integer
Private Sub Form_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
Command1.ForeColor = &H4000&
cancel.ForeColor = &HFF&
cancel.BorderStyle = 0
Command1.BorderStyle = 0
End Sub
Private Sub Command1_Mousemove(Button As Integer, Shift As Integer, X As Single, Y As Single)

Command1.BorderStyle = 1
Command1.ForeColor = &H0&
End Sub

Private Sub cancel_Mousemove(Button As Integer, Shift As Integer, X As Single, Y As Single)

cancel.BorderStyle = 1
cancel.ForeColor = &H0&
End Sub

Private Sub Aklempsiya_Click()
If Aklempsiya.Value = Yes Then
   arr(1) = "No"
  Else
   arr(1) = "Yes"
  End If

End Sub

Private Sub albu_Validate(cancel As Boolean)
If albu.Text = "" Then
    albu.Text = "NO"
    End If
End Sub

Private Sub aph_Click()
If aph.Value = Yes Then
   arr(0) = "No"
  Else
   arr(0) = "Yes"
  End If

End Sub

Private Sub Asthma_Click()
If Asthma.Value = Yes Then
   arr(13) = "No"
  Else
   arr(13) = "Yes"
  End If

End Sub

Private Sub blood_Click()
```

```
If blood.Value = Yes Then
   arr(3) = "No"
  Else
   arr(3) = "Yes"
  End If

End Sub

Private Sub bloodGroup_Validate(cancel As Boolean)
If bloodGroup.Text = "" Then
    bloodGroup.Text = "N"
    End If
End Sub

Private Sub bloodPresare_Click()
If bloodPresare.Value = Yes Then
   arr(10) = "No"
  Else
   arr(10) = "Yes"
  End If

End Sub



Private Sub bloodSugar_Validate(cancel As Boolean)
 If bloodSugar.Text = "" Then
    bloodSugar.Text = "NO"
    End If
End Sub

Private Sub bloodSugarDate_Validate(cancel As Boolean)
If IsDate(bloodSugarDate.Text) Then
   bloodSugarDate.Text = Format(bloodSugarDate.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a DATE! AlphaNumeric or Alphbates or Numbers Not Allowed!"
   bloodSugarDate.Text = "05-Apr-1992"
   bloodSugarDate.SetFocus
   End If
End Sub

Private Sub breast_Validate(cancel As Boolean)
If breast.Text = "" Then
    breast.Text = "NO"
    End If
End Sub

Private Sub cancel_Click()
Unload Me
End Sub

Private Sub Check1_Click()
If Check1.Value = Yes Then
   arr(14) = "No"
  Else
   arr(14) = "Yes"
  End If

End Sub

Private Sub Command1_Click()

conn.Execute " insert into
beforedel(coupleno,abh,AKLEMPSIYA,PRGINDUCED,LBLOODQUNT,INFECTDEL,PPH,ALPS,DRAWBACK,OTHER,TYPED
IK,HIGHBLOOD,ANYHEART,DIABITIES,ASTHMA,OTHER2,NORMALPHASE,HEART,LAXYS,BREAST,HEMOGLOBIN,U
RINEALBUMIN,URINSUGAR,BLOODGROUP,URINE,URIDATE,HBS,HBSDATE,BLOODSUG,BLOODDATE) values('" &
coupleNo.Text & "','" & arr(0) & "','" & arr(1) & "','" & arr(2) & "','" & arr(3) & "','" & arr(4) & "','" & arr(5) & "','" & arr(6)
& "','" & arr(7) & "','" & arr(8) & "','" & arr(9) & "','" & arr(10) & "','" & arr(11) & "','" & arr(12) & "','" & arr(13) & "','" &
arr(14) & "','" & normalPhase.Text & "', '" & heartDel.Text & "','" & Text2.Text & "','" & breast.Text & "','" & himo.Text &
```

```
"','" & albu.Text & "','" & urinSugar.Text & "','" & bloodGroup.Text & "','" & urine.Text & "','" & urineDate.Text & "','" &
Text5.Text & "','" & HBSDate.Text & "','" & bloodSugar.Text & "','" & bloodSugarDate.Text & "')"
msg = "Data Saved!"
msgShow.Show
Unload Me

End Sub

Private Sub coupleNo_Click()
Command1.Visible = True
Command1.Enabled = True
rs.Open " select * from mothertable where coupleno='" & coupleNo.Text & "'", conn, adOpenStatic, adLockReadOnly
lblMotherName.Caption = rs.Fields("plname")
rs.Close
End Sub

Private Sub diabetes_Click()
If diabetes.Value = Yes Then
   arr(12) = "No"
  Else
   arr(12) = "Yes"
  End If

End Sub

Private Sub Form_Load()
Me.Left = 50
Me.Top = 50

rs.Open "select * from mothertable where agganid='" & ArgNum & "'", conn, adOpenStatic, adLockReadOnly
  rs.MoveFirst
  i = 1
  While Not rs.EOF

       coupleNo.AddItem rs.Fields("coupleno")
       rs.MoveNext

         Wend

       rs.Close
 j = 0
  While j < 16
    arr(j) = "No"
    j = j + 1
    Wend

End Sub



Private Sub HBSDate_Validate(cancel As Boolean)
If IsDate(HBSDate.Text) Then
   HBSDate.Text = Format(HBSDate.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a DATE! AlphaNumeric or Alphbates or Numbers Not Allowed!"
   HBSDate.Text = "05-Apr-1992"
   HBSDate.SetFocus
   End If
End Sub

Private Sub heart_Click()
If heart.Value = Yes Then
   arr(11) = "No"
  Else
   arr(11) = "Yes"
  End If

End Sub

Private Sub heartDel_Validate(cancel As Boolean)
```

```
If heartDel.Text = "" Then
    heartDel.Text = "NO"
    End If
End Sub

Private Sub himo_Validate(cancel As Boolean)
If himo.Text = "" Then
    himo.Text = "NO"
    End If
End Sub

Private Sub infPrag_Click()
If infPrag.Value = Yes Then
   arr(4) = "No"
  Else
   arr(4) = "Yes"
  End If

End Sub



Private Sub lsps_Click()
If lsps.Value = Yes Then
   arr(6) = "No"
  Else
   arr(6) = "Yes"
  End If

End Sub

Private Sub normalPhase_Validate(cancel As Boolean)
If normalPhase.Text = "" Then
    normalPhase.Text = "NO"
    End If
End Sub

Private Sub other2_Click()
If other.Value = Yes Then
   arr(8) = "No"
  Else
   arr(8) = "Yes"
  End If

End Sub

Private Sub pih_Click()
If pih.Value = Yes Then
   arr(2) = "No"
  Else
   arr(2) = "Yes"
  End If

End Sub

Private Sub pph_Click()
If pph.Value = Yes Then
   arr(5) = "No"
  Else
   arr(5) = "Yes"
  End If

End Sub

Private Sub tapadik_Click()
If tapadik.Value = Yes Then
   arr(9) = "No"
  Else
   arr(9) = "Yes"
  End If
```

```
End Sub

Private Sub Text2_Validate(cancel As Boolean)
If Text2.Text = "" Then
    Text2.Text = "NO"
    End If
End Sub
Private Sub Text5_Validate(cancel As Boolean)
If Text5.Text = "" Then
    Text5.Text = "NO"
    End If
End Sub
Private Sub urine_Validate(cancel As Boolean)
If urine.Text = "" Then
    urine.Text = "NO"
    End If
End Sub
Private Sub urineDate_Validate(cancel As Boolean)
If IsDate(urineDate.Text) Then
   urineDate.Text = Format(urineDate.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a DATE! AlphaNumeric or Alphbates or Numbers Not Allowed!"
   urineDate.Text = "05-Apr-1992"
   urineDate.SetFocus
   End If
End Sub
Private Sub urinSugar_Validate(cancel As Boolean)
If urinSugar.Text = "" Then
    urinSugar.Text = "NO"
    End If
End Sub
Private Sub weekKid_Click()
If weekKid.Value = Yes Then
   arr(7) = "No"
  Else
   arr(7) = "Yes"
  End If
End Sub
```

Coding After Delivery Form(afterDel) :-

```
Dim temp As Integer
Private Sub cancel_Click()
Unload Me
End Sub
Private Static Function nullCheck() As Boolean
Dim rt As Boolean
rt = False
If deliveryDate.Text = "" Then
   MsgBox " Delivery Date Is Blank !"
   txtBirthDate.SetFocus
ElseIf coupleNo.Text = "" Then
   MsgBox " Couple No is Not Selected !"
   coupleNo.SetFocus
ElseIf dechargeDate.Text = "" Then
   MsgBox " Decharge Date is  Blank !"
   dechargeDate.SetFocus
   ElseIf deliveryPlace.Text = "" Then
   MsgBox " Delivery Place Not Selected !"
   deliveryPlace.SetFocus
ElseIf DeliveryType.Text = "" Then
   MsgBox " Delivery Type Is Blank !"
   DeliveryType.SetFocus
ElseIf pragCombo.Text = "" Then
   MsgBox " Pragency Is Blank !"
   pragCombo.SetFocus
ElseIf hospitalPeriod.Text = "" Then
   MsgBox " Hospital Period Is Blank !"
```

```
    hospitalPeriod.SetFocus
ElseIf kidGender.Text = "" Then
    MsgBox " Kid's Gender Is Blank !"
    kidGender.SetFocus
ElseIf kidCry.Text = "" Then
    MsgBox " Kid's Cry Is Blank !"
    kidCry.SetFocus
ElseIf kidWeight.Text = "" Then
    MsgBox " Kid's Weight Is Blank !"
    kidWeight.SetFocus
ElseIf deliveryResult.Text = "" Then
    MsgBox " Delivery Result Is Blank !"
    deliveryResult.SetFocus
ElseIf probleDelivery.Text = "" Then
    MsgBox " Delivery Problem Is Blank !"
    probleDelivery.SetFocus
Else
   rt = True
    End If
nullCheck = rt
End Function
Private Sub cancel_Mousemove(Button As Integer, Shift As Integer, X As Single, Y As Single)
cancel.BackStyle = 1
cancel.BackColor = &H4000&
cancel.ForeColor = vbWhite
End Sub
Private Sub coupleNo_Click()
   rs.Open " select * from mothertable where coupleno='" & coupleNo.Text & "'", conn, adOpenStatic, adLockReadOnly
   lblMotherName.Caption = rs.Fields("plname")
   rs.Close
   rs.Open "select * from afterdelivery where coupleno='" & coupleNo.Text & "'", conn, adOpenStatic, adLockReadOnly
   temp = rs.Fields("hope")
   If temp > 0 Then
     deliveryDate.Text = Format(rs.Fields("DELIVERYDATE"), "DD-MMM-YYYY")
     dechargeDate.Text = Format(rs.Fields("HOSPITALDECHARGEDATE"), "DD-MMM-YYYY")
     deliveryPlace.Text = rs.Fields("deliveryPlace")
     DeliveryType.Text = rs.Fields("DeliveryType")
     pragCombo.Text = rs.Fields("PRAGNANCEY")
     hospitalPeriod.Text = rs.Fields("HOSPITALPEROID")
     kidGender.Text = rs.Fields("kidGender")
     kidCry.Text = rs.Fields("KIDCRYAFTERBORN")
     kidWeight.Text = rs.Fields("kidWeight")
     deliveryResult.Text = rs.Fields("deliveryresult")
     probleDelivery.Text = rs.Fields("problem")
    End If
   rs.Close
   save.Enabled = True
   save.Visible = True
End Sub
Private Sub dechargeDate_Validate(cancel As Boolean)
If IsDate(dechargeDate.Text) Then
    dechargeDate.Text = Format(dechargeDate.Text, "DD-MMM-YYYY")
    Else
    MsgBox "Enter a DATE! AlphaNumeric or Alphbates or Numbers Not Allowed!"
    dechargeDate.Text = ""
    dechargeDate.SetFocus
    End If
End Sub
Private Sub deliveryDate_Validate(cancel As Boolean)
If IsDate(deliveryDate.Text) Then
    deliveryDate.Text = Format(deliveryDate.Text, "DD-MMM-YYYY")
    Else
    MsgBox "Enter a DATE! AlphaNumeric or Alphbates or Numbers Not Allowed!"
    deliveryDate.Text = ""
    deliveryDate.SetFocus
    End If
End Sub
Private Sub deliveryResult_Change()
save.Visible = True
End Sub
```

```
Private Sub Form_Load()
Me.Left = 50
Me.Top = 50
rs.Open "select * from mothertable where agganid='" & ArgNum & "'", conn, adOpenStatic, adLockReadOnly
  rs.MoveFirst
  While Not rs.EOF
      coupleNo.AddItem rs.Fields("coupleno")
       rs.MoveNext
 Wend
      rs.Close
End Sub
Private Sub Form_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
save.BackStyle = 0

save.ForeColor = &H80FF80
cancel.BackStyle = 0

cancel.ForeColor = &HFF&
End Sub

Private Sub kidWeight_Validate(cancel As Boolean)
If IsNumeric(kidWeight.Text) Then

   Else
   MsgBox "Enter a DATE! AlphaNumeric or Alphbates or Numbers Not Allowed!"
   kidWeight.Text = ""
   kidWeight.SetFocus
   End If
End Sub

Private Sub save_Click()
temp = 1
If nullCheck = True Then
conn.Execute "update AFTERDELIVERY set hope='" & temp & "',DELIVERYDATE='" & deliveryDate.Text &
"',HOSPITALDECHARGEDATE='" & dechargeDate.Text & "',deliveryPlace= '" & deliveryPlace.Text & "',DeliveryType='" &
DeliveryType.Text & "',PRAGNANCEY='" & pragCombo.Text & "',HOSPITALPEROID='" & hospitalPeriod.Text &
"',kidGender='" & kidGender.Text & "',KIDCRYAFTERBORN='" & kidCry.Text & "',kidWeight='" & kidWeight.Text &
"',deliveryresult='" & deliveryResult.Text & "',problem='" & probleDelivery.Text & "',LADYNAME='" &
lblMotherName.Caption & "'    where coupleno='" & coupleNo.Text & "'"
msg = "Data Saved!"
msgShow.Show

Unload Me
End If
End Sub

Private Sub save_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
save.BackStyle = 1
save.BackColor = &H4000&
save.ForeColor = vbWhite
End Sub
```

Coding Vacination and Dose Form(kidVac) :-

```
Dim temp As Integer

Private Sub cancel_Click()
Unload Me
End Sub

Private Sub Form_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
save.BackStyle = 0

save.ForeColor = &H80FF80
cancel.BackStyle = 0

cancel.ForeColor = &HFF&
End Sub
Private Sub save_MouseMove(Button As Integer, Shift As Integer, X As Single, Y As Single)
save.BackStyle = 1
save.BackColor = &H80FF&
save.ForeColor = vbWhite
End Sub

Private Sub cancel_Mousemove(Button As Integer, Shift As Integer, X As Single, Y As Single)
cancel.BackStyle = 1
cancel.BackColor = &H80FF&
cancel.ForeColor = vbWhite
End Sub


Private Sub Form_Load()
Me.Left = 50
Me.Top = 50
rs.Open "select * from kidtable,mothertable where mothertable.agganid='" & ArgNum & "' and
kidtable.coupleno=mothertable.coupleno ", conn, adOpenStatic, adLockReadOnly

    While Not rs.EOF
      kidsNo.AddItem rs.Fields("kidregno")
      rs.MoveNext
          Wend
      rs.Close

End Sub

Private Sub kidsNo_Click()
 rs.Open "select * from kidtable where kidregno='" & kidsNo.Text & "' ", conn, adOpenStatic, adLockReadOnly
    kidName.Caption = rs.Fields("kidname")
   rs.Close
rs.Open " select *from dose where kidregno='" & kidsNo.Text & "'", conn, adOpenStatic, adLockReadOnly
    temp = rs.Fields("hope")

  rs.Close
 If temp > 0 Then dis
save.Visible = True
save.Enabled = True
End Sub
Private Sub dis()
   rs.Open " select *from dose where kidregno='" & kidsNo.Text & "'", conn, adOpenStatic, adLockReadOnly
    temp = rs.Fields("hope")
    rs.Close
  If temp = 1 Then
     rs.Open " select *from dose where kidregno='" & kidsNo.Text & "'", conn, adOpenStatic, adLockReadOnly
      txtBCG.Text = Format(rs.Fields("bcg"), "DD-MMM-YYYY")
      txtPol0.Text = Format(rs.Fields("poliy"), "DD-MMM-YYYY")
      txthlpB0.Text = Format(rs.Fields("hlp"), "DD-MMM-YYYY")

      txtpoliyo1.Enabled = True
      txtDPT1.Enabled = True
      txtHIP1.Enabled = True
      txtVitaminBoster.Enabled = True
```

```
    txtPolioBoster.Enabled = True
    txtDPTBoster.Enabled = True
    txtKhasra.Enabled = True
    txtVitamin.Enabled = True
    rs.Close
  ElseIf temp = 2 Then
    rs.Open " select *from dose where kidregno='" & kidsNo.Text & "'", conn, adOpenStatic, adLockReadOnly
    txtBCG.Text = Format(rs.Fields("bcg"), "DD-MMM-YYYY")
    txtPol0.Text = Format(rs.Fields("poliy"), "DD-MMM-YYYY")
    txthlpB0.Text = Format(rs.Fields("hlp"), "DD-MMM-YYYY")

    txtpoliyo1.Text = Format(rs.Fields("poliy1"), "DD-MMM-YYYY")
    txtDPT1.Text = Format(rs.Fields("dpt1"), "DD-MMM-YYYY")
    txtHIP1.Text = Format(rs.Fields("hip1"), "DD-MMM-YYYY")
    txtVitaminBoster.Text = Format(rs.Fields("vit1"), "DD-MMM-YYYY")
    txtPolioBoster.Text = Format(rs.Fields("poliyoboster"), "DD-MMM-YYYY")
    txtDPTBoster.Text = Format(rs.Fields("dptboster"), "DD-MMM-YYYY")
    txtKhasra.Text = Format(rs.Fields("kh9"), "DD-MMM-YYYY")
    txtVitamin.Text = Format(rs.Fields("vit9"), "DD-MMM-YYYY")


    txtpoliyo1.Enabled = True
    txtDPT1.Enabled = True
    txtHIP1.Enabled = True
    txtVitaminBoster.Enabled = True
    txtPolioBoster.Enabled = True
    txtDPTBoster.Enabled = True
    txtKhasra.Enabled = True
    txtVitamin.Enabled = True

    txtpoliyo2.Enabled = True
    txtDPT2.Enabled = True
    txtHIP2.Enabled = True
    txtVitaminDose2.Enabled = True
    rs.Close
  ElseIf temp = 3 Then
    rs.Open " select *from dose where kidregno='" & kidsNo.Text & "'", conn, adOpenStatic, adLockReadOnly
    txtBCG.Text = Format(rs.Fields("bcg"), "DD-MMM-YYYY")
    txtPol0.Text = Format(rs.Fields("poliy"), "DD-MMM-YYYY")
    txthlpB0.Text = Format(rs.Fields("hlp"), "DD-MMM-YYYY")

    txtpoliyo1.Text = Format(rs.Fields("poliy1"), "DD-MMM-YYYY")
    txtDPT1.Text = Format(rs.Fields("dpt1"), "DD-MMM-YYYY")
    txtHIP1.Text = Format(rs.Fields("hip1"), "DD-MMM-YYYY")
    txtVitaminBoster.Text = Format(rs.Fields("vit1"), "DD-MMM-YYYY")
    txtPolioBoster.Text = Format(rs.Fields("poliyoboster"), "DD-MMM-YYYY")
    txtDPTBoster.Text = Format(rs.Fields("dptboster"), "DD-MMM-YYYY")
    txtKhasra.Text = Format(rs.Fields("kh9"), "DD-MMM-YYYY")
    txtVitamin.Text = Format(rs.Fields("vit9"), "DD-MMM-YYYY")

    txtpoliyo2.Text = Format(rs.Fields("poliy2"), "DD-MMM-YYYY")
    txtDPT2.Text = Format(rs.Fields("dpt2"), "DD-MMM-YYYY")
    txtHIP2.Text = Format(rs.Fields("hip2"), "DD-MMM-YYYY")
    txtVitaminDose2.Text = Format(rs.Fields("vit2"), "DD-MMM-YYYY")

    txtpoliyo1.Enabled = True
    txtDPT1.Enabled = True
    txtHIP1.Enabled = True
    txtVitaminBoster.Enabled = True
    txtPolioBoster.Enabled = True
    txtDPTBoster.Enabled = True
    txtKhasra.Enabled = True
    txtVitamin.Enabled = True

    txtpoliyo2.Enabled = True
    txtDPT2.Enabled = True
    txtHIP2.Enabled = True
    txtVitaminDose2.Enabled = True

    txtPoliyo3.Enabled = True
```

```
txtDPT3.Enabled = True
txtHIP3.Enabled = True
txtVitaminDose3.Enabled = True
rs.Close
ElseIf temp = 4 Then
rs.Open " select *from dose where kidregno='" & kidsNo.Text & "'", conn, adOpenStatic, adLockReadOnly
txtBCG.Text = Format(rs.Fields("bcg"), "DD-MMM-YYYY")
txtPol0.Text = Format(rs.Fields("poliy"), "DD-MMM-YYYY")
txthlpB0.Text = Format(rs.Fields("hlp"), "DD-MMM-YYYY")

txtpoliyo1.Text = Format(rs.Fields("poliy1"), "DD-MMM-YYYY")
txtDPT1.Text = Format(rs.Fields("dpt1"), "DD-MMM-YYYY")
txtHIP1.Text = Format(rs.Fields("hip1"), "DD-MMM-YYYY")
txtVitaminBoster.Text = Format(rs.Fields("vit1"), "DD-MMM-YYYY")
txtPolioBoster.Text = Format(rs.Fields("poliyoboster"), "DD-MMM-YYYY")
txtDPTBoster.Text = Format(rs.Fields("dptboster"), "DD-MMM-YYYY")
txtKhasra.Text = Format(rs.Fields("kh9"), "DD-MMM-YYYY")
txtVitamin.Text = Format(rs.Fields("vit9"), "DD-MMM-YYYY")

txtpoliyo2.Text = Format(rs.Fields("poliy2"), "DD-MMM-YYYY")
txtDPT2.Text = Format(rs.Fields("dpt2"), "DD-MMM-YYYY")
txtHIP2.Text = Format(rs.Fields("hip2"), "DD-MMM-YYYY")
txtVitaminDose2.Text = Format(rs.Fields("vit2"), "DD-MMM-YYYY")

txtPoliyo3.Text = Format(rs.Fields("poliy3"), "DD-MMM-YYYY")
txtDPT3.Text = Format(rs.Fields("dpt3"), "DD-MMM-YYYY")
txtHIP3.Text = Format(rs.Fields("hip3"), "DD-MMM-YYYY")
txtVitaminDose3.Text = Format(rs.Fields("vit3"), "DD-MMM-YYYY")


txtpoliyo1.Enabled = True
txtDPT1.Enabled = True
txtHIP1.Enabled = True
txtVitaminBoster.Enabled = True
txtPolioBoster.Enabled = True
txtDPTBoster.Enabled = True
txtKhasra.Enabled = True
txtVitamin.Enabled = True

txtpoliyo2.Enabled = True
txtDPT2.Enabled = True
txtHIP2.Enabled = True
txtVitaminDose2.Enabled = True

txtPoliyo3.Enabled = True
txtDPT3.Enabled = True
txtHIP3.Enabled = True
txtVitaminDose3.Enabled = True

txtVitaminDose4.Enabled = True
rs.Close
ElseIf temp = 5 Then
rs.Open " select *from dose where kidregno='" & kidsNo.Text & "'", conn, adOpenStatic, adLockReadOnly
txtBCG.Text = Format(rs.Fields("bcg"), "DD-MMM-YYYY")
txtPol0.Text = Format(rs.Fields("poliy"), "DD-MMM-YYYY")
txthlpB0.Text = Format(rs.Fields("hlp"), "DD-MMM-YYYY")

txtpoliyo1.Text = Format(rs.Fields("poliy1"), "DD-MMM-YYYY")
txtDPT1.Text = Format(rs.Fields("dpt1"), "DD-MMM-YYYY")
txtHIP1.Text = Format(rs.Fields("hip1"), "DD-MMM-YYYY")
txtVitaminBoster.Text = Format(rs.Fields("vit1"), "DD-MMM-YYYY")
txtPolioBoster.Text = Format(rs.Fields("poliyoboster"), "DD-MMM-YYYY")
txtDPTBoster.Text = Format(rs.Fields("dptboster"), "DD-MMM-YYYY")
txtKhasra.Text = Format(rs.Fields("kh9"), "DD-MMM-YYYY")
txtVitamin.Text = Format(rs.Fields("vit9"), "DD-MMM-YYYY")
txtpoliyo2.Text = Format(rs.Fields("poliy2"), "DD-MMM-YYYY")
txtDPT2.Text = Format(rs.Fields("dpt2"), "DD-MMM-YYYY")
txtHIP2.Text = Format(rs.Fields("hip2"), "DD-MMM-YYYY")
txtVitaminDose2.Text = Format(rs.Fields("vit2"), "DD-MMM-YYYY")
```

```
      txtPoliyo3.Text = Format(rs.Fields("poliy3"), "DD-MMM-YYYY")
      txtDPT3.Text = Format(rs.Fields("dpt3"), "DD-MMM-YYYY")
      txtHIP3.Text = Format(rs.Fields("hip3"), "DD-MMM-YYYY")
      txtVitaminDose3.Text = Format(rs.Fields("vit3"), "DD-MMM-YYYY")
      txtVitaminDose4.Text = Format(rs.Fields("vit4"), "DD-MMM-YYYY")
      txtpoliyo1.Enabled = True
      txtDPT1.Enabled = True
      txtHIP1.Enabled = True
      txtVitaminBoster.Enabled = True
      txtPolioBoster.Enabled = True
      txtDPTBoster.Enabled = True
      txtKhasra.Enabled = True
      txtVitamin.Enabled = True
      txtpoliyo2.Enabled = True
      txtDPT2.Enabled = True
      txtHIP2.Enabled = True
      txtVitaminDose2.Enabled = True
     txtPoliyo3.Enabled = True
      txtDPT3.Enabled = True
      txtHIP3.Enabled = True
      txtVitaminDose3.Enabled = True
      txtVitaminDose4.Enabled = True
      rs.Close
  End If
End Sub
Private Sub inData()
   rs.Open " select *from dose where kidregno='" & kidsNo.Text & "'", conn, adOpenStatic, adLockReadOnly
    temp = rs.Fields("hope")
    rs.Close
    If temp = 0 Then
         temp = 1
         conn.Execute "update dose set hope='" & temp & "',KIDNAME='" & kidName.Caption & "', bcg='" & txtBCG.Text & "',
poliy='" & txtPol0.Text & "',hlp='" & txthlpB0.Text & "'      where kidregno='" & kidsNo.Text & "'"
       ElseIf temp = 1 Then
         temp = 2
         conn.Execute "update dose set hope='" & temp & "',KIDNAME='" & kidName.Caption & "', bcg='" & txtBCG.Text & "',
poliy='" & txtPol0.Text & "',hlp='" & txthlpB0.Text & "',poliy1='" & txtpoliyo1.Text & "',dpt1='" & txtDPT1.Text & "', hip1='"
& txtHIP1.Text & "',vit1='" & txtVitaminBoster.Text & "',poliyoboster='" & txtPolioBoster.Text & "', dptboster='" &
txtDPTBoster.Text & "', kh9='" & txtKhasra.Text & "',vit9='" & txtVitamin.Text & "'      where kidregno='" & kidsNo.Text & "'"
       ElseIf temp = 2 Then
         temp = 3
         conn.Execute "update dose set hope='" & temp & "',KIDNAME='" & kidName.Caption & "', bcg='" & txtBCG.Text & "',
poliy='" & txtPol0.Text & "',hlp='" & txthlpB0.Text & "',poliy1='" & txtpoliyo1.Text & "',dpt1='" & txtDPT1.Text & "', hip1='"
& txtHIP1.Text & "',vit1='" & txtVitaminBoster.Text & "',poliyoboster='" & txtPolioBoster.Text & "', dptboster='" &
txtDPTBoster.Text & "', kh9='" & txtKhasra.Text & "',vit9='" & txtVitamin.Text & "',poliy2='" & txtpoliyo2.Text & "',dpt2='" &
txtDPT2.Text & "', hip2='" & txtHIP2.Text & "',vit2='" & txtVitaminDose2.Text & "'      where kidregno='" & kidsNo.Text & "'"

      ElseIf temp = 3 Then
         temp = 4
         conn.Execute "update dose set hope='" & temp & "',KIDNAME='" & kidName.Caption & "', bcg='" & txtBCG.Text & "',
poliy='" & txtPol0.Text & "',hlp='" & txthlpB0.Text & "',poliy1='" & txtpoliyo1.Text & "',dpt1='" & txtDPT1.Text & "', hip1='"
& txtHIP1.Text & "',vit1='" & txtVitaminBoster.Text & "',poliyoboster='" & txtPolioBoster.Text & "', dptboster='" &
txtDPTBoster.Text & "', kh9='" & txtKhasra.Text & "',vit9='" & txtVitamin.Text & "',poliy2='" & txtpoliyo2.Text & "',dpt2='" &
txtDPT2.Text & "', hip2='" & txtHIP2.Text & "',vit2='" & txtVitaminDose2.Text & "',poliy3='" & txtPoliyo3.Text & "',dpt3='" &
txtDPT3.Text & "', hip3='" & txtHIP3.Text & "',vit3='" & txtVitaminDose3.Text & "'      where kidregno='" & kidsNo.Text & "'"
      Else
         temp = 5
         conn.Execute "update dose set hope='" & temp & "',KIDNAME='" & kidName.Caption & "', bcg='" & txtBCG.Text & "',
poliy='" & txtPol0.Text & "',hlp='" & txthlpB0.Text & "',poliy1='" & txtpoliyo1.Text & "',dpt1='" & txtDPT1.Text & "', hip1='"
& txtHIP1.Text & "',vit1='" & txtVitaminBoster.Text & "',poliyoboster='" & txtPolioBoster.Text & "', dptboster='" &
txtDPTBoster.Text & "', kh9='" & txtKhasra.Text & "',vit9='" & txtVitamin.Text & "',poliy2='" & txtpoliyo2.Text & "',dpt2='" &
txtDPT2.Text & "', hip2='" & txtHIP2.Text & "',vit2='" & txtVitaminDose2.Text & "',poliy3='" & txtPoliyo3.Text & "',dpt3='" &
txtDPT3.Text & "', hip3='" & txtHIP3.Text & "',vit3='" & txtVitaminDose3.Text & "',vit4='" & txtVitaminDose4.Text & "'
where kidregno='" & kidsNo.Text & "'"
   End If
End Sub

Private Sub save_Click()
inData
msg = " Data Saved!"
```

```
msgShow.Show
Unload Me
End Sub
Private Sub txtBCG_Validate(cancel As Boolean)
If IsDate(txtBCG.Text) Then
   txtBCG.Text = Format(txtBCG.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtBCG.Text = "01-Jan-4000"
   txtBCG.SetFocus
   End If
End Sub
Private Sub txtDPT1_Validate(cancel As Boolean)
If IsDate(txtDPT1.Text) Then
   txtDPT1.Text = Format(txtDPT1.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtDPT1.Text = ""
   txtDPT1.SetFocus
   End If
End Sub
Private Sub txtDPT2_Validate(cancel As Boolean)
If IsDate(txtDPT2.Text) Then
   txtDPT2.Text = Format(txtDPT2.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtDPT2.Text = ""
   txtDPT2.SetFocus
   End If
End Sub
Private Sub txtDPT3_Validate(cancel As Boolean)
If IsDate(txtDPT3.Text) Then
   txtDPT3.Text = Format(txtDPT3.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtDPT3.Text = ""
   txtDPT3.SetFocus
   End If
End Sub
Private Sub txtDPTBoster_Validate(cancel As Boolean)
If IsDate(txtDPTBoster.Text) Then
   txtDPTBoster.Text = Format(txtDPTBoster.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtDPTBoster.Text = "01-Jan-4000"
   txtDPTBoster.SetFocus
   End If
End Sub

Private Sub txtHIP1_Validate(cancel As Boolean)
If IsDate(txtHIP1.Text) Then
   txtHIP1.Text = Format(txtHIP1.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtHIP1.Text = "01-Jan-4000"
   txtHIP1.SetFocus
   End If
End Sub
Private Sub txtHIP2_Validate(cancel As Boolean)
If IsDate(txtHIP2.Text) Then
   txtHIP2.Text = Format(txtHIP2.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtHIP2.Text = "01-Jan-4000"
   txtHIP2.SetFocus
   End If
End Sub
Private Sub txtHIP3_Validate(cancel As Boolean)
If IsDate(txtHIP3.Text) Then
   txtHIP3.Text = Format(txtHIP3.Text, "DD-MMM-YYYY")
```

```
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtHIP3.Text = "01-Jan-4000"
   txtHIP3.SetFocus
   End If
End Sub
Private Sub txthlpB0_Validate(cancel As Boolean)
If IsDate(txthlpB0.Text) Then
   txthlpB0.Text = Format(txthlpB0.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txthlpB0.Text = "01-Jan-4000"
   txthlpB0.SetFocus
   End If
End Sub
Private Sub txtKhasra_Validate(cancel As Boolean)
If IsDate(txtKhasra.Text) Then
   txtKhasra.Text = Format(txtKhasra.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtKhasra.Text = "01-Jan-4000"
   txtKhasra.SetFocus
   End If
End Sub
Private Sub txtPol0_Validate(cancel As Boolean)
If IsDate(txtPol0.Text) Then
   txtPol0.Text = Format(txtPol0.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtPol0.Text = "01-Jan-4000"
   txtPol0.SetFocus
   End If
End Sub

Private Sub txtPolioBoster_Validate(cancel As Boolean)
If IsDate(txtPolioBoster.Text) Then
   txtPolioBoster.Text = Format(txtPolioBoster.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtPolioBoster.Text = "01-Jan-4000"
   txtPolioBoster.SetFocus
   End If
End Sub

Private Sub txtpoliyo1_Validate(cancel As Boolean)
If IsDate(txtpoliyo1.Text) Then
   txtpoliyo1.Text = Format(txtpoliyo1.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtpoliyo1.Text = "01-Jan-4000"
   txtpoliyo1.SetFocus
   End If
End Sub
Private Sub txtpoliyo2_Validate(cancel As Boolean)
If IsDate(txtpoliyo2.Text) Then
   txtpoliyo2.Text = Format(txtpoliyo2.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtpoliyo2.Text = "01-Jan-4000"
   txtpoliyo2.SetFocus
   End If
End Sub
Private Sub txtPoliyo3_Validate(cancel As Boolean)
If IsDate(txtPoliyo3.Text) Then
   txtPoliyo3.Text = Format(txtPoliyo3.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtPoliyo3.Text = "01-Jan-4000"
   txtPoliyo3.SetFocus
   End If
```

```
End Sub
Private Sub txtVitamin_Validate(cancel As Boolean)
If IsDate(txtVitamin.Text) Then
   txtVitamin.Text = Format(txtVitamin.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtVitamin.Text = "01-Jan-4000"
   txtVitamin.SetFocus
   End If
End Sub
Private Sub txtVitaminBoster_Validate(cancel As Boolean)
If IsDate(txtVitaminBoster.Text) Then
   txtVitaminBoster.Text = Format(txtVitaminBoster.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtVitaminBoster.Text = "01-Jan-4000"
   txtVitaminBoster.SetFocus
   End If
End Sub
Private Sub txtVitaminDose2_Validate(cancel As Boolean)
If IsDate(txtVitaminDose2.Text) Then
   txtVitaminDose2.Text = Format(txtVitaminDose2.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtVitaminDose2.Text = "01-Jan-4000"
   txtVitaminDose2.SetFocus
   End If
End Sub
Private Sub txtVitaminDose3_Validate(cancel As Boolean)
If IsDate(txtVitaminDose3.Text) Then
   txtVitaminDose3.Text = Format(txtVitaminDose3.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtVitaminDose3.Text = "01-Jan-4000"
   txtVitaminDose3.SetFocus
   End If
End Sub

Private Sub txtVitaminDose4_Validate(cancel As Boolean)
If IsDate(txtVitaminDose4.Text) Then
   txtVitaminDose4.Text = Format(txtVitaminDose4.Text, "DD-MMM-YYYY")
   Else
   MsgBox "Enter a Date! AlphaNumeric or Alphbates and Numbers are Not Allowed!"
   txtVitaminDose4.Text = ""
   txtVitaminDose4.SetFocus
   End If
End Sub
```

Thanks You …!