

### General

Se trata de un servicio de comunicaciones que permite a aplicaciones de terceros establecer una comunicación con la plataforma de comunicaciones para ser informado de los eventos relacionados con las llamadas del cliente.

### El servicio

El servicio se establece por parte de la aplicación usando una conexión “Secure Web Socket” contra un servidor alojado en la url:

<wss://premiumnumbers.es/integration/connector/appwebsocket>

Una vez establecida la conexión por parte de la aplicación debe efectuar el Login enviando el mensaje adecuado a lo que el servidor responderá un mensaje de tipo InfoAgent si el Login se produjo de forma correcta o mensaje de tipo InfoError si el Login fue fallido

### Formato de los mensajes

Los mensajes que se intercambian entre el servidor y la aplicación tienen la siguiente estructura:

- Petición:

```
{“Request”:valor,
“Param”:
  {parametro1:valor1,
   parametro2:valor2,
   ...
   parametroN:valorN}}
```
- Respuesta:

```
{“status”:valor,
“code”:valor}
```

### Ejemplo de intercambio de mensajes:

- Petición Login:

```
{“Request”:“Login”,
“Param”:
  {“userid”:“15636549845468”,
   “password”:“cV56tRf”
   “version”:“1.0.0”}}
```
- Petición InfoAgent:

```
{“Request”:“InfoAgent”,
“Param”:
  {“userid”:“15636549845468”,
   “agentnumber”:“310015133”,
   “extnumber”:“133”}}
```

- Petición Ringing:

```
{“Request”:”Ringing”,
  “Param”:
    {“userid”:”15636549845468”,
      “fromnumber”:”666334455”,
      “tonumber”:”952112233”}}
```

- Petición AttachData:

```
{“Request”:”AttachData”,
  “Param”:
    {“userid”:”15636549845468”,
      “callrefid”:”jfn899sedfvhn”,
      “listparams”:
        [{“paramname”:”refcontacto”,
          “paramvalue”:”456876164”},
          {“paramname”:”tipocontacto”,
          “paramvalue”:”3”}]}}
```

**Tipos de mensaje que acepta el Servidor:**

- Login

- userid It is the unique id of the CRM user.
- password The password associated to this userid
- version Versión de protocolo. Este documento especifica la versión 1.0.0

- Logout

- userid It is the unique id of the CRM user.

- Click2Call

- userid It is the unique id of the CRM user.
- tonumber Contact number of the Agent or Customer based on the call state. The tonumber should be sent in the phone number format. For example: 0018885556748

- AttachData

- userid It is the unique id of the CRM user.
- callrefid Identificador de la llamada
- listparams
  - paramname
  - paramvalue

**Tipos de mensaje que envía el Servidor a la Aplicación:**

- InfoError

- userid It is the unique id of the CRM user.
- request Petición que provocó el error (Login, Logout, Click2Call ó AttachData)
- errorcode Código de error
- errormessage Descripción del mensaje de error

- InfoAgent
  - userid It is the unique id of the CRM user.
  - agentnumber Número de teléfono asociado al agente
  - extnumber Número de extensión asociado al agente
  
- Ringing
  - userid It is the unique id of the CRM user.
  - callrefid A unique caller id generated by the PBX vendor. The callrefid should be sent in the format shown below: callid123456
  - fromnumber Contact number of the Agent or Customer based on the call state. The fromnumber should be sent in the phone number format. For example: 0018885554567
  - tonumber Contact number of the Agent or Customer based on the call state. The tonumber should be sent in the phone number format. For example: 0018885556748
  - transferagent Agente que transfiere la llamada - si procede
  - transfercallrefid This is the unique caller id of the transferred call - si procede.
  - calltime Time when the call started. (Date-Time Format: yyyy-MM-ddTHH:mm:ssZ. For example, 2018-02-22T10:43:29Z). Also, set GMT as your time zone.
  
- Established
  - userid It is the unique id of the CRM user.
  - callrefid A unique caller id generated by the PBX vendor. The callrefid should be sent in the format shown below: callid123456
  - fromnumber Contact number of the Agent or Customer based on the call state. The fromnumber should be sent in the phone number format. For example: 0018885554567
  - tonumber Contact number of the Agent or Customer based on the call state. The tonumber should be sent in the phone number format. For example: 0018885556748
  - transferagent Agente que transfiere la llamada - si procede
  - transfercallrefid This is the unique caller id of the transferred call - si procede.
  - calltime Time when the call started. (Date-Time Format: yyyy-MM-ddTHH:mm:ssZ. For example, 2018-02-22T10:43:29Z). Also, set GMT as your time zone.
  
- Missed
  - userid It is the unique id of the CRM user.
  - callrefid A unique caller id generated by the PBX vendor. The callrefid should be sent in the format shown below: callid123456
  - fromnumber Contact number of the Agent or Customer based on the call state. The fromnumber should be sent in the phone number format. For example: 0018885554567
  - tonumber Contact number of the Agent or Customer based on the call

- calltime state. The tonumber should be sent in the phone number format. For example: 0018885556748  
Time when the call started. (Date-Time Format: yyyy-MM-ddTHH:mm:ssZ. For example, 2018-02-22T10:43:29Z). Also, set GMT as your time zone.
  - duration Call duration in seconds.
- Release
  - userid It is the unique id of the CRM user.
  - callrefid A unique caller id generated by the PBX vendor. The callrefid should be sent in the format shown below:callid123456
  - fromnumber Contact number of the Agent or Customer based on the call state. The fromnumber should be sent in the phone number format. For example: 0018885554567
  - tonumber Contact number of the Agent or Customer based on the call state. The tonumber should be sent in the phone number format. For example: 0018885556748
  - callstarttime Time when the call was established. (Date-Time Format: yyyy-MM-ddTHH:mm:ssZ. For example, 2018-02-22T10:43:29Z). Also, set GMT as your time zone.
  - direction The values can be **inbound** for incoming calls or **outbound** for outgoing calls.
  - duration Call duration in seconds.
- Dialed
  - userid It is the unique id of the CRM user.
  - callrefid A unique caller id generated by the PBX vendor. The callrefid should be sent in the format shown below:callid123456
  - fromnumber Contact number of the Agent or Customer based on the call state. The fromnumber should be sent in the phone number format. For example: 0018885554567
  - tonumber Contact number of the Agent or Customer based on the call state. The tonumber should be sent in the phone number format. For example: 0018885556748
  - agentstatus Status of the sales agent's phone number. The agentstatus can be any of the following:
    - inprogress - Trying to call the agent
    - success - The agent has successfully connected the call.
    - notavailable - The agent number is not available.
    - noanswer - The call has ended without being answered by the agent.
    - busy - Agent phone is busy.
  - customerstatus Status of the call made to your customer. The customerstatus can be any of the following:
    - inprogress - Trying to call the customer
    - success - The agent has successfully connected the call.
    - notavailable - The agent number is not available.
    - noanswer - The call has ended without being answered by the agent.

- busy - Agent phone is busy.
- invalid - The call made was invalid.
- calltime Time when the call started. (Date-Time Format: yyyy-MM-ddTHH:mm:ssZ. For example, 2018-02-22T10:43:29Z). Also, set GMT as your time zone.

### Flujo de mensajes según llamadas.

- Llamada Saliente con éxito:

```
{ "Request": "Dialed",
  "Param": {
    "callrefid": "pDnY8T9vSx5WvYAAQ",
    "userid": "600006513562141000689",
    "fromnumber": "310015119",
    "tonumber": "952218930",
    "agentstatus": "success",
    "customerstatus": "inprogress",
    "calltime": "2019-01-25T12:42:51Z" } }
```

```
{ "Request": "Dialed",
  "Param": {
    "callrefid": "pDnY8T9vSx5WvYAAQ",
    "userid": "600006513562141000689",
    "fromnumber": "310015119",
    "tonumber": "952218930",
    "agentstatus": "success",
    "customerstatus": "success",
    "calltime": "2019-01-25T12:42:51Z" } }
```

```
{ "Request": "Release",
  "Param": {
    "callrefid": "pDnY8T9vSx5WvYAAQ",
    "userid": "600006513562141000689",
    "fromnumber": "310015119",
    "tonumber": "952218930",
    "callstarttime": "2019-01-25T12:42:58Z",
    "duration": "7",
    "calldirection": "outbound" } }
```

- Llamada saliente con Fallo:

```
{ "Request": "Dialed",
  "Param": {
    "callrefid": "Rn2JRZ6TsqrhQh9r",
    "userid": "600006513562141000689",
    "fromnumber": "310015119",
    "tonumber": "952218930",
    "agentstatus": "success",
    "customerstatus": "inprogress",
    "calltime": "2019-01-25T12:47:11Z" } }
```

```
{ "Request": "Dialed",
```

```
"Param":
  {"callrefid":"Rn2JRZ6TsqrhQH9r",
   "userid":"600006513562141000689",
   "fromnumber":"310015119",
   "tonumber":"952218930",
   "agentstatus":"success",
   "customerstatus":"noanswer",
   "calltime":"2019-01-25T12:47:11Z"}}
```

- Llamada Entrante a Agente con éxito:

```
{"Request":"Ringin",
 "Param":
  {"callrefid":"GyTQsEBi3WUj7vu7",
   "userid":"600065461006546006465",
   "fromnumber":"657891256",
   "tonumber":"910078857",
   "transferagent":"",
   "transfercallrefid":"",
   "calltime":"2019-01-25T12:48:13Z"}}
```

```
{"Request":"Established",
 "Param":
  {"callrefid":"GyTQsEBi3WUj7vu7",
   "userid":"600065461006546006465",
   "fromnumber":"657891256",
   "tonumber":"910078857",
   "calltime":"2019-01-25T12:48:13Z"}}
```

```
{"Request":"Release",
 "Param":
  {"callrefid":"GyTQsEBi3WUj7vu7",
   "userid":"600065461006546006465",
   "fromnumber":"657891256",
   "tonumber":"910078857",
   "callstarttime":"2019-01-25T12:50:33Z",
   "duration":"11",
   "calldirection":"intbound"}}
```

- Llamada Entrante a Agente con Fallo:

```
{"Request":"Ringin",
 "Param":
  {"callrefid":"euDCVRlgXytIHRz5",
   "userid":"600065461006546006465",
   "fromnumber":"657891256",
   "tonumber":"910078857",
   "transferagent":"",
   "transfercallrefid":"",
   "calltime":"2019-01-25 12:53:38"}}
```

```
{"Request":"Missed",
 "Param":
```

```
{"callrefid":"euDCVRlgXytlHRz5",  
"userid":"600065461006546006465",  
"fromnumber":"657891256",  
"tonumber":"910078857",  
"calltime":"2019-01-25 12:53:38",  
"duration":"8"}}
```