


# Quickly stage/un-stage files

```
<A 1300 Mbs | 96% | Fri 11/03 13:57
On branch master
Your branch is behind 'origin/master' by 3 co>
(use "git pull" to update your local branch)
Changes not staged for commit:
(use "git add <file>..." to update what wil>
(use "git checkout -- <file>..." to discard>

    modified:   runtime/doc/eval.txt
    modified:   runtime/doc/options.txt
    modified:   src/eval.c
    modified:   src/evalfunc.c
    modified:   src/ex_getln.c
    modified:   src/os_win32.c
    modified:   src/proto/eval.pro
    modified:   src/proto/evalfunc.pro
    modified:   src/proto/os_win32.pro
    modified:   src/proto/search.pro
    modified:   src/search.c
    modified:   src/terminal.c
    modified:   src/testdir/test_search.v>
    modified:   src/testdir/test_terminal>
    modified:   src/version.c

no changes added to commit (use "git add" and>

V-LINE g//vim:status ↵ gina-status utf-8
```




```
<A 1170 Mbs | 96% | Fri 11/03 13:56
On branch master
Your branch is behind 'origin/master' by 3 co>
(use "git pull" to update your local branch)
Changes to be committed:
(use "git reset HEAD <file>..." to unstage)

    modified:   src/eval.c
    modified:   src/evalfunc.c
    modified:   src/ex_getln.c
    modified:   src/os_win32.c

Changes not staged for commit:
(use "git add <file>..." to update what wil>
(use "git checkout -- <file>..." to discard>

    modified:   runtime/doc/eval.txt
    modified:   runtime/doc/options.txt
    modified:   src/proto/eval.pro
    modified:   src/proto/evalfunc.pro
    modified:   src/proto/os_win32.pro
    modified:   src/proto/search.pro
    modified:   src/search.c
    modified:   src/terminal.c
    modified:   src/testdir/test_search.v>
    modified:   src/testdir/test_terminal>
    modified:   src/version.c

NORMAL g//vim:status ↵ gina-status utf-8
```



# Stage changes

Numerous `git status` options are available.