

This hardware is released under Creative Commons Share-alike 4.0 International (<http://creativecommons.org/licenses/by-sa/4.0/>).

Note: This is a human-readable summary of (and not a substitute for) the license (<http://creativecommons.org/licenses/by-sa/4.0/legalcode>).

You are free to:

Share — copy and redistribute the material in any medium or format

Adapt — remix, transform, and build upon the material for any purpose, even commercially.

The licensor cannot revoke these freedoms as long as you follow the license terms.

Under the following terms:

Attribution — You must give appropriate credit, provide a link to the license, and indicate if changes were made. You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use.

ShareAlike — If you remix, transform, or build upon the material, you must distribute your contributions under the same license as the original.

No additional restrictions — You may not apply legal terms or technological measures that legally restrict others from doing anything the license permits.

Notices:


You do not have to comply with the license for elements of the material in the public domain or where your use is permitted by an applicable exception or limitation.


No warranties are given. The license may not give you all of the permissions necessary for your intended use. For example, other rights such as publicity, privacy, or moral rights may limit how you use the material.


Octave Filter
Front Page
TITLE OCTAVE_FILTER


FILE: 26.000.00.00.01.sch
PAGE 01 OF 01


REVISION: 20180513
DRAWN BY: Bert Timmerman

















.TITLE OCTAVE FILTER – MAIN BOARD – INPUT STAGE – FREQUENCY RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 15
VEE 5 0 -15

VS 1 0 AC 1 SIN(0 0.1 100)
C1 1 2 680n
R1 0 2 100k
R2 2 6 10K
R3 3 7 47k
R4 7 0 4700
XOP1 6 7 0 4 5 3 UA741


.PRINT OP Iter(0) V(3)

.PRINT AC VDB(3)

* FROM TO STEP
.TRAN 0.00001 0.2 0.0001

* #STEPS/DECADE FROM TO
.AC DEC 20 0.01 10Meg

.END



Octave Filter – Main board – Input stage (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.01.sch
PAGE 01 OF 01

REVISION: 20200205
DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – MAIN BOARD – INPUT STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt


VCC 4 0 pulse(iv=0 pv=15 rise=.01)
VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 0.141 31.5)
C1 1 2 680n
R1 0 2 100k
R2 2 6 10K
R3 3 7 47k
R4 7 0 4700
XOP1 6 7 0 4 5 3 UA741

.PRINT OP Iter(0) V(3)

.PRINT TRAN V(1) V(3) V(4) V(5)

* FROM TO STEP
.TRAN 0 0.4 0.00001 TRACE ALL
.END



Octave Filter – Main board – Input stage (for simulation) schematic TITLE OCTAVE_FILTER		
FILE: 26.000.00.02.02.sch	REVISION: 20200207	A3
PAGE 01 OF 01	DRAWN BY: Bert Timmerman	

.TITLE OCTAVE FILTER – MAIN BOARD – INPUT STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 pulse(iv=0 pv=15 rise=.01)

VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 1 16k)

C1 1 2 680n

R1 0 2 100k

R2 2 6 10K

R3 3 7 47k

R4 7 0 4700

XOP1 6 7 0 4 5 3 UA741


.PRINT OP Iter(0) V(3)

.PRINT TRAN V(1) V(3) V(4) V(5)

* FROM TO STEP

.TRAN 0 0.01 0.000001 TRACE ALL

.END



Octave Filter – Main board – Input stage (for simulation)
schematic

TITLE OCTAVE_FILTER

FILE: 26.000.00.02.03.sch

REVISION: 20200207

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

A3

.TITLE OCTAVE FILTER – MAIN BOARD – INPUT STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt


VCC 4 0 pulse(iv=0 pv=15 rise=.01)
VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 0.141 1k)
C1 1 2 680n
R1 0 2 100k
R2 2 6 10K
R3 3 7 47k
R4 7 0 4700
XOP1 6 7 0 4 5 3 UA741

.PRINT OP Iter(0) V(3)

.PRINT TRAN V(1) V(3) V(4) V(5)

* FROM TO STEP
.TRAN 0 0.02 0.000001 TRACE ALL
.END



Octave Filter – Main board – Input stage (for simulation) schematic		
TITLE OCTAVE_FILTER		
FILE: 26.000.00.02.04.sch	REVISION: 20200207	A3
PAGE 01 OF 01	DRAWN BY: Bert Timmerman	

.TITLE OCTAVE FILTER – 31.5 HZ SECTION – BPF STAGE – FREQUENCY RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 15
VEE 5 0 -15

VS 1 0 AC 1 SIN(0 0.1 100)
R1 1 2 14200
R2 3 6 142K
R3 0 2 7200
C1 2 6 220nF
C2 3 2 220nF
XOP1 0 6 0 4 5 3 UA741


.PRINT OP Iter(0) V(3)

.PRINT AC VDB(3)

* FROM TO STEP
.TRAN 0.00001 0.2 0.0001

* #STEPS/DECADE FROM TO
.AC DEC 20 0.1 100k

.END



Octave Filter – First stage of the 31.5 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.05.sch
PAGE 01 OF 01

REVISION: 20200205
DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 31.5 HZ SECTION – BPF STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 pulse(iv=0 pv=15 rise=.01)

VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 1.41 31.5)

R1 1 2 14200

R2 3 6 142K

R3 0 2 7200

C1 2 6 220nF

C2 3 2 220nF

XOP1 0 6 0 4 5 3 UA741


.PRINT OP Iter(0) V(3)

.PRINT TRAN V(1) V(3) V(4) V(5)

* FROM TO STEP

.TRAN 0 0.2 0.00001 TRACE ALL

.END



Octave Filter – First stage of the 31.5 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.06.sch

REVISION: 20200207

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 31.5 HZ SECTION – BPF STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 pulse(iv=0 pv=15 rise=.01)

VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 1.41 31.5)

R1 1 2 14200

R2 3 6 142K

R3 0 2 7200

C1 2 6 220nF

C2 3 2 220nF

XOP1 0 6 0 4 5 3 UA741


.PRINT OP Itr(0) V(3)

.PRINT TRAN I(R1) I(R2) I(R3)

* FROM TO STEP

.TRAN 0 0.2 0.00001 TRACE ALL

.END



Octave Filter – First stage of the 31.5 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.07.sch

REVISION: 20200206

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 31.5 HZ SECTION – BPF STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt


VCC 4 0 pulse(iv=0 pv=15 rise=.01)
VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 1.41 31.5)
R1 1 2 14200
R2 3 6 142K
R3 0 2 7200
C1 2 6 220nF
C2 3 2 220nF
XOP1 0 6 0 4 5 3 UA741

.PRINT OP Iter(0) V(3)

.PRINT TRAN P(R1) P(R2) P(R3)

* FROM TO STEP
.TRAN 0 0.2 0.00001 TRACE ALL
.END



Octave Filter – First stage of the 31.5 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.08.sch
PAGE 01 OF 01

REVISION: 20200206
DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 31.5 HZ SECTION – BPF STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 pulse(iv=0 pv=15 rise=.01)

VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 1.41 16k)

R1 1 2 14200

R2 3 6 142K

R3 0 2 7200

C1 2 6 220nF

C2 3 2 220nF

XOP1 0 6 0 4 5 3 UA741


.PRINT OP Iter(0) V(3)

.PRINT TRAN V(1) V(3) V(4) V(5)

* FROM TO STEP

.TRAN 0 0.01 0.00001 TRACE ALL

.END



Octave Filter – First stage of the 31.5 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.09.sch

REVISION: 20200207

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 31.5 HZ SECTION – BPF STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 pulse(iv=0 pv=15 rise=.01)

VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 1.41 16k)

R1 1 2 14200

R2 3 6 142K

R3 0 2 7200

C1 2 6 220nF

C2 3 2 220nF

XOP1 0 6 0 4 5 3 UA741


.PRINT OP Itr(0) V(3)

.PRINT TRAN I(R1) I(R2) I(R3)

* FROM TO STEP

.TRAN 0 0.001 0.00001 TRACE ALL

.END



Octave Filter – First stage of the 31.5 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.10.sch

REVISION: 20200206

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 31.5 HZ SECTION – BPF STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 pulse(iv=0 pv=15 rise=.01)

VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 1.41 16k)

R1 1 2 14200

R2 3 6 142K

R3 0 2 7200

C1 2 6 220nF

C2 3 2 220nF

XOP1 0 6 0 4 5 3 UA741


.PRINT OP Itr(0) V(3)

.PRINT TRAN P(R1) P(R2) P(R3)

* FROM TO STEP

.TRAN 0 0.001 0.00001 TRACE ALL

.END



Octave Filter – First stage of the 31.5 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.11.sch

REVISION: 20200206

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 31.5 HZ SECTION – DETECTOR STAGE – FREQUENCY RESPONSE

.INCLUDE UA741.subckt

.MODEL 1N4148 D IS=2e-14

VCC 4 0 15
VEE 5 0 -15

VS 1 0 AC 1 SIN(0 0.1 31.5)

C1 0 7 1uF
D1 2 3 1N4148
D2 3 6 1N4148
R1 1 2 10000
R2 6 7 1000
R3 8 2 15000
R4 0 9 10000
R5 8 9 .001
XOP1 0 2 0 4 5 3 UA741
XOP2 7 8 0 4 5 9 UA741


.PRINT OP Iiter(0) V(3)

.PRINT AC VDB(3) VDB(9)

* FROM TO STEP
.TRAN 0.00001 0.2 0.0001

* #STEPS/DECADE FROM TO
.AC DEC 20 0.1 100k

.END



Octave Filter – Second stage of the 31.5 Hz module (for simulation) schematic		
TITLE OCTAVE_FILTER		
FILE: 26.000.00.02.12.sch	REVISION: 20200209	A3
PAGE 01 OF 01	DRAWN BY: Bert Timmerman	

.TITLE OCTAVE FILTER – 31.5 HZ SECTION – DETECTOR STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

.MODEL 1N4148 D IS=2e-14

VCC 4 0 pulse(iv=0 pv=15 rise=.01)

VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 1.41 31.5)

C1 0 7 1uF

D1 2 3 1N4148

D2 3 6 1N4148

R1 1 2 10000

R2 6 7 1000

R3 8 2 15000

R4 0 9 10000

R5 8 9 .001

XOP1 0 2 0 4 5 3 UA741

XOP2 7 8 0 4 5 9 UA741


.PRINT OP Iter(0) V(3)

.PRINT TRAN V(1) V(3) V(9) V(4) V(5)

* FROM TO STEP

.TRAN 0 0.4 0.00001 TRACE ALL

.END



Octave Filter – Second stage of the 31.5 Hz module (for simulation)
schematic

TITLE OCTAVE_FILTER

FILE: 26.000.00.02.13.sch

PAGE 01 OF 01

REVISION: 20200207

DRAWN BY: Bert Timmerman

A3

.TITLE OCTAVE FILTER – 31.5 HZ SECTION – DETECTOR STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

.MODEL 1N4148 D IS=2e-14

VCC 4 0 pulse(iv=0 pv=15 rise=.01)

VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 1.41 31.5)

C1 0 7 1uF

D1 2 3 1N4148

D2 3 6 1N4148

R1 1 2 10000

R2 6 7 1000

R3 8 2 15000

R4 0 9 10000

R5 8 9 .001

XOP1 0 2 0 4 5 3 UA741

XOP2 7 8 0 4 5 9 UA741


.PRINT OP Iter(0) V(3)

.PRINT TRAN I(R1) I(R2) I(R3) I(R4) I(R5)

* FROM TO STEP

.TRAN 0 0.4 0.00001 TRACE ALL

.END



Octave Filter – Second stage of the 31.5 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.14.sch

REVISION: 20200206

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

A3

.TITLE OCTAVE FILTER – 31.5 HZ SECTION – DETECTOR STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

.MODEL 1N4148 D IS=2e-14

VCC 4 0 pulse(iv=0 pv=15 rise=.01)

VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 1.41 31.5)

C1 0 7 1uF

D1 2 3 1N4148

D2 3 6 1N4148

R1 1 2 10000

R2 6 7 1000

R3 8 2 15000

R4 0 9 10000

R5 8 9 .001

XOP1 0 2 0 4 5 3 UA741

XOP2 7 8 0 4 5 9 UA741


.PRINT OP Iter(0) V(3)

.PRINT TRAN P(R1) P(R2) P(R3) P(R4) P(R5) P(D1) P(D2)

* FROM TO STEP

.TRAN 0 0.4 0.00001 TRACE ALL

.END



Octave Filter – Second stage of the 31.5 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.15.sch

REVISION: 20200207

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

A3

.TITLE OCTAVE FILTER – 63 HZ SECTION – BPF STAGE – FREQUENCY RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 15
VEE 5 0 -15

VS 1 0 AC 1 SIN(0 0.1 100)
R1 1 2 15900
R2 3 6 159K
R3 0 2 7200
C1 2 6 100nF
C2 3 2 100nF
XOP1 0 6 0 4 5 3 UA741


.PRINT OP Iter(0) V(3)

.PRINT AC VDB(3)

* FROM TO STEP
.TRAN 0.00001 0.2 0.0001

* #STEPS/DECADE FROM TO
.AC DEC 20 0.1 100k

.END



Octave Filter – First stage of the 63 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.16.sch
PAGE 01 OF 01

REVISION: 20200207
DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 63 HZ SECTION – BPF STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 pulse(iv=0 pv=15 rise=.01)
VEE 5 0 pulse(iv=0 pv=-15 rise=.01)


VS 1 0 AC 1 SIN(0 0.141 63)
R1 1 2 15900
R2 3 6 159K
R3 0 2 7200
C1 2 6 100nF
C2 3 2 100nF
XOP1 0 6 0 4 5 3 UA741

.PRINT OP Iter(0) V(3)

.PRINT TRAN V(1) V(3) V(4) V(5)

* FROM TO STEP
.TRAN 0 0.2 0.0001 TRACE ALL

.END



Octave Filter – First stage of the 63 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.17.sch
PAGE 01 OF 01

REVISION: 20200207
DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 63 HZ SECTION – BPF STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 pulse(iv=0 pv=15 rise=.01)
VEE 5 0 pulse(iv=0 pv=-15 rise=.01)


VS 1 0 AC 1 SIN(0 0.141 63)
R1 1 2 15900
R2 3 6 159K
R3 0 2 7200
C1 2 6 100nF
C2 3 2 100nF
XOP1 0 6 0 4 5 3 UA741

.PRINT OP Iiter(0) V(3)

.PRINT TRAN I(R1) I(R2) I(R3)

* FROM TO STEP
.TRAN 0 0.2 0.0001 TRACE ALL

.END



Octave Filter – First stage of the 63 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.18.sch

REVISION: 20200207

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 63 HZ SECTION – BPF STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 pulse(iv=0 pv=15 rise=.01)
VEE 5 0 pulse(iv=0 pv=-15 rise=.01)


VS 1 0 AC 1 SIN(0 0.141 63)
R1 1 2 15900
R2 3 6 159K
R3 0 2 7200
C1 2 6 100nF
C2 3 2 100nF
XOP1 0 6 0 4 5 3 UA741

.PRINT OP Iter(0) V(3)

.PRINT TRAN P(R1) P(R2) P(R3)

* FROM TO STEP
.TRAN 0 0.2 0.0001 TRACE ALL

.END



Octave Filter – First stage of the 63 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.19.sch

REVISION: 20200207

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 63 HZ SECTION – BPF STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 pulse(iv=0 pv=15 rise=.01)

VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 0.141 16k)

R1 1 2 15900

R2 3 6 159K

R3 0 2 7200

C1 2 6 100nF

C2 3 2 100nF

XOP1 0 6 0 4 5 3 UA741


.PRINT OP Iter(0) V(3)

.PRINT TRAN V(1) V(3) V(4) V(5)

* FROM TO STEP

.TRAN 0 0.01 0.00001 TRACE ALL

.END



Octave Filter – First stage of the 63 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.20.sch

REVISION: 20200207

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

A3

.TITLE OCTAVE FILTER – 63 HZ SECTION – BPF STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 pulse(iv=0 pv=15 rise=.01)
VEE 5 0 pulse(iv=0 pv=-15 rise=.01)


VS 1 0 AC 1 SIN(0 0.141 16k)
R1 1 2 15900
R2 3 6 159K
R3 0 2 7200
C1 2 6 100nF
C2 3 2 100nF
XOP1 0 6 0 4 5 3 UA741

.PRINT OP Iiter(0) V(3)

.PRINT TRAN I(R1) I(R2) I(R3)

* FROM TO STEP
.TRAN 0 0.01 0.0001 TRACE ALL

.END



Octave Filter – First stage of the 63 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.21.sch

REVISION: 20200207

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 63 HZ SECTION – BPF STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 pulse(iv=0 pv=15 rise=.01)

VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 0.141 16k)

R1 1 2 15900

R2 3 6 159K

R3 0 2 7200

C1 2 6 100nF

C2 3 2 100nF

XOP1 0 6 0 4 5 3 UA741


.PRINT OP Iter(0) V(3)

.PRINT TRAN P(R1) P(R2) P(R3)

* FROM TO STEP

.TRAN 0 0.01 0.0001 TRACE ALL

.END



Octave Filter – First stage of the 63 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.22.sch

REVISION: 20200207

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 63 HZ SECTION – DETECTOR STAGE – FREQUENCY RESPONSE

.INCLUDE UA741.subckt

.MODEL 1N4148 D IS=2e-14

VCC 4 0 15
VEE 5 0 -15

VS 1 0 AC 1 SIN(0 0.1 63)
C1 0 7 1uF
D1 2 3 1N4148
D2 3 6 1N4148
R1 1 2 10000
R2 6 7 1000
R3 8 2 15000
R4 0 9 10000
R5 8 9 .001
XOP1 0 2 0 4 5 3 UA741
XOP2 7 8 0 4 5 9 UA741


.PRINT OP Iter(0) V(3)

.PRINT AC VDB(3) VDB(9)

* FROM TO STEP
.TRAN 0.00001 0.2 0.0001

* #STEPS/DECADE FROM TO
.AC DEC 20 0.1 100k

.END



Octave Filter – Second stage of the 63 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.23.sch
PAGE 01 OF 01

REVISION: 20200207
DRAWN BY: Bert Timmerman

A3

.TITLE OCTAVE FILTER – 63 HZ SECTION – DETECTOR STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

.MODEL 1N4148 D IS=2e-14


VCC 4 0 pulse(iv=0 pv=15 rise=.01)
VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 1.41 63)
C1 0 7 1uF
D1 2 3 1N4148
D2 3 6 1N4148
R1 1 2 10000
R2 6 7 1000
R3 8 2 15000
R4 0 9 10000
R5 8 9 .001
XOP1 0 2 0 4 5 3 UA741
XOP2 7 8 0 4 5 9 UA741

.PRINT OP Iter(0) V(3)
.PRINT TRAN V(1) V(3) V(9) V(4) V(5)

* FROM TO STEP
.TRAN 0 0.4 0.00001

.END



Octave Filter – Second stage of the 63 Hz module (for simulation) schematic TITLE OCTAVE_FILTER		
FILE: 26.000.00.02.24.sch	REVISION: 20200207	A3
PAGE 01 OF 01	DRAWN BY: Bert Timmerman	

.TITLE OCTAVE FILTER – 63 HZ SECTION – DETECTOR STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

.MODEL 1N4148 D IS=2e-14

VCC 4 0 pulse(iv=0 pv=15 rise=.01)

VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 1.41 63)

C1 0 7 1uF

D1 2 3 1N4148

D2 3 6 1N4148

R1 1 2 10000

R2 6 7 1000

R3 8 2 15000

R4 0 9 10000

R5 8 9 .001

XOP1 0 2 0 4 5 3 UA741

XOP2 7 8 0 4 5 9 UA741


.PRINT OP Iter(0) V(3)

.PRINT TRAN I(R1) I(R2) I(R3) I(R4) I(R5) I(D1) I(D2)

* FROM TO STEP

.TRAN 0 0.1 0.00001

.END



Octave Filter – Second stage of the 63 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.25.sch

REVISION: 20200207

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

A3

.TITLE OCTAVE FILTER – 63 HZ SECTION – DETECTOR STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

.MODEL 1N4148 D IS=2e-14

VCC 4 0 pulse(iv=0 pv=15 rise=.01)

VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 1.41 63)

C1 0 7 1uF

D1 2 3 1N4148

D2 3 6 1N4148

R1 1 2 10000

R2 6 7 1000

R3 8 2 15000

R4 0 9 10000

R5 8 9 .001

XOP1 0 2 0 4 5 3 UA741

XOP2 7 8 0 4 5 9 UA741


.PRINT OP Iter(0) V(3)

.PRINT TRAN P(R1) P(R2) P(R3) P(R4) P(R5) P(D1) P(D2)

* FROM TO STEP

.TRAN 0 0.1 0.00001

.END



Octave Filter – Second stage of the 63 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.26.sch

REVISION: 20200207

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 125 HZ MODULE – FIRST STAGE – FREQUENCY RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 15
VEE 5 0 -15

VS 1 0 AC 1 SIN(0 0.1 100)
R1 1 2 16800
R2 3 6 168K
R3 0 2 7200
C1 2 6 47nF
C2 3 2 47nF
XOP1 0 6 0 4 5 3 UA741


.PRINT OP Iter(0) V(3)

.PRINT AC VDB(3)

* FROM TO STEP
.TRAN 0.00001 0.2 0.0001

* #STEPS/DECADE FROM TO
.AC DEC 20 0.1 100k

.END



Octave Filter – First stage of the 125 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.27.sch
PAGE 01 OF 01

REVISION: 20200208
DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 125 HZ SECTION – BPF STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 pulse(iv=0 pv=15 rise=.01)

VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 1.41 125)

R1 1 2 16800

R2 3 6 168K

R3 0 2 7200

C1 2 6 47nF

C2 3 2 47nF

XOP1 0 6 0 4 5 3 UA741


.PRINT OP Iter(0) V(3)

.PRINT TRAN V(1) V(3) V(4) V(5)

* FROM TO STEP

.TRAN 0 0.1 0.00001 TRACE ALL

.END



Octave Filter – First stage of the 125 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.28.sch

REVISION: 20200208

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 125 HZ SECTION – BPF STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 pulse(iv=0 pv=15 rise=.01)

VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 1.41 125)

R1 1 2 16800

R2 3 6 168K

R3 0 2 7200

C1 2 6 47nF

C2 3 2 47nF

XOP1 0 6 0 4 5 3 UA741


.PRINT OP Itr(0) V(3)

.PRINT TRAN I(R1) I(R2) I(R3)

* FROM TO STEP

.TRAN 0 0.1 0.00001 TRACE ALL

.END



Octave Filter – First stage of the 125 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.29.sch

REVISION: 20200208

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 125 HZ SECTION – BPF STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 pulse(iv=0 pv=15 rise=.01)

VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 1.41 125)

R1 1 2 16800

R2 3 6 168K

R3 0 2 7200

C1 2 6 47nF

C2 3 2 47nF

XOP1 0 6 0 4 5 3 UA741


.PRINT OP Itr(0) V(3)

.PRINT TRAN P(R1) P(R2) P(R3)

* FROM TO STEP

.TRAN 0 0.1 0.00001 TRACE ALL

.END



Octave Filter – First stage of the 125 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.30.sch

REVISION: 20200208

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 125 HZ SECTION – BPF STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 pulse(iv=0 pv=15 rise=.01)

VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 1.41 16k)

R1 1 2 16800

R2 3 6 168K

R3 0 2 7200

C1 2 6 47nF

C2 3 2 47nF

XOP1 0 6 0 4 5 3 UA741


.PRINT OP Iter(0) V(3)

.PRINT TRAN V(1) V(3) V(4) V(5)

* FROM TO STEP

.TRAN 0 0.1 0.00001 TRACE ALL

.END



Octave Filter – First stage of the 125 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.31.sch

REVISION: 20200209

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 125 HZ SECTION – BPF STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 pulse(iv=0 pv=15 rise=.01)

VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 1.41 16k)

R1 1 2 16800

R2 3 6 168K

R3 0 2 7200

C1 2 6 47nF

C2 3 2 47nF

XOP1 0 6 0 4 5 3 UA741


.PRINT OP Itr(0) V(3)

.PRINT TRAN I(R1) I(R2) I(R3)

* FROM TO STEP

.TRAN 0 0.1 0.00001 TRACE ALL

.END



Octave Filter – First stage of the 125 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER

FILE: 26.000.00.02.32.sch

REVISION: 20200209

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

.TITLE OCTAVE FILTER – 125 HZ SECTION – BPF STAGE – TRANSIENT RESPONSE

.INCLUDE UA741.subckt

VCC 4 0 pulse(iv=0 pv=15 rise=.01)

VEE 5 0 pulse(iv=0 pv=-15 rise=.01)

VS 1 0 AC 1 SIN(0 1.41 16k)

R1 1 2 16800

R2 3 6 168K

R3 0 2 7200

C1 2 6 47nF

C2 3 2 47nF

XOP1 0 6 0 4 5 3 UA741


.PRINT OP Iter(0) V(3)

.PRINT TRAN P(R1) P(R2) P(R3)

* FROM TO STEP

.TRAN 0 0.1 0.00001 TRACE ALL

.END



Octave Filter – First stage of the 125 Hz module (for simulation)
schematic
TITLE OCTAVE_FILTER


FILE: 26.000.00.02.33.sch

REVISION: 20200209

PAGE 01 OF 01

DRAWN BY: Bert Timmerman

Mounting holes:



CC BY-SA

Made in NL



Octave Filter
Front Panel
TITLE OCTAVE_FILTER

FILE: 26.001.00.01.01.sch

REVISION: 20200203


PAGE 01 OF 01

DRAWN BY: Bert Timmerman





CC BY-SA
Made in NL


Octave Filter front pcb (DFM) schematic			
TITLE OCTAVE_FILTER			
FILE:	26.002.00.01.01.sch	REVISION:	20200203
PAGE	01 OF 01	DRAWN BY:	Bert Timmerman





CC BY-SA
Made in NL















Octave Filter – CA3140M breakout pcb (DFM) schematic TITLE OCTAVE_FILTER		
FILE: 26.999.00.01.01.sch	REVISION: 20180629	
PAGE 01	OF 01	DRAWN BY: Bert Timmerman



Octave Filter – CA3140M breakout pcb (DFM) schematic TITLE OCTAVE_FILTER		
FILE: 26.999.01.01.01.sch	REVISION: 20180728	
PAGE 01	OF 01	DRAWN BY: Bert Timmerman