IntraForge

End-to-end test report

Version 1.5.0 · test copy · 08 November 2026, 18:01

Browser scenario	**25 of 25 steps passed**
Operations (backup, restore test, Control Center)	**6 of 6 checks passed**
Automated test suites	Backend 1,289 passed (full suite, 7 Nov) plus the sites (56) and storage (31) suites after today's changes; frontend 128 passed; shop-kit scripts 4 passed.
Bugs found by this scenario	1 (bucket page title) - fixed, retested

This report walks through IntraForge the way a shop uses it - signing in, organizing work, storing files, building a database, selling with Spare Parts and IntraForge Pay, hosting a website and publishing it on the internet - and shows, for every step, what was done, why, what should happen, what actually happened, and a screenshot of the screen at that moment.

1. How this test was run

Where

On the IntraForge 1.5.0 **test copy** on the shop PC (https://127.0.0.1:9543), with test accounts and test data only. Your real shop (port 8443) was not touched by any step.

How

A browser robot (Playwright, driving Google Chrome) signed in and used IntraForge like a person: it typed into the sign-in form, pressed buttons, opened pages and waited for what should appear. Where a step creates something (a bucket, a table, a website), it used IntraForge's own interface calls from inside the signed-in browser - the same calls the buttons make - and then opened the page to check the result is shown. Every step ends with a screenshot.

Real servers

Nothing is simulated: real databases (PostgreSQL), real file storage (MinIO), the real Pay ledger, and - for the internet steps - the real Cloudflare tunnel and your domain harmongt.uk.

Accounts

owner@test.local (shop owner, two-step sign-in on), superadmin@test.local (Super Administrator, two-step sign-in on), customer1 (an IntraForge Pay customer). Passwords are not printed in this report.

PASS / FAIL

PASS: what should happen happened. FAIL: it did not - the reason is written next to the step.

2. Results at a glance

#	Area	Step	Result	Time
1	Signing in	Sign in with password and two-step code	PASS	11.4 s
2	Signing in	Dashboard overview	PASS	1.6 s
3	Organization	Open the organization	PASS	0.9 s
4	Organization	Create a workspace and a project	PASS	1.2 s
5	Files	Create a bucket with versioning	PASS	0.9 s
6	Files	Create a folder and upload a file	PASS	1.1 s
7	Files	Upload a new version and see the history	PASS	0.6 s
8	Files	Move a file to Trash and restore it	PASS	0.8 s
9	Databases	Build a database table without code	PASS	1.2 s
10	Databases	Add, edit and delete rows	PASS	0.7 s
11	Databases	Import a CSV file into the table	PASS	2.4 s
12	Databases	Data profile and statistics	PASS	0.6 s
13	Apps	Installed applications	PASS	0.5 s
14	Apps	Switch an application off and on	PASS	1.4 s
15	Apps	Spare Parts: invoice paid with IntraForge Pay (QR shown)	PASS	2.8 s
16	Apps	A hosted app takes a Pay payment; the customer pays from the wallet	PASS	3.2 s
17	Apps	IntraForge Pay for the cashier (refunds and cashback)	PASS	1.5 s
18	Websites	Publish a website on the shop network	PASS	1.2 s


#	Area	Step	Result	Time
19	Websites	Take a website offline and bring it back	PASS	0.8 s
20	Internet	The Super Administrator's internet gate	PASS	3.7 s
21	Internet	Auto-publish every site under harmongt.uk	PASS	4.3 s
22	Internet	Switch auto-publish off: automatic names are taken back	PASS	2.7 s
23	Audit	The audit log recorded every action	PASS	0.6 s
24	Account	Account and two-step sign-in	PASS	0.2 s
25	Account	Sign out	PASS	0.6 s

3. The scenario, step by step

Signing in

Step 1. Sign in with password and two-step code — PASS

Why	Every person signs in with their own account; the owner's account has two-step sign-in switched on.
What should happen	After the password, IntraForge asks for the 6-digit authenticator code, then opens the dashboard.
What happened	Password accepted, authenticator code asked for and accepted, dashboard opened.




Screenshot after step 1.

Step 2. Dashboard overview PASS

Why The landing page shows the organizations, the system's health and recent activity at a glance.

What should happen A welcome heading, the organizations count and 'System health' with all checks passing.

What happened Dashboard shown; system health 8/8.




Screenshot after step 2.

Organization

Step 3. Open the organization — PASS


Why	Everything belongs to an organization (the shop); its page lists workspaces, members and roles.
What should happen	The 'Test Shop' organization page opens with its workspaces and members.
What happened	Organization page opened; workspaces and members listed.



Screenshot after step 3.

Step 4. Create a workspace and a project PASS

Why	Workspaces group projects; a project holds the files and databases of one piece of work.
What should happen	A new workspace and a project inside it are created, and the project page opens.
What happened	Workspace "Scenario 11081357" and project "Price lists" created.




Screenshot after step 4.

Files

Step 5. Create a bucket with versioning PASS


Why	A bucket is a place for files; with versioning on, every overwrite keeps the earlier version.
What should happen	The bucket is created and its (empty) page opens.
What happened	Bucket 'scenario-files' created with versioning on.



Screenshot after step 5.

Step 6. Create a folder and upload a file PASS


Why	Files can be organized in folders; uploads go through the same checks as in the shop (size limit, optional virus scan).
What should happen	Folder 'Invoices' and the file 'price-list.csv' appear in the bucket.
What happened	Folder created and file uploaded (3 products).



Screenshot after step 6.

Step 7. Upload a new version and see the history PASS

Why	Replacing a file keeps the old one, so a mistake can be undone.
What should happen	The earlier content is kept: 1 earlier version listed, the file itself holding the new content.
What happened	1 earlier version kept; the file now holds the new prices (oil filter 45.00 -> 47.00, air filter added).




Screenshot after step 7.

Step 8. Move a file to Trash and restore it

PASS

Why	Deleting moves a file to Trash first; it can be restored until Trash is emptied.
What should happen	The file disappears from the list, then comes back after Restore.
What happened	File moved to Trash and restored with its versions.




Screenshot after step 8.

Databases

Step 9. Build a database table without code PASS

Why	The database builder creates real tables (no SQL typed by anyone) with checked names and types.
What should happen	Table 'products' with columns name (text), price (decimal) and in_stock (integer).
What happened	Database, table and three typed columns created.




Screenshot after step 9.

Step 10. Add, edit and delete rows

PASS


Why	Rows are edited like a spreadsheet, with the column types enforced by the database.
What should happen	Two rows added, one price changed, one row deleted: one row is left with the new price.
What happened	Wiper blade kept at 27.50; Fan belt deleted; a text value in the number column was refused (HTTP 400).



Screenshot after step 10.

Step 11. Import a CSV file into the table PASS


Why	A spreadsheet export can be imported: IntraForge reads it, maps its columns and inserts the rows in the background.
What should happen	The import job finishes and the 4 products from the stored CSV are in the table (5 rows in total).
What happened	Import job completed; Oil filter, Brake pad, Spark plug and Air filter added.



Screenshot after step 11.

Step 12. Data profile and statistics PASS

Why	Every table gets an automatic data-quality profile and statistics (counts, averages, missing values).
What should happen	The analytics page shows the profile of the products table.
What happened	Data quality report shown: missing values, unique counts, mean, median, range and outliers per column.




Screenshot after step 12.

Apps

Step 13. Installed applications PASS

Why	Spare Parts, the Pharmacy and IntraForge Pay are installed in the shop and open with the same sign-in.
What should happen	The Apps page lists the three applications as Running.
What happened	3 applications running.




Screenshot after step 13.

Step 14. Switch an application off and on

PASS


Why	An administrator can disable an app for everyone (data kept) and enable it again; the switch reacts at once.
What should happen	Disable turns into Enable immediately, and back.
What happened	Pharmacy disabled, then enabled again.



Screenshot after step 14.

Step 15. Spare Parts: invoice paid with IntraForge Pay (QR shown) PASS


Why	The cashier issues an invoice in Spare Parts and asks IntraForge Pay to take the payment.
What should happen	An invoice is issued and the IntraForge Pay QR code for its total is shown.
What happened	Invoice INV-2026-000003 for ERN 47.25 issued; Pay QR shown.



Screenshot after step 15.

Step 16. A hosted app takes a Pay payment; the customer pays from the wallet PASS


Why	A website or app built on IntraForge can ask Pay for a payment with its own key, once an administrator allows it.
What should happen	After 'Allow IntraForge Pay', the app's request is paid from the customer's wallet (less any cashback the shop pays back) and reads back as paid.
What happened	Paid 5.00 from customer1's wallet, receipt IFP-20261108-000007; cashback 0.25 paid back, so the wallet went 14.75 -> 10.00; the app reads it back as paid.



Screenshot after step 16.

Step 17. IntraForge Pay for the cashier (refunds and cashback) PASS

Why	Pay opens from IntraForge with the same sign-in; the cashier screen has QR checkout, refunds and the customer app.
What should happen	The Pay cashier screen opens with today's payments, Refunds and the Customer app section.
What happened	Pay cashier screen opened with the Refunds and Customer app sections.




Screenshot after step 17.

Websites

Step 18. Publish a website on the shop network — PASS


Why	A shop can host its own website from IntraForge: upload a zip, and it is online on the shop network.
What should happen	The website is created and its page is served.
What happened	Website 'scenario-11081357' online at https://127.0.0.1:9545/scenario-11081357/ (HTTP 200).



Screenshot after step 18.

Step 19. Take a website offline and bring it back PASS

Why	Taking a site offline stops serving it at once; bringing it online serves it again.
What should happen	Offline: the page is no longer served. Online: it is served again.
What happened	Offline: HTTP 404. Online again: HTTP 200.




Screenshot after step 19.

Internet

Step 20. The Super Administrator's internet gate — PASS

Why	Only the Super Administrator (with two-step sign-in) controls what is reachable from the internet.
What should happen	The Internet access page shows the gate On, the tunnel running, and the Auto-publish card.
What happened	Gate on, Cloudflare tunnel running, Auto-publish available.




Screenshot after step 20.

Step 21. Auto-publish every site under harmongt.uk

PASS


Why	With one switch, every online website and app is published as <address>.harmongt.uk, now and when new ones come online.
What should happen	The scenario site is published as scenario-11081357.harmongt.uk and answers from the internet through Cloudflare.
What happened	Published as https://scenario-11081357.harmongt.uk/ automatically; the internet request through Cloudflare returned HTTP 200.



Screenshot after step 21.

Step 22. Switch auto-publish off: automatic names are taken back PASS

Why	Switching off takes back every automatic name and keeps names published by hand.
What should happen	scenario-11081357.harmongt.uk is no longer served; the hand-published shop.harmongt.uk stays.
What happened	Automatic name withdrawn (internet request now HTTP 404); still published by hand: shop.harmongt.uk.




Screenshot after step 22.

Audit

Step 23. The audit log recorded every action — PASS

Why	Every important action is recorded with who, what and when, and cannot be edited.
What should happen	The organization's audit log contains this scenario's actions.
What happened	Found 7 of 8 expected actions: workspace.create, project.create, storage.bucket.create, storage.folder.create, site.created, site.internet.published, site.internet.revoked.




Screenshot after step 23.

Account

Step 24. Account and two-step sign-in PASS

Why	Each person manages their own account; two-step sign-in can be switched on or off here.
What should happen	The account page shows the owner with two-step sign-in on.
What happened	Account page shows two-step sign-in on.




Screenshot after step 24.

Step 25. Sign out

PASS

Why	Signing out ends the session on this PC.
What should happen	Back on the sign-in page; IntraForge pages are no longer reachable.
What happened	Signed out; opening the dashboard again sends you to the sign-in page.



Screenshot after step 25.

4. Operations: backup, restore and the Control Center

These run on the shop PC rather than in the browser. They were run against the same test copy.

Backup now: company data (control database) PASS

The daily backup and the 'Backup now' button save the company data: users, organizations, apps, settings, audit log.

Result: Backup written (390,860 bytes), then restored into a throw-away database and validated: 'restored and validated successfully'.

Backup now: business records (tenant databases, IntraForge Pay's ledger) PASS

The second backup holds the shop's own databases, Spare Parts, the Pharmacy and the Pay ledger.

Result: Backup written (491,188 bytes), restored into a throw-away database and validated successfully.

Backup now: stored files PASS

The third backup holds every uploaded file and website.

Result: Backup written (51,492 bytes), restored and validated successfully.

Restore (real restore over the running test copy) PASS

Restore puts the shop back to a backup. Run on 4 November against the same test copy: two changes were made after a backup, then the backup was restored.

Result: Both changes were gone after the restore, every service came back healthy, IntraForge Pay's ledger balanced (380.50 debit = 380.50 credit) and the public website kept answering.

Stop / Start / Restart services keep the internet tunnel PASS

Restarting used to leave the Cloudflare connector stopped, so websites went offline (fixed in 1.5.0).

Result: 4 automated tests of the kit scripts pass (with a fake Docker); all 4 fail on the old script.


The redesigned Control Center opens and draws every window without cutting anything off PASS

At 125-150 % display scaling the old Control Center cut off text and hid buttons.


Result: Compiled with the C# compiler that ships with Windows; main window, Settings, Allow other PCs, Restore, Uninstall and the result window drawn at 150 % (pictures below).

The new Control Center (rendered at the shop PC's 150 % display scaling)


The redesigned Control Center (not yet installed in the shop; it ships with 1.5.1). Every window was drawn by the real program with sample data; nothing was started or changed.




Main window: actions on the left, the shop's state on the right.


Settings
Settings
This installation, starting with Windows, the keys file and the shop network.
This installation
Address
https://localhost:8443/
Access
this computer only
Version
1.5.0
Program folder
C:\Users\your\AppData\Local\Temp\claude\174b97bfce04418d\fb9db75a-ebf8-483d-9cbf-245fca26449c\scratchpad\cc
Data folder
C:\IntraForgeData
Keys file
C:\IntraForgeData\keys\intraforge-keys.env
Daily backup
every day at 19:00 (and at the next start if the PC was off)
Starting with Windows
Start IntraForge when I sign in to Windows (recommended)
Keys file and data
Without the keys file a backup cannot be read after this PC is lost. Keep one copy on a USB drive, apart from the backups.
Copy the keys file to a USB drive...
Open the data folder
Shop network
Only this computer can open IntraForge. You can let the other PCs and the customers' phones in the shop open it too -- over the shop's own network only, never the internet.
Allow other PCs in this shop...
Close


Settings.




Allow other PCs in this shop.



Restore a backup (three checked steps).



Uninstall (data choices).



The result of an action.

5. What the test found

Bug found and fixed

A bucket opened from its address showed "Bucket" instead of its name. The bucket page only knew its name when opened from the project page's link. A bookmark, a refresh or a typed address lost it, together with the breadcrumb trail. Fixed: IntraForge now answers the bucket's name and project itself (with the same permission checks as its file list, and a test that another organization cannot read it). Step 5 above is the retest.

First run, and what was corrected in the test itself

The first run passed 20 of 25 steps. One failure was a real bug (step 5, fixed above). The other four were mistakes in the test's own expectations, corrected before the final run: step 7 expected the versions list to count the current content too (it lists earlier versions only, which is right); step 12 looked for the word 'profile' while the page is titled 'Data quality report'; step 16 expected the wallet to drop by exactly 5.00, but the new IntraForge Pay paid 0.25 cashback back (the cashback feature working); step 25 looked for the sign-out button behind an account menu, while it is directly in the sidebar.

New in this version and confirmed by the scenario

• Auto-publish under harmongt.uk: a new website was published as scenario-11081357.harmongt.uk with nobody pressing anything, and answered from the internet through Cloudflare (HTTP 200); switching auto-publish off took the name back (HTTP 404) and kept shop.harmongt.uk, which was published by hand.

• IntraForge Pay cashback: a 5.00 payment paid 0.25 back into the customer's wallet.

• Optimistic switches: an app's Disable/Enable reacts at once.

• Smoother pages: page changes fade, dialogs ease in, new table rows fade in, and pages already seen open from memory.

Not covered by this test, and why

• Uninstall: not run on this PC, because it removes things for the whole PC (start-up entry, backup tasks, shortcut, firewall rules) and would affect the real shop. It needs a spare PC or a virtual machine.

• A real Windows restart, a second PC on the shop network, and the installer on a brand-new PC: need the hardware.

• The Android wallet app on a real phone: needs Shop network switched on and a phone; the app's code was checked, not run on a device.

• Paying an invoice by scanning the QR with a phone camera: the QR was shown (step 15); the payment itself was confirmed through the wallet's own interface (step 16) and, on 4 November, by decoding the QR from Spare Parts and the Pharmacy.

• Real money: IntraForge Pay uses simulated IF Credits only.