New features for SHOP

Luis Morales, Dorothy Dunford

February 13, 2020

Overview I

The model has two big components:

- Analysis cycle:
  - Launch every 6h (12:00am, 6:00am, 12:00pm, 6:00pm)
  - Run in steady-state mode. Estimate average hydraulic variables in the last 24h.
  - Initial conditions: The model is initialed with the average hydrauclic variables estimated 24h ago.
  - Boundary conditions: Used observed hydraulic variables averagesd in the last 24h. Source of data: hydrometric data (CanHyS); water levels (SJR); wind data (HRDPS)
  - Domain: St. Lawrence river from Montreal to Trois-Rivieres.

Overview II

- Forescast cycle:
    - Launch every 6h
    - 54h forecast (6h analysis + 48h forecast)
    - I.C. and B.C. for the 6h analysis, see below (the analysis cycle is embeded in the forecast cycle for a different domain!)
    - Initial conditions for the 48h forecast: The model is initialed with the output of the previous 6h analysusis cycle.
    - Boundary conditions for the 48h forecast: from: Water Cycle Prediction System, SPINE, and HRDPS (wind fields)
    - Domain: St. Lawrence river from Carillon and Beauharnois to Saint-Joseph-de-la-Rive.

Maestro's model structure I

Maestro's model structure II

Main Maestro's modules under /shop (root module)

- ▶ /PrepareData:
    - ▶ CreateDatabaseObs
    - ▶ CreateDatabaseMod
    - ▶ SolutionInterpolator
- ▶ /UpdateMNT:
    - ▶ GenManning
    - ▶ Genice
    - ▶ GenWinds
- ▶ /Analysis
- ▶ /Forecast

both /Analysis and /Forecast include this module
/RunH2D2 and these tasks:LoopHour[] CreateInp RunMod
CreateOutputs Other tasks include: CreateProducts
CleanSuite