

STEADY PRESS

Posture & Desk Setup Kit

Fix the desk that is causing it, then build the habit that keeps it fixed
— a one-time setup audit plus a 30-day habit tracker.

INSIDE

02 How to use this journal

03 Desk setup audit

04 Posture habit tracker

05 Workday discomfort log

06 Desk stretch card

07 Weekly review

08 Notes

09 Before you start

FORMAT

US Letter

PAGES

9

USE

Print as many copies as you need

How to use this journal

- ☐ Do the desk audit once, properly, with a tape measure
- ☐ Fix everything you can the same day
- ☐ Pick three habits and track them for thirty days
- ☐ Log a discomfort score at the end of each workday
- ☐ Use the stretch card at every break
- ☐ Re-run the audit after a month

WORST IMAGINABLE

1 Noticeable, easy to ignore 3 Annoying, does not stop you 5 Hard to concentrate through 7 Limits what you can do

9 Unable to function

Desk setup audit

Sit the way you actually sit — not the way you sit when someone is watching — then work down the list.

SCREEN

- ☐ Top of screen at or just below eye level
- ☐ Screen directly in front, not to one side
- ☐ Laptop raised, with a separate keyboard
- ☐ Screen an arm's length away
- ☐ No window glare on the screen
- ☐ Second monitor at the same height

CHAIR & BODY

- ☐ Feet flat on the floor or a footrest
- ☐ Lower back supported by the chair
- ☐ Elbows at roughly 90°, close to the body
- ☐ Knees level with hips, or slightly lower
- ☐ Shoulders relaxed, not lifted
- ☐ Wrists straight, not bent up

DESK & HABITS

- ☐ Keyboard and mouse at the same height
- ☐ Phone not held between ear and shoulder
- ☐ Anything used often is within easy reach
- ☐ Mouse next to the keyboard, not further out
- ☐ Documents on a stand, not flat on the desk
- ☐ You stand up at least once an hour

MEASUREMENTS TO RECORD

WHAT	NOW	SHOULD BE	FIXED ON

Posture habit tracker

Three habits, thirty days. Pick habits small enough that you have no excuse.

HABIT 1

HABIT 2

HABIT 3

HABIT 1 — DAY OF MONTH

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30

HABIT 2 — DAY OF MONTH

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30

HABIT 3 — DAY OF MONTH

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30

WHICH HABIT WAS HARDEST, AND WHY

DAILY

Workday discomfort log

Score how you feel at the end of each working day. Four weeks of this tells you whether the desk changes worked.

LOG

DATE	HOURS AT DESK	BREAKS TAKEN	NECK 0-10	BACK 0-10	EYES 0-10	NOTE

PATTERN | NOTICE

THE ROUTINE

Stretch to mild tension, never into pain. Stop anything that produces sharp pain, tingling or dizziness and ask a professional first.

- ☐ Stand up
- ☐ Roll shoulders backwards ten times
- ☐ Drink water
- ☐ Look at something 6 m away for 20 seconds
- ☐ Walk to another room
- ☐ Sit back down deliberately, not slumped

EVERY SUNDAY

Weekly review

Ten minutes looking back is where the pattern actually shows up.

WEEK OF

BEST DAY

WORST DAY

THE WEEK AT A GLANCE

DAY	AVG PAIN	SLEEP	NOTABLE
-----	----------	-------	---------

--	--	--	--

--	--	--	--

--	--	--	--

WHAT MADE IT BETTER

WHAT MADE IT WORSE

ONE THING TO CHANGE NEXT WEEK

Before you start

These pages are a personal record-keeping tool. They are not a medical device, they do not diagnose anything, and nothing here is medical advice.

Tracking is useful because it turns vague memory into specifics you can hand to a professional: when it started, what makes it worse, what you already tried. It is not a substitute for seeing one.

See a qualified healthcare professional about any new, severe, or worsening symptom. Seek urgent care for chest pain, numbness or weakness in a limb, loss of bladder or bowel control, severe headache of sudden onset, pain following an accident, fever with neck stiffness, or any symptom that frightens you.

Personal use only. You may print unlimited copies for yourself and your household. Reselling, redistributing, or sharing the files is not permitted.

© Steady Press. All rights reserved.