Project using Nmap to scan

Tools:

- VMware Workstation 17 Player
- Nmap

Attacker: Kali Linux(192.168.86.132)
Victims:

- Windows 10-CEH(192.168.86.129)
- Linux(Ubuntu)(192.168.86.135)

Use: **nmap -n -v -Pn -sV -O 192.168.86.129**

```
C:\root> nmap -n -v -Pn -sV -O 192.168.86.129
Host discovery disabled (-Pn). All addresses will be marked 'up' and scan times may be slower.
Starting Nmap 7.95 ( https://nmap.org ) at 2026-04-13 22:20 EDT
NSE: Loaded 47 scripts for scanning.
Initiating ARP Ping Scan at 22:20
Scanning 192.168.86.129 [1 port]
Completed ARP Ping Scan at 22:20, 0.08s elapsed (1 total hosts)
Initiating SYN Stealth Scan at 22:20
Scanning 192.168.86.129 [1000 ports]
Discovered open port 139/tcp on 192.168.86.129
Discovered open port 554/tcp on 192.168.86.129
Discovered open port 445/tcp on 192.168.86.129
Discovered open port 135/tcp on 192.168.86.129
Increasing send delay for 192.168.86.129 from 0 to 5 due to 24 out of 78 dropped probes since last incre
ase.
Increasing send delay for 192.168.86.129 from 5 to 10 due to 12 out of 38 dropped probes since last incr
ease.
Discovered open port 10243/tcp on 192.168.86.129
Discovered open port 2869/tcp on 192.168.86.129
Discovered open port 5357/tcp on 192.168.86.129
Completed SYN Stealth Scan at 22:20, 10.49s elapsed (1000 total ports)
Initiating Service scan at 22:20
Scanning 7 services on 192.168.86.129
Completed Service scan at 22:22, 111.22s elapsed (7 services on 1 host)
Initiating OS detection (try #1) against 192.168.86.129
NSE: Script scanning 192.168.86.129.
Initiating NSE at 22:22
```

Detect information and currently open ports on a Windows 10 server.

```
Not shown: 993 closed tcp ports (reset)
PORT      STATE SERVICE      VERSION
135/tcp   open  msrpc        Microsoft Windows RPC
139/tcp   open  netbios-ssn  Microsoft Windows netbios-ssn
445/tcp   open  microsoft-ds Microsoft Windows 7 - 10 microsoft-ds (workgroup: WORKGROUP)
554/tcp   open  rtsp?
2869/tcp  open  http         Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
5357/tcp  open  http         Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
10243/tcp open  http         Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
MAC Address: 00:0C:29:0B:7D:44 (VMware)
Device type: general purpose
Running: Microsoft Windows 10
OS CPE: cpe:/o:microsoft:windows_10
OS details: Microsoft Windows 10 1507 - 1607
Uptime guess: 0.013 days (since Mon Apr 13 22:03:14 2026)
Network Distance: 1 hop
TCP Sequence Prediction: Difficulty=261 (Good luck!)
IP ID Sequence Generation: Incremental
Service Info: Host: CEH-WIN10; OS: Windows; CPE: cpe:/o:microsoft:windows

Read data files from: /usr/share/nmap
OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 137.05 seconds
           Raw packets sent: 1081 (48.262KB) | Rcvd: 1017 (41.386KB)
```

Use: **nmap -v -v -Pn - sV -O 192.168.86.135**

```
C:\root> nmap -n -v -Pn -sV -O 192.168.86.135
Host discovery disabled (-Pn). All addresses will be marked 'up' and scan times may be slower.
Starting Nmap 7.95 ( https://nmap.org ) at 2026-04-13 22:25 EDT
NSE: Loaded 47 scripts for scanning.
Initiating ARP Ping Scan at 22:25
Scanning 192.168.86.135 [1 port]
Completed ARP Ping Scan at 22:25, 0.08s elapsed (1 total hosts)
Initiating SYN Stealth Scan at 22:25
Scanning 192.168.86.135 [1000 ports]
Discovered open port 22/tcp on 192.168.86.135
Completed SYN Stealth Scan at 22:25, 4.66s elapsed (1000 total ports)
Initiating Service scan at 22:25
Scanning 1 service on 192.168.86.135
Completed Service scan at 22:25, 0.07s elapsed (1 service on 1 host)
Initiating OS detection (try #1) against 192.168.86.135
Retrying OS detection (try #2) against 192.168.86.135
```

OS information detected: Linux (Ubuntu), Mac address, and ports 22 (ssh) and 8080 are open.

```
PORT     STATE  SERVICE    VERSION
22/tcp   open   ssh        OpenSSH 9.6p1 Ubuntu 3ubuntu13.15 (Ubuntu Linux; protocol 2.0)
8080/tcp closed http-proxy
MAC Address: 00:0C:29:86:D5:85 (VMware)
Device type: general purpose|router|phone|storage-misc|media device
Running (JUST GUESSING): Linux 4.X|5.X|2.6.X|3.X (94%), MikroTik RouterOS 7.X (93%), Google Android 10.X
 (90%), HP embedded (89%)
OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5 cpe:/o:linux:linux_kernel:2.6 cpe:/o:lin
ux:linux_kernel:3 cpe:/o:mikrotik:routeros:7 cpe:/o:linux:linux_kernel:5.6.3 cpe:/o:google:android:10 cp
e:/h:hp:p2000_g3
Aggressive OS guesses: Linux 4.15 - 5.19 (94%), Linux 2.6.32 - 3.13 (93%), Linux 4.15 (93%), Linux 5.0 -
 5.14 (93%), MikroTik RouterOS 7.2 - 7.5 (Linux 5.6.3) (93%), OpenWrt 22.03 (Linux 5.10) (92%), Linux 5.
0 (91%), Android 9 - 10 (Linux 4.9 - 4.14) (90%), Linux 2.6.32 (90%), Linux 3.2 - 4.14 (90%)
No exact OS matches for host (test conditions non-ideal).
Uptime guess: 43.863 days (since Sun Mar  1 00:43:36 2026)
Network Distance: 1 hop
TCP Sequence Prediction: Difficulty=259 (Good luck!)
IP ID Sequence Generation: All zeros
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel
```

Solution: Disable Port 22/TCP to avoid SSH testing over Port 22.