

Project Wireshark scans and listen for file packets

Tools:


- VMware Workstation 17 Player
- Wireshark

Attacker: Kali linux

Victim: Windows 10-CEH

Using: wireshark

Go to eth0



Use: ip.addr == 192.168.86.129 to scan

No.	Time	Source	Destination	Protocol	Length	Info
3	3.815069424	fe80::ffff:ffff:ffff:ff02::2	ff02::2	ICMPv6	103	Router Solicitation
4	4.022847697	fe80::8000:f227:b9d...	fe80::ffff:ffff:ffff:ffff	ICMPv6	151	Router Advertisement
7	12.054989368	192.168.86.129	192.168.86.255	BROWSER	252	Domain/Workgroup Announcement WORKGROUP, NT Workstation, Do
8	16.32055179	192.168.86.129	192.168.86.2	DNS	76	Standard query 0xabb3 A wpad.localdomain
16	17.320972066	192.168.86.129	192.168.86.2	DNS	76	Standard query 0xabb3 A wpad.localdomain
23	19.327810064	192.168.86.129	192.168.86.2	DNS	76	Standard query 0xabb3 A wpad.localdomain
30	23.332406127	192.168.86.129	192.168.86.2	DNS	76	Standard query 0x3437 A fs.microsoft.com
31	23.348401505	192.168.86.2	192.168.86.129	DNS	298	Standard query response 0x3437 A fs.microsoft.com CNAME pro
48	30.326619335	fe80::ffff:ffff:ffff:ff02::2	ff02::2	ICMPv6	103	Router Solicitation
49	30.532132761	fe80::8000:f227:b9d...	fe80::ffff:ffff:ffff:ffff	ICMPv6	151	Router Advertisement
50	38.061037786	192.168.86.129	192.168.86.2	NBNS	110	Refresh NB <01><02> _MSBROWSE <02><01>
51	39.571393875	192.168.86.129	192.168.86.2	NBNS	110	Refresh NB <01><02> _MSBROWSE <02><01>
52	41.004014655	192.168.86.129	192.168.86.2	NBNS	110	Refresh NB <01><02> _MSBROWSE <02><01>
53	41.209563117	192.168.86.129	4.213.25.241	TLSv1.2	126	Application Data
54	41.269956268	192.168.86.129	4.213.25.241	TLSv1.2	125	Application Data
55	41.270650507	4.213.25.241	192.168.86.129	TCP	60	443 -> 49840 [ACK] Seq=1 Ack=73 Win=64240 Len=0
56	41.270650707	4.213.25.241	192.168.86.129	TCP	60	443 -> 49840 [ACK] Seq=1 Ack=72 Win=64240 Len=0

When the Windows 10 machine returns a message, it will show Seq=1 on port 80.

And the Windows machine, with the RST and ACK flags enabled, has received the information.

No.	Time	Source	Destination	Protocol	Length	Info
1433	101.412305554	192.168.86.129	192.168.86.132	TCP	62	[TCP Port numbers reused] 49934 -> 80 [SYN] Seq=0 Win=65535
1434	101.412332153	192.168.86.132	192.168.86.129	TCP	54	80 -> 49934 [RST, ACK] Seq=1 Ack=1 Win=0 Len=0
1435	103.105272121	103.43.90.54	192.168.86.129	TLSv1.2	131	Application Data, Encrypted Alert
1436	103.105404955	192.168.86.129	103.43.90.54	TCP	60	49923 -> 443 [ACK] Seq=2863 Ack=4700 Win=65535 Len=0
1437	103.106401072	192.168.86.129	103.43.90.54	TCP	60	49923 -> 443 [FIN, ACK] Seq=2863 Ack=4700 Win=65535 Len=0
1438	103.106457511	103.43.90.54	192.168.86.129	TCP	60	443 -> 49923 [ACK] Seq=4700 Ack=2864 Win=64239 Len=0
1439	103.305709006	192.168.86.129	23.76.206.45	TCP	60	49908 -> 443 [RST, ACK] Seq=1352 Ack=6273 Win=0 Len=0
1440	103.305798848	192.168.86.129	23.202.89.120	TCP	60	49931 -> 443 [RST, ACK] Seq=25385 Ack=72984 Win=0 Len=0

Wireshark - Packet 1434 - eth0

Source Port: 80		
Destination Port: 49934		
[Stream index: 50]		
[Stream Packet Number: 2]		
- [Conversation completeness: Incomplete (37)]		
...1. = RST: Present		
...0. = FIN: Absent		
...0... = Data: Absent		
...1.. = ACK: Present		
...0. = SYN-ACK: Absent		
...1 = SYN: Present		
[Completeness Flags: R..A..S]		
[TCP Segment Len: 0]		

0000	00 0c 29 0b 7d 44 00 0c 29 32 40 9a 08 00 45 00	..).}D..}2@..E.
0010	00 20 00 00 40 00 40 06 0c 7a c0 a0 56 04 c0 a0	..(..@.@..Z..V...

Flag Reset and Hex

Wireshark - Packet 1434 - eth0

- Flags: 0x014 (RST, ACK)		
000. = Reserved: Not set		
...0. = Accurate ECN: Not set		
...0... = Congestion Window Reduced: Not set		
...0.. = ECN-Echo: Not set		
...0. = Urgent: Not set		
...1. = Acknowledgment: Set		
...0... = Push: Not set		
...1.. = Reset: Set		
...0. = SYN: Not set		
...0 = FIN: Not set		
[TCP Flags:A..R..]		
Window: 0		

0000	00 0c 29 0b 7d 44 00 0c 29 32 40 9a 08 00 45 00	..).}D..}2@..E.
0010	00 20 00 00 40 00 40 06 0c 7a c0 a0 56 04 c0 a0	..(..@.@..Z..V...
0020	56 01 00 50 c3 00 00 00 00 00 b6 f8 a4 33 50 14	V..P....3P..
0030	00 00 62 ef 00 00	..h...