



8 Cross the right strand under the center strand.



9 With each crossing under, pick up hair from the base of the panel and add it to the outer strand before crossing it under the center strand.



10 When you have finished the braid, secure the hair ends with a small rubber band.



11 Braid subsequent panels left and right of the center braid in the same manner.





12 Once you have completed the top three braids, complete the braids on the left and right side of the head, maintaining even tension and following the curvature of the head.



13 Finish with oil sheen or an appropriate styling aid for a finished look.



14 Finished cornrow braids.


CLEAN-UP AND DISINFECTION

- ☐ Clean and disinfect the tools and implements.
- ☐ Clean and then disinfect the work area.
- ☐ Sweep up hair and deposit in closed receptacle.
- ☐ Dispose of single-use items. Place all used linens, towels, and capes in the laundry.
- ☐ Wash your hands.

STARTING LOCKS WITH NUBIAN COILS

MATERIALS, IMPLEMENTS, AND EQUIPMENT

- ☐ Barber's comb
- ☐ Four butterfly clips
- ☐ Holding gel
- ☐ Hood dryer
- ☐ Leave-in conditioner
- ☐ Long duckbill clips
- ☐ Natural botanical oil
- ☐ Shampoo cape
- ☐ Sulfate-free moisturizing shampoo
- ☐ Wide-tooth comb



PREPARATION

- 1 Wash your hands.
- 2 Conduct a client consultation.
- 3 Drape the client for wet service.
- 4 Shampoo and condition the client's hair.
- 5 Remove the waterproof cape; replace with towels under and over the haircutting cape.
- 6 Face the client toward the mirror and lock the chair.

PROCEDURE



- 1 Drape the client for a shampoo service. If necessary, comb and detangle the hair.
- 2 Cleanse the hair with sulfate-free shampoo; then condition and rinse.
- 3 Spray a leave-in conditioner and detangle with a wide-tooth comb.
- 4 Apply a natural botanical oil to the scalp and massage the oil into the scalp.
- 5 Detangle and divide the hair into two sections.
- 6 Clip the hair for control.



⑦ To create movement, start at the hairline and create a crescent-shape part with the smaller end of the comb. Apply gel to the tip of the comb.



⑧ Comb the gel through the entire parted section. At the base, start to rotate or roll-comb with a clockwise rotation, down the hair shaft to the end. The hair is curled toward the end and the coil lies flat on the scalp.

⑨ Using the comb, twirl the hair and place the coil end in the direction you would like the hair to lie.



⑩ As you move up and around the head, create a sculpting movement that features the head contour.

⑪ The movement can be made in multiple directions with dimension. For example, the entire back will move forward from the center back toward the front on both sides, while the top will move upward and forward. Positioning the comb and directing the hair upward will give a different directional movement to the top crown.

⑫ Once the right back section to front section is complete, start on the right side, twirling the comb toward the front of the head in a counterclockwise rotation.

⑬ The coil style has one continuous movement from front to back.



- 14 Continue the coil movement at crown, keeping the contours and directions of coil uniform, directing from back to front in an upward and forward direction. The coils will lie flat and point upward.
- 15 While front coils are still damp, fine-tune their direction and make a soft bang.
- 16 Place the client under the dryer. Add oil for more sheen.



- 17 Finish the style.

CLEAN-UP AND DISINFECTION

- ☐ Clean and disinfect the tools and implements.
- ☐ Clean and then disinfect the work area.
- ☐ Sweep up hair and deposit in closed receptacle.
- ☐ Dispose of single-use items. Place all used linens, towels, and capes in the laundry.
- ☐ Wash your hands.

CULTIVATING AND GROOMING LOCKS



MATERIALS, IMPLEMENTS, AND EQUIPMENT

- ☐ Box of small two-pronged roller clips
- ☐ Five butterfly clips
- ☐ Herbal rinse
- ☐ Hood dryer
- ☐ Natural botanical oil and light moisturizing conditioner
- ☐ Shampoo cape
- ☐ Steamer
- ☐ Sulfate-free shampoo
- ☐ Tapered barber's comb
- ☐ Water-soluble gel

PREPARATION

- 1 Wash your hands.
- 2 Conduct a client consultation.
- 3 Drape the client for wet service.
- 4 Shampoo and condition the client's hair.
- 5 Remove the waterproof cape; replace with towels under and over the haircutting cape.
- 6 Face the client toward the mirror and lock the chair.

PROCEDURE



- 1 Drape the client for a shampoo service.
- 2 Cleanse the hair and scalp with a sulfate-free conditioner.
- 3 Add light moisturizing conditioner, steam, and then rinse the locks.
- 4 Apply oil to the scalp and entire length of the lock, and massage the scalp.
- 5 Starting at the base of the neck, use the larger end of the barber's comb to square off new growth of locked hair, creating a clean part.



6 With the smaller end of comb, apply gel to the comb. Place a small amount of gel at the new growth base of each lock.



7 Pull down all the loose hair together into the lock with a comb and gel. This step compacts the loose hair and builds the lock base. Rotate the comb once.



8 Remove the comb, and, using two fingers (index finger and thumb), push loose hair together and smooth and then roll hair between fingers.

9 Place the lock between palms of both hands. Pressing gently, rotate the lock in your palm with a back-and-forth motion.



10 Move down the entire length of the lock, palm rolling to smooth the loose hair into the lock.



11 Clip off each section at the base if needed and along the length of the lock with a small clip or a large duck tail, as you complete palm rolling the locks. Continue grooming the entire head and place under a dryer to dry the locks completely.

12 Once you complete the entire back section, continue to the right and left sides of the head and save the crown section for last.

13 Place the client under the hood dryer until locks are completely dry.

15 Remove the clips and then apply natural botanical oil on the locks for additional shine.

16 Place the client under a hood dryer for 30 to 40 minutes until the locks are completely dry.



17 For dimensional styling, gather several locks and braid damp hair to create crimped locks; or, after removal from the dryer, cornrow the entire head of locks with 8 to 10 cornrows. Secure the ends with elastic bands.



18 Take the braided locks and create a fishtail braid. Secure with elastic band and tuck the fishtail under. Secure with hair pins.



19 Spray locks with oil shine.

20 Finish the style.

CLEAN-UP AND DISINFECTION

- ☐ Clean and disinfect the tools and implements.
- ☐ Clean and then disinfect the work area.
- ☐ Sweep up hair and deposit in closed receptacle.
- ☐ Dispose of single-use items. Place all used linens, towels, and capes in the laundry.
- ☐ Wash your hands.

REVIEW QUESTIONS

- 1 Explain what a good haircut and style should accomplish.
- 2 What should a client consultation be able to tell you about the client's desired haircut and style?
- 3 List seven facial shapes.
- 4 What anatomical features influence haircutting and styling and what are the physical considerations that help to determine the best haircut and style for an individual?
- 5 Explain the process of envisioning.
- 6 List the sections of the head form as they apply to men's haircutting.
- 7 List design elements used in haircutting and styling.
- 8 List and define the basic haircutting terms used in haircutting and styling.
- 9 List cutting techniques used in men's haircutting.
- 10 Explain why the hair should be in a damp condition for razor cutting.
- 11 Describe the razor-rotation technique.
- 12 Explain the braiding technique used to create cornrows.
- 13 Define *hairlocking*.
- 14 Why do state barber boards most often require a licensure candidate to perform a taper cut during the practical exams?

CHAPTER GLOSSARY

angle (ANG-gul)	p. 397	the space between two lines or surfaces that intersect at a given point; in haircutting, the hair is held away from the head to create an angle of elevation
arching (ARE-ching)	p. 424	method used to cut around the ears and down the sides of the neck
balance (BAL-uns)	p. 396	the equal or appropriate proportions that create symmetry and harmony in a design
blowdry styling (BLOH-dry sti-hyl-ing)	p. 418	technique of drying and styling damp hair in one process
clipper-over-comb (KLIP-uhr-OH-ver-KOHRM)	p. 405	cutting over a comb with the clippers
crest (KREST)	p. 393	the widest area of the head, also known as the parietal ridge, temporal region, hatband, or horseshoe
cross-checking (KRAWS-CHEK-ing)	p. 398	the process of parting off subsections opposite from the elevation or direction at which they were cut to check the precision of cutting lines or blending
curved lines (KURVD LYNZ)	p. 396	lines that move in a semicircular or circular direction
cutting above the fingers (KUT-ing AH-bov THE FING-erz)	p. 403	cutting of the hair is performed on the outside of the fingers; used with horizontal or vertical 90-degree projections of hair
cutting below the fingers (KUT-ing BE-low THE FING-erz)	p. 403	cutting of the hair is below or performed on the inside of the fingers; used in 0- and 45-degree elevation cutting
cutting line (KUT-ing LYN)	p. 400	the position of the fingers when cutting a section of hair

cutting palm-to-palm	p. 403	cutting of the hair is performed with the palms of both hands facing each other; an alternative method used in layering vertical or horizontal sections of hair
design line (dee-ZYN LYN)	p. 400	usually the perimeter line of a haircut
diagonal lines (dye-AG-ih-nul LYNZ)	p. 396	lines positioned between horizontal and vertical lines
elevation (el-uh-VAY-shun)	p. 398	angle or degree at which a subsection of hair is held, or elevated, from the head when cutting; also referred to as projection
envision (EN-vijg-ohn)	p. 386	the ability to picture or see something in your mind
facial shape (FAY-shul SHAYP)	p. 387	oval, round, inverted triangular, square, oblong, diamond, and pear-shaped are the seven facial shapes
fingers-and-razor cutting (FING-erz-AND-RAY-zur KUT-ing)	p. 408	cutting technique performed by holding the hair section between the fingers and cutting either from the top to the bottom of the section or from one side to the other; also known as <i>freehand slicing</i> with a razor
fingers-and-shear (FING-erz-AND-SHEER)	p. 403	technique used to cut hair by holding the hair into a position to be cut
form (FORM)	p. 396	the outline or shape of a design
freehand clipper cutting (FREE-HAND KLIP-ur KUT-ing)	p. 405	generally interpreted to mean that guards are not used in the cutting process
freehand shear cutting (FREE-HAND SHEER KUT-ing)	p. 405	cutting with shears without the use of fingers or a comb to control the hair
freehand slicing (FREE-HAND sly-SING)	p. 408	method of removing bulk from a hair section with the shears
guide (GUYD)	p. 400	section of hair, located at either the perimeter or the interior of the cut, that determines the length the hair will be cut to; also referred to as a guideline; usually the first section that is cut to create a shape
hair locking (HAYR lock-ing)	p. 420	the process that occurs when coiled hair is allowed to develop in its natural state without the use of combs, heat, or chemicals
hairstyling (HAYR sti-hyl-ing)	p. 402	the art of arranging the hair in a particular style that is appropriately suited to the cut
horizontal lines (hor-ih-ZAHN-tul LYNZ)	p. 395	lines parallel to the horizon
layers (LAY-uh rz)	p. 401	graduated effect achieved by cutting the hair with elevation or overdirection; the hair is cut at higher elevations, usually 90 degrees or above, which removes weight
outlining (OWT-lyn-ing)	p. 401	finish work of a haircut with shears, trimmers, or razor
overdirection (OH-ver-dih-REK-shun)	p. 402	combing a section away from its natural falling position, rather than straight out from the head, toward a guideline; used to create increasing lengths in the interior or perimeter
parietal ridge (puh-RY-ate-uhl RIJ)	p. 393	widest area of the head, also known as the crest, hatband, horseshoe, or temporal region

part (PART)	p. 399	a line, created naturally or with a comb, that divides the hair at the scalp, separating one section of the hair from another
parting (PART-ing)	p. 399	a line dividing the hair of the scalp that separates one section of the hair from another or creates subsections from a larger section of hair
projection (pruh-JEK-shun)	p. 398	angle or elevation that hair is held at from the head for cutting
proportion (pruh-POR-shun)	p. 396	a design principle that measures or shows the comparative relationship between two or more design elements of a form
razor-over-comb (RAY-zur-OH-ver-KOYM)	p. 408	texturizing technique in which the comb and the razor are used on the surface of the hair
razor rotation (RAY-zur row-TAY-shun)	p. 408	texturizing technique similar to razor-over-comb, done with small circular motions
reference points (REF-err-ence POYNTZ)	p. 393	points on the head that mark where the surface of the head changes or the behavior of the hair changes, such as ears, jawline, occipital bone, and apex; used to establish design lines that are proportionate
rolling the comb out (ROHL-ing THE KOYM OUT)	p. 404	a method used to put the hair into position for cutting by combing into the hair with the teeth of the comb in an upward direction
shear-over-comb (SHEER-OH-ver-KOYM)	p. 403	haircutting technique in which the hair is held in place with the comb while the shears are used to remove length
shear-point tapering (SHEER-POYNT TAYP-uhr-ing)	p. 404	haircutting technique used to thin out difficult areas in the haircut, such as dips and hollows
stationary guide (STAY-shun-ar-ee GUYD)	p. 400	guideline that does not move, but all other hair is brought to it for cutting
taper (TAYP-uhr)	p. 401	haircuts in which there is an even blend from very short at the hairline to longer lengths as you move up the head; <i>to taper</i> is to narrow progressively at one end
tension (TEN-shun)	p. 401	amount of pressure applied when combing and holding a section, created by stretching or pulling the section
texturizing (TEKS-chur-yz-ing)	p. 401	removing excess bulk without shortening the length; changing the appearance or behavior of hair through specific haircutting techniques using shears, thinning shears, clippers, or a razor
thinning (THIN-ing)	p. 401	removing bulk from the hair
traveling guide (TRAV-ell-ing GUYD)	p. 400	guideline that moves as the haircutting progresses; used when creating layers or graduation; also referred to as moving or movable guidelines
vertical lines (VUR-tih-kuhl LYNZ)	p. 395	lines that are straight up and down
weight line (WAYT LYN)	p. 401	a visual line in the haircut, where the ends of the hair hang together; the line of maximum length within the weight area: heaviest perimeter area of a 0-degree (one-length) or 45-degree (graduated) cut

15

MEN'S HAIR
REPLACEMENT

CHAPTER OUTLINE

INTRODUCTION

WHY STUDY MEN'S HAIR REPLACEMENT?

MASTERING THE ART OF THE CONSULTATION

SELLING HAIR REPLACEMENT SYSTEMS

UNDERSTANDING ALTERNATIVE HAIR REPLACEMENT METHODS

LEARNING ABOUT HAIR REPLACEMENT SYSTEMS

OBTAINING HAIR REPLACEMENT SYSTEMS

CLEANING AND STYLING HAIR REPLACEMENT SYSTEMS

PROCEDURES 15-1 TO 15-9

LEARNING OBJECTIVES

After completing this chapter, you will be able to:

LO1

Discuss the reasons why men may purchase a hair replacement system.

LO2

Understand the factors that influence hair replacement services.

LO3

Discuss selling hair replacement systems.

LO4

Discuss alternative hair replacement methods.

LO5

Identify the types of hair used in hair replacement systems.

LO6

Define stock and custom replacement systems.

LO7

Recognize supplies needed to service hair replacement systems.

LO8

Describe how to clean and service a hair replacement system.

LO9

Describe how to fit and cut in a hair replacement system.

Introduction

After reading this section, you will be able to:

LO1

Discuss the reasons why men may purchase a hair replacement system.

figure 15-1
Before hairpiece.



figure 15-2
After hairpiece.



From early Assyrian, Egyptian, and Roman times, hairpieces and wigs have been worn in an attempt to cover balding pates, as a part of ceremonial ritual, or in conformance with the prevailing fashion. False beards and mustaches, dreadlocks, full-bottom wigs, partial wigs, periwigs, side rolls, bobbed wigs, clubs, and queues all have played a role in history, from ancient times to the present. During the eighteenth century, the word **toupee** (too-PAY) was used to describe the front section of hair, also known as the foretop. This section of hair was grown long enough to cover the front part of the wig, which was placed farther back on the head in order to blend the natural hair with the artificial wig hair. Over time, the foretop was combed higher and extended back toward the crown until it became one long tail of hair. Over the years, the term *toupee* evolved to mean a small wig for men that covered the top or crown of the head, and still later the term *hairpiece* was adopted. Today, the industry uses the terms **hair replacement system** or **hair solution**. These changes in terminology are the result of new bonding technologies and continued improvements in the base designs of hair replacement products. The days of your father's toupees or *rugs* are over. No longer is the hairpiece placed on the wig stand at night, to be applied to the scalp in a morning ritual. In keeping with these changes in the industry, the terms *hair replacement system* and *hair solution* will be used interchangeably throughout this chapter.

For centuries, barbers were involved with the making and styling of wigs. Today, the care and fitting of men's hair replacement systems in the barbershop continues the traditions established so long ago. Although not all barbers choose to specialize in these services, the professional who can design, fit, and custom-cut a hair replacement system can open the door to increased clientele and financial gain.

Men wear hair replacement systems for a variety of personal reasons. Some men choose to cover their thinning or bald areas because they feel it makes them look younger. Others just might prefer to know how they look with more hair. Regardless of the motivation, men have several options when it comes to deciding how to achieve the *look* they want (Figures 15-1 and 15-2).

Hair replacement options range from topical applications of drugs such as minoxidil to hair replacement systems to surgical hair transplantation and scalp reduction. This chapter focuses primarily on men's hair replacement systems, with a brief discussion of other alternatives available to men with hair loss conditions.



DID YOU KNOW?

Ancient Greek physicians used onions applied directly to the scalp, while ancient Egyptians used castor oil, spider webs, and egg yolk to promote a cure for baldness.

why study

MEN'S HAIR REPLACEMENT?

Barbers should study and have a thorough understanding of hair replacement systems because:

- The thinning-hair market is one of the fastest growing categories in the industry, second only to haircoloring.
- Having an understanding of hair replacement helps to solve the problem in the marketplace. Given a choice most men would choose a healthy head of hair.
- A specialist in hair replacement systems can look to increased clientele and financial gain.



CAUTION

The loss of one's hair can be a very touchy and personal subject and should be approached very carefully. During your consultation, ask your client if he could change anything about his hair what would it be. This question can open up the conversation if he is looking for answers to his hair loss.

Mastering the Art of the Consultation

After reading this section, you will be able to:

LO2 Understand the factors that influence hair replacement services.

When discussing hair replacement with your client, you should be sure to take a very personal and private approach. The nature of hair loss is a very sensitive subject and should be discussed in private. If you have an office, take the client into the office away from other patrons; if not, make sure that it is just you and the client in the room. Be sure and discuss every option that is available in the industry, including surgery and low-light laser therapy; by offering all of these solutions, you instill confidence in the client that you have his best interest in mind. Take the time to explain the finer points of hair restoration, upkeep, bonding methods, and different hair solutions. Once you have decided what the best solution is for your client, give him your professional advice on what system will be best for his needs and budget. You can determine how many systems your client will need by his lifestyle, age, as well as the amount of money he is willing to spend. Create incentive programs with different types of systems and bonding methods. Give the client a choice as to how many systems and services he will receive in a year's period. Only after all this information has been discussed and all questions have been answered, should you ask for the sale.

Selling Hair Replacement Systems

After reading this section, you will be able to:

LO3 Discuss selling hair replacement systems.

In order to sell men's hair solutions, it is important to know why men buy them. As discussed in the first part of this chapter, men wear hair replacements for a variety of personal reasons. When a man expresses an interest

in wearing a hair solution to his barber, he will not appreciate a hard-sell approach. His interest has already been made evident, and he is simply looking for guidance and purchasing information at this stage. It is the barber's responsibility to educate the client about the possibilities and options available to him.

Just as a hard-sell approach should be avoided, the barber should never promise what cannot be delivered, nor raise the client's expectations to an unreasonable level. For example, it is not professionally ethical to convince an elderly man that he can recapture the appearance of his 40s with a hair solution. It simply cannot be done. The color of the hair solution is also an important consideration. Dark, opaque colors are not recommended for any age group, especially older persons. It is better to recommend a salt-and-pepper blend or medium brown shade. The more natural looking the color, the less obvious the hair solution will appear.

SOCIAL MEDIA MARKETING TECHNIQUES

Use today's technology to reach your consumers. In today's world it is extremely important to master social media marketing. Take a look at the pages and websites from other successful businesses and see what they do to set themselves apart. If you need help in this area, you can hire a site developer or social media coordinator to help increase your online presence.

Start a fan page on a social networking platform, with before-and-after pictures of clients. It is best to do a picture without showing the model's face; and remember to always get permission to use the photos before you post them. Update your status on a daily basis with information about how hair replacement works, links to important articles, and any promotions you may be running.



HERE'S A TIP

Be sure to shampoo the sample hair replacement system after each client.

HAIR REPLACEMENT SYSTEM DISPLAY

One or two correctly styled hair solutions displayed in the shop will alert clients to the fact that hair solution services are performed there. Make certain that the sample is clean and nicely styled. It should be large enough to cover the average balding area of a man, since most clients will be men with an average amount of hair loss, and many may want to try it on.

REFERRALS AND WORD OF MOUTH

Referrals and word of mouth may be a slower approach, and are not to be relied on exclusively for new business, but they still are very effective forms of advertising. Personal referrals are the best evidence of pleased and satisfied clients.

WINDOW DISPLAYS

Window displays can add to increased hair replacement sales. Before-and-after illustrations in the shop window let the walk-by and drive-by traffic know that hair replacement systems can be obtained through the barber-shop. These illustrations can also offer encouragement to those clients whom you feel cannot be approached directly with the idea of wearing a

hair solution. As they become more comfortable with the idea of a hair replacement or see other men in the shop receiving these services, they may feel more inclined to explore their own options.

PERSONAL APPROACH

The personal approach may certainly be used to suggest a hair replacement system to a client; however, it must be a tactful approach. Wait for an opening during the consultation or haircutting service, when the client brings up his hair loss condition in the conversation; then offer him the opportunity to try on a hair solution. A quick demonstration may convince him of his improved appearance and lead to a sale.

PRINT ADS

Print ads include all printed advertising, from coupons to billboards. It is important to advertise hair replacement services because not all barbershops pursue this market.

In some communities, newspaper advertising is inexpensive and profitable. If a model is used, be sure to secure a model release for any photos that might be used in the ads. Even if the model is your best friend, do not assume that a release is unnecessary.

PERSONAL EXPERIENCE

If you wear a hair replacement yourself, you can develop an excellent promotional approach. Often, nothing is more convincing than your own before-and-after demonstration. The fact that you wear a hair solution with assurance and complete ease can make a very strong impression on prospective hair replacement clients.

Understand Alternative Hair Replacement Methods

After reading this section, you will be able to:

LO 4 Discuss alternative hair replacement methods.

In addition to hair replacement systems and hair solutions that can be applied in a barbershop, two other approaches are available: nonsurgical and surgical hair replacement options. It is important that you be aware of all replacement options available in order to fully gauge the client's needs.

NONSURGICAL ALTERNATIVE OPTIONS

Hair solutions are just one of the nonsurgical alternatives. The use of cover-up hair fibers has become a popular alternative that is quick and easy. The hair fibers are just shaken on to the hair and sprayed with a hair spray to hold them for the day.



CAUTION

Always have your client check with a physician before use of hair replacement medication.



DID YOU KNOW?

Minoxidil was accidentally discovered from a high blood pressure medication called Loniten, which contained minoxidil as one of the key ingredients. One of the side effects of taking Loniten was unwanted hair growing on the arms, back, chest, and legs. Doctors and researchers created a topical lotion made up of minoxidil that could be applied separately to the scalp area. The new lotion form has the ability to only grow hair on top of the head while not affecting the rest of the body.

Source: Sam Turner, How Rogaine was accidentally discovered from a high blood pressure medication, 2007, <http://ezinearticles.com/?expert=SamTurner>.

Topical Medications for Hair Replacement

A 2 percent solution of **minoxidil** (MIN-ox-ih-dil) applied twice daily has been shown to be moderately effective for about 50 percent of the men using it. Clinical studies conducted by Pharmacia & Upjohn (a subsidiary of Pfizer and the maker of Rogaine-branded minoxidil) revealed that 26 percent of the men reported average-to-dense hair growth, and 33 percent reported minimal hair growth, after 4 months of treatment with Rogaine. Women's study results showed minimal regrowth in 40 percent of the women tested over an 8-month period. Minoxidil is available for both men and women in a 2 percent formula (regular strength) and for *men only* in a 5 percent formula (extra-strength).

Finasteride (fin-ASTER-eyed) is an oral medication that is prescribed only for men to stimulate hair growth. Although it is considered more effective and convenient than minoxidil, its potential side effects include weight gain and loss of sexual function.

Low-Light Laser Therapy

Low-light laser therapy, also known as laser hair enhancement, was approved by the FDA in 2007 for the promotion of healthy hair growth. Studies associated with this nonsurgical procedure report hair growth as a result of cold-beam, red-light laser treatments that stimulate or increase blood circulation and cell regeneration in the hair follicles. This service can be offered in the barbershop by purchasing a low-light laser machine from a manufacturer, providing your clients with another option for hair replacement.

SURGICAL HAIR RESTORATION

The three types of surgical hair restoration available are hair transplants, scalp reduction, and flap surgery.

1. **Hair transplantation** (HAYR TRANZ-plant-ay-shun) is strictly a medical procedure that should be performed only by licensed medical professionals. The process consists of removing hair from normal-growth areas of the scalp, such as the back and sides, and transplanting it into the bald areas under a local anesthetic. Small sections of hair ranging from single strands to larger plugs of 7 to 10 hairs are surgically removed, including the hair follicle, papilla, and hair bulb, and reset in the bald area. With today's technological advances in hair restoration, micrographs have replaced the larger plug sections of the past few decades. The transplanted hair usually grows normally in its new environment, while the area from which the hair was removed heals and shrinks in size to a very tiny scar.

The surgeon must select the hair to be transplanted with care, taking into consideration color, texture, and type. Placement of the hair in the direction of natural growth to permit proper care and complementary styling is also an important factor. Transplanted hair can last a lifetime if the service is performed properly. If the doctor is skilled and the individual cares for the hair as directed, hair transplants can be very successful as a method of permanently eliminating baldness.

2. **Scalp reduction** (SKALP REE-duk-shun) is a process by which the bald area is removed from the scalp and surrounding scalp areas with hair growth pulled together to fill in the spot.
3. **Flap surgery** (flap SIR-jer-ee), like scalp reduction surgery, removes the bald scalp area. A flap of hair-bearing skin is then attached to what was the bald area.

Learn about Hair Replacement Systems

After reading this section, you will be able to:

- LO 5 Identify the types of hair used in hair replacement systems.
- LO 6 Define stock and custom replacement systems.

The quality of a hair replacement system varies with the kind of hair used in its manufacture and the way in which it is constructed. The barber is often the one to measure, fit, cut, and style the system once it has been received from the supplier.

HUMAN HAIR

Human hair is a desirable choice for a quality hair solution, although synthetic fibers can simulate the look and feel of human hair as well. The advantages of human hair include a more natural look and texture, durability, and the ability to tolerate chemical processes such as permanent waving and haircoloring. Some of the disadvantages associated with a human hair solution are that it reacts to climate changes, fades with exposure to light, requires styling maintenance, and can become damaged just as natural hair can.

Human hair solutions are usually cleaned with shampoo and conditioner formulated for hair replacement systems. Always follow the manufacturer's directions. In today's market, human hair has become the most popular choice when it comes to hair replacement. The combination of human hair and new base designs results in a natural-looking hair replacement system that is virtually undetectable.

Most of the human hair used in hair solutions is imported and must be prepared for use. The process usually includes chemical cleaning with an acid solution, sorting, and **hackling** (HAK-ling) (the process used to comb through the hair strands to separate them). However, most of the cuticle is removed in the processing of the hair. This means the hair becomes more like a fabric, so it should be treated as such. No harsh solvents or acetones should be used to clean the hair.

SYNTHETIC HAIR

Synthetic hair is used in the production of full wigs and some hair solutions. It is challenging to make synthetic hair that matches the texture of human hair, which makes it difficult to blend the piece with the client's natural hair.

Synthetic fibers also possess a high gloss, which makes them more noticeable, and they tend to mat and tangle easily when blended with human or animal hair. Overall, synthetic hair replacement systems can usually be cleaned with cleaner solutions, are less costly than human hair, and do not oxidize or lose their style.



CAUTION

Some fibers are made of a wool base; make sure your client does not have an allergy to wool. Look for keratin fiber that is wool free to avoid an allergic reaction.

MIXED HAIR

Mixed-hair products, such as human hair blended with synthetic or animal hair, are often used in the manufacture of theatrical or fashion wigs. Horse and yak hair, as well as angora and sheep's wool, are some of the materials used in the manufacture of wigs and hair solutions. Angora has a finer texture than yak hair and may be used at the front hairline to create a softer and more natural look.

UNDERSTAND BASES AND CONSTRUCTION

Hair replacement systems may be machine-made, handmade, or made by a combination of both methods. They are typically available with hard, soft, mesh, net, polyurethane, or combination bases. The materials used in base construction include silk, nylon, and plastic mesh; lace; thin (onion) skin; or a combination of materials. Some professionals prefer a doubled base material for increased strength and a more exact fit (**Figure 15-3**).

Knotting refers to the way the hair is attached to the base of the hair solution. Knotting methods include single knotting, V-looping, and single hair injection into the base. The single-knot method is frequently used and, although durable, may come untied during the cleaning process. Double-knotted hair helps the hair to remain intact through use and cleaning,

figure 15-3

Base constructions—left to right: full skin base; thin skin and French lace; bio-lace, French lace, and skin; polyurethane and monofilament.



but may not produce as natural a look as other knotting methods. Plastic or nylon-mesh bases resist shrinkage and wrinkling when cleaned in water-based solutions or shampoos.

Root-turning (ROOT-TURN-ing) refers to sorting the hair strands so that the cuticle points toward the hair ends in its natural direction of growth. When a manufacturer states that a hair solution is root-turned, it means that the hair has been attached to the base with the cuticle of the hair strands in this natural position. Hair that has been root-turned minimizes tangling and matting because the cuticle scales are flowing in the correct direction.

New construction techniques with more natural-looking materials are constantly evolving in the manufacture of hair replacement systems. The new generation of manufacturing techniques has completely changed the industry, resulting in hair replacement systems that can look and feel quite natural.

UNDERSTAND STOCK AND CUSTOM HAIR REPLACEMENT SYSTEMS

Hair replacement systems are available from manufacturers and distributors in stock sizes and colors, which allows the barber to maintain an inventory of these products. Stock systems, or *pre-custom systems*, as the industry now refers to them, can be used as samples to show prospective hair replacement clients what a replacement system might look like or may be customized to fit the client if one happens to be the correct color.

Custom hair solutions are tailored to the client's head shape and hair replacement needs. This customization requires the barber to create a template or pattern and a color-matching sample for the supplier to use as a guide in the production of the hair solution.

A template or contour analysis should be done prior to fitting any hair solution. This analysis will help to determine whether the client has the option of purchasing a stock product or requires a custom-made hair solution.

Obtaining Hair Replacement Systems

After reading this section, you will be able to:

LO 7 Recognize supplies needed to service hair replacement systems.

It is advisable for the barber who is interested in servicing or supplying hair replacement systems to study this area of the industry in detail. Decisions will have to be made about manufacturers, supplies, products, and equipment; naturally, this should be done with as much knowledge as possible.

The selection of a hair replacement manufacturer to work with is an important decision that should be based on the manufacturer's ability to meet the barber's needs in terms of cost, time, and product quality. The following sample questions may help to guide the selection of a manufacturer to provide hair replacement goods to the barbershop.

- What hair materials are used in the construction of the hair solution: human, synthetic, or mixed?
- What chemical treatments have been applied?
- If the hair is human hair, is it graded in terms of strength, elasticity, and porosity?
- Will the manufacturer stand behind their product?
- What is the life expectancy of the hair solution?
- Does the manufacturer have the ability to create custom colors?
- Is technical training offered about the manufacturer's products?

SUPPLIES FOR HAIR REPLACEMENT SERVICES

Most barbershops will already have many of the tools and implements required for hair solution services (**Figure 15-4**). The few supplies that are not standard items, like special adhesives or solvents, can be obtained from a barber or hair replacement supply company. Be guided by the following checklist when purchasing hair solution service supplies.

- Adhesive remover
- Alcohol
- Blowdryer
- Client record cards
- Clippers
- Comb
- Double-sided adhesive tape
- Envelopes
- Grease pencil

figure 15-4
Supplies for hair solution services.



- Hair density chart
- Hairnet
- Haircutting shears
- Manufacturer's color ring
- Measuring tape
- Plastic wrap
- Razor
- Roller picks
- Scissors (for cutting pattern)
- Small brush
- Spirit gum/adhesive
- Styling or wig block
- Thinning shears
- T-pins
- Transparent tape
- Wig cleaner

MEASURE FOR HAIR REPLACEMENT SYSTEMS

Once the client consultation has been performed and an understanding has been reached about the type of hair solution to be purchased, a preliminary haircut should be performed.

To achieve a natural look, the client's hair should be allowed to grow fairly long to make it easier to blend it with that of the hair solution. When performing the preliminary cut, the hair should be lightly trimmed, leaving a long neckline and length close to the ears at the sides. Make sure to trim the front section as well. After the preliminary cut is finished, gently twist a small section of the hair from the client's crown and cut with thinning shears to create a sample. This color will be used in the front, top, and crown areas of the hair replacement. Wrap adhesive tape around the base of the hair sample to keep it in place. Take a separate hair sample from the temple, side, and back area if the client has gray hair to ensure the correct blend of gray at the blending area of the system.

The sizes of men's hair solutions are commonly measured in inches. For example, a 6-inch by 4-inch piece would be 6 inches long from front to back and 4 inches wide. In the manufacturer's code, the larger number refers to the length unless otherwise indicated. Tape measurements alone can be used for ordering stock hair solutions. Custom pieces, however, require a pattern or template of the client's head form in the area of hair loss. Refer to Procedure 15-1 to learn how to measure and create a template for a client.

P 15-1 Making a Template *pages 509–510*

CREATE A PLASTER MOLD FORM

Today, some manufacturers prefer plaster of paris models of the client's head form. These models are made after creating the pattern but, instead of tape, plaster is applied while the client holds the plastic wrap in place. The plaster forms a hard mold that allows the manufacturer to create a perfect fit when creating the base. The manufacturer then pours a foam mold into the cast to create a permanent mold for the client to use again and again. Refer to Procedure 15-2 for instruction in creating a plaster mold.

P 15-2 Making a Plaster Mold Form *pages 511–513*

DISCUSS WAYS TO AFFIX HAIR REPLACEMENT SYSTEMS

Full Head Bonding

Full head bonding (FUL head BAHND-ing) is the process of attaching a hair replacement system to the head with an adhesive bonding agent. This allows the replacement system to adhere to all areas of the head rather than just being held in place with double-sided tape. Barbers can ask their suppliers about which copolymer should be used for full head bonding. The adhesives used with hair replacement systems are water soluble. Be sure to remind clients to always allow the adhesive to dry for a few minutes after shampooing and before styling. Refer to Procedure 15-3 for instruction in applying bonding agents.

P 15-3 Full Head Bonding *pages 514–516*

Partial Hair Replacement Systems

For a small degree of hair loss, a partial lace fill-in may be all that is required. Partial hair solutions can be made for the front or crown areas of the head. The measuring, application, and cutting techniques are the same as those used for full hair solution styles. Be sure to shave the area to be covered so the spirit gum will adhere better to the scalp and the hair solution.

Lace-Front Hair Solution

A **lace-front** (LAYS-front) hair solution is recommended when the hair is worn in an off-the-face style. It is scarcely visible from the front view and provides the required lightness for a natural-looking hairstyle. Remember that reinforced areas of a lace-front hair solution vary with the design of the foundation and the manufacturer's specifications. Never apply tape directly to the lace. Refer to Procedure 15-4 A and B to practice applying and removing a lace-front hair solution.

P 15-4 Applying and Removing Hair Replacement Systems
pages 517–518

Facial Hair Replacement Solutions

Facial hair solutions are attached with spirit gum. Mustaches, sideburns, and beards may all be attached in the same manner. Clean the facial area

and apply spirit gum to the appropriate section. Wait until the gum is tacky, position the piece, and gently press down with a lint-free cloth. Trim the piece to the desired style.

Full Wigs

While most men might not choose to wear a full wig, many women enjoy the coverage, convenience, and instant style changes they can achieve with wigs. Ready-to-wear wigs are usually made of the synthetic fiber Kanekalon.

Full, ready-made wigs are constructed on a stretch cap made of lightweight elastic. The wig has permanent elastic bands at the sides designed to hold it in place. It should fit comfortably, but tightly enough to maintain its position without slipping, shifting, or lifting. Wigs come in a wide variety of colors and in many styles.

Cleaning and Styling Hair Replacement Systems

After reading this section, you will be able to:

LO 8 Describe how to clean and service a hair replacement system.

LO 9 Describe how to fit and cut in a hair replacement system.

The life of a hair replacement system depends on its construction and the overall treatment it receives. Manufacturers furnish instructions on the care of their hair solutions that both the barber and client should follow carefully. Clients should have at least two hair solutions to ensure that one will always be in good condition while the other one is being serviced and maintained.

CLEANING SYNTHETIC HAIR REPLACEMENT SYSTEMS

Synthetic hair solutions should always be cleaned with a solvent. Attach the hair solution to a plastic foam head mold with T-pins and immerse it in lukewarm water with the recommended solvent. Do not use hot water, which would cause the hair solution to shrink or become matted and tangled. Swish the hair solution around in the shampoo solution. Rinse with clean, lukewarm water. Permit the hair solution to dry naturally, pinned on the mold overnight; if time does not permit, place it under a dryer with cool air. Some hair solutions may be dry-cleaned, so always follow the manufacturer's instructions. Refer to Procedures 15-6 and 15-7 for instruction in cleaning hair replacement systems and wigs.

P 15-6 Cleaning Human Hair Replacement Systems *pages 521–522*

P 15-7 Cleaning Wigs *page 523*

BASIC HAIR REPLACEMENT SYSTEM CARE

- Use the manufacturer's tape, antiseptic, cleaner, and softeners.
- When the hair solution is not being worn, it should be placed on an appropriate block.
- Some hair solutions should be removed for showering and swimming.
- Clean the hair solutions after the first week of wear, and then every 3 to 4 weeks, or as needed.
- Never fold hair solutions.
- Always follow the manufacturer's recommendations for removing hair solutions.
- Apply light styling products and spray sparingly and with even distribution.
- Set hair solutions with plain water.

RECONDITION HAIR REPLACEMENT SYSTEMS

Reconditioning treatments should be given as often as necessary to prevent dryness or brittleness of the hair. Reconditioning treatments may also be used to liven up hair solutions that look dull and lifeless.

A small amount of reconditioner may be used, as directed by the manufacturer. If a slight color adjustment is necessary due to fading or yellowing, a suitable temporary color rinse is recommended. Select the rinse carefully so that the color matches that of the client's hair. Refer to Procedure 15-8 for further instruction.

P 15-8 Coloring Hair Replacement Systems *page 524*

PERMANENT WAVING HAIR REPLACEMENT SYSTEMS

Permanent waving a hair solution requires time, creativity, and careful attention to detail. The objective is to create a natural look that blends the system with the client's natural hair. The hair system is attached to a wig or styling block with T-pins and should be custom wrapped according to the contours of the client's head.

The rod placement does not rest on the scalp of the hair system as it would in a perm procedure on natural hair. Instead, the rods are *floated* to eliminate weight and rod marks on the base. Floating is accomplished by using roller picks to support the rod above the base of the hair system. The picks are inserted at both ends of the rod and are held in place by the rubber band of the perm rod. After the hair system has been rolled and secured with the roller picks, use the following guidelines to complete the process. Refer to Procedure 15-9 for instruction in permanent waving hair replacement systems.

P 15-9 Permanent Waving Hair Replacement Systems *page 524*

General Recommendations and Reminders

- Comb hair solutions carefully to avoid matting, loss of hair, or damage.
- Use a wide-tooth comb to avoid weakening or damaging the foundation.
- Never rub or wring cleaning fluids from the hair solution. Let it dry naturally.
- Be careful not to cut too much hair when cutting, tapering, and blending a hair solution.
- Take accurate measurements to assure a comfortable and secure fit.
- Recondition hair solutions as often as necessary to prevent dryness, brittleness, or dullness of the hair.
- Brush and comb hair solutions with a downward movement.
- To avoid damage to the foundation, never lighten or cold-wave a hair solution.
- If coloring is necessary, it must be done with care.

UNDERSTAND CUTTING, TAPERING, AND BLENDING HAIR REPLACEMENT SYSTEMS

The following steps outline one method that can be used to cut in a hair replacement system:

- **Top section.** Remove excess length using the clipper-over-comb or fingers-and-shear method at a 90-degree elevation. Work forward from front of crown to forehead. Repeat this step using shears to blend the top section (**Figures 15-5A** and **15-5B**).
- **Sides.** Comb the side hair down and blend with the natural hairline from temple to sideburn to the ear (**Figure 15-6**). Taper and blend from the side hairline to crest. Taper gradually using a slide cutting method so the replacement system will be undetectable when blended with the client's natural hair.

figure 15-6

Comb the sides down and blend to the hairline.



figure 15-5

(A) Remove excess hair from top section
(B) Blend the top section.



HERE'S A TIP

If any part of the system appears heavy, use the first couple of teeth on thinning shears close to the base of the system to remove bulk. Be sure to make very narrow partings in order to keep it looking natural. Be careful not to overcut.

figure 15-7

Blend the back section with thinning shears.



CAUTION

After cutting and blending a full head bonded replacement system, remember to tell the client to allow 24 to 48 hours before shampooing.

- **Back.** Cut any excess hair length from the replacement. Use thinning shears to blend the ends of the replacement with the client's natural hair (Figure 15-7).

Refer to Procedure 15-5 for instruction in customizing a stock hair solution.

P 15-5 Customizing a Stock (Pre-Custom) Hair Replacement System *pages 519–520*

Congratulations! You have just completed cutting and customizing a hair replacement system (Figures 15-8A and 15-8B).

figure 15-8

Hair replacement system—(A) front view; (B) back view.

A



B



MAKING A TEMPLATE

MATERIALS, IMPLEMENTS, AND EQUIPMENT

- ☐ Grease pencil
- ☐ Permanent marker
- ☐ Plastic wrap
- ☐ Tape measure
- ☐ ¼-inch transparent tape (preferably the dull-finish type for easy writing)

PREPARATION

- 1 Perform a client consultation.
- 2 Perform a preliminary haircut.
- 3 After the preliminary cut is finished, tape the hair samples to the template form or follow the manufacturer's directions on sending in hair samples.

PROCEDURE

Measuring

For a front hairline to look natural, it should not be too low on the forehead. The original, natural hairline should be followed as closely as possible. The following procedure is a standard method of measuring for a hair solution.

- 1 Place four fingers above the eyebrow with the last finger resting on the bridge of the nose. Make a dot with a grease pencil on the forehead directly in line with the center of the nose to indicate where the hair solution is to begin. Take caution when using this method as hand sizes are different. Use this as your guide to find the natural hairline.
- 2 Place the tape measure on the dot. Measure the length to where the back hair begins and mark the tape measure. Be sure to measure back to where substantial growth begins and disregard sparse hair between the forehead and bald crown areas.
- 3 The next measurement is across the top, directly over the sideburns. This is the place where the front hairline of the hair solution blends in with the client's own hair at the sides of the head. Measure across the crown area if it is noticeably different from the front width. These measurements can be used to order a stock hair solution.

Creating a Template

To create a template for a custom hair solution, assemble the measuring tape, plastic wrap, $\frac{3}{4}$ -inch transparent tape (preferably the dull-finish type for easy writing), and grease pencil or permanent marker.

- 4 Trim excess or stray hairs.
- 5 Place approximately 2 feet of plastic wrap on top of the client's head and twist the sides tightly until they conform to the contour of the head.
- 6 Find the desired hairline by looking at the forehead and finding the curve; this is where the natural hairline should be. Each person's natural hairline is different. Some men may want to have more of a recession than others; you should discuss this preference during the client consultation. Use your four fingers above the eyebrows if need be as noted in point 1 above. Make a dot on the pattern to indicate the new hairline. Place additional dots as follows:
 - Two dots on each side where the front hairline is to meet the client's own hairline
 - Two dots in back of the head on each side of the balding spot
 - One dot at the center back edge of the bald spot to determine the length of the area to be covered
- 7 Connect the dots with a permanent marker to outline the balding area. Ignore minor irregularities and sparse areas.
- 8 While the client holds the plastic wrap, place a strip of tape no more than 4 to 5 inches in length just below the areas you marked. Place the tape in different directions going from front to back and side to side to ensure good coverage. Feel for any soft spots and add more tape if need be. The template should feel like a hard shell in order to hold its shape.
- 9 Mark the front part of the template *F* and the back *B*. Mark the direction of any swirls at the crown that influence the flow of the hair stream or the location of a part line. Then remove the template and cut around the edge with scissors. After cutting the outline, replace the template over the balding area. Make sure this area is covered exactly. Although it is better to have a foundation that is slightly smaller than one that is too large, accuracy is very important.
- 10 Attach samples of the client's hair to the template or client card for color matching by the manufacturer.
- 11 Create a client record card, which can also serve as an information sheet when ordering stock and custom hair solutions. Send the measurements, template, and hair samples to the manufacturer with any special instructions.

CLEAN-UP AND DISINFECTION

- ☐ Clean and disinfect the tools and implements.
- ☐ Clean and disinfect the work area.
- ☐ Sweep up hair and deposit in a closed receptacle.
- ☐ Dispose of single-use items. Place all used linens, towels, and capes in the laundry.
- ☐ Wash your hands.

MAKING A PLASTER MOLD FORM

MATERIALS, IMPLEMENTS, AND EQUIPMENT

- ☐ Black and white eyeliner pencils
- ☐ Permanent marker
- ☐ Plaster gauze strips
- ☐ Plastic bowl for mixing
- ☐ Scissors or shears
- ☐ Tape
- ☐ Towels
- ☐ Waterproof cape

PREPARATION

- 1 Clean and then disinfect the work area.
- 2 Drape the client.
- 3 Cut six plaster gauze strips at 9 or 10 inches and eight plaster gauze strips at 4 inches.

PROCEDURE



- 1 Stretch the plastic wrap over the client's head, twist the sides, and have the client hold the ends so the wrap conforms to his head.



- 2 Mark the pattern and add details.
- 3 Apply towel around the client's neck.



- 4 Mix plaster and water. Dip a gauze strip into the plaster bath and use two fingers to gently squeeze excess water from the strip from top to bottom.



5 Apply the first strip from front to back.



6 Smooth out the strip following the contour of the head from the front around to the temple areas.



7 Apply the second strip from back to front, making sure to smooth the strip to the contour of the head.



8 Apply shorter strips across the top of the head.



9 Repeat the process to create second and third layers of the gauze strips.



10 Blowdry to set the plaster until completely dry.



11 When the mold is dry, gently remove it by lifting it off the client's head. If any hair sticks to the plaster, mist the area with water to remove. It is extremely important to smooth out the gauze strips to fit the contour of the head.



12 Trim excess plaster from the mold.



13 The inside of the mold should have a faint outline of the pattern. Trace over the outline with a permanent marker. Write the client's name and date on the outside of the plaster mold.



REMINDER

Do not use good haircutting shears to cut anything other than hair. Use an old pair of shears or scissors to cut gauze strips, plastic wrap, bases, and so forth.



14 Gently twist a small section of hair from the client's crown and cut with thinning shears to create a sample. This color will be used in the front, top, and crown areas of the hair replacement system. Wrap tape around the base of the hair sample to keep it in place. Take separate hair samples from the temple, side, and back areas, as they tend to have more gray hair.



15 Shampoo and condition the client's hair.

Note that the plaster mold will need to cure for 24 hours before it is shipped to the manufacturer.

CLEAN-UP AND DISINFECTION

- ☐ Clean and disinfect the tools and implements.
- ☐ Clean and disinfect the work area.
- ☐ Sweep up hair and deposit in a closed receptacle.
- ☐ Dispose of single-use items. Place all used linens, towels, and capes in the laundry.
- ☐ Dispose of leftover plaster mixture; use paper towels to wipe the mixture from the bowl before washing and deposit in the trash.
- ☐ Wash your hands.



DID YOU KNOW?

When hair replacement systems first became popular, the hair along the track was braided with a wire and the hair replacement system was sewed into the braid. When removed, it had to slowly be cut out.

FULL HEAD BONDING

MATERIALS, IMPLEMENTS, AND EQUIPMENT

- ☐ Eyeliner pencil
- ☐ Makeup sponges
- ☐ Safety data sheet for adhesive
- ☐ Soft-bond adhesives
- ☐ Towels
- ☐ Waterproof cape

PREPARATION

When preparing to do a full head bond, follow *all* the manufacturer's directions for using the adhesive.

- 1 Perform a patch test with any adhesive 24 hours before applying.
- 2 Clean and then disinfect the work area.
- 3 Wash your hands.
- 4 Drape the client and shampoo the hair and scalp with a pH-balanced shampoo.
- 5 Towel dry and change the drape to a haircutting cape.
- 6 Always make sure the base of the hair replacement system is dry before applying.

PROCEDURE



- 1 Trim the client's scalp with edgers.
- 2 Rinse excess hair from the scalp.
- 3 Dry the hair again after the client's scalp is rinsed. Do not touch the client's scalp with your hands after this step.
- 4 Select the correct adhesive for the hair replacement system.



⑤ Place the hair replacement system on the client's head. With an eyeliner pencil, mark exactly where the hair replacement system needs to be placed on the front hairline, temples, and back of the head to ensure proper placement. Remember to never bond on a client's wrinkle or too far back on the client's scalp.

⑥ Shake the adhesive product well before applying.



⑦ Apply a small amount of adhesive in a circular motion onto the client's clean scalp. Use a makeup sponge to distribute the adhesive evenly over the scalp. The adhesive will appear white until it dries completely to a clear state.

⑧ When the first coat is dry, apply a second coat and let it dry. Repeat these steps for a total of four times, remembering to use small amounts of adhesive.

⑨ Once the adhesive is completely dry, it is time to apply the hair solution.



⑩ Apply one coat of adhesive to the base of the hair replacement system. Do not apply adhesive to any lace present in the hair replacement system.



- 11** Stand behind the client and hold the hair solution in both hands. Place the hair replacement system at the front hairline and start rolling the hair solution back, placing it on your marks and applying pressure without stretching the hair solution. Make sure not to wrinkle the base of the hair solution.
- 12** Once the hair replacement system is fully on, use the back of a comb to check around the perimeter of the hair replacement system for wrinkles. Smooth out any minor inconsistencies.



- 13** Take a towel and place it over the hair replacement system. Stretch both ends of the towel and pull down tightly to ensure an even fit.
- The hair replacement system is now ready to be cut. After cutting and blending, remember to tell the client to allow 24 to 48 hours before shampooing.

CLEAN-UP AND DISINFECTION

- ☐ Clean and disinfect the tools and implements.
- ☐ Clean and disinfect the work area.
- ☐ Sweep up hair and deposit in a closed receptacle.
- ☐ Dispose of single-use items. Place all used linens, towels, and capes in the laundry.
- ☐ Wash your hands.

APPLYING AND REMOVING HAIR REPLACEMENT SYSTEMS

PROCEDURE

A. APPLYING A LACE-FRONT HAIR SOLUTION



- 1 Clean the bald area with rubbing alcohol or with soap and water.
- 2 Remove hair on the scalp where the tape or lace is to be attached.



- 3 Attach strips of two-sided tape to reinforced parts of the foundation, usually near the front, on the sides, and at the back of the hair solution. Note that reinforced areas vary with the design of the foundation and the manufacturer's specifications. Never apply tape directly to the lace.
- 4 Adjust the hair solution to the desired position using the four-finger method. Press it down into place with the back of a comb to ensure that oils from the fingers do not stain the tape.

B. REMOVING A LACE-FRONT HAIR SOLUTION



- 1 Before removing a lace-front hair solution, dampen the lace with acetone or solvent in order to loosen it from the scalp.
- 2 Do not pull or stretch the lace.
- 3 To apply solvent, use a piece of cotton or a brush.



- ④ After the lace becomes loosened, use the fingertips to remove the tape from the scalp.
- ⑤ Do not pull off the hair solution by tugging on the hair.
- ⑥ Clean the reinforced areas with a small brush dipped in acetone or other solvent.

C. APPLYING A NON-LACE-FRONT HAIR SOLUTION

- ① Before adjusting a hair solution to the scalp, trim the front hairline and clean the entire bald area with a piece of cotton dampened with rubbing alcohol, or soap and water; then dry thoroughly.



- ② Apply two-sided tape in a V-shape on the front reinforced area of the foundation. This tape holds the hair solution close to the scalp. Place additional pieces of tape on the reinforced parts of the foundation at the sides and back of the hair solution.



- ③ Place four fingers above the eyebrow to locate the hairline. Position the hair solution at the hairline using the center of the nose as a guide. When the hair solution is in the proper position, press down firmly on the various taped areas.

D. REMOVING A NON-LACE-FRONT HAIR SOLUTION



- ① Reach up under the hair solution with the fingertips at the front section and detach the tape from the scalp.
- ② Make sure the tape stays on the foundation so that it can be reactivated with spirit gum.

CLEAN-UP AND DISINFECTION

- ☐ Clean and disinfect the tools and implements.
- ☐ Clean and disinfect the work area.
- ☐ Sweep up hair and deposit in a closed receptacle.
- ☐ Dispose of single-use items. Place all used linens, towels, and capes in the laundry.
- ☐ Wash your hands.

CUSTOMIZING A STOCK (PRE-CUSTOM) HAIR REPLACEMENT SYSTEM

MATERIALS, IMPLEMENTS, AND EQUIPMENT

- ☐ Canvas block and stand
- ☐ Plastic and tape template
- ☐ Razor blade
- ☐ Scissors
- ☐ Shampoo and conditioner
- ☐ T-pins or tipped straight pins
- ☐ Towels

PREPARATION

- 1 Clean and disinfect the work area.
- 2 Drape the client.
- 3 Perform a client consultation.

PROCEDURE



- 1 To customize a stock hair replacement system, use the plastic and tape template.



- 2 Shampoo the hair replacement system and rinse thoroughly.



- 3 Condition the hair replacement system and rinse lightly, leaving a small amount of conditioner in the hair replacement system.




4 After swishing the hair replacement system through the water a few times, remove it and comb gently.

5 Towel-blot the hair replacement system and invert it.



6 Drag the hair replacement system over the back of the canvas block, making sure all the hair is behind the front edge of the hair replacement system. Invert the template and place it on the hair replacement system, making sure to use as much of the natural hairline of the hair replacement system as possible. Secure the template and hair replacement system to the block with pins.



7 Use the tip of the razor blade to carefully cut the base, using the template as a guide. Cut all the way around the base, but do not cut the hair.



8 After the base has been cut, remove the pins from the canvas block and check for fit.



9 Rinse out excess conditioner and lay the hair replacement system to the side.

CLEAN-UP AND DISINFECTION

- ☐ Clean and disinfect the tools and implements.
- ☐ Clean and disinfect the work area.
- ☐ Sweep up hair and deposit in a closed receptacle.
- ☐ Dispose of single-use items. Place all used linens, towels, and capes in the laundry.
- ☐ Discard used razor blade in a sharps container.
- ☐ Wash your hands.

CLEANING HUMAN HAIR REPLACEMENT SYSTEMS

Hair solutions must be kept clean just as natural hair must be kept clean. Cleaning should be performed carefully to help maintain the life of the hair solution. Use the following guidelines and the manufacturer's recommendations to clean a hair solution.

MATERIALS, IMPLEMENTS, AND EQUIPMENT

- ☐ Brush
- ☐ Manufacturer's recommended cleaning solution
- ☐ Mixing bowl
- ☐ T-pins
- ☐ Tape removal solvent
- ☐ Towels
- ☐ Wide-toothed comb
- ☐ Wig block

PROCEDURE



- 1 Remove all the old tape and clean any reinforced areas by lightly dabbing with the recommended solvent.
- 2 Put enough cleaner in a glass bowl so that the hair replacement system can be submerged. Invert the hair replacement system with the inside up and place into the cleaning solution. Soak for 3 to 5 minutes. Swish the hair replacement system back and forth (or dip it up and down) in the cleaning solution until all residue is removed from the hair and foundation. If the cleaning solution darkens, replace it with fresh solution and repeat the swishing process.



- 3 Gently tap the edge of the hair replacement system with a small brush or your fingers until the adhesive has been removed. Do not rub or scrub.
- 4 Place a towel on a flat surface and place the hair replacement system on the towel with the inside facing up. Gently press out the cleaner with the towel.



- 5 Hold the hair replacement system by the front section and comb gently.
- 6 Fasten the hair replacement system to the **wig block** (WIG BLAHK) with T-pins, style with a blowdryer, and store until the client picks it up, or dry the hair replacement system and reattach to the client's scalp.

CLEAN-UP AND DISINFECTION

- ☐ Clean and disinfect the tools and implements.
- ☐ Clean and disinfect the work area.
- ☐ Dispose of single-use items. Place all used linens, towels, and capes in the laundry.
- ☐ Dispose of used cleaning solution and solvents per the manufacturer's recommendation.
- ☐ Wash your hands.

CLEANING WIGS

Cleaning a ready-made wig is a fairly quick and easy process. Use the guidelines provided and the manufacturer's cleaning instructions for this process.

MATERIALS, IMPLEMENTS, AND EQUIPMENT

- ☐ Brush
- ☐ Manufacturer's recommended cleaning solution
- ☐ Mixing bowl
- ☐ T-pins
- ☐ Towels
- ☐ Wide-toothed comb
- ☐ Wig block

PROCEDURE

- 1 Brush the wig thoroughly to remove all surface dirt and residue.
- 2 Mix a solution of warm water and wig solution in a bowl.
- 3 Dip the entire wig into the solution; swish it around in the solution.
- 4 Rinse the wig in clean, cold water.
- 5 Blot it dry with a towel.
- 6 Turn the wig inside out and dry it with a towel.
- 7 Pin the wig to a head mold or wig block of the correct size.
- 8 Carefully brush the hair into place.
- 9 Permit the wig to dry naturally, pinned to the form.
- 10 If necessary, use cool air to dry the wig quickly.
- 11 When dry, brush into the proper style.

CLEAN-UP AND DISINFECTION

- ☐ Clean and disinfect the tools and implements.
- ☐ Clean and disinfect the work area.
- ☐ Dispose of single-use items. Place all used linens, towels, and capes in the laundry.
- ☐ Wash your hands.

COLORING HAIR REPLACEMENT SYSTEMS

Permanent haircoloring products (aniline derivatives) can be used only on hair solutions made of 100 percent human hair. Use the following procedure and manufacturer's recommendations when coloring a hair solution with permanent haircoloring products.

PROCEDURE

- 1 Clean the hair solution with a solvent.
- 2 Cover the head form block with plastic material to prevent staining from the coloring product.
- 3 Secure the hair solution firmly with T-pins or straight pins in the front, back, and sides.
- 4 Give a strand test on a small section of hair to determine the color desired. If using a tint with peroxide, apply it on a dry hair strand.
- 5 Mix the desired shade of haircoloring product.
- 6 Apply with a haircoloring brush.
- 7 Comb the color product lightly, being careful not to saturate the foundation.
- 8 Test every 5 minutes until the desired shade is obtained.
- 9 After processing, rinse thoroughly with warm water. Shampoo and condition the hair replacement system according to the manufacturer's directions.
- 10 Comb and set into the desired style.

PERMANENT WAVING HAIR REPLACEMENT SYSTEMS

PROCEDURE

- 1 Select a mild permanent wave solution appropriate for bleached or damaged hair types. Remove the T-pins from the hair replacement system—you should not use metal with a perm on human hair—and carefully apply the solution.
- 2 Take a test curl every minute until processing is complete.
- 3 Rinse the hair replacement system for 10 to 15 minutes. The hair replacement system does not require the application of a neutralizing solution.
- 4 Thoroughly blot each rod with paper towels to absorb as much water as possible.
- 5 Leave the rods in the hair solution and cover loosely with a plastic cap for 24 hours. At this time you can secure the hair replacement system with the T-pins.
- 6 On day 2, remove the cap and allow the hair replacement system to dry for another day. Remove the rods only when the hair is completely dry.

REVIEW QUESTIONS

- 1 Explain why some men might choose to wear a hair replacement system.
- 2 What two types of hair are used to make men's hair replacement systems?
- 3 List the steps of measuring for a hair replacement system.
- 4 What important information should be labeled on a template?
- 5 List the steps for applying a hair replacement system with tape.
- 6 What type of product is used in a full head bonding application?
- 7 What type of product is used to clean hair replacement systems?
- 8 Name two medications that may be prescribed to encourage hair growth.
- 9 Name the oral and topical medications that should not be prescribed for women.
- 10 List three surgical methods of hair replacement.

CHAPTER GLOSSARY

finasteride (fin-ASTER-eyed)	p. 498	an oral medication prescribed for men only to stimulate hair growth
flap surgery (flap SIR-jer-ee)	p. 499	a surgical technique that involves the removal of a bald scalp area and the attachment of a flap of hair-bearing skin
full head bonding (FUL head BAHND-ing)	p. 504	the process of attaching a hair replacement system to all areas of the head with an adhesive bonding agent
hackling (HAK-ling)	p. 499	process used to comb through the hair strands to separate them
hair replacement system	p. 494	formerly called a <i>hairpiece</i> ; also known as a <i>hair solution</i>
hair solution	p. 494	any small wig used to cover the top or crown of the head and integrated with the natural hair
hair transplantation (HAYR TRANZ-plant-ay-shun)	p. 498	any form of hair restoration that involves the surgical removal and relocation of hair, including scalp reduction and flap surgery
lace-front (LAYS-front)	p. 504	popular hair solution style used for off-the-face styles
minoxidil (MIN-ox-ih-dil)	p. 498	topical medication used to promote hair growth or reduce hair loss
root-turning (ROOT-TURN-ing)	p. 501	refers to sorting the hair strands so that the cuticle points toward the hair ends in its natural direction of growth
scalp reduction (SKALP REE-duk-shun)	p. 499	the surgical removal of a bald area, followed by the pulling together of the scalp ends
toupee (too-PAY)	p. 494	outdated term used to describe a small hair replacement that covers the top or crown of the head
wig block (WIG BLAHK)	p. 522	also known as <i>styling</i> ; a head-shaped form made of plastic, foam, or other materials used as a stand for a wig or hair replacement system

PART

4

ADVANCED BARBERING SERVICES

16

WOMEN'S HAIRCUTTING
AND STYLING

17

CHEMICAL TEXTURE
SERVICES

18

HAIRCOLORING AND
LIGHTENING








16

WOMEN'S HAIRCUTTING
AND STYLING



CHAPTER OUTLINE

INTRODUCTION

WHY STUDY WOMEN'S HAIRCUTTING AND STYLING?

DISCUSS MEN'S VERSUS WOMEN'S HAIRCUTTING

DEFINE FOUR BASIC WOMEN'S HAIRCUTS

DISCUSS CURLY HAIR TEXTURES

EXPLORE VARIOUS CUTTING TECHNIQUES

DISCUSS HAIRSTYLING

PROCEDURES 16-1 TO 16-8

LEARNING OBJECTIVES

After completing this chapter, you will be able to:

LO1

Identify the differences between men's and women's haircutting.

LO2

Describe four basic women's haircuts.

LO3

Explain wave formation in curly hair textures.

LO4

Discuss other haircutting techniques.

LO5

Explain different hairstyling techniques.

LO6

Demonstrate a blunt cut.

LO7

Demonstrate a graduated cut.

LO8

Demonstrate a uniform-layered cut.

LO9

Demonstrate a long-layered cut.

Introduction

In general, the concept of a barbershop implies a male domain. However, many women seek haircutting services from a barber. One should never assume that a barbershop is just for men. There are women today that walk into a barbershop and request a service. Perhaps they saw the way their husband, son, or friend had their hair cut and they want that same level of detail. A professional barber should be willing and able to accommodate the request of any client, male or female.

Many cosmetology salons maintain a fairly equal ratio of male to female clients. If you choose to work in a cosmetology salon, it is a must to be proficient in cutting and styling women's hair. This chapter will guide you to build upon the basic foundations of cutting and styling men's hair and apply that knowledge to women's cuts and styles. With a few variations, the same terminology will be used to accomplish four basic haircuts in this chapter:

- blunt cut
- graduated cut
- uniform-layered cut
- long-layered cut

Since a women's service does not usually end with the haircut, this chapter will introduce some basic styling techniques. Styling women's hair tends to be a more involved process than styling men's hair and includes techniques such as:

- wet setting
- hair wrapping
- styling with a blowdryer
- styling with a curling iron

This chapter addresses only those techniques that can be accomplished using a blowdryer, thermal irons, or hair wrapping. For information and procedures regarding wet setting, finger waving, and pin curls, refer to *Milady's Standard Cosmetology* textbook and MiladyPro.com.

why study

WOMEN'S HAIRCUTTING AND STYLING?

Barbers should study and have a thorough understanding of women's haircutting and styling because:

- Being able to provide hair care services to women will enable you to expand your client base and increase your financial earnings.
- Knowledge and skill in women's haircutting will help to apply your men's haircutting skills in new ways.
- Barbers need to know how to perform basic hairstyling techniques after completing a woman's haircut in order to meet her styling expectations.