

Guidelines for Annotating URLs in arXiv Scholarly PDFs

This document provides guidelines for annotating URLs in scholarly papers from arXiv. Annotators must manually extract and label URLs while considering various complexity aspects. Each annotation should be recorded using the provided Google Sheet template. Before starting, create a personal copy of the [linked Google Sheet](#).

<https://docs.google.com/spreadsheets/d/1lyv0-GtOzk7RQ37xnGdomYixv67C5w6gZmMOXTkHvbo/edit?usp=sharing>

Annotation Fields (Columns)

1. arXiv ID

- Record the unique arXiv identifier of the paper (e.g., 2301.04567).

2. Page Number

- Indicate the page number where the URL is found.

3. URL

- Copy the exact URL as it appears in the document.
 - An Email address is not a URL. But if it is embedded with a **mailto:** schema, then it is a URL

4. Location (Use Location Labels)

- Specify where the URL is located in the document using one of the predefined labels:
 - Abstract
 - Introduction
 - Related Works & Background
 - Methodology
 - Results and Discussion
 - Conclusions
 - Future Work
 - References
 - Footer (note that this is different from footnote)
 - While a footer repeats the same information on every page, a **footnote** (see field 6.) applies only to the page for which the note provides additional information.
 - Header
 - Title & Authors

Complexity Dimensions

5. Lexicographical Complexity

Refers to the structural complexity of the URL based on its components. Choose **one or more** applicable labels:

- **URLs with schemes:** (e.g., <http://example.com>, <https://example.com>, <ftp://example.com>)
 - <http://www.pardus.at>
 - <https://github.com/ghif/drcn>
- **URLs with subdomains:** (e.g., <https://sub.example.com>)
 - <http://infoscience.epfl.ch/record/204670>
 - <http://smlab.cs.tau.ac.il/syntech/forklift/>
- **URLs with port numbers:** (e.g., <https://example.com:8080>)
 - <http://intranet.corp.com:1080>
 - <https://example.com:443/svn/Repos/>
- **URLs with Unicode characters:** (e.g., <https://exämple.com>)
 - es.wikipedia.org/wiki/Lincoln_Díaz-Balart
- **URLs with paths, query strings, and fragments:** (e.g., <https://example.com/path?query=1#section>)
 - <http://dl.acm.org/citation.cfm?id=2486821>
 - <http://cdsweb.cern.ch/search?p=LHCb-PUB-2014-046&f=reportnumber>
- **URLs with escape characters:** (e.g., <https://example.com/path%20with%20space>)
 - <http://www.cse.ust.hk/%7Eyinz/htl4ic.zip>
 - http://www.ifp.illinois.edu/%7Eqi4/TTI_release_v1.zip
- **URLs without scheme:** (e.g., www.example.com)
 - thelawdictionary.org
 - aaai.org
- **URLs with trailing slashes:** (e.g., <https://example.com/>)
 - <http://webhome.cs.uvic.ca/~dmaslov/>

6. Spatial Complexity

Refers to how the URL is physically represented within the document. Choose **one or more** applicable labels:

- **Split across lines:** URL is broken across two or more lines.
 - Available from: <https://sencanada.ca/content/sen/Committee/402/popu/rep/rephealthjun09-e.pdf>
- **Split across pages:** URL is broken between two pages.
 - This is a rare use case
- **Embedded in footnotes:** URL appears in a footnote.
 - thesized controllers. We have used code generators from this intermediate representation to Java for deployment to the Lego Mindstorms NXT platform¹


¹LEGO Mindstorms website: <http://www.lego.com/en-us/mindstorms>
- **Embedded in captions:** URL appears within an image/table caption.
 - 

Fig. 1 Friendship (green, solid) and enemy (red, dashed) relations on day 445 between 78 randomly selected game characters. The diagram is taken from Szell and Thurner (2010). An animated evolution of this network can be seen at: <http://www.youtube.com/user/complexsystemsvienna>
- **Embedded in references:** URL is cited in the bibliography/reference section.
 - 23. Pardus, (2015). Web-page of the Pardus game: <http://www.pardus.at>. Retrieved May 14, 2015.

7. Representational Complexity

Refers to how the URL is represented within the document. Choose **one or more** applicable labels:

- **Hidden in annotation layers:** URL is stored in the PDF's annotation layer, not directly visible in the main text.
 - [68] LHCb collaboration, R. Aaij *et al.*, *Measurement of the CKM angle γ using $B^0 \rightarrow DK^{*0}$ with $D \rightarrow K_S^0 \pi^+ \pi^-$ decays*, [arXiv:1605.01082](https://arxiv.org/abs/1605.01082), to appear in JHEP.

<http://arxiv.org/abs/1605.01082>
- **URLs embedded in images:** URL is part of an image.
- **URLs embedded in QR codes:** URL is represented as a QR code.
- **Hidden in metadata:** URL is stored in the document metadata but not visible in the text.
- **Shortened URLs that redirect:** URLs using shortening services (e.g., bit.ly/xyz, tinyurl.com/abc).
 - <http://ow.ly/BqCf30jqffN> , <https://goo.gl/sX2Apb>

Final Notes

- Ensure all URLs are accurately recorded.
- If a URL fits multiple complexity categories, annotate all that apply.
- If a URL is partially visible, attempt to reconstruct it based on the context (e.g., by removing spaces or other unintended breaks).
- When possible, verify shortened URLs to identify their full destination. However, record only the URL as it appears in the PDF. Use column 7 to note that the URL was verified (**Shortened URLs that redirect**).
- Maintain consistency in labeling to ensure data quality.