

# Grupo Parse

## G-37-38-39 Ciclo 3

### INFORME SPRINT 1: CREACIÓN DE REPOSITORIO/ASIGNACIÓN DE ROLES.

Luis Alejandro Muñoz Sierra  
Luis Fernando Velásquez Tangarife  
Luz Aida Buitrago Rodríguez  
Victoria Yuan Chen  
Cristián Eduardo Pérez Padilla

Universidad de Antioquia (MisiónTIC2022 – MinTIC)  
Desarrollo de Software, Ciclo 3  
Colombia  
2021

## ACERCA DEL PROYECTO: SPRINT # 1


Este sprint #1 tiene como objetivos:

- La conformación del equipo de trabajo para desarrollar los cinco sprints del ciclo 3 de desarrollo de software y primera repartición de roles.
- Que los estudiantes sepan el manejo de los comandos básicos de Git, así como la creación de repositorios y/o ramas (Branch).
- Aprender a conocer y practicar el modelo del Pull Request realizando el merge en cada una de las ramas de acuerdo al Git Flow establecido.

### 1. DESCRIPCIÓN DEL PROCESO QUE SE LLEVÓ A CABO PARA CUMPLIR CON LOS REQUERIMIENTOS DE ESTE SPRINT

A continuación, se describe el procedimiento:

- **CREACIÓN DEL EQUIPO DE TRABAJO:** a continuación, se pone un pantallazo del equipo de trabajo que se creó en un principio.




- **Nota:** Por razones que ya comentamos al tutor, se hizo un cambio de nuevo integrante al grupo: Cristian Pérez.
- **ASIGNACIÓN DE ROLES:** Teniendo en cuenta que en la plataforma indica que los roles van a ser rotativos, teniendo en cuenta intereses y capacidades a continuación se listan los roles asignados para esta semana:


Rol	Nombre
1. Desarrollador	Victoria Yuan Chen / Todos
2. Analista	Luz Aida Buitrago Rodríguez
3. Product Owner	Luis Fernando Velásquez Tangarife
4. Administrador de BD	Cristián Eduardo Pérez Padilla
5. Scrum master	Luis Alejandro Muñoz Sierra

## 2. APLICACIÓN DE LAS HISTORIAS DE USUARIO DEL DOCUMENTO:


A continuación, la ampliación de cada una de las historias de usuario:

<p><b>Historia de usuario: HU_001</b></p> <p>Integrantes:</p>	<p><b>Dada</b> una herramienta para administrar las fuentes/artefectos en la nube  <b>Cuando</b> necesite crear un repositorio con mi propia cuenta  <b>Entonces</b> dispondré de un lugar en GitHub para almacenar la información/artefectos/fuentes de los proyectos de desarrollo</p>
<p>Luis Alejandro Muñoz Sierra</p>	


Luz Aida Buitrago Rodríguez




Luis Fernando Velásquez  
Tangarife



Victoria Yuan Chen



Cristián Eduardo Pérez Padilla




Historia de usuario: HU\_002


**Dado** que tengo un repositorio de GitHub en la nube  
**Cuando** necesite subir artefactos  
**Entonces** podré tener artefactos ordenados en GitHub con la información del proyecto

Integrantes:


Luis Alejandro Muñoz Sierra




Luz Aida Buitrago Rodríguez




Luis Fernando Velásquez  
Tangarife



Victoria Yuan Chen



Cristián Eduardo Pérez Padilla



<b>Historia de usuario: HU_003</b> Integrantes:	<b>Dado</b> que tengo instalado la aplicación Git en la máquina local <b>Cuando</b> requiera enlazar un directorio con un repositorio en GitHub <b>Entonces</b> podré subir nuevos artefactos al repositorio en GitHub
Luis Alejandro Muñoz Sierra	<pre> Luis Munoz@DESKTOP-2S7NUIF MINGW64 /c/Develop/cursoMINTIC/Proyecto/Repositorios/ parse-team-cycle-three (development) \$ git push origin development Enumerating objects: 9, done. Counting objects: 100% (9/9), done. Delta compression using up to 4 threads Compressing objects: 100% (7/7), done. Writing objects: 100% (7/7), 1.37 KiB   699.00 KiB/s, done. Total 7 (delta 1), reused 0 (delta 0), pack-reused 0 remote: Resolving deltas: 100% (1/1), done. To https://github.com/lams1989/parse-team-cycle-three.git    abd0554..dcd3705  development -&gt; development  Luis Munoz@DESKTOP-2S7NUIF MINGW64 /c/Develop/cursoMINTIC/Proyecto/Repositorios/ parse-team-cycle-three (development) \$ git status On branch development Your branch is up to date with 'origin/development'.  Changes not staged for commit:   (use "git add/rm &lt;file&gt;..." to update what will be committed)   (use "git restore &lt;file&gt;..." to discard changes in working directory)        deleted:    presentacionVictoria.txt  Untracked files:   (use "git add &lt;file&gt;..." to include in what will be committed)        UTILS/Presentacion de integrantes/presentacion- Victoria Yun.txt  no changes added to commit (use "git add" and/or "git commit -a")  Luis Munoz@DESKTOP-2S7NUIF MINGW64 /c/Develop/cursoMINTIC/Proyecto/Repositorios/ parse-team-cycle-three (development) \$ git add .  Luis Munoz@DESKTOP-2S7NUIF MINGW64 /c/Develop/cursoMINTIC/Proyecto/Repositorios/ parse-team-cycle-three (development) \$ git commit -m "location of presentations" [development 44701b0] location of presentations  1 file changed, 0 insertions(+), 0 deletions(-)  rename presentacionVictoria.txt =&gt; UTILS/Presentacion de integrantes/presentacion- Victoria Yun.txt (100%)  Luis Munoz@DESKTOP-2S7NUIF MINGW64 /c/Develop/cursoMINTIC/Proyecto/Repositorios/ parse-team-cycle-three (development) \$ git push origin development Enumerating objects: 7, done. Counting objects: 100% (7/7), done. Delta compression using up to 4 threads Compressing objects: 100% (4/4), done. Writing objects: 100% (4/4), 477 bytes   477.00 KiB/s, done. Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 To https://github.com/lams1989/parse-team-cycle-three.git    dcd3705..44701b0  development -&gt; development  Luis Munoz@DESKTOP-2S7NUIF MINGW64 /c/Develop/cursoMINTIC/Proyecto/Repositorios/ parse-team-cycle-three (development) \$ </pre>
Luz Aida Buitrago Rodríguez	<pre> Luz Aida@LAPTOP-RMQARP50 MINGW64 /c/Develop/Proyecto prueba \$  Luz Aida@LAPTOP-RMQARP50 MINGW64 /c/Develop/Proyecto prueba \$ cho "# Prueba" &gt;&gt; README.md bash: cho: command not found  Luz Aida@LAPTOP-RMQARP50 MINGW64 /c/Develop/Proyecto prueba \$ echo "# Prueba" &gt;&gt; README.md  Luz Aida@LAPTOP-RMQARP50 MINGW64 /c/Develop/Proyecto prueba \$ echo "# Prueba" &gt;&gt; README.md echo "# Prueba" &gt;&gt; README.md  Luz Aida@LAPTOP-RMQARP50 MINGW64 /c/Develop/Proyecto prueba \$ echo "# Prueba" &gt;&gt; README.md  Luz Aida@LAPTOP-RMQARP50 MINGW64 /c/Develop/Proyecto prueba \$ git init initialized empty git repository in c:/develop/Proyecto prueba/.git/ </pre>



Luis Fernando  
Velásquez  
Tangarife

```

Switched to a new branch 'development'
branch 'development' set up to track remote branch 'development' from 'origin'.
C:\Users\luis\Documents\interric\colis\softwaredevelopment3\Devprints\tonyrap\parse-team-cycle-three> git add LuisVelasquezBto.docx
C:\Users\luis\Documents\interric\colis\softwaredevelopment3\Devprints\tonyrap\parse-team-cycle-three> git status
On branch development
Your branch is up to date with 'origin/development'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   LuisVelasquezBto.docx

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        README.docx
        README.docx
        README.docx

C:\Users\luis\Documents\interric\colis\softwaredevelopment3\Devprints\tonyrap\parse-team-cycle-three> git commit -m "Bto Luis F Velasquez"
[development 79664f] Bto Luis F Velasquez
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 LuisVelasquezBto.docx

C:\Users\luis\Documents\interric\colis\softwaredevelopment3\Devprints\tonyrap\parse-team-cycle-three> git pull
remote: Counting objects: 37, done.
remote: Compressing objects: 100% (37/37), done.
remote: Total 32 (delta 0), reused 32 (delta 0), pack-reused 0
Unpacking objects: 100% (35/35), 4.27 KiB | 2.80 KiB/s, done.
from https://github.com/luis1089/parse-team-cycle-three
786c7d...452259 development -> origin/development
c76c18..b0a708 master -> origin/master
Merge made by the 'recursive' strategy.
.../Presentacion - Luis Alejandro Pa/3032630r Sierra.txt | 0
.../Presentacion Luis Aida Bultrago.txt | 0
.../Presentacion Victoria Yuan Chen.txt | 0
3 files changed, 33 insertions(+), 0 deletions(-)
create mode 100644 "UT15/Presentacion de integrantes/Presentacion - Luis Alejandro Pa/3032630r Sierra.txt"
create mode 100644 UT15/Presentacion de integrantes/Presentacion Luis Aida Bultrago.txt
create mode 100644 UT15/Presentacion de integrantes/Presentacion - Victoria Yuan Chen.txt

C:\Users\luis\Documents\interric\colis\softwaredevelopment3\Devprints\tonyrap\parse-team-cycle-three>

```

Victoria Yuan Chen

```

C:\Users\luis\Documents\interric\colis\softwaredevelopment3\Devprints\tonyrap\parse-team-cycle-three> git pull
remote: Counting objects: 37, done.
remote: Compressing objects: 100% (37/37), done.
remote: Total 32 (delta 0), reused 32 (delta 0), pack-reused 0
Unpacking objects: 100% (35/35), 4.27 KiB | 2.80 KiB/s, done.
from https://github.com/luis1089/parse-team-cycle-three
786c7d...452259 development -> origin/development
c76c18..b0a708 master -> origin/master
Merge made by the 'recursive' strategy.
.../Presentacion - Luis Alejandro Pa/3032630r Sierra.txt | 0
.../Presentacion Luis Aida Bultrago.txt | 0
.../Presentacion Victoria Yuan Chen.txt | 0
3 files changed, 33 insertions(+), 0 deletions(-)
create mode 100644 "UT15/Presentacion de integrantes/Presentacion - Luis Alejandro Pa/3032630r Sierra.txt"
create mode 100644 UT15/Presentacion de integrantes/Presentacion Luis Aida Bultrago.txt
create mode 100644 UT15/Presentacion de integrantes/Presentacion - Victoria Yuan Chen.txt

C:\Users\luis\Documents\interric\colis\softwaredevelopment3\Devprints\tonyrap\parse-team-cycle-three>

```

Cristián Eduardo  
Pérez Padilla

```

eduard@LAPTOP-MBK0L93P MINGW64 ~/OneDrive - Universidad Nacional de Colombia/Documents/Repo
sitory/personal repository
$ echo "# personal-repository" >> README.md

eduard@LAPTOP-MBK0L93P MINGW64 ~/OneDrive - Universidad Nacional de Colombia/Documents/Repository/personal repository
$ git init
Initialized empty Git repository in c:/Users/eduar/OneDrive - Universidad Nacional de Colombia/Documents/Repository/perso
nal repository/.git/

eduard@LAPTOP-MBK0L93P MINGW64 ~/OneDrive - Universidad Nacional de Colombia/Documents/Repository/personal repository (mas
ter)
$ git add README.md
warning: LF will be replaced by CRLF in README.md.
The file will have its original line endings in your working directory

eduard@LAPTOP-MBK0L93P MINGW64 ~/OneDrive - Universidad Nacional de Colombia/Documents/Repository/personal repository (mas
ter)
$ git commit -m "first commit"
[master (root-commit) 31b69e3] first commit
1 file changed, 1 insertion(+)
create mode 100644 README.md

eduard@LAPTOP-MBK0L93P MINGW64 ~/OneDrive - Universidad Nacional de Colombia/Documents/Repository/personal repository (mas
ter)
$ git branch -M master

eduard@LAPTOP-MBK0L93P MINGW64 ~/OneDrive - Universidad Nacional de Colombia/Documents/Repository/personal repository (mas
ter)
$ git remote add origin https://github.com/crisedu06/personal-repository.git

eduard@LAPTOP-MBK0L93P MINGW64 ~/OneDrive - Universidad Nacional de Colombia/Documents/Repos
itory/personal repository (master)
$ git push -u origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 234 bytes | 117.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/crisedu06/personal-repository.git
 * [new branch] master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.

eduard@LAPTOP-MBK0L93P MINGW64 ~/OneDrive - Universidad Nacional de Colombia/Documents/Repository/personal repos
itory (master)
$

```



<p>Historia de usuario: HU_004</p> <p>Integrantes:</p>	<p><b>Dado</b> que tengo instalado la aplicación Git en la máquina local  <b>Cuando</b> requiera enlazar un directorio con un repositorio en GitHub <b>Entonces</b> podré subir artefactos actualizados al repositorio en GitHub</p>
<p>Luis Alejandro Muñoz Sierra</p>	<pre> Luis Munoz@DESKTOP-2S7NUIF MINGW64 /c/Develop/cursoMINTIC/Proyecto/Repositorios/ parse-team-cycle-three (development) \$ git push origin development Enumerating objects: 9, done. Counting objects: 100% (9/9), done. Delta compression using up to 4 threads Compressing objects: 100% (7/7), done. Writing objects: 100% (7/7), 1.37 KiB   699.00 KiB/s, done. Total 7 (delta 1), reused 0 (delta 0), pack-reused 0 remote: Resolving deltas: 100% (1/1), done. To https://github.com/lams1989/parse-team-cycle-three.git abd0554..dcd3705  development -&gt; development  Luis Munoz@DESKTOP-2S7NUIF MINGW64 /c/Develop/cursoMINTIC/Proyecto/Repositorios/ parse-team-cycle-three (development) \$ git status On branch development Your branch is up to date with 'origin/development'.  Changes not staged for commit:   (use "git add/rm &lt;file&gt;..." to update what will be committed)   (use "git restore &lt;file&gt;..." to discard changes in working directory)         deleted:    presentacionVictoria.txt  Untracked files:   (use "git add &lt;file&gt;..." to include in what will be committed)         UTILS/Presentacion de integrantes/presentacion- Victoria Yun.txt  no changes added to commit (use "git add" and/or "git commit -a")  Luis Munoz@DESKTOP-2S7NUIF MINGW64 /c/Develop/cursoMINTIC/Proyecto/Repositorios/ parse-team-cycle-three (development) \$ git add .  Luis Munoz@DESKTOP-2S7NUIF MINGW64 /c/Develop/cursoMINTIC/Proyecto/Repositorios/ parse-team-cycle-three (development) \$ git commit -m "location of presentations" [development 44701b0] location of presentations  1 file changed, 0 insertions(+), 0 deletions(-)  rename presentacionVictoria.txt =&gt; UTILS/Presentacion de integrantes/presentacion- Victoria Yun.txt (100%)  Luis Munoz@DESKTOP-2S7NUIF MINGW64 /c/Develop/cursoMINTIC/Proyecto/Repositorios/ parse-team-cycle-three (development) \$ git push origin development Enumerating objects: 7, done. Counting objects: 100% (7/7), done. Delta compression using up to 4 threads Compressing objects: 100% (4/4), done. Writing objects: 100% (4/4), 477 bytes   477.00 KiB/s, done. Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 To https://github.com/lams1989/parse-team-cycle-three.git dcd3705..44701b0  development -&gt; development  Luis Munoz@DESKTOP-2S7NUIF MINGW64 /c/Develop/cursoMINTIC/Proyecto/Repositorios/ parse-team-cycle-three (development) \$ </pre>

Luz Aida Buitrago  
Rodríguez

```
Luz Aida@LAPTOP-RMQARP50 MINGW64 /c/Develop/Proyecto prueba (master)
$ git status
On branch master

No commits yet.

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   README.md

Luz Aida@LAPTOP-RMQARP50 MINGW64 /c/Develop/Proyecto prueba (master)
$ git remote add Prueba https://github.com/LuzAidaBuitrago/Prueba.git

Luz Aida@LAPTOP-RMQARP50 MINGW64 /c/Develop/Proyecto prueba (master)
$ git commit -m "add readme file"
[master (root-commit) 3861baa] add readme file
 1 file changed, 2 insertions(+)
 create mode 100644 README.md

Luz Aida@LAPTOP-RMQARP50 MINGW64 /c/Develop/Proyecto prueba (master)
$ git push Prueba
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 242 bytes | 121.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/LuzAidaBuitrago/Prueba.git
 * [new branch]      master -> master

Luz Aida@LAPTOP-RMQARP50 MINGW64 /c/Develop/Proyecto prueba (master)
$
```

Luis Fernando Velásquez  
Tangarife

```
C:\Users\luis\Documents>git checkout --no-prompt --force --to=origin/development
Switched to a new branch 'development'
Branch 'development' set up to track remote branch 'development' from 'origin'.

C:\Users\luis\Documents>cd c:\cicl\cicl\softwaredevelopment3\DevSprints\toyrep\parse-team-cycle-three>git add LuisVelazquezBio.docx
C:\Users\luis\Documents>cd c:\cicl\cicl\softwaredevelopment3\DevSprints\toyrep\parse-team-cycle-three>git status
On branch development
Your branch is up to date with 'origin/development'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   LuisVelazquez/Bio.docx

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        Parse.docx
        -$Powershell
        c:\cicl\cicl\cicl\softwaredevelopment3\DevSprints\toyrep\parse-team-cycle-three

C:\Users\luis\Documents>cd c:\cicl\cicl\softwaredevelopment3\DevSprints\toyrep\parse-team-cycle-three>git commit -m "Bio Luis F. Velazquez"
[development 3266af] Bio Luis F. Velazquez: 1
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 LuisVelazquez/Bio.docx

C:\Users\luis\Documents>cd c:\cicl\cicl\softwaredevelopment3\DevSprints\toyrep\parse-team-cycle-three>git pull
remote: Counting objects: 1005 (37/37), done.
remote: Compressing objects: 100% (29/29), done.
remote: Total 35 (delta 0), reused 2 (delta 0), pack-reused 0
Unpacking objects: 100% (35/35), 4.27 KiB | 2.80 KiB/s, done.
from https://github.com/lan1308/parse-team-cycle-three
78aa74..c62529b development -> origin/development
c7ebc18..b0a6708 master -> origin/master

Merge made by the 'recursive' strategy.
+++Presentation - Luis Alejandro W/3893Q6is Sierra.txt | 5 lines added
+++Presentation Luis AIda Buhrup.txt | 5 lines added
+++Presentation: Victoria Yuan Chen.txt | 5 lines added
3 files changed, 15 insertions(+), 0 deletions(-)
create mode 100644 "UTILS/Presentacion de integrantes/Presentation - Luis Alejandro W/3893Q6is Sierra.txt"
create mode 100644 UTILS/Presentacion de integrantes/Presentation Luis AIda Buhrup.txt
create mode 100644 UTILS/Presentacion de integrantes/Presentation: Victoria Yuan Chen.txt

C:\Users\luis\Documents>cd c:\cicl\cicl\softwaredevelopment3\DevSprints\toyrep\parse-team-cycle-three>
```

---

Victoria Yuan Chen

Cristián Eduardo Pérez Padilla

```
$ git status
On branch development
Your branch is up to date with 'origin/development'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   UTLS/Presentacion de integrantes/Presentacion - Cristián Eduardo P.30325192.txt

eduardo@LAPTOP-MKX0L93P:~/OneDrive - Universidad Nacional de Colombia/Documentos/Repository/parse-team-cycle-three (development)$ git commit -m "Add my presentation"
Author identity unknown

*** Please tell me who you are.

Run

git config --global user.email "you@example.com"
git config --global user.name "your name"

to set your account's default identity,
omit --global to set the identity only in this repository.
fatal: unable to auto-detect email address (got 'eduardo@LAPTOP-MKX0L93P.(none)')

eduardo@LAPTOP-MKX0L93P:~/OneDrive - Universidad Nacional de Colombia/Documentos/Repository/parse-team-cycle-three (development)$ git config --global user.email "you@example.com"
eduardo@LAPTOP-MKX0L93P:~/OneDrive - Universidad Nacional de Colombia/Documentos/Repository/parse-team-cycle-three (development)$ git config --global user.name "your name"
eduardo@LAPTOP-MKX0L93P:~/OneDrive - Universidad Nacional de Colombia/Documentos/Repository/parse-team-cycle-three (development)$ git config --global user.email "you@example.com"
eduardo@LAPTOP-MKX0L93P:~/OneDrive - Universidad Nacional de Colombia/Documentos/Repository/parse-team-cycle-three (development)$ git config --global user.name "crisedu06"
eduardo@LAPTOP-MKX0L93P:~/OneDrive - Universidad Nacional de Colombia/Documentos/Repository/parse-team-cycle-three (development)$ git commit -m "Add my presentation"
[development d16840] Add my presentation
1 file changed, 1 insertion(+)
 create mode 100644 UTLS/Presentacion de integrantes/Presentacion - Cristián Eduardo P.30325192.txt

eduardo@LAPTOP-MKX0L93P:~/OneDrive - Universidad Nacional de Colombia/Documentos/Repository/parse-team-cycle-three (development)$ git push origin development
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 668 bytes | 334.00 KiB/s, done.
Total 5 (delta 3), reused 0 (delta 0), packed-reused 0
remote: Resolving deltas: 100% (3/3), completed with 1 local object.
To https://github.com/lams1989/parse-team-cycle-three.git
 ebf5506..d316840 development -> development
1 commit pushed

eduardo@LAPTOP-MKX0L93P:~/OneDrive - Universidad Nacional de Colombia/Documentos/Repository/parse-team-cycle-three (development)$
```

3. EVIDENCIA DE LA FUNCIONALIDAD DE APLICACIÓN

(pantallazos del proceso de creación de repositorio).

- CUENTAS GITHUB:
- Estas son las cuentas del equipo:

Luis Alejandro Muñoz Sierra	<a href="https://github.com/lams1989">https://github.com/lams1989</a>
Luz Aida Buitrago Rodríguez	<a href="https://github.com/LuzAidaBuitrago">https://github.com/LuzAidaBuitrago</a>
Luis Fernando Velásquez Tangarife	<a href="https://github.com/LuisFVelasquez">https://github.com/LuisFVelasquez</a>
Victoria Yuan Chen	<a href="https://github.com/victoriaycode">https://github.com/victoriaycode</a>
Cristián Eduardo Pérez Padilla	<a href="https://github.com/crisedu06">https://github.com/crisedu06</a>

➤ CREACIÓN DEL REPOSITORIO

GIT:

lams1989 / parse-team-cycle-three Private

<> Code Issues Pull requests Actions Projects Security Insights Settings

master 3 branches 0 tags Go to file Add file Code

lams1989

Welcome to this interesting moment, first commit

78ae7c4 · 42 minutes ago · 1 commit

README.md

Welcome to this interesting moment, first commit


42 minutes ago

README.md

parse-team-cycle-three

- **La ruta (url) en la que se encuentra el repositorio en GitHub**
- URL: <https://github.com/lams1989/parse-team-cycle-three>
- Las presentaciones de integrantes están en la carpeta utils del proyecto.

Captura de pantalla con las invitaciones enviadas:



#### 4. DESCRIPCIÓN DEL PROCESO DE DESARROLLO DEL SPRINT 1

**MES DE SEPTIEMBRE 2021.**

1. Viernes 10.  
Se buscaron los integrantes para conformar el equipo mediante el foro de la plataforma y conversaciones en grupos de whatsapp.
2. Sábado 11.  
Se conformó el equipo y se envió la información en el enlace para inscribir los grupos. Se recibió la confirmación.
3. Lunes 13.
  - Se hizo una reunión por medio de zoom donde cada integrante se presentó e interactuó con los demás. Se compartieron las debilidades, fortalezas y experiencia de cada integrante.
  - Se compartió un Excel para indagar acerca del nivel técnico del equipo.
  - Se asignaron los roles para este sprint basado en el consenso de los integrantes.
4. Martes 14.
  - Cada integrante creó su cuenta github e instaló el git en su computador.

- Cada integrante creó su cuenta en trello y también se creó un drive colectivo para compartir documentos.
  - El integrante Luis Muñoz creó el repositorio del proyecto, creó las tres ramas del proyecto y compartió el enlace. También creó el tablero en trello.
  - Se aceptaron las colaboraciones en github y se escribieron las historias de usuario en trello.
5. Miércoles 15.
- Cada miembro clonó el proyecto en su computador y añadió captura de pantalla en el tablero trello como evidencia.
  - Cada miembro creó su presentación y la subió en la rama development del proyecto. Se evidencian capturas en el trello.
6. Jueves 16.
- Se aprobaron las presentaciones en el proyecto.
  - Se hizo este documento con la recopilación de todo el material compartido por los integrantes.
  - Se asistió a la sesión de revisión del sprint con el tutor a las 7:50 pm.
7. Viernes 17.
- Se subieron algunos documentos pendientes.
- Sigue la revisión del documento entre todos los integrantes con las recomendaciones del tutor.
8. Sábado 18.
- Se revisó y entregó el documento del sprint 1 en la plataforma virtual.
- Se organizó el tablero trello para dar comienzo a las tareas del futuro sprint.

Notas:



- Cada día se hizo una reunión de 15 minutos para analizar el estatus de cada miembro y sus avances. Después cada miembro llena el daily review. A partir del 16 de septiembre, se llena el daily review por grupo.
- Se manejo un grupo whatsapp para interacción del grupo y el uso del tablero trello para el seguimiento de las historias de usuario y tareas diarias, el cual fue revisado diariamente.



## RUTA DEL TABLERO TRELLO DEL SPRINT # 1

<https://trello.com/b/HzCdtLLb/tareas-sprint-1>

## CAPTURAS DEL USO DE TRELLO



HU\_SP1\_03 || CREATE Remote repository

en la lista [Done](#)

MIEMBROS

LS

LT

L

VY

+

ETIQUETAS

SPRINT-1

+

Descripción

Editar

As developers we need to create all the necessary environment for managing Configuration Management, both on the local computer and in the GitHub repository, to manage all the artifacts that are generated during the software development process.

Adjuntos




image.png

Añadido: 14 de sep. a las 19:19 - [Comentario](#) - [Eliminar](#) - [Editar](#)

[Crear portada](#)

AÑADIR A LA TARJETA

Miembros

Etiquetas

Checklist

Fechas

Adjunto

Portada

Campos personali...

Añada listas desplegables, campos de texto y fechas, entre otras cosas, a sus tarjetas.

[Comenzar prueba gratis](#)

trelllo.com/c/PCzdbe0C/4-husp104-creation-repository-branches

HU\_SP1\_04 || Creation repository branches

en la lista [Done](#)

MIEMBROS

LS

LT

L

VY

+

ETIQUETAS

SPRINT-1

+

Descripción

Editar

As developers we must create the MASTER -> RELEASE -> DEVELOPMENT branches to give modularization to our code and to be able to do versioning management as we advance from sprint's

Adjuntos




image.png

Añadido: 14 de sep. a las 19:18 - [Comentario](#) - [Eliminar](#) - [Editar](#)

[Crear portada](#)

Añada un adjunto

BRANCHES

Ocultar los elementos marcados

Eliminar

100%

☒ MASTER

☒ RELEASE

☒ DEVELOPMENT

AÑADIR A LA TARJETA

Miembros

Etiquetas

Checklist

Fechas

Adjunto

Portada

Campos personali...

Añada listas desplegables, campos de texto y fechas, entre otras cosas, a sus tarjetas.

[Comenzar prueba gratis](#)

POWER-UPS

Countdown

Effort / Impact

GitHub

Google Drive

[+ Añadir Power-Ups](#)



PARSE

SP1\_11

MBER

Añada u

📁 HU\_SP1\_01 || WELCOME TEAM

en la lista [Done](#) 🗨

MIEMBROS

LS

LT

L

VY

+

ETIQUETAS

SPRINT-1

+

Descripción

Editar

As developers we must create a work team to carry out the activities in a group way in Cycle 3 of MINTIC programming

✓ Checklist

Ocultar los elementos marcados

Eliminar

100%

✓ Buscar equipo

✓ Contactar a cada uno

✓ Organizar encuentro

✓ Definir Roles

Añada un elemento

AÑADIR A LA TARJETA

Miembros

Etiquetas

Checklist

Fechas

Adjunto

Portada

Campos personaliz...

Añada listas desplegables, campos de texto y fechas, entre otras cosas, a sus tarjetas.

[Comenzar prueba gratis](#)

POWER-UPS

Countdown

PARSE

SP1\_11

MBER

Añada u

📁 HU\_SP1\_05 || ADD TEAM PERMISSIONS

en la lista [Done](#) 🗨

MIEMBROS

LS

LT

L

VY

+

ETIQUETAS

SPRINT-1

+

Descripción

Editar

As developers we must all have permissions to the general repository of the PARSE team to avoid setbacks when nurturing our development content

📎 Adjuntos

image.png

Añadido: 14 de sep. a las 19:24 - [Comentario](#) - [Eliminar](#) - [Editar](#)

📄

[Crear portada](#)

Añada un adjunto

Actividad

Mostrar detalles

VY

Escriba un comentario...

LS

Luis Alejandro Muñoz Sierra

14 de sep. a las 19:25

Se adjunta captura de los usuarios permitidos al acceso del repositorio

AÑADIR A LA TARJETA

Miembros

Etiquetas

Checklist

Fechas

Adjunto

Portada

Campos personaliz...

Añada listas desplegables, campos de texto y fechas, entre otras cosas, a sus tarjetas.

[Comenzar prueba gratis](#)

POWER-UPS

Countdown

Effort / Impact

GitHub

Google Drive



Y las otras historias de usuario necesarias para nuestro sprint, las puede revisar en el enlace al tablero. <https://trello.com/b/HzCdILb/tareas-sprint-1>

### **ACERCA DEL EQUIPO PARSE**

Somos un equipo multi diverso compuesto por cinco integrantes.

El nombre PARSE viene de la alusión a la función “parse” en algunos lenguajes de programación como java, donde un tipo de dato se puede convertir a otro. Representando así la transformación y la evolución de nuestras habilidades técnicas y blandas en el mundo del desarrollo que buscamos adquirir con este programa. Además, en Colombia hay un término “parce” que suena parecido a los miembros de un parche de amigos, donde todos podamos cooperar y ayudarnos mutuamente.

Integrantes: Luis Alejandro Muñoz Sierra, Luis Fernando Velásquez Tangarife, Luz Aida Buitrago Rodríguez, Victoria Yuan Chen, Cristián Eduardo Pérez Padilla.

Gracias por la atención.