

HealTrip

Screen capture of the running platform · 02 October 2026

Every screen in this document is the real DOM of the page after it ran against the live API, captured headlessly and printed. The content, the questions, the shortlist percentages, the evaluation numbers and the readiness gates are what the software produced, not a mockup. Video frames are replaced by their poster image because a paged document cannot play them, and the web fonts fall back to the system serif because the capture environment has no network access to a font host.

Measured evaluation

```
{
  "cases_total": 206,
  "cases_handwritten": 70,
  "cases_generated": 136,
  "cases_adversarial": 33,
  "cases_passed": 206,
  "case_pass_rate": 1,
  "safety_routing_pass_rate": 1,
  "question_relevance_rate": 1,
  "citation_grounding_rate": 1,
  "provider_hallucination_count": 0,
  "agent_cases_total": 10,
  "agent_pass_rate": 1,
  "agent_safety_first_rate": 1,
  "agent_provider_invention_count": 0,
  "tool_schema_guards": "3/3",
  "evaluation_relevance_rate": 1,
  "evaluation_grounding_rate": 1,
  "unsupported_evaluation_rate": 0,
  "fabricated_preparation_rate": 0,
  "fabricated_cost_rate": 0,
  "evaluation_bilingual_consistency": 1,
  "evaluation_safety_override": true,
  "evaluation_negation_clean": true,
  "evaluation_abstains_without_candidates": true
}
```

Clinical readiness

```
HealTrip clinical readiness – 0/10 gates passed
OPEN Clinical knowledge licensed for the intended use
OPEN Provider records from an authorised registry
OPEN Independent clinical validation of HealTrip itself
OPEN Privacy and security assessment
OPEN Regulatory and intended-use assessment
OPEN PostgreSQL in production, exercised
OPEN A production language provider, not the demo template
OPEN Monitoring, audit, rate limiting and backups
```

Contents

1. Landing page — The public page. Hero video, what the platform does, and the limits stated before the features.
2. Assessment, mid interview — Three questions in. Left: the conversation with the reason each question was asked. Right: the recorded state and the live shortlist.
3. Assessment, summary — The end of a headache assessment. Each possibility carries what would tell it apart, what a clinician may evaluate, and its source.
4. Assessment, red flag fired — The same console after a red-flag phrase. The interview stops, the composer disappears, the rule and its source are shown.
5. Find care — Provider search with filters. Every record shows its provenance and an unverified licence, because no authority has been queried in this build.
6. Patient profile — A saved account: identity, records, and the form for adding more. Each record is marked patient reported until a clinician confirms it.
7. AI assistant — The general assistant inside the account. It explains and organises, and routes symptoms to the assessment console instead of assessing them itself.
8. Technical console — Kept out of the patient experience: architecture, the tool catalog, a live agent probe with its trace, measured results, readiness gates, safety rules and the source register.
9. Printable report, English — GET /api/v1/assessments/{id}/report. The summary a person hands to a clinician.
10. Printable report, Arabic — The same endpoint with Accept-Language ar. Real RTL, right-aligned tables, clinical Arabic.

HealTrip is a research and engineering prototype. It does not diagnose, does not prescribe, and is not cleared for clinical use. The provider records shown are demo data with no licence verified.

Landing page

The public page. Hero video, what the platform does, and the limits stated before the features.

Health navigation


Understand your symptoms. Know what to do next.

Describe what you're experiencing in your own words, in Arabic or English. HealTrip asks thoughtful follow-up questions, helps you understand what may be relevant, prepares you for a medical visit, and helps you find appropriate care.

Start your assessment

Find a doctor

HealTrip provides health information and care-navigation support. It does not replace professional medical care. If something feels severe or sudden, contact emergency services where you are.



A consultation goes better when you arrive prepared.

About HealTrip

From a health worry to the right next step

HealTrip was created to make the journey from noticing a health concern to seeking appropriate care clearer and calmer. Instead of searching your symptoms online and reading the worst result first, you can describe what you're experiencing and be guided through it.

You answer thoughtful follow-up questions, see what may be relevant to what you described, learn what a healthcare professional may consider next, prepare for your visit, and explore the care available to you.



How it works
Five steps, at your pace

01

Tell us what you're experiencing

Describe your symptoms naturally. You can type or use your voice, in Arabic or English.

02

Answer a few personal questions

Each follow-up question is based on what you've already told us, so you never have to repeat yourself.

03

Understand what may be relevant

See possible explanations that may fit your answers, what supports each one, and what is still unclear.

04

Know what to prepare for

Learn which evaluations a healthcare professional may consider, why they may be useful, and what to bring.

05

Find appropriate care

Explore healthcare professionals and facilities by specialty, location, language and available services.

The assessment

You don't need the medical words

Tell HealTrip what you are experiencing the way you would tell a friend. Based on your answers, it may ask about timing, pattern, what makes it better or worse, and

I've been having headaches.

When did they begin?

About three days ago.

Have they been getting worse, improving, or staying about the same?

[Start your assessment](#)



What may happen next

Know what to prepare for

Depending on what you describe, a healthcare professional may consider an examination, a laboratory test, or imaging. Understanding that in advance makes the visit easier.



Why it may be considered

Written in plain language, so you understand the reason rather than only the name of a test.



What it may help evaluate

The question each evaluation is trying to answer, and what it cannot tell you on its own.



How to prepare

Only preparation that is genuinely supported. Where it depends on you, HealTrip says to ask the clinic.



Planning ahead

Availability and cost vary by place and provider, so HealTrip never shows a price. You can ask the clinic before going ahead.

Being asked to complete an evaluation does not by itself mean a particular condition has been confirmed. Tests are often used to help a clinician tell several possible explanations apart.



Your AI health assistant

Have a conversation about what you're experiencing, ask what a word in a report means, or prepare questions for your appointment. It supports and does not replace a healthcare professional.


Open the assistant



Your health profile

Keep your history, medications, allergies, reports and notes in one place, so you arrive at an appointment prepared instead of trying to remember.

Open my profile



Find the right care

When you're ready, explore healthcare professionals and facilities by specialty, city, language and telemedicine.

Find care

Before your visit

Prepare for your medical visit

A few minutes of preparation changes how much a short appointment can cover.

- ✓ Bring previous medical reports and test results
- ✓ Keep a list of your current medications
- ✓ Mention any known allergies
- ✓ Remember when the symptoms started
- ✓ Note what makes them better or worse
- ✓ Write down the questions you want to ask

Your information

Your health information matters

It stays yours

What you enter stays in your session or your profile, and you can delete any of it at any time.

Nothing is assumed about you

Anything you add is recorded as something you reported, until a healthcare professional confirms it.

Clear about its limits

HealTrip is a navigation and information service. It does not diagnose, does not prescribe, and does not replace professional medical care.

Questions people ask

Is HealTrip a doctor?

No. HealTrip helps you understand health information and find your way towards appropriate care. Medical decisions belong with a licensed healthcare professional.

Does HealTrip diagnose conditions?

It does not give a confirmed diagnosis. It explains possibilities that may be compatible with what you described, so you can discuss them with a healthcare professional.

Will HealTrip tell me which tests I need?

It explains evaluations a clinician may consider and why they may be useful. The healthcare professional decides which are appropriate after your history and examination.

Can I use HealTrip in Arabic?

Yes. Everything works in Arabic and English, including the questions, the explanations and the summary you can print.

Can I use my voice?

Yes, where your device and browser support it. HealTrip waits while you think and does not cut you off at the first pause.

Can I keep my health information?

Yes. Your profile can hold your history, medications, allergies, reports and previous assessments, and you can delete any of it.

Take the next step with more clarity

Start by telling us what you're experiencing.

Start your assessment

Find a doctor

Assessment, mid interview

Three questions in. Left: the conversation with the reason each question was asked.
Right: the recorded state and the live shortlist.

Health assessment

Tell us what you're experiencing

Take your time. You can speak or type, in Arabic or English, and each follow-up question is based on what you've already told us.

● Seek care
now

Questions answered: 1 / 8

Voice replies: on

Your conversation

You

I have had chest discomfort for two days, worse when I walk up stairs

HealTrip

Does it come on with physical effort, or also while you are resting?

Why this is asked: Discomfort brought on by effort and eased by rest points towards the heart rather than the chest wall.

You

Mainly with effort, eases with rest

HealTrip

Does the discomfort spread anywhere, such as the arm, jaw, neck or back?

Why this is asked: Pain spreading to the arm or jaw is one of the findings clinicians weigh most heavily in chest pain.

You

Yes, to the arm, jaw or neck

Seek emergency care now

Seek emergency care now. Call your local emergency number or go to the nearest emergency department. Do not wait for this assessment to finish.

- Chest pain with breathlessness, sweating, or pain spreading to the arm, jaw or back

What we've understood so far

Reported

Chest pain or discomfort

exertion relation

Mainly with effort, eases with rest

radiation

Yes, to the arm, jaw or neck

These are possibilities to discuss with a healthcare professional, not a diagnosis.

Assessment, summary

The end of a headache assessment. Each possibility carries what would tell it apart, what a clinician may evaluate, and its source.

Health assessment

Tell us what you're experiencing

Take your time. You can speak or type, in Arabic or English, and each follow-up question is based on what you've already told us.

● Be seen
soon

Questions answered: 7 / 8

Voice replies: on

Your conversation

You

Headache since yesterday, one side, throbbing, and I feel sick

HealTrip

Is the headache on one side and throbbing, or a band of pressure around the head?

Why this is asked: Side and quality are the main features that separate migraine from tension-type headache.

You

One side, throbbing

HealTrip

Do light and sound make it noticeably worse?

Why this is asked: Sensitivity to light and sound is one of the strongest separators between headache types.

You

Yes

HealTrip

When did this start?

Why this is asked: How quickly something started changes how urgently it should be assessed.

You

Within the last hour

HealTrip

Do you have any ongoing health conditions?

Why this is asked: Existing conditions change which explanations are plausible and how urgently to act.

You

None that I know of

HealTrip

How intense is it right now, from mild to severe?

Why this is asked: Intensity helps decide how soon you should be seen, separately from the cause.

You

Mild, I can carry on

HealTrip

Is it linked to meals or to lying down?

Why this is asked: A link to meals or lying flat shifts weight towards a digestive explanation.

You

Yes, worse after eating or lying flat

HealTrip

Have you travelled recently, or are you in an area where malaria or dengue occur?

Why this is asked: Travel and mosquito exposure change which febrile illnesses are considered and how fast.

You

Yes

HealTrip

Are you taking any regular medicines?

Why this is asked: Medicines change both what is likely and what is safe to suggest.

You

None

HealTrip

Based on what you reported, several possibilities have different levels of compatibility: Migraine, A systemic febrile illness, including mosquito-borne infection where relevant, Acid reflux or another digestive cause. This is not a diagnosis. Book an appointment within the next few days. Seek care sooner if anything gets worse.

What we've understood so far

Reported	Headache Nausea or vomiting
headache character	One side, throbbing
photophobia	Yes
onset	Within the last hour
history	None that I know of
severity	Mild, I can carry on
meal relation	Yes, worse after eating or lying flat
travel	Yes
medications	None

These are possibilities to discuss with a healthcare professional, not a diagnosis.

Explanations compatible with what you reported

Migraine

Migraine usually builds over minutes to hours, often on one side, and is commonly worsened by light, sound and movement.

What could tell it apart

- Whether light and sound make it worse
- Whether there is visual aura beforehand
- Pattern of previous similar attacks

Sources: [NICE \(UK\)](#)

A systemic febrile illness, including mosquito-borne infection where relevant

Fever with headache, aching joints and exhaustion, particularly after travel or in an area where malaria or dengue circulate, is assessed promptly.

What could tell it apart

- Travel history and mosquito exposure
- Pattern of the fever
- Rash, bleeding or confusion

Sources: [World Health Organization](#) · [NHS \(UK\)](#)

Acid reflux or another digestive cause

Stomach acid moving into the food pipe can cause a burning discomfort behind the breastbone, often after meals or when lying flat.

What could tell it apart

- Relationship to meals and lying flat
- Burning quality rather than pressure
- Response to antacids

Sources: [NHS \(UK\)](#)

An inflamed appendix or another surgical abdominal cause

Pain that starts centrally and moves to the lower right abdomen, becoming constant and worse with movement, needs prompt surgical assessment.

What could tell it apart

- Whether the pain has moved location
- Tenderness in the lower right abdomen
- Pain on movement or coughing

Sources: [NHS \(UK\)](#)

Suggested next step

Book an appointment within the next few days. Seek care sooner if anything gets worse.

Care specialty indicated: **Neurology**

What a clinician may consider next

Headache history and neurological examination

clinical examination

Why it may be considered

Most headaches are diagnosed from the pattern and the examination. Imaging is considered only when warning features are present.

What it may help evaluate

May help distinguish migraine from tension-type headache and identify anything that needs further assessment.

What to expect

Questions about the pattern, then a short examination of vision, strength and balance.

How to prepare

Note when the attacks happen, how long they last and what you took for them.

Practical planning

Availability and cost vary by country, facility and insurance. Ask the clinic about preparation, coverage and cost before going ahead.

Evidence: [NICE \(UK\)](#)

This is not a diagnosis and not a medical order.

Full blood count

laboratory

Why it may be considered

Tiredness lasting weeks, or a fever without an obvious source, is commonly assessed with a simple blood count first.

What it may help evaluate

May help evaluate anaemia or a blood picture that suggests infection.

What to expect

One blood sample from the arm.

How to prepare

No special preparation is indicated. The clinic will confirm.

Practical planning

Availability and cost vary by country, facility and insurance. Ask the clinic about preparation, coverage and cost before going ahead.

Evidence: [US National Library of Medicine](#)

This is not a diagnosis and not a medical order.

Stool testing

laboratory

Why it may be considered

Most short-lived gut infections settle without testing; a clinician considers it when symptoms last, or after travel, or when there is blood.

What it may help evaluate

May help evaluate which organism is involved when that changes the treatment.

What to expect

A small sample collected at home in a container from the clinic.

How to prepare

No special preparation is indicated. The clinic will confirm.

Practical planning

Availability and cost vary by country, facility and insurance. Ask the clinic about preparation, coverage and cost before going ahead.

Evidence: [NHS \(UK\)](#)

This is not a diagnosis and not a medical order.

Malaria and febrile illness testing

laboratory

Why it may be considered

Fever with aching joints after travel, or in an area where malaria or dengue circulate, is tested early because timing matters.

What it may help evaluate

May help evaluate whether a mosquito-borne infection explains the fever.

What to expect

A blood sample, sometimes a rapid test read within minutes.

How to prepare

Bring the dates and places of any recent travel.

Practical planning

Availability and cost vary by country, facility and insurance. Ask the clinic about preparation, coverage and cost before going ahead.

Evidence: [World Health Organization](#) · [NHS \(UK\)](#)

This is not a diagnosis and not a medical order.

Preparing for your medical visit

- Write down when the symptoms started and what makes them better or worse.
- Bring a list of every medicine you take, including anything bought without a prescription.
- Bring previous reports, laboratory results or imaging if you have them.
- Mention any allergies and any previous reaction to a medicine or a contrast dye.
- Note any condition that runs in your family and any recent travel.
- Ask the clinic what to bring and whether anything needs preparing, rather than acting on general advice.

What being asked for a test does and does not mean

Being asked to complete an evaluation does not by itself mean a particular condition has been confirmed. Clinicians often use tests to tell several possible explanations apart, including to rule things out.

Important

- Which of these is actually appropriate depends on your history and examination. The clinician decides, not this tool.
- These are possible next steps, not a diagnosis and not a medical order.
- HealTrip does not estimate any cost. Cost and availability vary by country, facility and insurance.

Clinicians in this specialty

Dr. Lina Ahmed

Neurology · Headache medicine

Location Riyadh, Saudi Arabia

Languages Arabic, English

Telemedicine Available

Demo registry

This is not a diagnosis. HealTrip describes explanations that may be compatible with what you reported, and what could help a clinician tell them apart.

Open the printable report

Print or save as PDF

Delete this assessment

Start a new assessment

Assessment, red flag fired

The same console after a red-flag phrase. The interview stops, the composer disappears, the rule and its source are shown.

Health assessment

Tell us what you're experiencing

Take your time. You can speak or type, in Arabic or English, and each follow-up question is based on what you've already told us.

• Seek care
now

Voice replies: on

Your conversation

You

Crushing chest pain and sweating, pain radiating to my arm

Seek emergency care now

Seek emergency care now. Call your local emergency number or go to the nearest emergency department. Do not wait for this assessment to finish.

- Chest pain with breathlessness, sweating, or pain spreading to the arm, jaw or back

What we've understood so far

Reported

Chest pain or discomfort

These are possibilities to discuss with a healthcare professional, not a diagnosis.

Find care

Provider search with filters. Every record shows its provenance and an unverified licence, because no authority has been queried in this build.

Find care

Find the right healthcare professional

Explore healthcare professionals and facilities by specialty, city, language and available services. Every record shows where its information came from.

All specialties ▾

All countries ▾

Any language ▾

☐ Telemedicine only

Search

12 results

Dr. Amina Rahman

Cardiology · Non-invasive cardiology

Certificates MBBS, MRCP

Hospital Thameside Heart Clinic

Location London, United Kingdom

Languages English, Arabic

Telemedicine Available

Email Not published. Email is shown only when the organisation supplies it and permits publication.

Demo registry · licence unverified

Licence details

Dr. Omar Hassan

General Practice · Family medicine

Certificates	MBBCh, MRCGP
Hospital	Northgate Family Practice
Location	Manchester, United Kingdom
Languages	English, Arabic
Telemedicine	Available
Email	Not published. Email is shown only when the organisation supplies it and permits publication.

Demo registry · licence unverified

Licence details

Dr. Lina Ahmed

Neurology · Headache medicine

Certificates	MD, PhD
Hospital	Riyadh Neuroscience Centre
Location	Riyadh, Saudi Arabia
Languages	Arabic, English
Telemedicine	Available
Email	Not published. Email is shown only when the organisation supplies it and permits publication.

Demo registry · licence unverified

Licence details

Dr. Yusuf Bashir

Gastroenterology · Upper GI

Certificates	MBBS, FRCP
Hospital	Creekside Digestive Health
Location	Dubai, United Arab Emirates
Languages	Arabic, English, Urdu
Telemedicine	Not offered
Email	Not published. Email is shown only when the organisation supplies it and permits publication.

Demo registry · licence unverified

Licence details

Dr. Sara Elmahdi

General Surgery · Emergency surgery

Certificates	MBBS, MRCS
Hospital	Blue Nile Surgical Unit
Location	Khartoum, Sudan
Languages	Arabic, English
Telemedicine	Not offered
Email	Not published. Email is shown only when the organisation supplies it and permits publication.

Demo registry · licence unverified

Licence details

Dr. Noor Al-Tamimi

Dermatology · Allergy and eczema

Certificates	MD, MSc
Hospital	Jeddah Skin Institute
Location	Jeddah, Saudi Arabia
Languages	Arabic, English
Telemedicine	Available
Email	Not published. Email is shown only when the organisation supplies it and permits publication.

Demo registry · licence unverified

Licence details

Dr. Hana Farouk

Internal Medicine · General internal medicine

Certificates	MBBS, MRCP
Hospital	Nile Medical Centre
Location	Cairo, Egypt
Languages	Arabic, English, French
Telemedicine	Available
Email	Not published. Email is shown only when the organisation supplies it and permits publication.

Demo registry · licence unverified

Licence details

Dr. Karim Nasser

Orthopaedics · Spine

Certificates	MD, FRCS
Hospital	Midlands Spine Unit
Location	Birmingham, United Kingdom
Languages	English, Arabic
Telemedicine	Not offered
Email	Not published. Email is shown only when the organisation supplies it and permits publication.

Demo registry · licence unverified

Licence details

Dr. Salma Idris

ENT · Otology and balance

Certificates	MBBS, FRCS (ORL)
Hospital	Omdurman ENT Centre
Location	Khartoum, Sudan
Languages	Arabic, English
Telemedicine	Available
Email	Not published. Email is shown only when the organisation supplies it and permits publication.

Demo registry · licence unverified

Licence details

Dr. Faisal Khan

Urology · Stone disease

Certificates MBBS, FEBU

Hospital Corniche Urology Unit

Location Abu Dhabi, United Arab Emirates

Languages Arabic, English, Urdu

Telemedicine Not offered

Email Not published. Email is shown only when the organisation supplies it and permits publication.

Demo registry · licence unverified

Licence details

Dr. Maya Haddad

Ophthalmology · Anterior segment

Certificates MD, FRCOphth

Hospital Bloomsbury Eye Clinic

Location London, United Kingdom

Languages English, Arabic, French

Telemedicine Not offered

Email Not published. Email is shown only when the organisation supplies it and permits publication.

Demo registry · licence unverified

Licence details

Dr. Tarek Saleh

Endocrinology · Diabetes

Certificates MBBCh, MRCP (Endo)

Hospital Delta Diabetes Institute

Location Alexandria, Egypt

Languages Arabic, English

Telemedicine Available

Email Not published. Email is shown only when the organisation supplies it and permits publication.

Demo registry · licence unverified

Licence details

Hospitals and facilities

Explore facilities by the type of care you may be looking for.

Thameside General Hospital

London, United Kingdom

Cardiology · General Surgery · Internal Medicine

Emergency department

[Open on map](#)

Northgate Royal Infirmary

Manchester, United Kingdom

General Practice · Orthopaedics · Neurology

Emergency department

[Open on map](#)

Riyadh Central Medical City

Riyadh, Saudi Arabia

Neurology · Cardiology · Dermatology

Emergency department

[Open on map](#)

Creek Specialist Hospital

Dubai, United Arab Emirates

Gastroenterology · Internal Medicine

Emergency department

[Open on map](#)

Khartoum Teaching Hospital

Khartoum, Sudan

General Surgery · General Practice

Emergency department

[Open on map](#)

Jeddah Coastal Hospital

Jeddah, Saudi Arabia

Dermatology · General Practice

No emergency department

[Open on map](#)

How we check a professional's registration

A verified mark appears only when an official medical register has actually been checked. Until then, each record shows its source openly.

General Medical Council

United Kingdom

<https://www.gmc-uk.org/registration-and-licensing/our-registers>

Data licence required for bulk use

Saudi Commission for Health Specialties

Saudi Arabia

<https://scfhs.org.sa/en>

Data licence required for bulk use

Dubai Health Authority

United Arab Emirates

<https://www.dha.gov.ae/>

Data licence required for bulk use

Patient profile

A saved account: identity, records, and the form for adding more. Each record is marked patient reported until a clinician confirms it.

My health profile

Keep your health information in one place

Your history, medications, allergies, reports and notes. Everything you add is kept as something you reported, until a healthcare professional confirms it, and you can delete any of it.

About you

Full name

Country

City

Date of birth

Preferred language

Save

Add to your record

What is this?

A health condition

Name it

Details

Add

Say it instead

Your records

Propranolol 40mg

details: Once daily, started March

medication

patient reported

Migraine with aura

details: Diagnosed 2021, two attacks a month

condition

patient reported

Penicillin

details: Rash after one dose, 2023

allergy

patient reported

AI assistant

The general assistant inside the account. It explains and organises, and routes symptoms to the assessment console instead of assessing them itself.

AI health assistant

Have a conversation about your health

Ask what a word in a report means, organise what you want to say, or prepare questions for your appointment. For symptoms, the assessment is the better place, because it asks the questions that matter and checks for anything urgent.

Welcome. I can explain your saved records, a term in a report, or help you prepare questions for your appointment. I do not diagnose or prescribe. For symptoms, open the assessment console.

My report says HbA1c 7.2 percent. What is that measuring?

I can help explain and organize information in your health profile, but I do not diagnose or prescribe. If you have new symptoms, you can start a separate health assessment.

check_safety_rules: no_match

Agent execution trace

1. Safety check — tool: check_safety_rules · level: none · flags: [] · rules_evaluated: 15 · duration_ms: 0
2. Agent decision — decision: no_tool_matched_answer_from_profile_context_only
3. Claim screen — provider: demo · verified: true

Send

Technical console

Kept out of the patient experience: architecture, the tool catalog, a live agent probe with its trace, measured results, readiness gates, safety rules and the source register.

Technical console

Architecture, agent, tests and sources

Everything an engineer, a reviewer or a clinician would want to inspect, kept out of the patient experience. Numbers come from the suites running live on this server; reload to run them again.

[v1 · ok · storage memory · language layer demo](#)

[OpenAPI document](#)

[Back to the patient site](#)

Request path

```
patient text or speech
-> schema validation (zod)
-> safety gate: 15 deterministic rules, concepts + negation scope
-> structured patient state
-> next-best-question engine
-> differential with support / contradiction / missing
-> evidence verification: no registered source, no display
-> possible evaluations, evidence grounded
-> care pathway, specialty, provider search
-> FHIR, printable report, audit
```

Anti-hallucination path

model

- > tool name + arguments
- > schema validation
- > service
- > PostgreSQL / knowledge base
- > typed result with source and status
- > model may quote the result, nothing else
- > claim screen over the wording

The model has no SQL, no credentials and no table access. A request the schema rejects never reaches a service.

Agent tools

check_safety_rules

Runs the deterministic red-flag rules over a piece of free text. Always called first, before any other tool.

search_doctors

Searches the provider database. Returns only records that exist in it.

search_hospitals

Searches the hospital directory, optionally for emergency departments.

verify_doctor

Returns the licence status of one provider record and the registers an importer would query.

get_provider_details

Returns one provider record in full.

get_clinical_evidence

Returns registered sources, optionally the ones behind one candidate explanation.

get_possible_evaluations

Returns evidence-supported evaluations a clinician may consider for the structured patient state. Entries come from the controlled clinical knowledge layer; the model cannot add one, add a preparation instruction, or attach a cost.

find_relevant_specialty

Maps a candidate explanation, or a free-text complaint, to the specialty recorded in the knowledge base.

Try the agent

Calls POST /api/v1/agent/chat and renders the execution trace it returns. Ask for a clinician in a city the directory does not cover and watch it refuse to invent one.

Send

No clinician in the provider database matches that. I will not name one that is not in the database.

safety: none

check_safety_rules · no_match

search_doctors · no_match

Execution trace

● safety check

tool: check_safety_rules · level: none · flags: [] · rules_evaluated: 15 · duration_ms: 0

● tool call

tool: search_doctors · arguments: {"specialty":"Neurology","city":"Tokyo"} · arguments_schema: {"specialty":"string","city":"string"}

● tool result

tool: search_doctors · ok: true · status: no_match · result_count: 0 · source: provider_database · duration_ms: 0

● decision

decision: no_provider_in_database_do_not_invent

● response

source: tool_results_only · verified: true

Measured results

Evaluation suites

Clinical cases passing every check	100%
------------------------------------	------

Red-flag cases routed to emergency	100%
------------------------------------	------

Questions relevant to reported symptoms	100%
---	------

Surfaced possibilities carrying a source	100%
--	------

Agent turns passing every check	100%
---------------------------------	------

Turns where the safety check ran first	100%
--	------

Evaluations tied to a fitting candidate	100%
---	------

Evaluations carrying a registered source	100%
--	------

Clinical cases	206
----------------	-----

Adversarial cases	33
-------------------	----

Agent cases	10
-------------	----

Tool schema guards	3/3
--------------------	-----

Providers shown as verified without verification	0
--	---

Clinicians invented by the agent	0
----------------------------------	---

Unsupported evaluation rate	0
-----------------------------	---

Fabricated preparation rate	0
-----------------------------	---

Fabricated cost rate	0
----------------------	---

Last run 2026-10-02T07:53:05.635Z

Knowledge layer

evaluations	25
-------------	----

conditions	28
------------	----

questions	25
-----------	----

red flag rules	15
----------------	----

sources	9
---------	---

Clinical readiness gates

Technical readiness is not clinical validation. The engineering gates are checked on every run; the rest need clinicians, a lawyer, a regulator and an independent study.

0 / 10 gates passed. 10 of 10 gates are open. HealTrip is a research and engineering prototype and must not be used to make a clinical decision.

- **Clinical knowledge licensed for the intended use**

measured: 28/28 entries carry a registered source; 9 sources in the register

to close: Source links and original summaries are in place. What is missing is a written licence review per source for patient-facing use, and a corpus that covers more than the common presentations in this build.

- **Provider records from an authorised registry**

measured: 0 of 12 records carry an authority, a licence number, a source URL and a verification timestamp

to close: The importer and the schema are ready. What is missing is a data agreement with GMC, SCFHS or the equivalent authority in each country, and a scheduled re-verification job.

- **Independent clinical validation of HealTrip itself**

measured: 206 synthetic cases, 100% internal pass rate

to close: Synthetic cases measure internal consistency, not clinical accuracy. Closing this gate needs a representative case set scored blind by clinicians, with agreement, safety and referral appropriateness reported.

- **Privacy and security assessment**

measured: 5/10 automated checks pass

to close: Retention scheduling, encryption at rest and an independent penetration test are outstanding.

- **Regulatory and intended-use assessment**

measured: Intended-use statement present

to close: Software that informs a care decision is regulated as a medical device in many jurisdictions. A written intended-use statement is a starting point, not a clearance. This needs a regulatory assessment per target market.

- **PostgreSQL in production, exercised**

measured: storage currently reports "memory"

to close: Start the stack with DATABASE_URL set and confirm /health reports postgres. In-memory storage loses everything on restart.

- **A production language provider, not the demo template**

measured: AI_MODE is "demo"

to close: Set AI_MODE to a provider and supply its key. The clinical logic is identical in every mode; only the wording layer changes.

- **Monitoring, audit, rate limiting and backups**

measured: health and readiness endpoints present, audit writes on every clinical event, rate limit 120/min

to close: Backups, alerting and log retention are deployment work that this repository cannot verify for you. The runbook lists what to configure.

- **Wider safety and hallucination testing**

measured: 206 clinical cases (33 adversarial) plus 10 agent cases, safety routing 100%, grounding 100%, tool schema guards 3/3, providers invented 0

to close: The suite now holds 206 cases, of which 33 are adversarial: paraphrases, negation traps, mixed-language input and instruction-override attempts. The gate asks for at least 100 adversarial cases written by someone other than the author of the rules, which is the part a repository cannot supply itself.

- **Human clinical review of every knowledge entry**

measured: 0 of 28 entries signed off by a named clinician

to close: docs/CLINICAL_REVIEW_LOG.json is the register. A clinician reviews each entry, signs it with a date and a licence number, and the gate closes only when the count matches.

Safety rules

Run on the raw text of every turn, before any reasoning and before any model call.

Chest pain with breathlessness, sweating, or pain spreading to the arm, jaw or back

emergency · 2 concept groups

Sudden face drooping, arm weakness, or difficulty speaking

emergency · 2 concept groups

Fever with confusion, very fast breathing, cold or mottled skin

emergency · 2 concept groups

Headache that reached maximum intensity within seconds, or headache with neck stiffness and fever

emergency · 2 concept groups

Swelling of the lips, tongue or throat, or difficulty breathing after exposure to something

emergency · 2 concept groups

Back pain with loss of bladder or bowel control, or numbness around the groin

emergency · 2 concept groups

Heavy or uncontrolled bleeding, vomiting blood, or black tarry stool

emergency · 2 concept groups

Sudden breathlessness with calf pain or swelling, or chest pain that is worse on breathing in

emergency · 2 concept groups

Too breathless to finish a sentence, or an inhaler that is no longer helping

emergency · 2 concept groups

Sudden loss of vision, or a curtain across the sight in one eye

emergency · 2 concept groups

Very high thirst with vomiting, deep breathing or drowsiness in someone with diabetes

emergency · 2 concept groups

Sudden severe pain in the lower abdomen or groin

emergency · 2 concept groups

Thoughts of harming yourself

support · 2 concept groups

Abdominal pain or bleeding during pregnancy

urgent · 0 concept groups

A baby under three months with a fever

urgent · 0 concept groups

Source register

Ethics and governance of artificial intelligence for health

Tier 1

World Health Organization · guidance

<https://www.who.int/publications/i/item/9789240029200>

Recent-onset chest pain of suspected cardiac origin (CG95)

Tier 1

NICE (UK) · clinical guideline

<https://www.nice.org.uk/guidance/cg95>

Headaches in over 12s: diagnosis and management (CG150)

Tier 1

NICE (UK) · clinical guideline

<https://www.nice.org.uk/guidance/cg150>

Suspected sepsis: recognition, diagnosis and early management (NG51)

Tier 1

NICE (UK) · clinical guideline

<https://www.nice.org.uk/guidance/ng51>

Low back pain and sciatica in over 16s (NG59)

Tier 1

NICE (UK) · clinical guideline

<https://www.nice.org.uk/guidance/ng59>

Stroke signs and symptoms

Tier 1

US Centers for Disease Control and Prevention · public health reference

<https://www.cdc.gov/stroke/signs-symptoms/>

FHIR R4 specification

Tier 2

HL7 International · interoperability standard

<https://hl7.org/fhir/R4/>

Health A to Z

Tier 3

NHS (UK) · general medical reference

<https://www.nhs.uk/conditions/>

MedlinePlus health topics

Tier 4

US National Library of Medicine · general medical reference

<https://medlineplus.gov/>

Endpoints

POST /api/v1/agent/chat

agent

One agent turn: safety check, tool plan, tool execution, grounded answer, execution trace

GET /api/v1/agent/tools

agent

The tool catalog the agent is restricted to

POST /api/v1/assessments

assessments

Open an assessment. The safety gate runs before anything else and can end the turn immediately.

GET /api/v1/assessments/{id}

assessments

Structured summary

DELETE /api/v1/assessments/{id}

assessments

Delete the assessment and its content

POST /api/v1/assessments/{id}/answers

assessments

Answer the current question, or add free text. Returns the next best question or the summary.

GET /api/v1/assessments/{id}/evaluations

assessments

Evaluations a clinician may consider, with the clinical question each answers

GET /api/v1/assessments/{id}/fhir

assessments

FHIR R4 bundle of the assessment

GET /api/v1/assessments/{id}/report

assessments

Printable bilingual clinical navigation summary (HTML, print to PDF)

POST /api/v1/auth/login

auth

Exchange credentials for a JWT

POST /api/v1/auth/register

auth

Create an account

GET /api/v1/me

auth

The signed-in account and its profile

GET /api/v1/doctors

directory

Filterable clinician directory

GET /api/v1/doctors/{id}

directory

One clinician record

GET /api/v1/doctors/{id}/license

directory

Licence status and the registers an importer would query

GET /api/v1/hospitals

directory

Hospital directory

GET /api/v1/hospitals/{id}

directory

One hospital record

GET /api/v1/provider-sources

directory

Licensing authorities and their import status

GET /api/v1/evidence

evidence

Source register

GET /api/v1/evidence/{id}

evidence

One registered source

GET /api/v1/knowledge/conditions

evidence

Candidate explanations in the knowledge base

GET /api/v1/knowledge/red-flags

evidence

Every safety rule, readable

GET /api/v1/evaluation

meta

Runs the evaluation suite and returns measured metrics

GET /api/v1/health

meta

Service status, storage mode, knowledge counts

GET /api/v1/locales/{code}

The locale bundle the interface uses

meta

GET /api/v1/openapi.json

This document

meta

GET /api/v1/readiness

The ten clinical readiness gates and what is still open

meta

GET /api/v1/ready

Readiness probe: storage mode and whether a production database is attached

meta

POST /api/v1/tools/check-safety

Run the red-flag rules over free text

tools

POST /api/v1/tools/clinical-evidence

Registered sources, optionally for one candidate explanation

tools

POST /api/v1/tools/possible-evaluations

Evaluations a clinician may consider, from the knowledge layer

tools

POST /api/v1/tools/relevant-specialty

Specialty recorded for a candidate or inferred from free text

tools

POST /api/v1/tools/search-doctors

Search the provider database

tools

POST /api/v1/tools/search-hospitals

Search the hospital directory

tools

POST /api/v1/tools/verify-doctor

Licence status of one provider record

tools

Candidate explanations

A heart-related cause of chest pain

Cardiology

emergency

A chest wall or muscular cause

General Practice

routine

Acid reflux or another digestive cause

Gastroenterology

routine

Anxiety or a panic response

General Practice

routine

A chest infection

General Practice

urgent

A common viral infection of the upper airway

General Practice

routine

Migraine

Neurology

routine

Tension-type headache

General Practice

routine

Dehydration or low blood pressure on standing

General Practice

routine

A short-lived gut infection

General Practice

routine

An inflamed appendix or another surgical abdominal cause

General Surgery

emergency

A urinary tract infection

General Practice

urgent

Mechanical low back pain

Orthopaedics

routine

An allergic skin reaction

Dermatology

urgent

Anaemia or another cause of persistent tiredness

Internal Medicine

routine

An asthma flare or reactive airways

General Practice

urgent

A clot in a leg vein, or a clot that has travelled to the lung

Internal Medicine

emergency

A stone in the urinary tract

Urology

urgent

Gallstones or another cause of upper abdominal pain

General Surgery

urgent

Gastritis or a stomach ulcer

Gastroenterology

routine

Sinus inflammation

General Practice

routine

An ear infection

ENT

urgent

Conjunctivitis or another surface eye problem

Ophthalmology

urgent

Inner-ear vertigo

ENT

routine

A spreading skin infection

General Practice

urgent

High blood sugar, diagnosed or undiagnosed

Endocrinology

urgent

An underactive or overactive thyroid

Endocrinology

routine

A systemic febrile illness, including mosquito-borne infection where relevant

Internal Medicine

urgent

Clinical navigation summary

HealTrip · Assessment ID: 83d6f0de-5712-4fd6-a8ba-765c8a3cab05 · Generated: 2026-10-02 07:53

Reported symptoms

- Headache
- Nausea or vomiting

Questions answered

- headache character: One side, throbbing
- photophobia: Yes
- onset: Within the last hour
- history: None that I know of
- severity: Mild, I can carry on
- meal relation: Yes, worse after eating or lying flat
- travel: Yes
- medications: None

Safety assessment

soon

Suggested next step

Book an appointment within the next few days. Seek care sooner if anything gets worse.

Care specialty indicated: Neurology

Possible compatible explanations

Migraine

100%

Migraine usually builds over minutes to hours, often on one side, and is commonly worsened by light, sound and movement.

Features that may help distinguish them

- Whether light and sound make it worse
- Whether there is visual aura beforehand
- Pattern of previous similar attacks

What a clinician may consider evaluating

- Clinical history
- Imaging only if warning features are present

Evidence sources: NICE (UK) — Headaches in over 12s: diagnosis and management (CG150) (<https://www.nice.org.uk/guidance/cg150>)

A systemic febrile illness, including mosquito-borne infection where relevant **45%**

Fever with headache, aching joints and exhaustion, particularly after travel or in an area where malaria or dengue circulate, is assessed promptly.

Features that may help distinguish them

- Travel history and mosquito exposure
- Pattern of the fever
- Rash, bleeding or confusion

What a clinician may consider evaluating

- Malaria testing where relevant
- Full blood count
- Clinical assessment

Evidence sources: World Health Organization — Ethics and governance of artificial intelligence for health (<https://www.who.int/publications/i/item/9789240029200>) · NHS (UK) — Health A to Z (<https://www.nhs.uk/conditions/>)

Acid reflux or another digestive cause

36%

Stomach acid moving into the food pipe can cause a burning discomfort behind the breastbone, often after meals or when lying flat.

Features that may help distinguish them

- Relationship to meals and lying flat
- Burning quality rather than pressure
- Response to antacids

What a clinician may consider evaluating

- Clinical history
- Trial of treatment decided by a clinician
- Endoscopy only if warning features are present

Evidence sources: NHS (UK) — Health A to Z (<https://www.nhs.uk/conditions/>)

An inflamed appendix or another surgical abdominal cause

27%

Pain that starts centrally and moves to the lower right abdomen, becoming constant and worse with movement, needs prompt surgical assessment.

Features that may help distinguish them

- Whether the pain has moved location
- Tenderness in the lower right abdomen
- Pain on movement or coughing

What a clinician may consider evaluating

- Surgical examination
- Blood tests
- Ultrasound or CT as decided clinically

Evidence sources: NHS (UK) — Health A to Z (<https://www.nhs.uk/conditions/>)

What a clinician may consider next

Headache history and neurological examination **clinical examination**

Why it may be considered

Most headaches are diagnosed from the pattern and the examination. Imaging is considered only when warning features are present.

What it may help evaluate

May help distinguish migraine from tension-type headache and identify anything that needs further assessment.

What to expect

Questions about the pattern, then a short examination of vision, strength and balance.

How to prepare

Note when the attacks happen, how long they last and what you took for them.

Practical planning

Availability and cost vary by country, facility and insurance. Ask the clinic about preparation, coverage and cost before going ahead.

Evidence sources: NICE (UK) — Headaches in over 12s: diagnosis and management (CG150) (<https://www.nice.org.uk/guidance/cg150>)

Full blood count

laboratory

Why it may be considered

Tiredness lasting weeks, or a fever without an obvious source, is commonly assessed with a simple blood count first.

What it may help evaluate

May help evaluate anaemia or a blood picture that suggests infection.

What to expect

One blood sample from the arm.

How to prepare

No special preparation is indicated. The clinic will confirm.

Practical planning

Availability and cost vary by country, facility and insurance. Ask the clinic about preparation, coverage and cost before going ahead.

Evidence sources: US National Library of Medicine — MedlinePlus health topics (<https://medlineplus.gov/>)

Stool testing

laboratory

Why it may be considered

Most short-lived gut infections settle without testing; a clinician considers it when symptoms last, or after travel, or when there is blood.

What it may help evaluate

May help evaluate which organism is involved when that changes the treatment.

What to expect

A small sample collected at home in a container from the clinic.

How to prepare

No special preparation is indicated. The clinic will confirm.

Practical planning

Availability and cost vary by country, facility and insurance. Ask the clinic about preparation, coverage and cost before going ahead.

Evidence sources: NHS (UK) — Health A to Z (<https://www.nhs.uk/conditions/>)

Malaria and febrile illness testing

laboratory

Why it may be considered

Fever with aching joints after travel, or in an area where malaria or dengue circulate, is tested early because timing matters.

What it may help evaluate

May help evaluate whether a mosquito-borne infection explains the fever.

What to expect

A blood sample, sometimes a rapid test read within minutes.

How to prepare

Bring the dates and places of any recent travel.

Practical planning

Availability and cost vary by country, facility and insurance. Ask the clinic about preparation, coverage and cost before going ahead.

Evidence sources: World Health Organization — Ethics and governance of artificial intelligence for health (<https://www.who.int/publications/i/item/9789240029200>) · NHS (UK) — Health A to Z (<https://www.nhs.uk/conditions/>)

Which of these is actually appropriate depends on your history and examination. The clinician decides, not this tool.

Preparing for your medical visit

- Write down when the symptoms started and what makes them better or worse.
- Bring a list of every medicine you take, including anything bought without a prescription.
- Bring previous reports, laboratory results or imaging if you have them.
- Mention any allergies and any previous reaction to a medicine or a contrast dye.
- Note any condition that runs in your family and any recent travel.
- Ask the clinic what to bring and whether anything needs preparing, rather than acting on general advice.

What being asked for a test does and does not mean

Being asked to complete an evaluation does not by itself mean a particular condition has been confirmed. Clinicians often use tests to tell several possible explanations apart, including to rule things out.

Provider options

Certificates	Hospital	Location	Status
Dr. Lina Ahmed — Neurology MD, PhD	Riyadh Neuroscience Centre	Riyadh, Saudi Arabia	Demo registry · unverified

Important limitations

This is not a diagnosis. HealTrip describes explanations that may be compatible with what you reported, and what could help a clinician tell them apart.

HealTrip is a research and engineering prototype. It does not diagnose, does not prescribe, and is not cleared for clinical use. Compatibility describes how well a possibility matches the information reported, not a probability of disease. Provider records in this build are demo data with no licence verified.

ملخص التوجيه السريري

HealTrip · معرف التقييم: 83d6f0de-5712-4fd6-a8ba-765c8a3cab05 · تاريخ الإصدار: 02-10-2026 07:53

الأعراض المذكورة

- صداع
- غثيان أو قيء

الأسئلة التي تمت الإجابة عنها

- headache character: جهة واحدة، نابض
- photophobia: نعم
- onset: خلال الساعة الماضية
- history: لا أعلم بوجود شيء
- severity: خفيفة، أستطيع المتابعة
- meal relation: نعم، تسوء بعد الأكل أو الاستلقاء
- travel: نعم
- medications: لا شيء

تقييم علامات الخطر

soon

الخطوة التالية المقترحة

احجز موعدًا خلال الأيام القليلة القادمة. واطلبي الرعاية أبكر إذا ساءت الأعراض.

التخصص المشار إليه: Neurology

100%

شقيقة (ميغرين)

تتطور الشقيقة عادة خلال دقائق إلى ساعات، غالبًا في جهة واحدة، وتزداد مع الضوء والصوت والحركة.

الخصائص التي قد تساعد في التمييز بينها

- هل يزداد الألم مع الضوء والصوت
- هل تسبقه هالة بصرية
- نمط النوبات المشابهة السابقة

ما قد يفكر الطبيب في تقييمه

- التاريخ السريري
- تصوير فقط عند وجود علامات تحذيرية

مصادر الأدلة: (https://www.nice.org.uk/guidance/cg150) (CG150) Headaches in over 12s: diagnosis and management (NICE (UK) —
(www.nice.org.uk/guidance/cg150)

مرض حموي جهازي، بما في ذلك العدوى المنقولة بالبعوض عند الاقتضاء 45%

الحمى مع الصداع وآلام المفاصل والإرهاق، خاصة بعد السفر أو في منطقة تنتشر فيها الملاريا أو حمى الضنك، تُقيّم سريعًا.

الخصائص التي قد تساعد في التمييز بينها

- تاريخ السفر والتعرض للبعوض
- نمط الحمى
- طفح أو نزيف أو تشوش

ما قد يفكر الطبيب في تقييمه

- فحص الملاريا عند الاقتضاء
- صورة دم كاملة
- تقييم سريري

مصادر الأدلة: (https://www.who.int/publications/i/item/9789240029200) (https://www.who.int/publications/i/item/9789240029200) — Ethics and governance of artificial intelligence for health (World Health Organization —
(https://www.nhs.uk/conditions) (NHS (UK) — Health A to Z (https://www.nhs.uk/conditions)

36%

ارتجاع حمضي أو سبب هضمي آخر

قد يسبب ارتداد حمض المعدة إلى المريء حرقة خلف عظمة الصدر، غالبًا بعد الأكل أو عند الاستلقاء.

الخصائص التي قد تساعد في التمييز بينها

- علاقته بالوجبات والاستلقاء
- طابع الحرقة بدل الضغط
- الاستجابة لمضادات الحموضة

ما قد يفكر الطبيب في تقييمه

- التاريخ السريري
- تجربة علاجية يقررها الطبيب
- منظار فقط عند وجود علامات تحذيرية

مصادر الأدلة: NHS (UK) — Health A to Z (<https://www.nhs.uk/conditions/>)

27%

التهاب الزائدة أو سبب جراحي آخر في البطن

ألم يبدأ في وسط البطن وينتقل إلى أسفل اليمين ويصبح مستمرًا ويزداد مع الحركة، يحتاج تقييمًا جراحيًا عاجلاً.

الخصائص التي قد تساعد في التمييز بينها

- هل انتقل مكان الألم
- ألم عند الضغط أسفل يمين البطن
- ازدياد الألم مع الحركة أو السعال

ما قد يفكر الطبيب في تقييمه

- فحص جراحي
- تحاليل دم
- موجات صوتية أو أشعة مقطعية حسب القرار السريري

مصادر الأدلة: NHS (UK) — Health A to Z (<https://www.nhs.uk/conditions/>)

ما الذي قد يفكر الطبيب في تقييمه لاحقًا؟

clinical examination

تاريخ الصداع والفحص العصبي

لماذا قد يُنظر في هذا الفحص؟

يُشخّص معظم أنواع الصداع من النمط والفحص. ولا يُنظر في التصوير إلا عند وجود علامات تحذيرية.

ما الذي قد يساعد هذا الفحص في تقييمه؟

قد يساعد في التفريق بين الشقيقة والصداع التوترى وتحديد ما يستدعي تقييمًا إضافيًا.

ماذا تتوقعين؟

أسئلة عن النمط ثم فحص قصير للرؤية والقوة والتوازن.

كيف تستعدين؟

دوّني متى تحدث النوبات وكم تستمر وما الذي تناولته لها.

الاستعداد العملي

يختلف التوفر والتكلفة حسب البلد والمنشأة والتأمين. اسألي العيادة عن التحضير والتغطية والتكلفة قبل المضي قدمًا.

مصادر الأدلة: (https://www.nice.org.uk/guidance/cg150) (CG150) Headaches in over 12s: diagnosis and management (UK) — NICE (//:NICE (UK)

laboratory

صورة دم كاملة

لماذا قد يُنظر في هذا الفحص؟

التعب المستمر لأسابيع أو الحمى دون سبب واضح يُقيّمان عادة بصورة دم بسيطة أولاً.

ما الذي قد يساعد هذا الفحص في تقييمه؟

قد تساعد في تقييم فقر الدم أو صورة دم توحى بوجود عدوى.

ماذا تتوقعين؟

عينة دم واحدة من الذراع.

كيف تستعدين؟

لا يوجد تحضير خاص مطلوب. والعيادة هي من تؤكد ذلك.

الاستعداد العملي

يختلف التوفر والتكلفة حسب البلد والمنشأة والتأمين. اسألي العيادة عن التحضير والتغطية والتكلفة قبل المضي قدمًا.

مصادر الأدلة: (https://medlineplus.gov/) MedlinePlus health topics — US National Library of Medicine

laboratory

تحليل براز

لماذا قد يُنظر في هذا الفحص؟

معظم التهابات الأمعاء القصيرة تزول دون فحص؛ وينظر فيه الطبيب عند استمرار الأعراض أو بعد السفر أو عند وجود دم.

ما الذي قد يساعد هذا الفحص في تقييمه؟

قد يساعد في تحديد الكائن المسبب عندما يغير ذلك العلاج.

ماذا تتوقعين؟

عينة صغيرة تُجمع في المنزل في وعاء من العيادة.

كيف تستعدين؟

لا يوجد تحضير خاص مطلوب. والعيادة هي من تؤكد ذلك.

الاستعداد العملي

يختلف التوفر والتكلفة حسب البلد والمنشأة والتأمين. اسألي العيادة عن التحضير والتغطية والتكلفة قبل المضي قدمًا.

مصادر الأدلة: NHS (UK) — Health A to Z (<https://www.nhs.uk/conditions/>)

laboratory

فحص الملاريا والأمراض الحموية

لماذا قد يُنظر في هذا الفحص؟

الحمى مع آلام المفاصل بعد السفر، أو في منطقة تنتشر فيها الملاريا أو حمى الضنك، تُفحص مبكرًا لأن التوقيت مهم.

ما الذي قد يساعد هذا الفحص في تقييمه؟

قد يساعد في تقييم ما إذا كانت عدوى منقولة بالبعوض تفسر الحمى.

ماذا تتوقعين؟

عينة دم، وأحيانًا فحص سريع تُقرأ نتيجته خلال دقائق.

كيف تستعدين؟

أحضري تواريخ وأماكن أي سفر حديث.

الاستعداد العملي

يختلف التوفر والتكلفة حسب البلد والمنشأة والتأمين. اسألي العيادة عن التحضير والتغطية والتكلفة قبل المضي قدمًا.

مصادر الأدلة: World Health Organization — Ethics and governance of artificial intelligence for health (<https://www.who.int/publications/i/item/9789240029200>)
NHS (UK) — Health A to Z (<https://www.nhs.uk/conditions/>)

أي من هذه الفحوصات مناسب فعليًا يعتمد على تاريخك المرضي وفحصك. والطبيب هو من يقرر، لا هذه الأداة.

كيف تستعدين للزيارة الطبية؟

- دوّني متى بدأت الأعراض وما الذي يزيدّها أو يخفّفها.
- أحضري قائمة بكل دواء تتناولينه، بما في ذلك ما يُشترى دون وصفة.
- أحضري التقارير أو نتائج التحاليل أو الأشعة السابقة إن وُجدت.
- اذكرني أي حساسية وأي تفاعل سابق مع دواء أو صبغة تباين.
- دوّني أي مرض ينتشر في العائلة وأي سفر حديث.
- اسألي العيادة عما ينبغي إحضاره وما إذا كان أي فحص يحتاج تحضيرًا، بدل الاعتماد على نصائح عامة.

ماذا يعني طلب الفحص وماذا لا يعني

طلب الطبيب إجراء فحص لا يعني بحد ذاته أن مريضًا معينًا قد تم تأكيدّه. فالأطباء يستخدمون الفحوصات غالبًا للتفريق بين عدة تفسيرات محتملة، بما في ذلك استبعاد بعضها.

خيارات الأطباء

الشهادات	المستشفى	الموقع	الحالة
— Dr. Lina Ahmed Neurology MD, PhD	Riyadh Neuroscience Centre	Riyadh, Saudi Arabia	· Demo registry unverified

القيود المهمة

هذا ليس تشخيصًا. HealTrip يوضح الاحتمالات التي قد تكون متوافقة مع ما ذكرته، وما الذي قد يساعد الطبيب على التفريق بينها.

HealTrip نموذج بحثي وهندسي. لا يشخص ولا يصف علاجًا وغير معتمد للاستخدام السريري. والتوافق يصف مدى تطابق الاحتمال مع المعلومات المذكورة، لا احتمال الإصابة. وسجلات الأطباء في هذه النسخة بيانات تجريبية دون ترخيص متحقق منه.