TS_Account

Execution Environment

Host name root - 1ebf4641ee8c

Local OS Linux 64bit Katalon version 8.5.5.208 Browser null

Summary

ID Test Suites/New Folder/TS_Account

Description

Total 1 Passed 0 Failed 1 Error 0 Incomplete 0

Skipped 0

End 2023-06-21 05:13:12 Start 2023-06-21 05:12:48

Elapsed 24.195s

Description ID Status

Test Cases/Account/Login fails **FAILED** 1

Information

ID Test Cases/Account/Login fails

Description

Tag

Start 2023-06-21 05:12:52 End 2023-06-21 05:13:12

Elapsed 20.390s Status FAILED

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | Start listener action : enableSauceLabs | 0.350s | PASSED |

[SAUCELABS] Saucelabs Plugin will not attempt to auto update job status and information!

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 2 | openBrowser("") | 14.367s | FAILED |
| | Unable to open browner with url: " (Boot cause; com kmc katalan care expention | | |
| | Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to open browser with url: " | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| | stepFailed(WebUIKeywordMain.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. | | |
| | runKeyword(WebUIKeywordMain.groovy:26) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. | | |
| | openBrowser(OpenBrowserKeyword.groovy:81) | | |
| | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67) | | |
| | at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| | executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. | | |
| | openBrowser(WebUiBuiltInKeywords.groovy:64) | | |
| | at com.kms.katalon.core.webui.keyword. | | |
| | WebUiBuiltInKeywords\$openBrowser.call(Unknown Source) | | |
| | at Login fails.run(Login fails:21) | | |
| | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText | | |
| | (ScriptEngine.java:119) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.runScript | | |
| | (TestCaseExecutor.java:448) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.doExecute | | |
| | (TestCaseExecutor.java:439) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor. | | |
| | processExecutionPhase(TestCaseExecutor.java:418) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) | | |
| | at com.kms.katalon.core.main.TestCaseExecutor.execute | | |
| | (TestCaseExecutor.java:285) | | |
| | at com.kms.katalon.core.common.CommonExecutor. | | |
| | accessTestCaseMainPhase(CommonExecutor.java:65) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor. | | |
| | accessTestSuiteMainPhase(TestSuiteExecutor.java:151) | | |
| | at com.kms.katalon.core.main.TestSuiteExecutor.execute | | |
| | (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite | | |
| | (TestCaseMain.java:185) | | |
| | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call | | |
| | (Unknown Source) | | |
| | at TempTestSuite1687324339577.run(TempTestSuite1687324339577. | | |
| | groovy:36) | | |
| | Caused by: org.openqa.selenium.WebDriverException: unknown error: Chrome failed to start: crashed. | | |
| | (unknown error: DevToolsActivePort file doesn't exist) | | |
| | (The process started from chrome location /usr/bin/google-chrome is no longer | | |
| | running, so ChromeDriver is assuming that Chrome has crashed.) | | |
| | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: | | |
| | 53' | | |
| | System info: host: '1ebf4641ee8c', ip: '172.17.0.3', os.name: 'Linux', os.arch: | | |
| | 'amd64', os.version: '5.15.49-linuxkit', java.version: '1.8.0_352' | | |
| | Driver info: driver.version: CChromeDriver remote stacktrace: #0 0x00400067d463 (/ (deleted)+0x67d462) | | |
| | #1 0x0040004418d8 (/ (deleted)+0x4418d7) | | |
| | #2 0x004000469b6a (/ (deleted)+0x469b69) | | |
| | #3 0x004000464c05 (/ (deleted)+0x464c04) | | |
| | #4 0x0040004a8802 (/ (deleted)+0x4a8801) | | |
| | #5 0x0040004a82af (/ (deleted)+0x4a82ae) | | |
| | #6 0x0040004a0443 (/ (deleted)+0x4a0442) | | |
| | #7 0x0040004713c5 (/ (deleted)+0x4713c4) #8 0x004000472531 (/ (deleted)+0x472530) | | |
| | #0 0000000001 2001 (/ (UGIGIGU) TUM41 2000) | | |

Elapsed

Status

```
Description
#9 0x0040006cfdce (/ (deleted)+0x6cfdcd)
#10 0x0040006d3192 (/ (deleted)+0x6d3191)
#11 0x0040006b493e (/ (deleted)+0x6b493d)
#12 0x0040006d4103 (/ (deleted)+0x6d4102)
#13 0x0040006a7d85 (/ (deleted)+0x6a7d84)
#14 0x0040006f50a8 (/ (deleted)+0x6f50a7)
#15 0x0040006f5239 (/ (deleted)+0x6f5238)
#16 0x004000710492 (/ (deleted)+0x710491)
#17 0x0040026d4609 start_thread
         at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
         at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
         at org.openga.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
         at org.openga.selenium.remote.service.DriverCommandExecutor.
execute(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
         at org.openga.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
         at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
         at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.
java:181)
         at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.
java:147)
         at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
         at com.kms.katalon.core.webui.driver.DriverFactory.
createNewChromeDriver(DriverFactory.java:434)
         at\ com. kms. katalon. core. we bui. driver. Driver Factory. start New Browser
(DriverFactory.java:367)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:254)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.
groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
         at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$openBrowser.call(Unknown Source)
         at Script1679826722331.run(Script1679826722331.groovy:21)
```

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| | 13 more) | | |
| 3 | Start listener action : autoUpdateJobStatus | 0.044s | PASSED |

[SAUCELABS] Current run configuration: Chrome