

TS_Account

Execution Environment

Host name	thanh.pnguyen - 10.10.32.34
Local OS	Mac OS X 64bit
Katalon version	8.6.5.208
Browser	null

Summary

ID	Test Suites/New Folder/TS_Account		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2023-06-02 09:28:44	End	2023-06-02 09:28:55
Elapsed	10.587s		

#	ID	Description	Status
1	Test Cases/Account/Login fails		FAILED
2	Test Cases/Account/Log out		FAILED

Login fails

Information

ID	Test Cases/Account/Login fails		
Description			
Tag			
Start	2023-06-02 09:28:45	End	2023-06-02 09:28:53
Elapsed	7.904s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Login fails

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call(Unknown Source)</p> <p>at Login fails.run(Login fails:21)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestMainPhase(CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1685672910009.run(TempTestSuite1685672910009.groovy:36)</p> <p>Caused by: org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools</p> <p>(failed to check if window was closed: disconnected: not connected to DevTools)</p> <p>(Session info: headless chrome=114.0.5735.90)</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'C02GX0X6Q05N.local', ip: 'fe80:0:0:0:1cd8:282:67d5:e65b%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.5.1', java.version: '1.8.0_362'</p> <p>Driver info: driver.version: CChromeDriver</p> <p>remote stacktrace: 0 chromedriver 0x0000000104dff6c8</p> <p>chromedriver + 4974280</p> <p>1 chromedriver 0x0000000104df6a33 chromedriver + 4938291</p> <p>2 chromedriver 0x00000001049b3ce6 chromedriver + 470246</p> <p>3 chromedriver 0x0000000104998ce8 chromedriver + 359656</p> <p>4 chromedriver 0x000000010499a38c chromedriver + 365452</p> <p>5 chromedriver 0x000000010499a2e4 chromedriver + 365284</p> <p>6 chromedriver 0x000000010498793e chromedriver + 289086</p>	6.283s	FAILED

Login fails

#	Description	Elapsed	Status
7	chromedriver	0x00000001049874a5 chromedriver + 287909	
8	chromedriver	0x0000000104a253d4 chromedriver + 934868	
9	chromedriver	0x0000000104a2475f chromedriver + 931679	
10	chromedriver	0x0000000104a1b793 chromedriver + 894867	
11	chromedriver	0x00000001049e922f chromedriver + 688687	
12	chromedriver	0x00000001049ea57e chromedriver + 693630	
13	chromedriver	0x0000000104db9a97 chromedriver + 4688535	
14	chromedriver	0x0000000104dbe970 chromedriver + 4708720	
15	chromedriver	0x0000000104dc537f chromedriver + 4735871	
16	chromedriver	0x0000000104dbf84a chromedriver + 4712522	
17	chromedriver	0x0000000104d9273c chromedriver + 4527932	
18	chromedriver	0x0000000104ddef08 chromedriver + 4841224	
19	chromedriver	0x0000000104ddf087 chromedriver + 4841607	
20	chromedriver	0x0000000104df036f chromedriver + 4911983	
21	libsystem_pthread.dylib	0x00007ff8187a14e1 _pthread_start + 125	
22	libsystem_pthread.dylib	0x00007ff81879cf6b thread_start + 15	
	at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake. lambda\$createSession\$0(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 147) at com.kms.katalon.selenium.driver.CChromeDriver.<init> (CChromeDriver.java:13) at com.kms.katalon.core.webui.driver.DriverFactory. createHeadlessChromeDriver(DriverFactory.java:505) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:398) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:263) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy: 74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67)		

Login fails

#	Description	Elapsed	Status
	<pre> at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$openBrowser.call(Unknown Source) at Script1679826722331.run(Script1679826722331.groovy:21) ... 13 more)</pre>		

Log out

Information

ID	Test Cases/Account/Log out		
Description			
Tag			
Start	2023-06-02 09:28:53	End	2023-06-02 09:28:55
Elapsed	1.487s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Log out

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("Account/Login fails"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Account/Login fails' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Account/Login fails' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword. callTestCase(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase (BuiltinKeywords.groovy:310) at Log out.run(Log out:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1685672910009.run(TempTestSuite1685672910009. groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$openBrowser.call(Unknown Source)</p>	0.705s	FAILED

Log out

#	Description	Elapsed	Status
	at Login fails.run(Login fails:21) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain. java:144) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy: 59) ... 20 more Caused by: org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: headless chrome=114.0.5735.90) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: 53' System info: host: 'C02GX0X6Q05N.local', ip: 'fe80:0:0:0:1cd8:282:67d5:e65b% en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.5.1', java.version: '1.8.0_362' Driver info: driver.version: CChromeDriver remote stacktrace: 0 chromedriver 0x00000001032d26c8 chromedriver + 4974280 1 chromedriver 0x00000001032c9a33 chromedriver + 4938291 2 chromedriver 0x0000000102e86ce6 chromedriver + 470246 3 chromedriver 0x0000000102e6bce8 chromedriver + 359656 4 chromedriver 0x0000000102e6d38c chromedriver + 365452 5 chromedriver 0x0000000102e6d2e4 chromedriver + 365284 6 chromedriver 0x0000000102e5a93e chromedriver + 289086 7 chromedriver 0x0000000102e5a4a5 chromedriver + 287909 8 chromedriver 0x0000000102ef83d4 chromedriver + 934868 9 chromedriver 0x0000000102ef775f chromedriver + 931679 10 chromedriver 0x0000000102eee793 chromedriver + 894867 11 chromedriver 0x0000000102ebc22f chromedriver + 688687 12 chromedriver 0x0000000102ebd57e chromedriver + 693630 13 chromedriver 0x000000010328ca97 chromedriver + 4688535 14 chromedriver 0x0000000103291970 chromedriver + 4708720 15 chromedriver 0x000000010329837f chromedriver + 4735871 16 chromedriver 0x000000010329284a chromedriver + 4712522 17 chromedriver 0x000000010326573c chromedriver + 4527932 18 chromedriver 0x00000001032b1f08 chromedriver + 4841224 19 chromedriver 0x00000001032b2087 chromedriver + 4841607 20 chromedriver 0x00000001032c336f chromedriver + 4911983 21 libsystem_pthread.dylib 0x00007ff8187a14e1 _pthread_start + 125 22 libsystem_pthread.dylib 0x00007ff81879cf6b thread_start + 15 at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake. lambda\$createSession\$0(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession		

Log out

#	Description	Elapsed	Status
	(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 147) at com.kms.katalon.selenium.driver.CChromeDriver.<init> (CChromeDriver.java:13) at com.kms.katalon.core.webui.driver.DriverFactory. createHeadlessChromeDriver(DriverFactory.java:505) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:398) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:263) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy: 74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) ... 35 more)		