

# TS\_Account

## Execution Environment

Host name	root - c0e9473006e0
Local OS	Linux 64bit
Katalon version	8.5.5.208
Browser	null

## Summary

ID	Test Suites/TS_Account		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	2023-04-18 11:39:26	End	2023-04-18 11:39:50
Elapsed	24.507s		

#	ID	Description	Status
1	Test Cases/Account/Login fails		FAILED

# Login fails

---

## Information

ID	Test Cases/Account/Login fails		
Description			
Tag			
Start	2023-04-18 11:39:29	End	2023-04-18 11:39:50
Elapsed	21.536s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------

# Login fails

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call(Unknown Source)</p> <p>at Login fails.run(Login fails:21)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:151)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1681817936734.run(TempTestSuite1681817936734.groovy:36)</p> <p>Caused by: org.openqa.selenium.WebDriverException: unknown error: Chrome failed to start: crashed.</p> <p>(unknown error: DevToolsActivePort file doesn't exist)</p> <p>(The process started from chrome location /usr/bin/google-chrome is no longer running, so ChromeDriver is assuming that Chrome has crashed.)</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'c0e9473006e0', ip: '172.17.0.2', os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.49-linuxkit', java.version: '1.8.0_352'</p> <p>Driver info: driver.version: CChromeDriver</p> <p>remote stacktrace: #0 0x004000666243 (/ (deleted)+0x666242)</p> <p>#1 0x00400042a7a6 (/ (deleted)+0x42a7a5)</p> <p>#2 0x004000453520 (/ (deleted)+0x45351f)</p> <p>#3 0x00400044f49b (/ (deleted)+0x44f49a)</p> <p>#4 0x0040004912a7 (/ (deleted)+0x4912a6)</p> <p>#5 0x0040004908cf (/ (deleted)+0x4908ce)</p> <p>#6 0x004000487e53 (/ (deleted)+0x487e52)</p> <p>#7 0x00400045a9ea (/ (deleted)+0x45a9e9)</p> <p>#8 0x00400045bb2e (/ (deleted)+0x45bb2d)</p>	17.765s	FAILED

# Login fails

#	Description	Elapsed	Status
#9	0x0040006bad5e (/ (deleted)+0x6bad5d)		
#10	0x0040006bea80 (/ (deleted)+0x6bea7f)		
#11	0x0040006a08b0 (/ (deleted)+0x6a08af)		
#12	0x0040006bfb63 (/ (deleted)+0x6bfb62)		
#13	0x004000691f75 (/ (deleted)+0x691f74)		
#14	0x0040006e2998 (/ (deleted)+0x6e2997)		
#15	0x0040006e2b27 (/ (deleted)+0x6e2b26)		
#16	0x0040006fdc23 (/ (deleted)+0x6fdc22)		
#17	0x0040025bb609 start_thread		
	at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake. lambda\$createSession\$0(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver. java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver. java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init> (CChromeDriver.java:13) at com.kms.katalon.core.webui.driver.DriverFactory. createNewChromeDriver(DriverFactory.java:434) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:367) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword. groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$_openBrowser.call(Unknown Source) at Script1679826722331.run(Script1679826722331.groovy:21)		

# Login fails

#	Description	Elapsed	Status
---	-------------	---------	--------

... 13 more

)