

TS_Account

Execution Environment

Host name	root - 526ad02126ac
Local OS	Linux 64bit
Katalon version	8.6.5.208
Browser	null

Summary

ID	Test Suites/New Folder/TS_Account		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	2023-06-21 02:15:59	End	2023-06-21 02:16:38
Elapsed	38.665s		

#	ID	Description	Status
1	Test Cases/Account/Login fails		FAILED

Login fails

Information

ID	Test Cases/Account/Login fails		
Description			
Tag			
Start	2023-06-21 02:16:02	End	2023-06-21 02:16:38
Elapsed	35.701s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : enableSauceLabs	0.227s	PASSED
[SAUCELABS] Saucelabs Plugin will not attempt to auto update job status and information !			

Login fails

#	Description	Elapsed	Status
2	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call(Unknown Source)</p> <p>at Login fails.run(Login fails:21)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1687313700640.run(TempTestSuite1687313700640.groovy:36)</p> <p>Caused by: org.openqa.selenium.WebDriverException: unknown error: Chrome failed to start: crashed.</p> <p>(unknown error: DevToolsActivePort file doesn't exist)</p> <p>(The process started from chrome location /usr/bin/google-chrome is no longer running, so ChromeDriver is assuming that Chrome has crashed.)</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: '526ad02126ac', ip: '172.17.0.2', os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.49-linuxkit', java.version: '1.8.0_362'</p> <p>Driver info: driver.version: CChromeDriver</p> <p>remote stacktrace: #0 0x004000707b73 (/ (deleted)+0x707b72)</p> <p>#1 0x004000450416 (/ (deleted)+0x450415)</p> <p>#2 0x004000479cba (/ (deleted)+0x479cb9)</p> <p>#3 0x004000475b1b (/ (deleted)+0x475b1a)</p> <p>#4 0x0040004b531d (/ (deleted)+0x4b531c)</p> <p>#5 0x0040004b4aff (/ (deleted)+0x4b4afe)</p> <p>#6 0x0040004ac403 (/ (deleted)+0x4ac402)</p> <p>#7 0x004000480f0a (/ (deleted)+0x480f09)</p> <p>#8 0x004000481ffe (/ (deleted)+0x481ffd)</p>	30.556s	FAILED

Login fails

#	Description	Elapsed	Status
#9	0x0040006c8c4e (/ (deleted)+0x6c8c4d)		
#10	0x0040006cc8f2 (/ (deleted)+0x6cc8f1)		
#11	0x0040006d5870 (/ (deleted)+0x6d586f)		
#12	0x0040006cd933 (/ (deleted)+0x6cd932)		
#13	0x0040006a175e (/ (deleted)+0x6a175d)		
#14	0x0040006efe48 (/ (deleted)+0x6efe47)		
#15	0x0040006effd7 (/ (deleted)+0x6effd6)		
#16	0x0040006ffe39 (/ (deleted)+0x6ffe38)		
#17	0x0040025a4609 start_thread		
	at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake. lambda\$createSession\$0(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver. java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver. java:147) at com.kms.katalon.selenium.driver.CChromeDriver.<init> (CChromeDriver.java:13) at com.kms.katalon.core.webui.driver.DriverFactory. createNewChromeDriver(DriverFactory.java:441) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:374) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:263) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword. groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$_openBrowser.call(Unknown Source) at Script1679826722331.run(Script1679826722331.groovy:21)		

Login fails

#	Description	Elapsed	Status
	<div>... 13 more</div> <div>)</div>		
3	Start listener action : autoUpdateJobStatus [SAUCELABS] Current run configuration: Chrome	0.034s	PASSED