TS_Account

Execution Environment

Host name	thanh.pnguyen - 10.10.32.34
Local OS	Mac OS X 64bit
Katalon version	8.6.5.208
Browser	null

Summary

ID	Test Suites/New Folder/TS_Account
Description	

Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2023-06-02 09:27:28	End	2023-06-02 09:27:37
Elapsed	8.836s		

#	ID	Description	Status
1	Test Cases/Account/Login fails		FAILED
2	Test Cases/Account/Log out		FAILED

Login fails

Information

ID | Test Cases/Account/Login fails

Description

Tag

Start | 2023-06-02 09:27:28 | End | 2023-06-02 09:27:34
Elapsed | 5.197s
Status | FAILED

Details

#	Description	Elapsed	Status

Login fails

#	Description	Elapsed	Status
1	openBrowser("")	4.570s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
     at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
     at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$openBrowser.call(Unknown Source)
     at Login fails.run(Login fails:21)
     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
     at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
     at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
     at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
     at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:65)
     at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:148)
     at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:106)
     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:187)
     at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call
(Unknown Source)
     at TempTestSuite1685672828005.run(TempTestSuite1685672828005.
groovy:36)
Caused by: org.openqa.selenium.WebDriverException: disconnected: not connected
to DevTools
  (failed to check if window was closed: disconnected: not connected to DevTools)
  (Session info: headless chrome=114.0.5735.90)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:
53'
System info: host: 'C02GX0X6Q05N.local', ip: 'fe80:0:0:0:1cd8:282:67d5:e65b%
en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.5.1', java.version:
'1.8.0_362'
Driver info: driver.version: CChromeDriver
remote stacktrace: 0   chromedriver   0x000000010537d6c8
chromedriver + 4974280
1 chromedriver   0x0000000105374a33 chromedriver + 4938291
2 chromedriver   0x0000000104f31ce6 chromedriver + 470246
3 chromedriver   0x0000000104f16ce8 chromedriver + 359656
4 chromedriver   0x0000000104f1838c chromedriver + 365452
5 chromedriver   0x0000000104f182e4 chromedriver + 365284
6 chromedriver   0x0000000104f0593e chromedriver + 289086

Login fails

#	Description	Elapsed	Status
7	chromedriver 0x0000000104f054a5 chromedriver + 287909		
8	chromedriver 0x0000000104fa33d4 chromedriver + 934868		
9	chromedriver 0x0000000104fa275f chromedriver + 931679		
10	chromedriver 0x0000000104f99793 chromedriver + 894867		
11	chromedriver 0x0000000104f6722f chromedriver + 688687		
12	chromedriver 0x0000000104f6857e chromedriver + 693630		
13	chromedriver 0x0000000105337a97 chromedriver + 4688535		
14	chromedriver 0x000000010533c970 chromedriver + 4708720		
15	chromedriver 0x000000010534337f chromedriver + 4735871		
16	chromedriver 0x000000010533d84a chromedriver + 4712522		
17	chromedriver 0x000000010531073c chromedriver + 4527932		
18	chromedriver 0x000000010535cf08 chromedriver + 4841224		
19	chromedriver 0x000000010535d087 chromedriver + 4841607		
20	chromedriver 0x000000010536e36f chromedriver + 4911983		
21	libsystem_pthread.dylib 0x00007ff8187a14e1 _pthread_start + 125		
22	libsystem_pthread.dylib 0x00007ff81879cf6b thread_start + 15		

at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
at org.openqa.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
181)
at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
147)
at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
at com.kms.katalon.core.webui.driver.DriverFactory.
createHeadlessChromeDriver(DriverFactory.java:505)
at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:398)
at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:263)
at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:
74)
at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)

Login fails

#	Description	Elapsed	Status
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:64)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call(Unknown Source)		
	at Script1679826722331.run(Script1679826722331.groovy:21)		
	... 13 more		
	)		

Log out

Information

ID	Test Cases/Account/Log out		
Description			
Tag			
Start	2023-06-02 09:27:34	End	2023-06-02 09:27:37
Elapsed	3.124s		
Status	FAILED		

Details

#	Description	Elapsed	Status

Log out

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Account/Login fails"), [:], STOP_ON_FAILURE)	2.486s	FAILED

Unable to call Test Case 'Test Cases/Account/Login fails' (Root cause: com.kms.
katalon.core.exception.StepFailedException: Call Test Case 'Test
Cases/Account/Login fails' failed
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:
63)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:75)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.
callTestCase(CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase
(BuiltinKeywords.groovy:310)
        at Log out.run(Log out:20)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
        at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:148)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:187)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call
(Unknown Source)
        at TempTestSuite1685672828005.run(TempTestSuite1685672828005.
groovy:36)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open
browser with url: ''
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
        at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$openBrowser.call(Unknown Source)

#	Description	Elapsed	Status

at Login fails.run(Login fails:21)

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)

at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain. java:144)

at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy: 59)

... 20 more

Caused by: org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools

(failed to check if window was closed: disconnected: not connected to DevTools)

(Session info: headless chrome=114.0.5735.90)

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: 53'

System info: host: 'C02GX0X6Q05N.local', ip: 'fe80:0:0:0:1cd8:282:67d5:e65b% en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.5.1', java.version: '1.8.0_362'

Driver info: driver.version: CChromeDriver

remote stacktrace: 0   chromedriver   0x0000000102dde6c8 chromedriver + 4974280

```
1   chromedriver              0x0000000102dd5a33 chromedriver + 4938291
2   chromedriver              0x0000000102992ce6 chromedriver + 470246
3   chromedriver              0x0000000102977ce8 chromedriver + 359656
4   chromedriver              0x000000010297938c chromedriver + 365452
5   chromedriver              0x00000001029792e4 chromedriver + 365284
6   chromedriver              0x000000010296693e chromedriver + 289086
7   chromedriver              0x00000001029664a5 chromedriver + 287909
8   chromedriver              0x0000000102a043d4 chromedriver + 934868
9   chromedriver              0x0000000102a0375f chromedriver + 931679
10  chromedriver              0x00000001029fa793 chromedriver + 894867
11  chromedriver              0x00000001029c822f chromedriver + 688687
12  chromedriver              0x00000001029c957e chromedriver + 693630
13  chromedriver              0x0000000102d98a97 chromedriver + 4688535
14  chromedriver              0x0000000102d9d970 chromedriver + 4708720
15  chromedriver              0x0000000102da437f chromedriver + 4735871
16  chromedriver              0x0000000102d9e84a chromedriver + 4712522
17  chromedriver              0x0000000102d7173c chromedriver + 4527932
18  chromedriver              0x0000000102dbdf08 chromedriver + 4841224
19  chromedriver              0x0000000102dbe087 chromedriver + 4841607
20  chromedriver              0x0000000102dcf36f chromedriver + 4911983
21  libsystem_pthread.dylib       0x00007ff8187a14e1 _pthread_start + 125
22  libsystem_pthread.dylib       0x00007ff81879cf6b thread_start + 15
```

at org.openqa.selenium.remote.W3CHandshakeResponse. lambda$errorHandler$0(W3CHandshakeResponse.java:62)

at org.openqa.selenium.remote.HandshakeResponse. lambda$getResponseFunction$0(HandshakeResponse.java:30)

at org.openqa.selenium.remote.ProtocolHandshake. lambda$createSession$0(ProtocolHandshake.java:126)

at org.openqa.selenium.remote.ProtocolHandshake.createSession

#	Description	Elapsed	Status

(ProtocolHandshake.java:128)
    at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
    at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
    at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
    at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
    at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
181)
    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
147)
    at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
    at com.kms.katalon.core.webui.driver.DriverFactory.
createHeadlessChromeDriver(DriverFactory.java:505)
    at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:398)
    at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:263)
    at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:
74)
    at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
    ... 35 more
)