

TS_Order

Execution Environment

Host name	thanh.pnguyen - 10.10.34.51
Local OS	Mac OS X 64bit
Katalon version	8.4.1.208
Browser	Edge Chromium 112

Summary

ID	Test Suites/New Folder/TS_Order		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2023-06-07 12:33:01	End	2023-06-07 12:34:33
Elapsed	1m - 31.387s		

#	ID	Description	Status
1	Test Cases/Order Process/Order Item 01		FAILED
2	Test Cases/Order Process/Check order 02		FAILED

Order Item 01

Information

ID	Test Cases/Order Process/Order Item 01		
Description			
Tag			
Start	2023-06-07 12:33:02	End	2023-06-07 12:34:28
Elapsed	1m - 26.581s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Account/Login successfully"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Account/Login successfully' successfully	55.326s	PASSED
2	enhancedClick(findTestObject("Page_My account Katalon Shop/Page_My account Katalon Shop/a_Shop")) Object: 'Object Repository/Page_My account Katalon Shop/Page_My account Katalon Shop/a_Shop' is clicked on	5.960s	PASSED
3	SamplePageTitle = getWindowTitle() Current window's title is: 'Katalon Shop – Katalon Ecommerce'	0.280s	PASSED
4	verifyMatch(SamplePageTitle, "Katalon Shop – Katalon Ecommerce", false) Actual text 'Katalon Shop – Katalon Ecommerce' and expected text 'Katalon Shop – Katalon Ecommerce' are matched	0.040s	PASSED
5	delay(5) Delayed 5 second(s)	5.032s	PASSED
6	enhancedClick(findTestObject("Page_My account Katalon Shop/Page_Katalon Shop Katalon Ecommerce/span_Default sorting")) Object: 'Object Repository/Page_My account Katalon Shop/Page_Katalon Shop Katalon Ecommerce/span_Default sorting' is clicked on	3.635s	PASSED

Order Item 01

#	Description	Elapsed	Status
7	enhancedClick(findTestObject("Page_My account Katalon Shop/Page_Katalon Shop Katalon Ecommerce/sort by latest")) Object: 'Object Repository/Page_My account Katalon Shop/Page_Katalon Shop Katalon Ecommerce/sort by latest' is clicked on	6.417s	PASSED
8	delay(5) Delayed 5 second(s)	5.021s	PASSED

Order Item 01

#	Description	Elapsed	Status
9	<p>waitForElementPresent(findTestObject("Page_My account Katalon Shop/Page_Katalon Shop Katalon Ecommerce/img__attachment-woocommerce_thumbnail size-woocommerce_thumbnail"), 3)</p> <p>Unable to wait for object 'Object Repository/Page_My account Katalon Shop/Page_Katalon Shop Katalon Ecommerce/img__attachment-woocommerce_thumbnail size-woocommerce_thumbnail' to be present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to wait for object 'Object Repository/Page_My account Katalon Shop/Page_Katalon Shop Katalon Ecommerce/img__attachment-woocommerce_thumbnail size-woocommerce_thumbnail' to be present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.waitForElementPresent(WaitForElementPresentKeyword.groovy:95) at com.kms.katalon.core.webui.keyword.builtin.WaitForElementPresentKeyword.execute(WaitForElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.waitForElementPresent(WebUiBuiltInKeywords.groovy:347) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$waitForElementPresent\$6.call(Unknown Source) at Order Item 01.run(Order Item 01:36) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:144) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1686115958842.run(TempTestSuite1686115958842.groovy:36) Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Connection refused (Connection refused) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'C02GX0X6Q05N.local', ip: 'fe80:0:0:0:1cd8:282:67d5:e65b%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_275' Driver info: com.kms.katalon.selenium.driver.CRemoteWebDriver Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 112.0.1722.48, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress:</p>	4.425s	FAILED

Order Item 01

#	Description	Elapsed	Status
	<pre>localhost:59021}, msedge: {msedgedriverVersion: 112.0.1722.34 (649b7446f96f..., userDataDir: /var/folders/yj/h3bj394n2tn...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn: extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension: minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true, webdriver.remote.sessionid: de7f8ba0e39db0b3716cf8ad236...} Session ID: de7f8ba0e39db0b3716cf8ad2366881d7369ed65 *** Element info: {Using=xpath, value=//img[contains(@src,'https://cms.demo. katalon.com/wp-content/uploads/2019/08/poster_1_up-300x300.jpg')]} at org.openqa.selenium.remote.http.W3CHttpResponseCodec. createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at org.openqa.selenium.support.events.EventFiringWebDriver. lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy10.findElements(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElements (EventFiringWebDriver.java:182) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1016) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:733) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElements(WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findWebElement(WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.builtin. WaitForElementPresentKeyword\$_waitForElementPresent_closure1.doCall (WaitForElementPresentKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin. WaitForElementPresentKeyword\$_waitForElementPresent_closure1.call (WaitForElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.</pre>		

Order Item 01

#	Description	Elapsed	Status
	WaitForElementPresentKeyword.waitForElementPresent (WaitForElementPresentKeyword.groovy:95) at com.kms.katalon.core.webui.keyword.builtin. WaitForElementPresentKeyword.execute(WaitForElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. waitForElementPresent(WebUiBuiltInKeywords.groovy:347) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$waitForElementPresent\$6.call(Unknown Source) at Script1680942695614.run(Script1680942695614.groovy:36) ... 13 more)		

Check order 02

Information

ID	Test Cases/Order Process/Check order 02		
Description			
Tag			
Start	2023-06-07 12:34:28	End	2023-06-07 12:34:33
Elapsed	4.350s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Check order 02

#	Description	Elapsed	Status
1	<p>callTestCase(findTestCase("Account/Login successfully"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Account/Login successfully' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Account/Login successfully' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword. callTestCase(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase (BuiltinKeywords.groovy:334) at Check order 02.run(Check order 02:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:144) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1686115958842.run(TempTestSuite1686115958842. groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$openBrowser.call(Unknown Source)</p>	1.578s	FAILED

Check order 02

#	Description	Elapsed	Status
	<pre>at Login successfully.run(Login successfully:21) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain. java:142) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy: 59) ... 20 more Caused by: org.openqa.selenium.WebDriverException: An unknown error has occurred Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: 53' System info: host: 'C02GX0X6Q05N.local', ip: 'fe80:0:0:0:1cd8:282:67d5:e65b% en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0 _275' Driver info: com.kms.katalon.selenium.driver.CRemoteWebDriver Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 112.0.1722.48, javascriptEnabled: true, ms:edgeOptions: {debuggerAddress: localhost:59021}, msedge: {msedgedriverVersion: 112.0.1722.34 (649b7446f96f..., userDataDir: /var/folders/yj/h3bj394n2tn...), networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC, platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn: extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension: minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true, webdriver.remote.sessionid: de7f8ba0e39db0b3716cf8ad236...} Session ID: de7f8ba0e39db0b3716cf8ad2366881d7369ed65 at org.openqa.selenium.remote.http.W3CHttpResponseCodec. createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CRemoteWebDriver.execute (CRemoteWebDriver.java:30) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:609) at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver. java:452) at org.openqa.selenium.support.events.EventFiringWebDriver. lambda\$new\$1(EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy10.quit(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.quit (EventFiringWebDriver.java:211) at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver (DriverFactory.java:1501)</pre>		

Check order 02

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.driver.DriverFactory.startRemoteBrowser (DriverFactory.java:311) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:252) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy: 74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) ... 35 more)		