TS_Account

Execution Environment

Host name root - f6fe4cbe35dc

Local OS Linux 64bit
Katalon version 8.6.0.208
Browser null

Summary

ID Test Suites/New Folder/TS_Account

Description

 Total
 1

 Passed
 0
 Failed
 1

 Error
 0
 Incomplete
 0

Skipped 0

Start 2023-05-03 23:47:56 End 2023-05-03 23:48:10

Elapsed 13.692s

#	ID	Description	Status
1	Test Cases/Account/Login fails		FAILED

Information

ID Test Cases/Account/Login fails

Description

Tag

Start 2023-05-03 23:47:58 End 2023-05-03 23:48:10

Elapsed 11.730s Status FAILED

Details

#	Description	Elapsed	Status
1	Start listener action : enableSauceLabs	0.103s	PASSED

[SAUCELABS] Saucelabs Plugin will not attempt to auto update job status and information!

# D	escription	Elapsed	Status
	penBrowser("")	9.147s	FAILED
	Inable to open browser with url: " (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to open browser with url: "		
J	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
0	tepFailed(WebUlKeywordMain.groovy:64)		
3	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.		
ri	unKeyword(WebUIKeywordMain.groovy:26)		
- 10	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
0	penBrowser(OpenBrowserKeyword.groovy:81)		
U	at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
0	execute(OpenBrowserKeyword.groovy:67)		
Е	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
_			
е	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
O	penBrowser(WebUiBuiltInKeywords.groovy:64)		
1.0	at com.kms.katalon.core.webui.keyword.		
V	VebUiBuiltInKeywords\$openBrowser.call(Unknown Source)		
	at Login fails.run(Login fails:21)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
,,	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(;	ScriptEngine.java:119)		
<i>(</i> -	at com.kms.katalon.core.main.TestCaseExecutor.runScript		
(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.		
p	rocessExecutionPhase(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.common.CommonExecutor.		
a	ccessTestCaseMainPhase(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.		
a	ccessTestSuiteMainPhase(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute		
(TestSuiteExecutor.java:106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite		
(TestCaseMain.java:187)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call		
(l	Unknown Source)		
	at TempTestSuite1683157494956.run(TempTestSuite1683157494956.		
g	roovy:36)		
	Caused by: org.openqa.selenium.WebDriverException: unknown error: Chrome		
	ailed to start: crashed.		
	(unknown error: DevToolsActivePort file doesn't exist)		
	(The process started from chrome location /usr/bin/google-chrome is no longer		
	unning, so ChromeDriver is assuming that Chrome has crashed.)		
В	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:		
5	3'		
S	System info: host: 'f6fe4cbe35dc', ip: '172.17.0.2', os.name: 'Linux', os.arch:		
'a	amd64', os.version: '5.15.49-linuxkit', java.version: '1.8.0_362'		
	Oriver info: driver.version: CChromeDriver		
	emote stacktrace: #0 0x004000666243 <unknown></unknown>		
#	1 0x00400042a7a6 <unknown></unknown>		
	2 0x004000453520 <unknown></unknown>		
	3 0x00400044f49b <unknown></unknown>		
	4 0x0040004912a7 <unknown></unknown>		
	5 0x0040004908cf <unknown></unknown>		
	6 0x004000487e53 <unknown></unknown>		
- 11	7 0x00400045a9ea <unknown></unknown>		
#	·/ 0x0040004Ja36a <u1k10w1 <="" td=""><td></td><td></td></u1k10w1>		

Elapsed

Status

```
Description
#9 0x0040006bad5e <unknown>
#10 0x0040006bea80 <unknown>
#11 0x0040006a08b0 <unknown>
#12 0x0040006bfb63 <unknown>
#13 0x004000691f75 <unknown>
#14 0x0040006e2998 <unknown>
#15 0x0040006e2b27 <unknown>
#16 0x0040006fdc23 <unknown>
#17 0x0040025bb609 start_thread
         at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
         at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
         at org.openga.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
         at org.openga.selenium.remote.service.DriverCommandExecutor.
execute(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
         at org.openga.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
         at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
         at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.
java:181)
         at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.
java:147)
         at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
         at com.kms.katalon.core.webui.driver.DriverFactory.
createHeadlessChromeDriver(DriverFactory.java:504)
         at\ com. kms. katalon. core. we bui. driver. Driver Factory. start New Browser
(DriverFactory.java:397)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:262)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.
groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
         at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$openBrowser.call(Unknown Source)
         at Script1679826722331.run(Script1679826722331.groovy:21)
```

#	Description	Elapsed	Status
	13 more)		
3	Start listener action : autoUpdateJobStatus	0.006s	PASSED

[SAUCELABS] Current run configuration: Chrome (headless)