### TS\_Account

#### **Execution Environment**

Host name root - f6fe4cbe35dc

Local OS Linux 64bit
Katalon version 8.6.0.208
Browser null

#### Summary

ID Test Suites/New Folder/TS\_Account

Description

 Total
 1

 Passed
 0
 Failed
 1

 Error
 0
 Incomplete
 0

Skipped 0

Start 2023-05-03 23:45:52 End 2023-05-03 23:46:06

Elapsed 13.875s

| # | ID                             | Description | Status |
|---|--------------------------------|-------------|--------|
| 1 | Test Cases/Account/Login fails |             | FAILED |

#### Information

ID Test Cases/Account/Login fails

Description

Tag

Start 2023-05-03 23:45:54 End 2023-05-03 23:46:06

Elapsed 11.908s Status FAILED

#### **Details**

| # | Description                             | Elapsed | Status |
|---|---|---------|--------|
| 1 | Start listener action : enableSauceLabs | 0.135s  | PASSED |

[SAUCELABS] Saucelabs Plugin will not attempt to auto update job status and information!

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
| 2 | openBrowser("")  | 9.144s  | FAILED |
|   | Unable to specification with only 11 /Dect course, sometime testalen come avecation  |         |        |
|   | Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.  StepFailedException: Unable to open browser with url: " |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.   |         |        |
|   | stepFailed(WebUIKeywordMain.groovy:64)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.   |         |        |
|   | runKeyword(WebUIKeywordMain.groovy:26)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.  |         |        |
|   | openBrowser(OpenBrowserKeyword.groovy:81)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67)                                   |         |        |
|   | at com.kms.katalon.core.keyword.internal.KeywordExecutor.  |         |        |
|   | executeKeywordForPlatform(KeywordExecutor.groovy:74)   |         |        |
|   | at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.  |         |        |
|   | openBrowser(WebUiBuiltInKeywords.groovy:64)  |         |        |
|   | at com.kms.katalon.core.webui.keyword.   |         |        |
|   | WebUiBuiltInKeywords\$openBrowser.call(Unknown Source)   |         |        |
|   | at Login fails.run(Login fails:21)   |         |        |
|   | at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText        |         |        |
|   | (ScriptEngine.java:119)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.runScript  |         |        |
|   | (TestCaseExecutor.java:448)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.doExecute  |         |        |
|   | (TestCaseExecutor.java:439)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.   |         |        |
|   | processExecutionPhase(TestCaseExecutor.java:418)   |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseExecutor.execute  |         |        |
|   | (TestCaseExecutor.java:285)  |         |        |
|   | at com.kms.katalon.core.common.CommonExecutor.   |         |        |
|   | accessTestCaseMainPhase(CommonExecutor.java:65)  |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.  |         |        |
|   | accessTestSuiteMainPhase(TestSuiteExecutor.java:148)   |         |        |
|   | at com.kms.katalon.core.main.TestSuiteExecutor.execute   |         |        |
|   | (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite  |         |        |
|   | (TestCaseMain.java:187)  |         |        |
|   | at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call  |         |        |
|   | (Unknown Source)   |         |        |
|   | at TempTestSuite1683157352963.run(TempTestSuite1683157352963.  |         |        |
|   | groovy:36)   |         |        |
|   | Caused by: org.openqa.selenium.WebDriverException: unknown error: Chrome failed to start: crashed.                                       |         |        |
|   | (unknown error: DevToolsActivePort file doesn't exist)   |         |        |
|   | (The process started from chrome location /usr/bin/google-chrome is no longer  |         |        |
|   | running, so ChromeDriver is assuming that Chrome has crashed.)   |         |        |
|   | Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:  |         |        |
|   | 53'  |         |        |
|   | System info: host: 'f6fe4cbe35dc', ip: '172.17.0.2', os.name: 'Linux', os.arch:  |         |        |
|   | 'amd64', os.version: '5.15.49-linuxkit', java.version: '1.8.0_362'   |         |        |
|   | Driver info: driver.version: CChromeDriver remote stacktrace: #0 0x004000666243 <unknown></unknown>                                      |         |        |
|   | #1 0x00400042a7a6 <unknown></unknown>  |         |        |
|   | #2 0x004000453520 <unknown></unknown>  |         |        |
|   | #3 0x00400044f49b <unknown></unknown>  |         |        |
|   | #4 0x0040004912a7 <unknown></unknown>  |         |        |
|   | #5 0x0040004908cf <unknown></unknown>  |         |        |
|   | #6 0x004000487e53 <unknown></unknown>  |         |        |
|   | #7 0x00400045a9ea <unknown><br/>#8 0x00400045bb2e <unknown></unknown></unknown>  |         |        |
|   | #U UNUUTUUUTUUUE VUIINIUWII/   |         |        |

Elapsed

Status

```
Description
#9 0x0040006bad5e <unknown>
#10 0x0040006bea80 <unknown>
#11 0x0040006a08b0 <unknown>
#12 0x0040006bfb63 <unknown>
#13 0x004000691f75 <unknown>
#14 0x0040006e2998 <unknown>
#15 0x0040006e2b27 <unknown>
#16 0x0040006fdc23 <unknown>
#17 0x0040025bb609 start_thread
         at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
         at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
         at org.openga.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
         at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
         at org.openga.selenium.remote.service.DriverCommandExecutor.
execute(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
         at org.openga.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
         at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
         at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.
java:181)
         at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.
java:147)
         at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
         at com.kms.katalon.core.webui.driver.DriverFactory.
createHeadlessChromeDriver(DriverFactory.java:504)
         at\ com. kms. katalon. core. we bui. driver. Driver Factory. start New Browser
(DriverFactory.java:397)
         at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:262)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.
groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.
groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
         at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$openBrowser.call(Unknown Source)
         at Script1679826722331.run(Script1679826722331.groovy:21)
```

| # | Description                                 | Elapsed | Status |
|---|---|---------|--------|
|   | 13 more )                                   |         |        |
| 3 | Start listener action : autoUpdateJobStatus | 0.022s  | PASSED |

[SAUCELABS] Current run configuration: Chrome (headless)