

# TS\_Account

## Execution Environment

|                 |                             |
|-----------------|-----------------------------|
| Host name       | thanh.pnguyen - 10.10.32.34 |
| Local OS        | Mac OS X 64bit              |
| Katalon version | 8.6.5.208                   |
| Browser         | null                        |

## Summary

|             |                                   |            |                     |
|-------------|-----------------------------------|------------|---------------------|
| ID          | Test Suites/New Folder/TS_Account |            |                     |
| Description |                                   |            |                     |
| Total       | 2                                 |            |                     |
| Passed      | 0                                 | Failed     | 2                   |
| Error       | 0                                 | Incomplete | 0                   |
| Skipped     | 0                                 |            |                     |
| Start       | 2023-06-02 09:26:44               | End        | 2023-06-02 09:26:49 |
| Elapsed     | 4.631s                            |            |                     |

| # | ID                             | Description | Status |
|---|--------------------------------|-------------|--------|
| 1 | Test Cases/Account/Login fails |             | FAILED |
| 2 | Test Cases/Account/Log out     |             | FAILED |

# Login fails

---

## Information

|             |                                |     |                     |
|-------------|--------------------------------|-----|---------------------|
| ID          | Test Cases/Account/Login fails |     |                     |
| Description |                                |     |                     |
| Tag         |                                |     |                     |
| Start       | 2023-06-02 09:26:45            | End | 2023-06-02 09:26:48 |
| Elapsed     | 3.067s                         |     |                     |
| Status      | FAILED                         |     |                     |

## Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

# Login fails

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | <p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: "</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call(Unknown Source)</p> <p>at Login fails.run(Login fails:21)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestMainPhase(CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1685672782930.run(TempTestSuite1685672782930.groovy:36)</p> <p>Caused by: org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools</p> <p>(failed to check if window was closed: disconnected: not connected to DevTools)</p> <p>(Session info: headless chrome=114.0.5735.90)</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'C02GX0X6Q05N.local', ip: 'fe80:0:0:0:1cd8:282:67d5:e65b%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.5.1', java.version: '1.8.0_362'</p> <p>Driver info: driver.version: CChromeDriver</p> <p>remote stacktrace: 0 chromedriver 0x0000000102b586c8</p> <p>chromedriver + 4974280</p> <p>1 chromedriver 0x0000000102b4fa33 chromedriver + 4938291</p> <p>2 chromedriver 0x000000010270cce6 chromedriver + 470246</p> <p>3 chromedriver 0x00000001026f1ce8 chromedriver + 359656</p> <p>4 chromedriver 0x00000001026f338c chromedriver + 365452</p> <p>5 chromedriver 0x00000001026f32e4 chromedriver + 365284</p> <p>6 chromedriver 0x00000001026e093e chromedriver + 289086</p> | 2.168s  | FAILED |

# Login fails

| #  | Description   | Elapsed                                   | Status |
|----|---|---|--------|
| 7  | chromedriver  | 0x00000001026e04a5 chromedriver + 287909  |        |
| 8  | chromedriver  | 0x000000010277e3d4 chromedriver + 934868  |        |
| 9  | chromedriver  | 0x000000010277d75f chromedriver + 931679  |        |
| 10 | chromedriver  | 0x0000000102774793 chromedriver + 894867  |        |
| 11 | chromedriver  | 0x000000010274222f chromedriver + 688687  |        |
| 12 | chromedriver  | 0x000000010274357e chromedriver + 693630  |        |
| 13 | chromedriver  | 0x0000000102b12a97 chromedriver + 4688535 |        |
| 14 | chromedriver  | 0x0000000102b17970 chromedriver + 4708720 |        |
| 15 | chromedriver  | 0x0000000102b1e37f chromedriver + 4735871 |        |
| 16 | chromedriver  | 0x0000000102b1884a chromedriver + 4712522 |        |
| 17 | chromedriver  | 0x0000000102aeb73c chromedriver + 4527932 |        |
| 18 | chromedriver  | 0x0000000102b37f08 chromedriver + 4841224 |        |
| 19 | chromedriver  | 0x0000000102b38087 chromedriver + 4841607 |        |
| 20 | chromedriver  | 0x0000000102b4936f chromedriver + 4911983 |        |
| 21 | libsystem_pthread.dylib   | 0x00007ff8187a14e1 _pthread_start + 125   |        |
| 22 | libsystem_pthread.dylib   | 0x00007ff81879cf6b thread_start + 15      |        |
|    | at org.openqa.selenium.remote.W3CHandshakeResponse.<br>lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)<br>at org.openqa.selenium.remote.HandshakeResponse.<br>lambda\$getResponseFunction\$0(HandshakeResponse.java:30)<br>at org.openqa.selenium.remote.ProtocolHandshake.<br>lambda\$createSession\$0(ProtocolHandshake.java:126)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession<br>(ProtocolHandshake.java:128)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession<br>(ProtocolHandshake.java:74)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute<br>(HttpCommandExecutor.java:136)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute<br>(DriverCommandExecutor.java:83)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute<br>(RemoteWebDriver.java:552)<br>at com.kms.katalon.selenium.driver.CChromeDriver.execute<br>(CChromeDriver.java:19)<br>at org.openqa.selenium.remote.RemoteWebDriver.startSession<br>(RemoteWebDriver.java:213)<br>at org.openqa.selenium.remote.RemoteWebDriver.<init><br>(RemoteWebDriver.java:131)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:<br>181)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:<br>147)<br>at com.kms.katalon.selenium.driver.CChromeDriver.<init><br>(CChromeDriver.java:13)<br>at com.kms.katalon.core.webui.driver.DriverFactory.<br>createHeadlessChromeDriver(DriverFactory.java:505)<br>at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser<br>(DriverFactory.java:398)<br>at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver<br>(DriverFactory.java:263)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:<br>74)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.<br>runKeyword(WebUIKeywordMain.groovy:20)<br>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.<br>openBrowser(OpenBrowserKeyword.groovy:81)<br>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.<br>execute(OpenBrowserKeyword.groovy:67) |   |        |

## Login fails

---

| # | Description  | Elapsed | Status |
|---|--|---------|--------|
|   | at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.<br>openBrowser(WebUiBuiltInKeywords.groovy:64)<br>at com.kms.katalon.core.webui.keyword.<br>WebUiBuiltInKeywords\$openBrowser.call(Unknown Source)<br>at Script1679826722331.run(Script1679826722331.groovy:21)<br>... 13 more<br>) |         |        |

# Log out

## Information

|             |                            |     |                     |
|-------------|----------------------------|-----|---------------------|
| ID          | Test Cases/Account/Log out |     |                     |
| Description |                            |     |                     |
| Tag         |                            |     |                     |
| Start       | 2023-06-02 09:26:48        | End | 2023-06-02 09:26:49 |
| Elapsed     | 0.992s                     |     |                     |
| Status      | FAILED                     |     |                     |

## Details

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
|---|-------------|---------|--------|

# Log out

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
| 1 | <p>callTestCase(findTestCase("Account/Login fails"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/Account/Login fails' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Account/Login fails' failed<br/>at com.kms.katalon.core.keyword.builtin.<br/>CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)<br/>at com.kms.katalon.core.keyword.builtin.<br/>CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)<br/>at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword<br/>(KeywordMain.groovy:75)<br/>at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.<br/>callTestCase(CallTestCaseKeyword.groovy:81)<br/>at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute<br/>(CallTestCaseKeyword.groovy:44)<br/>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br/>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br/>at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase<br/>(BuiltinKeywords.groovy:310)<br/>at Log out.run(Log out:20)<br/>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)<br/>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText<br/>(ScriptEngine.java:119)<br/>at com.kms.katalon.core.main.TestCaseExecutor.runScript<br/>(TestCaseExecutor.java:448)<br/>at com.kms.katalon.core.main.TestCaseExecutor.doExecute<br/>(TestCaseExecutor.java:439)<br/>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase<br/>(TestCaseExecutor.java:418)<br/>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase<br/>(TestCaseExecutor.java:410)<br/>at com.kms.katalon.core.main.TestCaseExecutor.execute<br/>(TestCaseExecutor.java:285)<br/>at com.kms.katalon.core.common.CommonExecutor.<br/>accessTestCaseMainPhase(CommonExecutor.java:65)<br/>at com.kms.katalon.core.main.TestSuiteExecutor.<br/>accessTestSuiteMainPhase(TestSuiteExecutor.java:148)<br/>at com.kms.katalon.core.main.TestSuiteExecutor.execute<br/>(TestSuiteExecutor.java:106)<br/>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.<br/>java:187)<br/>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call<br/>(Unknown Source)<br/>at TempTestSuite1685672782930.run(TempTestSuite1685672782930.<br/>groovy:36)<br/>Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open<br/>browser with url: "<br/>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.<br/>stepFailed(WebUIKeywordMain.groovy:64)<br/>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.<br/>runKeyword(WebUIKeywordMain.groovy:26)<br/>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.<br/>openBrowser(OpenBrowserKeyword.groovy:81)<br/>at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.<br/>execute(OpenBrowserKeyword.groovy:67)<br/>at com.kms.katalon.core.keyword.internal.KeywordExecutor.<br/>executeKeywordForPlatform(KeywordExecutor.groovy:74)<br/>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.<br/>openBrowser(WebUiBuiltInKeywords.groovy:64)<br/>at com.kms.katalon.core.webui.keyword.<br/>WebUiBuiltInKeywords\$openBrowser.call(Unknown Source)</p> | 0.546s  | FAILED |

# Log out

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | at Login fails.run(Login fails:21)<br>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)<br>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText<br>(ScriptEngine.java:119)<br>at com.kms.katalon.core.main.TestCaseExecutor.runScript<br>(TestCaseExecutor.java:448)<br>at com.kms.katalon.core.main.TestCaseExecutor.doExecute<br>(TestCaseExecutor.java:439)<br>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase<br>(TestCaseExecutor.java:418)<br>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase<br>(TestCaseExecutor.java:410)<br>at com.kms.katalon.core.main.TestCaseExecutor.execute<br>(TestCaseExecutor.java:285)<br>at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.<br>java:144)<br>at com.kms.katalon.core.keyword.builtin.<br>CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:<br>59)<br>... 20 more<br>Caused by: org.openqa.selenium.WebDriverException: disconnected: not connected<br>to DevTools<br>(failed to check if window was closed: disconnected: not connected to DevTools)<br>(Session info: headless chrome=114.0.5735.90)<br>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:<br>53'<br>System info: host: 'C02GX0X6Q05N.local', ip: 'fe80:0:0:0:1cd8:282:67d5:e65b%<br>en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.5.1', java.version:<br>'1.8.0_362'<br>Driver info: driver.version: CChromeDriver<br>remote stacktrace: 0 chromedriver 0x000000010141a6c8<br>chromedriver + 4974280<br>1 chromedriver 0x0000000101411a33 chromedriver + 4938291<br>2 chromedriver 0x0000000100fcede6 chromedriver + 470246<br>3 chromedriver 0x0000000100fb3ce8 chromedriver + 359656<br>4 chromedriver 0x0000000100fb538c chromedriver + 365452<br>5 chromedriver 0x0000000100fb52e4 chromedriver + 365284<br>6 chromedriver 0x0000000100fa293e chromedriver + 289086<br>7 chromedriver 0x0000000100fa24a5 chromedriver + 287909<br>8 chromedriver 0x00000001010403d4 chromedriver + 934868<br>9 chromedriver 0x000000010103f75f chromedriver + 931679<br>10 chromedriver 0x0000000101036793 chromedriver + 894867<br>11 chromedriver 0x000000010100422f chromedriver + 688687<br>12 chromedriver 0x000000010100557e chromedriver + 693630<br>13 chromedriver 0x00000001013d4a97 chromedriver + 4688535<br>14 chromedriver 0x00000001013d9970 chromedriver + 4708720<br>15 chromedriver 0x00000001013e037f chromedriver + 4735871<br>16 chromedriver 0x00000001013da84a chromedriver + 4712522<br>17 chromedriver 0x00000001013ad73c chromedriver + 4527932<br>18 chromedriver 0x00000001013f9f08 chromedriver + 4841224<br>19 chromedriver 0x00000001013fa087 chromedriver + 4841607<br>20 chromedriver 0x000000010140b36f chromedriver + 4911983<br>21 libsystem_pthread.dylib 0x00007ff8187a14e1 _pthread_start + 125<br>22 libsystem_pthread.dylib 0x00007ff81879cf6b thread_start + 15<br><br>at org.openqa.selenium.remote.W3CHandshakeResponse.<br>lambda\$errorHandler\$0(W3CHandshakeResponse.java:62)<br>at org.openqa.selenium.remote.HandshakeResponse.<br>lambda\$getResponseFunction\$0(HandshakeResponse.java:30)<br>at org.openqa.selenium.remote.ProtocolHandshake.<br>lambda\$createSession\$0(ProtocolHandshake.java:126)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession |         |        |



## Log out

| # | Description   | Elapsed | Status |
|---|---|---------|--------|
|   | (ProtocolHandshake.java:128)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession<br>(ProtocolHandshake.java:74)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute<br>(HttpCommandExecutor.java:136)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute<br>(DriverCommandExecutor.java:83)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute<br>(RemoteWebDriver.java:552)<br>at com.kms.katalon.selenium.driver.CChromeDriver.execute<br>(CChromeDriver.java:19)<br>at org.openqa.selenium.remote.RemoteWebDriver.startSession<br>(RemoteWebDriver.java:213)<br>at org.openqa.selenium.remote.RemoteWebDriver.<init><br>(RemoteWebDriver.java:131)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:<br>181)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:<br>147)<br>at com.kms.katalon.selenium.driver.CChromeDriver.<init><br>(CChromeDriver.java:13)<br>at com.kms.katalon.core.webui.driver.DriverFactory.<br>createHeadlessChromeDriver(DriverFactory.java:505)<br>at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser<br>(DriverFactory.java:398)<br>at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver<br>(DriverFactory.java:263)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:<br>74)<br>at com.kms.katalon.core.webui.keyword.builtin.<br>OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)<br>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.<br>runKeyword(WebUIKeywordMain.groovy:20)<br>... 35 more<br>) |         |        |