TS_Account

Execution Environment

Host name	thanh.pnguyen - 10.10.32.34
Local OS	Mac OS X 64bit
Katalon version	8.6.5.208
Browser	null

Summary

ID	Test Suites/New Folder/TS_Account		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2023-06-02 09:24:49	End	2023-06-02 09:24:56
Elapsed	6.587s		

#	ID	Description	Status
1	Test Cases/Account/Login fails		FAILED
2	Test Cases/Account/Log out		FAILED

Login fails

Information

ID   Test Cases/Account/Login fails

Description

Tag

Start   2023-06-02 09:24:50   End   2023-06-02 09:24:53

Elapsed   3.264s

Status   FAILED

Details

#	Description	Elapsed	Status

Login fails

#	Description	Elapsed	Status
1	openBrowser("")	2.295s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
      at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
      at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$openBrowser.call(Unknown Source)
      at Login fails.run(Login fails:21)
      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
      at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
      at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
      at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
      at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:148)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:187)
      at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call
(Unknown Source)
      at TempTestSuite1685672667396.run(TempTestSuite1685672667396.
groovy:36)
Caused by: org.openqa.selenium.WebDriverException: disconnected: not connected
to DevTools
  (failed to check if window was closed: disconnected: not connected to DevTools)
  (Session info: headless chrome=114.0.5735.90)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:
53'
System info: host: 'C02GX0X6Q05N.local', ip: 'fe80:0:0:0:1cd8:282:67d5:e65b%
en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.5.1', java.version:
'1.8.0_362'
Driver info: driver.version: CChromeDriver
remote stacktrace: 0   chromedriver   0x00000001025ff6c8
chromedriver + 4974280
1 chromedriver   0x00000001025f6a33 chromedriver + 4938291
2 chromedriver   0x00000001021b3ce6 chromedriver + 470246
3 chromedriver   0x0000000102198ce8 chromedriver + 359656
4 chromedriver   0x000000010219a38c chromedriver + 365452
5 chromedriver   0x000000010219a2e4 chromedriver + 365284
6 chromedriver   0x000000010218793e chromedriver + 289086

#	Description	Elapsed	Status
7	chromedriver	0x00000001021874a5 chromedriver + 287909		
8	chromedriver	0x00000001022253d4 chromedriver + 934868		
9	chromedriver	0x000000010222475f chromedriver + 931679		
10	chromedriver	0x000000010221b793 chromedriver + 894867		
11	chromedriver	0x00000001021e922f chromedriver + 688687		
12	chromedriver	0x00000001021ea57e chromedriver + 693630		
13	chromedriver	0x00000001025b9a97 chromedriver + 4688535		
14	chromedriver	0x00000001025be970 chromedriver + 4708720		
15	chromedriver	0x00000001025c537f chromedriver + 4735871		
16	chromedriver	0x00000001025bf84a chromedriver + 4712522		
17	chromedriver	0x000000010259273c chromedriver + 4527932		
18	chromedriver	0x00000001025def08 chromedriver + 4841224		
19	chromedriver	0x00000001025df087 chromedriver + 4841607		
20	chromedriver	0x00000001025f036f chromedriver + 4911983		
21	libsystem_pthread.dylib	0x00007ff8187a14e1 _pthread_start + 125		
22	libsystem_pthread.dylib	0x00007ff81879cf6b thread_start + 15		

```
        at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
        at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
        at org.openqa.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
        at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
        at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
        at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
        at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
        at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
        at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
181)
        at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
147)
        at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
        at com.kms.katalon.core.webui.driver.DriverFactory.
createHeadlessChromeDriver(DriverFactory.java:505)
        at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:398)
        at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:263)
        at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:
74)
        at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
```

Login fails

#	Description	Elapsed	Status
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords$openBrowser.call(Unknown Source) at Script1679826722331.run(Script1679826722331.groovy:21) ... 13 more)		

Log out

Information

ID   Test Cases/Account/Log out

Description

Tag

Start   2023-06-02 09:24:53   End   2023-06-02 09:24:56

Elapsed   2.713s

Status   FAILED

Details

#	Description	Elapsed	Status

Log out

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Account/Login fails"), [:], STOP_ON_FAILURE)	2.363s	FAILED

Unable to call Test Case 'Test Cases/Account/Login fails' (Root cause: com.kms.
katalon.core.exception.StepFailedException: Call Test Case 'Test
Cases/Account/Login fails' failed
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:
63)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:75)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.
callTestCase(CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase
(BuiltinKeywords.groovy:310)
        at Log out.run(Log out:20)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
        at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:148)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:187)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call
(Unknown Source)
        at TempTestSuite1685672667396.run(TempTestSuite1685672667396.
groovy:36)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open
browser with url: ''
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
        at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$openBrowser.call(Unknown Source)

#	Description	Elapsed	Status

at Login fails.run(Login fails:21)

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)

at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain. java:144)

at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy: 59)

... 20 more

Caused by: org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools

  (failed to check if window was closed: disconnected: not connected to DevTools)

  (Session info: headless chrome=114.0.5735.90)

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: 53'

System info: host: 'C02GX0X6Q05N.local', ip: 'fe80:0:0:0:1cd8:282:67d5:e65b% en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.5.1', java.version: '1.8.0_362'

Driver info: driver.version: CChromeDriver

remote stacktrace: 0   chromedriver   0x00000001031b96c8 chromedriver + 4974280

1   chromedriver   0x00000001031b0a33 chromedriver + 4938291
2   chromedriver   0x0000000102d6dce6 chromedriver + 470246
3   chromedriver   0x0000000102d52ce8 chromedriver + 359656
4   chromedriver   0x0000000102d5438c chromedriver + 365452
5   chromedriver   0x0000000102d542e4 chromedriver + 365284
6   chromedriver   0x0000000102d4193e chromedriver + 289086
7   chromedriver   0x0000000102d414a5 chromedriver + 287909
8   chromedriver   0x0000000102ddf3d4 chromedriver + 934868
9   chromedriver   0x0000000102dde75f chromedriver + 931679
10 chromedriver   0x0000000102dd5793 chromedriver + 894867
11 chromedriver   0x0000000102da322f chromedriver + 688687
12 chromedriver   0x0000000102da457e chromedriver + 693630
13 chromedriver   0x0000000103173a97 chromedriver + 4688535
14 chromedriver   0x0000000103178970 chromedriver + 4708720
15 chromedriver   0x000000010317f37f chromedriver + 4735871
16 chromedriver   0x000000010317984a chromedriver + 4712522
17 chromedriver   0x0000000103114c73c chromedriver + 4527932
18 chromedriver   0x0000000103198f08 chromedriver + 4841224
19 chromedriver   0x0000000103199087 chromedriver + 4841607
20 chromedriver   0x00000001031aa36f chromedriver + 4911983
21 libsystem_pthread.dylib   0x00007ff8187a14e1 _pthread_start + 125
22 libsystem_pthread.dylib   0x00007ff81879cf6b thread_start + 15

at org.openqa.selenium.remote.W3CHandshakeResponse. lambda$errorHandler$0(W3CHandshakeResponse.java:62)

at org.openqa.selenium.remote.HandshakeResponse. lambda$getResponseFunction$0(HandshakeResponse.java:30)

at org.openqa.selenium.remote.ProtocolHandshake. lambda$createSession$0(ProtocolHandshake.java:126)

at org.openqa.selenium.remote.ProtocolHandshake.createSession

#	Description	Elapsed	Status

(ProtocolHandshake.java:128)
        at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
        at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
        at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
        at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
        at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
181)
        at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
147)
        at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
        at com.kms.katalon.core.webui.driver.DriverFactory.
createHeadlessChromeDriver(DriverFactory.java:505)
        at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:398)
        at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:263)
        at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:
74)
        at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
        ... 35 more
)