TS_Account

Execution Environment

Host name	thanh.pnguyen - 10.10.32.34
Local OS	Mac OS X 64bit
Katalon version	8.6.5.208
Browser	null

Summary

ID	Test Suites/New Folder/TS_Account		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2023-06-02 09:24:15	End	2023-06-02 09:24:21
Elapsed	5.107s		

#	ID	Description	Status
1	Test Cases/Account/Login fails		FAILED
2	Test Cases/Account/Log out		FAILED

Login fails

Information

ID   Test Cases/Account/Login fails

Description

Tag

Start   2023-06-02 09:24:16   End   2023-06-02 09:24:19

Elapsed   3.233s

Status   FAILED

Details

#	Description	Elapsed	Status

Login fails

#	Description	Elapsed	Status
1	openBrowser("")	2.219s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
    at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$openBrowser.call(Unknown Source)
    at Login fails.run(Login fails:21)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
    at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:148)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:187)
    at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call
(Unknown Source)
    at TempTestSuite1685672607650.run(TempTestSuite1685672607650.
groovy:36)
Caused by: org.openqa.selenium.WebDriverException: disconnected: not connected
to DevTools
  (failed to check if window was closed: disconnected: not connected to DevTools)
  (Session info: headless chrome=114.0.5735.90)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:
53'
System info: host: 'C02GX0X6Q05N.local', ip: 'fe80:0:0:0:1cd8:282:67d5:e65b%
en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.5.1', java.version:
'1.8.0_362'
Driver info: driver.version: CChromeDriver
remote stacktrace: 0   chromedriver   0x0000000100e966c8
chromedriver + 4974280
1 chromedriver   0x0000000100e8da33 chromedriver + 4938291
2 chromedriver   0x0000000100a4ace6 chromedriver + 470246
3 chromedriver   0x0000000100a2fce8 chromedriver + 359656
4 chromedriver   0x0000000100a3138c chromedriver + 365452
5 chromedriver   0x0000000100a312e4 chromedriver + 365284
6 chromedriver   0x0000000100a1e93e chromedriver + 289086

#	Description	Elapsed	Status
7	chromedriver 0x0000000100a1e4a5 chromedriver + 287909		
8	chromedriver 0x0000000100abc3d4 chromedriver + 934868		
9	chromedriver 0x0000000100abb75f chromedriver + 931679		
10	chromedriver 0x0000000100ab2793 chromedriver + 894867		
11	chromedriver 0x0000000100a8022f chromedriver + 688687		
12	chromedriver 0x0000000100a8157e chromedriver + 693630		
13	chromedriver 0x0000000100e50a97 chromedriver + 4688535		
14	chromedriver 0x0000000100e55970 chromedriver + 4708720		
15	chromedriver 0x0000000100e5c37f chromedriver + 4735871		
16	chromedriver 0x0000000100e5684a chromedriver + 4712522		
17	chromedriver 0x0000000100e2973c chromedriver + 4527932		
18	chromedriver 0x0000000100e75f08 chromedriver + 4841224		
19	chromedriver 0x0000000100e76087 chromedriver + 4841607		
20	chromedriver 0x0000000100e8736f chromedriver + 4911983		
21	libsystem_pthread.dylib 0x00007ff8187a14e1 _pthread_start + 125		
22	libsystem_pthread.dylib 0x00007ff81879cf6b thread_start + 15		

        at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
        at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
        at org.openqa.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
        at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
        at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
        at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
        at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
        at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
        at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
181)
        at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
147)
        at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
        at com.kms.katalon.core.webui.driver.DriverFactory.
createHeadlessChromeDriver(DriverFactory.java:505)
        at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:398)
        at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:263)
        at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:
74)
        at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)

Login fails

#	Description	Elapsed	Status

at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$openBrowser.call(Unknown Source)
at Script1679826722331.run(Script1679826722331.groovy:21)
... 13 more
)

Log out

Information

ID   Test Cases/Account/Log out

Description

Tag

Start   2023-06-02 09:24:19   End   2023-06-02 09:24:21

Elapsed   1.114s

Status   FAILED

Details

#	Description	Elapsed	Status

Log out

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Account/Login fails"), [:], STOP_ON_FAILURE)	0.652s	FAILED

Unable to call Test Case 'Test Cases/Account/Login fails' (Root cause: com.kms. katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Account/Login fails' failed
        at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy: 63)
        at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword. callTestCase(CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase (BuiltinKeywords.groovy:310)
        at Log out.run(Log out:20)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)
        at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:148)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:187)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call (Unknown Source)
        at TempTestSuite1685672607650.run(TempTestSuite1685672607650. groovy:36)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: ''
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64)
        at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords$openBrowser.call(Unknown Source)

#	Description	Elapsed	Status

at Login fails.run(Login fails:21)

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)

at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain. java:144)

at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy: 59)

... 20 more

Caused by: org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools

 (failed to check if window was closed: disconnected: not connected to DevTools)

 (Session info: headless chrome=114.0.5735.90)

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: 53'

System info: host: 'C02GX0X6Q05N.local', ip: 'fe80:0:0:0:1cd8:282:67d5:e65b% en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '12.5.1', java.version: '1.8.0_362'

Driver info: driver.version: CChromeDriver

remote stacktrace: 0   chromedriver   0x00000001011cd6c8 chromedriver + 4974280

1   chromedriver   0x00000001011c4a33 chromedriver + 4938291
2   chromedriver   0x0000000100d81ce6 chromedriver + 470246
3   chromedriver   0x0000000100d66ce8 chromedriver + 359656
4   chromedriver   0x0000000100d6838c chromedriver + 365452
5   chromedriver   0x0000000100d682e4 chromedriver + 365284
6   chromedriver   0x0000000100d5593e chromedriver + 289086
7   chromedriver   0x0000000100d554a5 chromedriver + 287909
8   chromedriver   0x0000000100df33d4 chromedriver + 934868
9   chromedriver   0x0000000100df275f chromedriver + 931679
10 chromedriver   0x0000000100de9793 chromedriver + 894867
11 chromedriver   0x0000000100db722f chromedriver + 688687
12 chromedriver   0x0000000100db857e chromedriver + 693630
13 chromedriver   0x0000000101187a97 chromedriver + 4688535
14 chromedriver   0x000000010118c970 chromedriver + 4708720
15 chromedriver   0x000000010119337f chromedriver + 4735871
16 chromedriver   0x000000010118d84a chromedriver + 4712522
17 chromedriver   0x000000010116073c chromedriver + 4527932
18 chromedriver   0x00000001011acf08 chromedriver + 4841224
19 chromedriver   0x00000001011ad087 chromedriver + 4841607
20 chromedriver   0x00000001011be36f chromedriver + 4911983
21 libsystem_pthread.dylib   0x00007ff8187a14e1 _pthread_start + 125
22 libsystem_pthread.dylib   0x00007ff81879cf6b thread_start + 15

at org.openqa.selenium.remote.W3CHandshakeResponse. lambda$errorHandler$0(W3CHandshakeResponse.java:62)

at org.openqa.selenium.remote.HandshakeResponse. lambda$getResponseFunction$0(HandshakeResponse.java:30)

at org.openqa.selenium.remote.ProtocolHandshake. lambda$createSession$0(ProtocolHandshake.java:126)

at org.openqa.selenium.remote.ProtocolHandshake.createSession

Log out

#	Description	Elapsed	Status

(ProtocolHandshake.java:128)
            at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
            at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
            at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
            at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
            at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
            at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
            at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
            at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
181)
            at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
147)
            at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
            at com.kms.katalon.core.webui.driver.DriverFactory.
createHeadlessChromeDriver(DriverFactory.java:505)
            at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:398)
            at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:263)
            at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:
74)
            at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
            at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
            ... 35 more
)