TS_Order

Execution Environment

Host name	root - ba2b503c05d8
Local OS	Linux 64bit
Katalon version	8.6.0.208
Browser	null

Summary

ID	Test Suites/New Folder/TS_Order		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2023-05-10 04:11:24	End	2023-05-10 04:13:25
Elapsed	2m - 1.779s		

#	ID	Description	Status
1	Test Cases/Order Process/Order Item 01		FAILED
2	Test Cases/Order Process/Check order 02		FAILED

Order Item 01

Information

ID   Test Cases/Order Process/Order Item 01

Description

Tag

Start   2023-05-10 04:11:31   End   2023-05-10 04:12:55

Elapsed   1m - 24.410s

Status   FAILED

Details

#	Description	Elapsed	Status
1	Start listener action : enableSauceLabs	0.569s	PASSED

[SAUCELABS] Saucelabs Plugin will not attempt to auto update job status and information !

Order Item 01

#	Description	Elapsed	Status
2	callTestCase(findTestCase("Account/Login successfully"), [:], STOP_ON_FAILURE)	1m - 14.658s	FAILED

Unable to call Test Case 'Test Cases/Account/Login successfully' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Account/Login successfully' failed
        at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword. groovy:63)
        at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword. callTestCase(CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase (BuiltinKeywords.groovy:334)
        at Order Item 01.run(Order Item 01:20)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor. processExecutionPhase(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)
        at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:148)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:187)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call (Unknown Source)
        at TempTestSuite1683691781053.run(TempTestSuite1683691781053. groovy:36)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: ''
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64)
        at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords$openBrowser.call(Unknown Source)
        at Login successfully.run(Login successfully:21)

#	Description	Elapsed	Status

	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)
	at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)
	at com.kms.katalon.core.main.TestCaseExecutor. processExecutionPhase(TestCaseExecutor.java:418)
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
	at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)
	at com.kms.katalon.core.main.TestCaseMain.runTestCase (TestCaseMain.java:144)
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword. groovy:59)
	... 20 more
	Caused by: org.openqa.selenium.WebDriverException: unknown error: Chrome failed to start: crashed.
	  (unknown error: DevToolsActivePort file doesn't exist)
	  (The process started from chrome location /usr/bin/google-chrome is no longer running, so ChromeDriver is assuming that Chrome has crashed.)
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: 53'
	System info: host: 'ba2b503c05d8', ip: '172.17.0.2', os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.49-linuxkit', java.version: '1.8.0_362'
	Driver info: driver.version: CChromeDriver
	remote stacktrace: #0 0x004000666243 <unknown>
	#1 0x00400042a7a6 <unknown>
	#2 0x004000453520 <unknown>
	#3 0x00400044f49b <unknown>
	#4 0x0040004912a7 <unknown>
	#5 0x0040004908cf <unknown>
	#6 0x004000487e53 <unknown>
	#7 0x00400045a9ea <unknown>
	#8 0x00400045bb2e <unknown>
	#9 0x0040006bad5e <unknown>
	#10 0x0040006bea80 <unknown>
	#11 0x0040006a08b0 <unknown>
	#12 0x0040006bfb63 <unknown>
	#13 0x004000691f75 <unknown>
	#14 0x0040006e2998 <unknown>
	#15 0x0040006e2b27 <unknown>
	#16 0x0040006fdc23 <unknown>
	#17 0x0040025bb609 start_thread
	
	at org.openqa.selenium.remote.W3CHandshakeResponse. lambda$errorHandler$0(W3CHandshakeResponse.java:62)
	at org.openqa.selenium.remote.HandshakeResponse. lambda$getResponseFunction$0(HandshakeResponse.java:30)
	at org.openqa.selenium.remote.ProtocolHandshake. lambda$createSession$0(ProtocolHandshake.java:126)
	at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128)
	at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74)
	at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136)
	at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:83)
	at org.openqa.selenium.remote.RemoteWebDriver.execute		

#	Description	Elapsed	Status

	(RemoteWebDriver.java:552)
	        at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19)
	        at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213)
	        at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:131)
	        at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver. java:181)
	        at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver. java:147)
	        at com.kms.katalon.selenium.driver.CChromeDriver.<init> (CChromeDriver.java:13)
	        at com.kms.katalon.core.webui.driver.DriverFactory. createHeadlessChromeDriver(DriverFactory.java:504)
	        at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:397)
	        at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:262)
	        at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword. groovy:74)
	        at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword. groovy)
	        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20)
	        ... 35 more
	)		

3	Start listener action : autoUpdateJobStatus	0.038s	PASSED
	[SAUCELABS] Current run configuration: Chrome (headless)		

Check order 02

Information

ID   Test Cases/Order Process/Check order 02

Description

Tag

Start   2023-05-10 04:12:56   End   2023-05-10 04:13:25

Elapsed   29.595s

Status   FAILED

Details

#	Description	Elapsed	Status
1	Start listener action : enableSauceLabs	0.090s	PASSED

[SAUCELABS] Saucelabs Plugin will not attempt to auto update job status and information !

#	Description	Elapsed	Status
2	callTestCase(findTestCase("Account/Login successfully"), [:], STOP_ON_FAILURE)	20.819s	FAILED

Unable to call Test Case 'Test Cases/Account/Login successfully' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Account/Login successfully' failed
      at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword. groovy:63)
      at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
      at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75)
      at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword. callTestCase(CallTestCaseKeyword.groovy:81)
      at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase (BuiltinKeywords.groovy:334)
      at Check order 02.run(Check order 02:20)
      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)
      at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)
      at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)
      at com.kms.katalon.core.main.TestCaseExecutor. processExecutionPhase(TestCaseExecutor.java:418)
      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
      at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)
      at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:65)
      at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:148)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:187)
      at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call (Unknown Source)
      at TempTestSuite1683691781053.run(TempTestSuite1683691781053. groovy:36)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: ''
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. stepFailed(WebUIKeywordMain.groovy:64)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:26)
      at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81)
      at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64)
      at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords$openBrowser.call(Unknown Source)
      at Login successfully.run(Login successfully:21)

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor. processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase (TestCaseMain.java:144) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword. groovy:59) ... 20 more Caused by: org.openqa.selenium.WebDriverException: unknown error: Chrome failed to start: crashed. (unknown error: DevToolsActivePort file doesn't exist) (The process started from chrome location /usr/bin/google-chrome is no longer running, so ChromeDriver is assuming that Chrome has crashed.) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25: 53' System info: host: 'ba2b503c05d8', ip: '172.17.0.2', os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.49-linuxkit', java.version: '1.8.0_362' Driver info: driver.version: CChromeDriver remote stacktrace: #0 0x004000666243 <unknown> #1 0x00400042a7a6 <unknown> #2 0x004000453520 <unknown> #3 0x00400044f49b <unknown> #4 0x0040004912a7 <unknown> #5 0x0040004908cf <unknown> #6 0x004000487e53 <unknown> #7 0x00400045a9ea <unknown> #8 0x00400045bb2e <unknown> #9 0x0040006bad5e <unknown> #10 0x0040006bea80 <unknown> #11 0x0040006a08b0 <unknown> #12 0x0040006bfb63 <unknown> #13 0x004000691f75 <unknown> #14 0x0040006e2998 <unknown> #15 0x0040006e2b27 <unknown> #16 0x0040006fdc23 <unknown> #17 0x0040025bb609 start_thread at org.openqa.selenium.remote.W3CHandshakeResponse. lambda$errorHandler$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda$getResponseFunction$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake. lambda$createSession$0(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute		

#	Description	Elapsed	Status

	(RemoteWebDriver.java:552)
	     at com.kms.katalon.selenium.driver.CChromeDriver.execute
	(CChromeDriver.java:19)
	     at org.openqa.selenium.remote.RemoteWebDriver.startSession
	(RemoteWebDriver.java:213)
	     at org.openqa.selenium.remote.RemoteWebDriver.<init>
	(RemoteWebDriver.java:131)
	     at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.
	java:181)
	     at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.
	java:147)
	     at com.kms.katalon.selenium.driver.CChromeDriver.<init>
	(CChromeDriver.java:13)
	     at com.kms.katalon.core.webui.driver.DriverFactory.
	createHeadlessChromeDriver(DriverFactory.java:504)
	     at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
	(DriverFactory.java:397)
	     at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
	(DriverFactory.java:262)
	     at com.kms.katalon.core.webui.keyword.builtin.
	OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.
	groovy:74)
	     at com.kms.katalon.core.webui.keyword.builtin.
	OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.
	groovy)
	     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
	runKeyword(WebUIKeywordMain.groovy:20)
	     ... 35 more
	)		

3	Start listener action : autoUpdateJobStatus	0.088s	PASSED
	[SAUCELABS] Current run configuration: Chrome (headless)		