TS_Visual Testing

Execution Environment

Host name	thanh.pnguyen - c02gx0x6q05n.lan
Local OS	Mac OS X 64bit
Katalon version	8.6.0.208
Browser	null

Summary

ID	Test Suites/VS_folder/TS_Visual Testing		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	2023-05-10 17:08:06	End	2023-05-10 17:08:11
Elapsed	5.748s		

#	ID	Description	Status
1	Test Cases/Visual Testing/VS_Demo		FAILED

VS_Demo

Information

ID	Test Cases/Visual Testing/VS_Demo		
Description			
Tag			
Start	2023-05-10 17:08:06	End	2023-05-10 17:08:11
Elapsed	5.312s		
Status	FAILED		

Details

#	Description	Elapsed	Status

VS_Demo

#	Description	Elapsed	Status
1	openBrowser("")	4.883s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
        at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$openBrowser.call(Unknown Source)
        at VS_Demo.run(VS_Demo:20)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
        at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:148)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:187)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call
(Unknown Source)
        at TempTestSuite1683713274261.run(TempTestSuite1683713274261.
groovy:36)
Caused by: org.openqa.selenium.SessionNotCreatedException: session not created:
This version of ChromeDriver only supports Chrome version 110
Current browser version is 113.0.5672.92 with binary path /Applications/Google
Chrome.app/Contents/MacOS/Google Chrome
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:
53'
System info: host: 'C02GX0X6Q05N.lan', ip: 'fe80:0:0:0:47c:e9a5:5d7f:b977%en0',
os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_275'
Driver info: driver.version: CChromeDriver
remote stacktrace: 0   chromedriver   0x0000000100e2a138
chromedriver + 4923704
1   chromedriver   0x0000000100da29d3 chromedriver + 4368851
2   chromedriver   0x00000001009eb787 chromedriver + 472967
3   chromedriver   0x0000000100a1ce79 chromedriver + 675449
4   chromedriver   0x0000000100a17c9c chromedriver + 654492
5   chromedriver   0x0000000100a14041 chromedriver + 639041
6   chromedriver   0x0000000100a628a5 chromedriver + 960677
7   chromedriver   0x0000000100a58d23 chromedriver + 920867

#	Description	Elapsed	Status
8	chromedriver	0x0000000100a1fa4b chromedriver + 686667		
9	chromedriver	0x0000000100a21044 chromedriver + 692292		
10	chromedriver	0x0000000100df58fe chromedriver + 4708606		
11	chromedriver	0x0000000100dfae22 chromedriver + 4730402		
12	chromedriver	0x0000000100e036bf chromedriver + 4765375		
13	chromedriver	0x0000000100dfbe80 chromedriver + 4734592		
14	chromedriver	0x0000000100dcc975 chromedriver + 4540789		
15	chromedriver	0x0000000100e1de78 chromedriver + 4873848		
16	chromedriver	0x0000000100e1dff5 chromedriver + 4874229		
17	chromedriver	0x0000000100e326de chromedriver + 4957918		
18	libsystem_pthread.dylib	0x00007ff81f7594e1 _pthread_start + 125		
19	libsystem_pthread.dylib	0x00007ff81f754f6b thread_start + 15		

at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
at org.openqa.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
181)
at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:
147)
at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
at com.kms.katalon.core.webui.driver.DriverFactory.
createNewChromeDriver(DriverFactory.java:442)
at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:375)
at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:264)
at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:
74)
at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords$openBrowser.call(Unknown Source) at Script1683712192181.run(Script1683712192181.groovy:20) ... 13 more)		