# TS_Account

## Execution Environment

| | |
|---|---|
| Host name | root - c27c2a1aadc0 |
| Local OS | Linux 64bit |
| Katalon version | 8.6.0.208 |
| Browser | null |

## Summary

| | | | |
|---|---|---|---|
| ID | Test Suites/TS_Account | | |
| Description | | | |
| Total | 1 | | |
| Passed | 0 | Failed | 1 |
| Error | 0 | Incomplete | 0 |
| Skipped | 0 | | |
| Start | 2023-04-19 00:36:07 | End | 2023-04-19 00:36:34 |
| Elapsed | 27.363s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases/Account/Login fails | | FAILED |

# Login fails

## Information

ID | Test Cases/Account/Login fails
Description |
Tag |

Start | 2023-04-19 00:36:12 | End | 2023-04-19 00:36:34
Elapsed | 22.833s
Status | FAILED

## Details

| # | Description | Elapsed | Status |

# Login fails

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | openBrowser("") | 16.828s | FAILED |

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
stepFailed(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
        at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$openBrowser.call(Unknown Source)
        at Login fails.run(Login fails:21)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.
processExecutionPhase(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
        at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:148)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite
(TestCaseMain.java:187)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call
(Unknown Source)
        at TempTestSuite1681864528126.run(TempTestSuite1681864528126.
groovy:36)
Caused by: org.openqa.selenium.WebDriverException: unknown error: Chrome
failed to start: crashed.
  (chrome not reachable)
  (The process started from chrome location /usr/bin/google-chrome is no longer
running, so ChromeDriver is assuming that Chrome has crashed.)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:
53'
System info: host: 'c27c2a1aadc0', ip: '172.17.0.5', os.name: 'Linux', os.arch:
'amd64', os.version: '5.15.49-linuxkit', java.version: '1.8.0_362'
Driver info: driver.version: CChromeDriver
remote stacktrace: #0 0x0040006e6fe3 (/ (deleted)+0x6e6fe2)
#1 0x004000425d36 (/ (deleted)+0x425d35)
#2 0x00400044eb20 (/ (deleted)+0x44eb1f)
#3 0x00400044aa9b (/ (deleted)+0x44aa9a)
#4 0x00400048caf7 (/ (deleted)+0x48caf6)
#5 0x00400048c11f (/ (deleted)+0x48c11e)
#6 0x004000483693 (/ (deleted)+0x483692)
#7 0x00400045603a (/ (deleted)+0x456039)
#8 0x00400045717e (/ (deleted)+0x45717d)

# Login fails

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| | #9 0x0040006a8dbd (/ (deleted)+0x6a8dbc) | | |
| | #10 0x0040006acc6c (/ (deleted)+0x6acc6b) | | |
| | #11 0x0040006b64b0 (/ (deleted)+0x6b64af) | | |
| | #12 0x0040006add63 (/ (deleted)+0x6add62) | | |
| | #13 0x004000680c35 (/ (deleted)+0x680c34) | | |
| | #14 0x0040006d1138 (/ (deleted)+0x6d1137) | | |
| | #15 0x0040006d12c7 (/ (deleted)+0x6d12c6) | | |
| | #16 0x0040006df093 (/ (deleted)+0x6df092) | | |
| | #17 0x004002588609 start_thread | | |

        at org.openqa.selenium.remote.W3CHandshakeResponse.
lambda$errorHandler$0(W3CHandshakeResponse.java:62)
        at org.openqa.selenium.remote.HandshakeResponse.
lambda$getResponseFunction$0(HandshakeResponse.java:30)
        at org.openqa.selenium.remote.ProtocolHandshake.
lambda$createSession$0(ProtocolHandshake.java:126)
        at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:128)
        at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.
execute(DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
        at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
        at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
        at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:131)
        at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.
java:181)
        at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.
java:147)
        at com.kms.katalon.selenium.driver.CChromeDriver.<init>
(CChromeDriver.java:13)
        at com.kms.katalon.core.webui.driver.DriverFactory.
createNewChromeDriver(DriverFactory.java:440)
        at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:373)
        at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:262)
        at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.
groovy:74)
        at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.
groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
execute(OpenBrowserKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
openBrowser(WebUiBuiltInKeywords.groovy:64)
        at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$openBrowser.call(Unknown Source)
        at Script1679826722331.run(Script1679826722331.groovy:21)

| # | Description | | Elapsed | Status |
|---|---|---|---|---|
| | | ... 13 more | | |
| ) | | | | |