


MAGNETIC VARIATION 9° W - 2025



RWY 06R / 24L

DECLARED DISTANCES

RWY 06R

RWY 24L

TAKE OFF RUN AVAILABLE	2 744
TAKE OFF DISTANCE AVAILABLE	2 744
ACCELERATE STOP DISTANCE AVAILABLE	2 744
LANDING DISTANCE AVAILABLE	2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744

2 744


2 744

2 744

2 744

2 744

MAGNETIC VARIATION 9° W - 2025



VERTICAL SCALE 1: 1 300


AMENDMENT RECORD		
NR.	DATE	ENTERED BY

LEGEND	
ITEM	SYMBOL
	Plan Profile
Tree or shrub	*
Pole tower spire antenna etc	○
Building or large structure	■
Railroad	↔
Transmission line or overhead cable	— — —
Natural High Point(Peak or Mountain)	●
Terrain penetrating obstacle plane	○
Stopway(SWY)	□
Clearway(CWY)	□


OBSTACLES				
NR	COORDINATES(WGS84)	ELEV(AMSL)	ITEM	NOTE
1	36°42'22.41"N 127°29'00.54"E	55.5	Natural High Point	

HORIZONTAL 5.0 m
VERTICAL 0.5 m

HORIZONTAL SCALE 1 : 13 000



MAGNETIC VARIATION 9° W - 2025

**RWY 06L / 24R****DECLARED DISTANCES****RWY 06L****RWY 24R**

VERTICAL SCALE 1: 1 300

