



DIMENSIONS AND ELEVATIONS IN METERS

MAGNETIC VARIATION 9° W (2020)

## RWY 15L / 33R


## DECLARED DISTANCES

RWY 15L	RWY 33R
3750 TAKE OFF RUN AVAILABLE	3750
4050 TAKE OFF DISTANCE AVAILABLE	4050
3870 ACCELERATE STOP DISTANCE AVAILABLE	3870
3750 LANDING DISTANCE AVAILABLE	3750



VERTICAL SCALE 1:2500

HORIZONTAL SCALE 1:25000



LEGEND	
ITEM	SYMBOL
	Plan Profile
Tree or shrub	*
Pole tower spire antenna etc	○
Building or large structure	=
Railroad	—+—
Transmission line or overhead cable	—+—
Peak or Mountain	*
Terrain penetrating obstacle plane	○
Stopway(SWY)	—[—]
Clearway(CWY)	—[—]
Identification number	(vertical line with circle)

OBSTACLES				
NO	COORDINATES(WGS-84)	ELEV(AMSL)	ITEM	NOTE
1	37°27'15.0"N 126°27'59.9"E	7.5	Landing light	
2	37°27'14.7"N 126°28'00.1"E	9.0	Antenna	

## ORDER OF ACCURACY

HORIZONTAL 5.0 m  
VERTICAL 0.5 m



AMENDMENT RECORD		
NO	DATE	ENTERED BY

DIMENSIONS AND ELEVATIONS IN METERS

MAGNETIC VARIATION 9° W (2020)


## RWY 15R / 33L

DECLARED DISTANCES	
RWY 15R	RWY 33L
3750 TAKE OFF RUN AVAILABLE	3750
4050 TAKE OFF DISTANCE AVAILABLE	4050
3870 ACCELERATE STOP DISTANCE AVAILABLE	3870
3750 LANDING DISTANCE AVAILABLE	3750



VERTICAL SCALE 1:2500

HORIZONTAL SCALE 1:25000



LEGEND		
ITEM	SYMBOL	
	Plan	Profile
Tree or shrub	*	Identification number
Pole tower spire antenna etc	○	
Building or large structure	▪	
Railroad	—+—	
Transmission line or overhead cable	—r—	
Peak or Mountain	*	
Terrain penetrating obstacle plane	○	
Stopway(SWY)	— —	
Clearway(CWY)	— -—	

OBSTACLES				
NO	COORDINATES(WGS-84)	ELEV(AMSL)	ITEM	NOTE
1	37°27'07.3"N 126°27'46.1"E	8.0	Landing light	
2	37°27'06.9"N 126°27'46.4"E	9.5	Antenna	


## ORDER OF ACCURACY

HORIZONTAL 5.0 m  
VERTICAL 0.5 m

AMENDMENT RECORD		
NO	DATE	ENTERED BY

DIMENSIONS AND ELEVATIONS IN METERS


MAGNETIC VARIATION 9° W (2020)




RWY 15R / 33L

## DECLARED DISTANCES

RWY 15R	RWY 33L
3750	TAKE OFF RUN AVAILABLE 3750
4050	TAKE OFF DISTANCE AVAILABLE 4050
3870	ACCELERATE STOP DISTANCE AVAILABLE 3870
3750	LANDING DISTANCE AVAILABLE 3750



HORIZONTAL SCALE 1:25000



LEGEND	
ITEM	SYMBOL
	Plan Profile
Tree or shrub	*
Pole tower spire antenna etc	○
Building or large structure	=
Railroad	—+—
Transmission line or overhead cable	—T—
Peak or Mountain	*
Terrain penetrating obstacle plane	[obstacle shape]
Stopway(SWY)	[solid line]
Clearway(CWY)	[dashed line]

OBSTACLES				
NO	COORDINATES(WGS-84)	ELEV(AMSL)	ITEM	NOTE
1	37°29'02.4"N 126°26'03.8"E	8.0	Landing light	
2	37°29'02.7"N 126°26'03.5"E	9.0	Antenna	
3	37°32'01.8"N 126°23'45.6"E	118.5	Tower	
4	37°32'03.9"N 126°22'55.8"E	130.5	Tower	

ORDER OF ACCURACY  
HORIZONTAL 5.0 m  
VERTICAL 0.5 m

AMENDMENT RECORD		
NO	DATE	ENTERED BY


Change : Amended legend(transmission line or overhead cable).

OFFICE OF CIVIL AVIATION

AIP AMDT 5/23

DIMENSIONS AND ELEVATIONS IN METERS


MAGNETIC VARIATION 9° W (2020)




## RWY 15L / 33R

## DECLARED DISTANCES

RWY 15R	RWY 33L
3750 TAKE OFF RUN AVAILABLE	3750
4050 TAKE OFF DISTANCE AVAILABLE	4050
3870 ACCELERATE STOP DISTANCE AVAILABLE	3870
3750 LANDING DISTANCE AVAILABLE	3750



HORIZONTAL SCALE 1:25000



LEGEND	
ITEM	SYMBOL
	Plan
Tree or shrub	*
Pole tower spire antenna etc	○
Building or large structure	=
Railroad	—+—
Transmission line or overhead cable	— —
Peak or Mountain	*
Terrain penetrating obstacle plane	○
Stopway(SWY)	—[—]
Clearway(CWY)	[—]

OBSTACLES				
NO	COORDINATES(WGS-84)	ELEV(AMSL)	ITEM	NOTE
1	37°29'10.1"N 126°26'17.5"E	8.0	Landing light	
2	37°29'10.4"N 126°26'17.2"E	9.0	Antenna	
3	37°32'00.1"N 126°24'22.9"E	112.0	Tower	
4	37°32'01.8"N 126°23'45.6"E	118.5	Tower	


## ORDER OF ACCURACY

HORIZONTAL 5.0 m  
VERTICAL 0.5 m

AMENDMENT RECORD		
NO	DATE	ENTERED BY

DIMENSIONS AND ELEVATIONS IN METERS



MAGNETIC VARIATION 9° W (2020)



## RWY 16L/34R

## DECLARED DISTANCES

RWY 16L	RWY 34R
4000 TAKE OFF RUN AVAILABLE	4000
4300 TAKE OFF DISTANCE AVAILABLE	4300
4120 ACCELERATE STOP DISTANCE AVAILABLE	4120
4000 LANDING DISTANCE AVAILABLE	4000



LEGEND	
ITEM	SYMBOL
	Plan Profile
Tree or shrub	*
Pole tower spire antenna etc	○
Building or large structure	■
Railroad	—+—
Transmission line or overhead cable	—+—
Peak or Mountain	•
Terrain penetrating obstacle plane	[ ]
Stopway(SWY)	[ ]
Clearway(CWY)	[ ]

OBSTACLES				
NO	COORDINATES(WGS-84)	ELEV(AMSL)	ITEM	NOTE
1	37°28'30.1"N 126°24'48.9"E	8.0	Landing light	
2	37°28'30.4"N 126°24'48.6"E	9.5	Antenna	
3	37°31'56.0"N 126°21'16.2"E	129.5	Mountain	
4	37°32'03.3"N 126°20'56.5"E	156.0	Mountain	

## ORDER OF ACCURACY



HORIZONTAL 5.0 m  
VERTICAL 0.5 m

NO	DATE	ENTERED BY


DIMENSIONS AND ELEVATIONS IN METERS

MAGNETIC VARIATION 9° W (2020)

## RWY 16L/ 34R



HORIZONTAL SCALE 1:30000



LEGEND		
ITEM	SYMBOL	
	Plan	Profile
Tree or shrub	*	
Pole tower spire antenna etc	○	
Building or large structure	■	
Railroad	—	
Transmission line or overhead cable	—	
Peak or Mountain	*	
Terrain penetrating obstacle plane	○	
Stopway(SWY)	—	
Clearway(CWY)	—	
Identification number		—

OBSTACLES				
NO	COORDINATES(WGS-84)	ELEV(AMSL)	ITEM	NOTE
1	37°26'28.3"N 126°26'37.3"E	8.0	Landing light	
2	37°26'27.9"N 126°26'37.6"E	9.5	Antenna	


## ORDER OF ACCURACY

HORIZONTAL 5.0 m  
VERTICAL 0.5 m

AMENDMENT RECORD		
NO	DATE	ENTERED BY

DIMENSIONS AND ELEVATIONS IN METERS

MAGNETIC VARIATION 9° W (2020)




VERTICAL SCALE 1:2500


RWY 16R / 34L

## DECLARED DISTANCES

RWY 16R	RWY 34L
3750	TAKE OFF RUN AVAILABLE 3750
4050	TAKE OFF DISTANCE AVAILABLE 4050
3870	ACCELERATE STOP DISTANCE AVAILABLE 3870
3750	LANDING DISTANCE AVAILABLE 3750



HORIZONTAL SCALE 1:25000



LEGEND	
ITEM	SYMBOL
	Plan Profile
Tree or shrub	*
Pole tower spire antenna etc	○
Building or large structure	■
Railroad	—+—
Transmission line or overhead cable	—T—
Peak or Mountain	●
Terrain penetrating obstacle plane	○
Stopway(SWY)	—□—
Clearway(CWY)	—I—
	Identification number

OBSTACLES				
NO	COORDINATES(WGS-84)	ELEV(AMSL)	ITEM	NOTE
1	37°28'15.7"N 126°24'41.0"E	7.5	Landing light	
2	37°28'16.0"N 126°24'40.8"E	9.0	Antenna	
3	37°31'56.0"N 126°21'16.2"E	129.5	Mountain	
4	37°32'03.3"N 126°20'56.5"E	156.0	Mountain	

ORDER OF ACCURACY  
HORIZONTAL 5.0 m  
VERTICAL 0.5 m



AMENDMENT RECORD		
NO	DATE	ENTERED BY

DIMENSIONS AND ELEVATIONS IN METERS


MAGNETIC VARIATION 9° W (2020)

## RWY 16R / 34L

DECLARED DISTANCES	
RWY 16R	RWY 34L
3750 TAKE OFF RUN AVAILABLE	3750
4050 TAKE OFF DISTANCE AVAILABLE	4050
3870 ACCELERATE STOP DISTANCE AVAILABLE	3870
3750 LANDING DISTANCE AVAILABLE	3750



HORIZONTAL SCALE 1:25000



LEGEND	
ITEM	SYMBOL
	Plan Profile
Tree or shrub	*
Pole tower spire antenna etc	○
Building or large structure	■
Railroad	—+—
Transmission line or overhead cable	— —
Peak or Mountain	●
Terrain penetrating obstacle plane	○
Stopway(SWY)	—□—
Clearway(CWY)	—□—

OBSTACLES				
NO	COORDINATES(WGS-84)	ELEV(AMSL)	ITEM	NOTE
1	37°26'20.5"N 126°26'23.6"E	8.0	Landing light	
2	37°26'20.2"N 126°26'23.9"E	9.0	Antenna	

## ORDER OF ACCURACY

HORIZONTAL 5.0 m  
VERTICAL 0.5 m

AMENDMENT RECORD		
NO	DATE	ENTERED BY