

**INSTRUMENT
APPROACH
CHART - ICAO**


Note : Approach under ICAO Flight Procedures.

AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 17 - ELEV 175 ft

ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45

ULJIN/ULjin(RKTL)


ILS Z or LOC Z RWY 17



RECOMMENDED PROFILE(LOC ONLY)	DME IUJS	5	4	3	1.9
Final Approach Gradient 5.3%, 324 ft/NM	ALT(HGT)	1 783 (1 608)	1 459 (1 284)	1 136 (961)	780 (605)
TRANSITION ALT 14 000		TRANSITION LVL FL 140			

MISSED APPROACH

Climb straight ahead until TL045 then turn left to BANYA and hold at 6 000 ft.



Change : Information of airspace restrictions(RK D136).

AERONAUTICAL DATA TABULATION

ILS Z / LOC Z Approach to RWY 17 from ALDON(IAF)	
Fix/Point	Coordinates
ALDON(IAF)	36°56'46.3"N 129°35'23.0"E
TL041(SDF)	36°58'07.9"N 129°29'46.5"E
UMNAE(IF) BRG 171.28° / 10.17 NM IUJS	36°56'38.6"N 129°23'49.1"E
D5.7 IUJS(FAF LOC Only) BRG 171.29° / 5.70 NM IUJS	36°52'20.0"N 129°25'29.6"E
D4.1 IUJS(SDF LOC Only) BRG 171.27° / 4.10 NM IUJS	36°50'50.7"N 129°26'04.2"E
D1.9 IUJS(MAPt LOC Only) BRG 171.27° / 1.90 NM IUJS	36°48'44.5"N 129°26'53.2"E
THR RWY 17 Final approach descent angle(LOC ONLY) 3.03° (FAF-SDF) / 3.05° (SDF-THR)	36°47'05.09"N 129°27'31.62"E
TL045	36°41'52.3"N 129°29'32.6"E
BANYA	36°40'12.4"N 129°40'05.8"E

**INSTRUMENT
APPROACH
CHART - ICAO**


Note : Approach under ICAO Flight Procedures.

AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 17 - ELEV 175 ft

ULJN	ARR	120.875
		317.65
ULJN	TWR	118.55
		317.45

ULJIN/ULjin(RKTL)


ILS Y or LOC Y RWY 17



RECOMMENDED PROFILE(LOC ONLY)	DME IJUS	5	4	3	1.9
Final Approach Gradient 5.3%, 324 ft/NM	ALT(HGT)	1 783 (1 608)	1 459 (1 284)	1 136 (961)	780 (605)

MISSED APPROACH

Climb straight ahead until UJN D5 then turn left to BANYA and hold at 6 000 ft



Change : Information of airspace restrictions(RK D136).

AERONAUTICAL DATA TABULATION

ILS Y / LOC Y Approach to RWY 17 from ALDON(IAF)		
	Fix/Point	Coordinates
ALDON(IAF)	R 041 UJN / 12.00 NM UJN	36°56'46.3"N 129°35'23.0"E
D11.7 IUJS(IF)	BRG 171.28° / 11.70 NM IUJS	36°58'06.9"N 129°23'14.8"E
D9.0 IUJS(SDF)	BRG 171.29° / 9.00 NM IUJS	36°55'31.8"N 129°24'15.1"E
D5.7 IUJS(FAF LOC Only)	BRG 171.29° / 5.70 NM IUJS	36°52'20.0"N 129°25'29.6"E
D4.1 IUJS(SDF LOC Only)	BRG 171.27° / 4.10 NM IUJS	36°50'50.7"N 129°26'04.2"E
D1.9 IUJS(MAPt LOC Only)	BRG 171.27° / 1.90 NM IUJS	36°48'44.5"N 129°26'53.2"E
THR RWY 17	Final approach descent angle(LOC ONLY) 3.03°(FAF-SDF) / 3.05°(SDF-THR)	36°47'05.09"N 129°27'31.62"E
UJN VOR/DME		36°46'35.2"N 129°27'26.9"E
D5 UJN	BRG 171.28° / 5.00 NM UJN	36°41'52.3"N 129°29'32.6"E
BANYA	R 131 UJN / 12.00 NM UJN	36°40'12.4"N 129°40'05.8"E

**INSTRUMENT
APPROACH
CHART - ICAO**


Note : Approach under ICAO Flight Procedures.

AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 17 - ELEV 175 ft

ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45


ULJIN/ULjin(RKTL)

RNP RWY 17



MISSED APPROACH

Climb to 6 000 ft on track of 171° to TL045, then turn left on track of 110° to BANYA. Hold as published.



OCA (H)		A	B	C	D
Straight-in Approach	LNNAV/VNAV	720 (545)			
	LNNAV	950 (775)			

Knots	60	90	120	150	180
Rate of descent V/V fpm	362	543	724	905	1 087

* Timing NOT authorized for defining the MAPt.
* Circling not authorized.

Change : Information of airspace restrictions(RK D136).

AERONAUTICAL DATA TABULATION

Instrument approach Procedure Coding Tables

RNP RWY 17 - via ALDON(IAF) to BANYA(MAHF)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track over	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/TCH	Navigation specification	Remarks
001	IF	ALDON	-	-	-	-	+6 000	-	36°56'46.3"N 129°35'23.0"E	-	RNP APCH	IAF
002	TF	TL041	-	295(286.8)	4.7	-	+4 500	-	36°58'07.9"N 129°29'46.5"E	-	RNP APCH	SDF
003	TF	UMNAE	-	261(252.7)	5.0	-	+3 200	-220	36°56'38.6"N 129°23'49.1"E	-	RNP APCH	IF
004	TF	TL043	-	171(162.7)	5.1	-	+2 000	-	36°51'46.1"N 129°25'42.7"E	-	RNP APCH	FAF
005	TF	RW170	Y	171(162.7)	4.9	-	+950	-	36°47'05.09"N 129°27'31.62"E	-3.41/50	RNP APCH	MAPt
006	TF	TL045	-	171(162.7)	5.5	-	-	-	36°41'52.3"N 129°29'32.6"E	-	RNP APCH	-
007	TF	BANYA	-	110(101.0)	8.7	-	@6 000	-	36°40'12.4"N 129°40'05.8"E	-	RNP APCH	-
008	HM	BANYA	-	311(302.0)	-	L	@6 000	-230	36°40'12.4"N 129°40'05.8"E	-	RNP APCH	1 MIN (outbound timing)

HOLDING PROCEDURE

Holding Identification	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track over	Time (min)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/TCH	Navigation specification	Remarks
RNP RWY 17	HM	ALDON	Y	221(182.0)	1.0	L	@6 000	-230	36°56'46.3"N 129°35'23.0"E	-	RNAV 1	-

INSTRUMENT APPROACH CHART - ICAO


Note : Approach under ICAO Flight Procedures.

AERODROME ELEV 175 ft
HEIGHTS RELATED TO AD ELEV

ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45

ULJIN/Uljin(RKTL)

VOR RWY 17




TRANSITION ALT	14 000
TRANSITION LVL	FL 140

RECOMMENDED PROFILE	DME UJN	5	4	3	2.5
Final Approach Gradient 5.31%, 323 ft/NM	ALT(HGT)	1 677 (1 502)	1 354 (1 179)	1 032 (856)	870 (695)

MISSED APPROACH

Climb on R 001 UJN to UJN and R 170 UJN to 3 DME,
then turn left to BANYA and hold at 6 000 ft.



						Knots	60	90	120	150	180
OCA (H)	A	B	C	D	Rate of descent	V/V fpm	323	484	646	807	968
Straight-in Approach	930 (755)				* Timing NOT authorized for defining the MAPt.						
					* Circling not authorized.						

Change : Information of airspace restrictions(RK D136).

ULJIN/Uijin(RCTL)
VOR RWY 17


AERONAUTICAL DATA TABULATION

VOR Approach to RWY 17 from ALDON(IAF)		
	Fix/Point	Coordinates
ALDON(IAF)	R 041 UJN / 12.00 NM UJN	36°56'46.3"N 129°35'23.0"E
D12.0 UJN(IF)	BRG 181.00° / 12.00 NM UJN	36°58'29.8"N 129°25'28.5"E
D6.0 UJN(FAF)	BRG 181.00° / 6.00 NM UJN	36°52'32.5"N 129°26'27.8"E
D4.0 UJN(SDF)	BRG 181.00° / 4.00 NM UJN	36°50'33.4"N 129°26'47.5"E
D2.2 UJN(MAPt)	BRG 181.00° / 2.20 NM UJN	36°48'46.2"N 129°27'05.3"E
THR RWY 17	Final approach descent angle (LOC ONLY) 3.01°(FAF-SDF) / 3.06°(SDF-THR)	36°47'05.09"N 129°27'31.62"E
UJN VOR/DME		36°46'35.2"N 129°27'26.9"E
D3 UJN	R 170 UJN/ 3.00 NM UJN	36°43'44.3"N 129°28'38.3"E
BANYA	R 131 UJN/ 12.00 NM UJN	36°40'12.4"N 129°40'05.8"E

AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 35 - ELEV **158 ft**

ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45

ILS Z or LOC Z RWY 35



MISSSED APPROACH
Climb straight ahead until TL056,
then turn right on track of 048° to ALDON
and hold at 6 000 ft.

TRANSITION LVL FL 140

ILS RDH 44

THR ELEV 1.58

THR RWY 35

IUJN DME (LOC ONLY) MAPt IUJN D1.3

IUJN D5.1 (LOC ONLY) FAF

1 800 (1 642)

GP3.0°

351°

261°

228°

IF HUPHO

SDF TL051

IAF BANYA

3 800 (3 642)

5 000 (4 842)

6 000 (5 842)

NM FROM THR RWY 35

OCA (H)		A	B	C	D
Straight-in Approach	CAT-I (CG 2.5%)	580 (422)			
	CAT-I (CG 4.0%)	370 (212)			
	LOC	590 (432)			

Rate of descent	Knots	60	90	120	150	180
	V/V fpm	318	478	637	796	955
* Timing NOT authorized for defining the MAPt.						
* Circling not authorized.						

AIRAC AIP AMDT 5/26
Effective : 1600UTC 10 JUN 2026

ULJIN/Uljin(RKTL)
ILS Z or LOC Z RWY 35

AERONAUTICAL DATA TABULATION

ILS Z / LOC Z Approach to RWY 35 from BANYA(IAF)		
	Fix/Point	Coordinates
BANYA(IAF)	R 131 UJN/12.00 NM UJN	36°40'12.4"N 129°40'05.8"E
TL051(SDF)	BRG 351.29°	36°37'30.8"N 129°37'21.1"E
HUPHO(IF)	BRG 351.28°/10.65 NM UJN	36°36'07.0"N 129°31'45.8"E
D5.1 IUJN (FAF LOC Only)	BRG 351.28°/5.08 NM IUJN	36°41'26.4"N 129°29'42.5"E
D1.3 IUJN (MAPt LOC Only)	BRG 351.29°/1.30 NM IUJN	36°45'03.3"N 129°28'18.7"E
THR RWY 35	Final approach descent angle 3.04°(LOC ONLY)	36°46'09.33"N 129°27'53.20"E
TL056		36°48'33.0"N 129°26'57.6"E
ALDON	R 041 UJN/12.00 NM UJN	36°56'46.3"N 129°35'23.0"E

AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 35 - ELEV **158 ft**

ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45

ILS Y or LOC Y RWY 35



Climb straight ahead until UJN D2, then turn right to ALDON and hold at 6 000 ft.

OCA (H)		A	B	C	D							
Straight-in Approach	CAT-I (CG 2.5%)	545 (387)				Rate of descent	Knots	60	90	120	150	180
	CAT-I (CG 4.0%)	358 (200)					V/V fpm	318	478	637	795	955
	LOC	590 (432)					* Timing NOT authorized for defining the MAPt. * Circling not authorized.					

AIRAC AIP AMDT 5/26
Effective : 1600UTC 10 JUN 2026

ULJIN/Uijin(RKTL)
ILS Y or LOC Y RWY 35

AERONAUTICAL DATA TABULATION

ILS Y / LOC Y Approach to RWY 35 from BANYA(IAF)		
	Fix/Point	Coordinates
BANYA(IAF)	R 131 UJN/12.00 NM UJN	36°40'12.4"N 129°40'05.8"E
D11.6 IUJN(IF)	BRG 350.99°/11.63 NM IUJN	36°35'10.6"N 129°32'07.5"E
D5.1 IUJN(FAF LOC Only)	BRG 351.28°/5.08 NM IUJN	36°41'26.4"N 129°29'42.5"E
D1.3 IUJN(MAPt LOC Only)	BRG 351.29°/1.30 NM IUJN	36°45'03.3"N 129°28'18.7"E
THR RWY 35	Final approach descent angle 3.05°(LOC ONLY)	36°46'09.33"N 129°27'53.20"E
UJN VOR/DME		36°46'35.2"N 129°27'26.9"E
D2 UJN	R 357 UJN/2.00 NM UJN	36°48'33.0"N 129°26'57.6"E
ALDON	R 041 UJN/12.00 NM UJN	36°56'46.3"N 129°35'23.0"E

**INSTRUMENT
APPROACH
CHART - ICAO**


Note : Approach under ICAO Flight Procedures.

AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 35 - ELEV 158 ft

ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45


ULJIN/ULjin(RKTL)

RNP RWY 35



NOTE

1. Missed approach 6.4% CG required to 6 000 ft for ATC purpose.



MISSED APPROACH

Climb to 6 000 ft on track of 351° to TL055, then turn right on track of 064° to ALDON. Hold as published.

OCA (H)		A	B	C	D	Climb to 6 000 ft on track of 351° to TL055, then turn right on track of 064° to ALDON. Hold as published.						
Straight-in Approach	LNAV/VNAV	700 (542)										
	LNAV(CG 2.5%)	950 (792)				Rate of descent	V/V fpm	318	478	637	796	955
	LNAV(CG 4.0%)	770 (612)				* Timing NOT authorized for defining the MAPt.						
* Circling not authorized.												

AERONAUTICAL DATA TABULATION

Instrument approach Procedure Coding Tables

RNP RWY 35 - via BANYA(IAF) to ALDON(IAF)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track over (°/T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/TCH	Navigation specification	Remarks
001	IF	BANYA	-	-	-	-	+6 000	-	36°40'12.4"N 129°40'05.8"E	-	RNP APCH	IAF
002	TF	TL051	-	228(219.3)	3.5	-	+5 000	-	36°37'30.8"N 129°37'21.1"E	-	RNP APCH	SDF
003	TF	HUPHO	-	261(252.7)	4.7	-	+3 400	-	36°36'07.0"N 129°31'45.8"E	-	RNP APCH	IF
004	TF	TL053	-	351(342.7)	5.5	-	+1 800	-	36°41'22.5"N 129°29'44.1"E	-	RNP APCH	FAF
005	TF	RW350	Y	351(342.7)	5.0	-	+950	-	36°46'09.33"N 129°27'53.20"E	-3.00/50	RNP APCH	MAPt
006	TF	TL055	-	351(342.7)	5.5	-	-	-	36°51'25.4"N 129°25'50.7"E	-	RNP APCH	-
007	TF	ALDON	-	064(055.1)	9.3	-	@6 000	-	36°56'46.3"N 129°35'23.0"E	-	RNP APCH	-
008	HM	ALDON	Y	221(182.0)	-	L	@6 000	-230	36°56'46.3"N 129°35'23.0"E	-	RNP APCH	1 min (outbound timing)
009	HM	BANYA	Y	311(302.0)	-	L	@6 000	-230	36°40'12.4"N 129°40'05.8"E	-	RNP APCH	1 min (outbound timing)

RNP RWY 35 - via LIDPA(IAF) to ALDON(IAF)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track over (°/T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/TCH	Navigation specification	Remarks
001	IF	LIDPA	-	-	-	-	+5 000	-	36°31'13.6"N 129°33'38.6"E	-	RNP APCH	IAF
002	TF	HUPHO	-	351(342.7)	5.1	-	+3 400	-	36°36'07.0"N 129°31'45.8"E	-	RNP APCH	IF
003	TF	TL053	-	351(342.7)	5.5	-	+1 800	-	36°41'22.5"N 129°29'44.1"E	-	RNP APCH	FAF
004	TF	RW350	Y	351(342.7)	5.0	-	+950	-	36°46'09.33"N 129°27'53.20"E	-3.00/50	RNP APCH	MAPt
005	TF	TL055	-	351(342.7)	5.5	-	-	-	36°51'25.4"N 129°25'50.7"E	-	RNP APCH	-
006	TF	ALDON	Y	064(055.1)	9.3	-	@6 000	-	36°56'46.3"N 129°35'23.0"E	-	RNP APCH	1 min (outbound timing)
007	HM	ALDON	Y	221(182.0)	-	L	@6 000	-230	36°56'46.3"N 129°35'23.0"E	-	RNP APCH	1 min (outbound timing)

Change : Information of resolution for THR coordinates.

**INSTRUMENT
APPROACH
CHART - ICAO**


Note : Approach under ICAO Flight Procedures.

AERODROME ELEV 175 ft
HEIGHTS RELATED TO AD ELEV


ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45

ULJIN/ULjin(RKTL)

VOR RWY 35



RECOMMENDED PROFILE	DME UJN	5	4	3	2	MISSED APPROACH
Final Approach Gradient 5.30%, 322 ft/NM	ALT(HGT)	1 639 (1 481)	1 317 (1 159)	995 (873)	673 (515)	Climb on R 163 UJN to UJN and R 357 UJN to 2 DME, then turn right to ALDON and hold at 6 000 ft.



Change : Information of airspace restrictions(RK D136).

ULJIN/Uljin(RKTL)
VOR RWY 35

AERONAUTICAL DATA TABULATION

VOR Approach to RWY 35 from BANYA(IAF)		
	Fix/Point	Coordinates
BANYA(IAF)	R 131 UJN / 12.00 NM UJN	36°40'12.4"N 129°40'05.8"E
D12.0 UJN(IF)	BRG 343.00° / 12.00 NM UJN	36°35'44.7"N 129°33'52.9"E
D5.5 UJN(FAF)	BRG 343.00° / 5.50 NM UJN	36°41'37.1"N 129°30'24.1"E
D2.0 UJN(MAPt)	BRG 343.00° / 2.00 NM UJN	36°44'46.8"N 129°28'31.4"E
THR RWY 35	Final approach descent angle 3.04°	36°46'09.33"N 129°27'53.20"E
UJN VOR/DME		36°46'35.2"N 129°27'26.9"E
D2 UJN	R 357 UJN / 2.00 NM UJN	36°48'32.9"N 129°26'56.9"E
ALDON	R 041 UJN / 12.00 NM UJN	36°56'46.3"N 129°35'23.0"E