



TWR	118.2(E)	118.8(W)	
GND	121.75(E)	121.7(W)	
APRON	121.65	122.175	123.675
	121.8	123.325	129.725



OFFICE OF CIVIL AVIATION

Multiple use stands operation





		INS COORDINATES FOR AIRCRAFT STANDS			
		WGS-84		ELEV(AMSL)	
208	R	37°28'16.67"N	126°25'42.97"E	6 m	
214	R	37°28'12.94"N	126°25'34.81"E	6 m	
224	L	37°27'58.53"N	126°25'47.61"E	6 m	
	R	37°27'58.44"N	126°25'49.34"E	6 m	
231	L	37°27'53.63"N	126°25'52.33"E	6 m	
	R	37°27'53.49"N	126°25'54.22"E	6 m	
232	L	37°27'50.70"N	126°25'53.65"E	6 m	
	R	37°27'50.48"N	126°25'55.39"E	6 m	
236	R	37°27'42.18"N	126°26'00.21"E	6 m	
239	R	37°27'43.60"N	126°26'03.66"E	6 m	
258	R	37°27'57.35"N	126°26'28.47"E	5 m	
261	R	37°27'59.96"N	126°26'30.72"E	6 m	
266	L	37°28'06.75"N	126°26'24.13"E	6 m	
	R	37°28'06.14"N	126°26'22.44"E	6 m	
267	L	37°28'08.58"N	126°26'21.11"E	6 m	
	R	37°28'08.28"N	126°26'19.65"E	6 m	
268	L	37°28'10.56"N	126°26'18.63"E	6 m	
	R	37°28'10.51"N	126°26'17.04"E	6 m	
275	L	37°28'13.61"N	126°26'16.28"E	6 m	
	R	37°28'13.95"N	126°26'14.76"E	6 m	
283	R	37°28'29.10"N	126°26'02.85"E	6 m	
290	R	37°28'24.05"N	126°25'55.01"E	6 m	

Stand NR.	Availability
224L/R, 231L/R, 232L/R, 266L/R, 267L/R, 268L/R, 275L/R	Available for aircraft up to "C" code.
208R, 214R, 283R, 290R	Available for aircraft up to "E" code.
236R, 239R, 258R, 261R	Available for aircraft up to "F" code.
For details, please contact to confirm with "the Apron Magt. Unit" at the telephone number 82-32-741-2991.	
Note. Code letter Wing span	
"B": Refer to Annex 14 to the Convention on International Civil Aviation, Volume I, Chapter 1, Table 1-1 "Aerodrome reference code".	
E	52 m up to but not including 65 m
D	36 m up to but not including 52 m
C	24 m up to but not including 36 m
B	15 m up to but not including 24 m

Change : Information of aircraft stand markings for ACFT stand NR. 214.


Multiple use stands operation




INS COORDINATES FOR AIRCRAFT STANDS				
WGS-84				ELEV(AMSL)
302	A	37°27'39.66"N	126°26'46.39"E	5 m
	B	37°27'40.65"N	126°26'48.14"E	5 m
303	A	37°27'37.67"N	126°26'42.86"E	5 m
	B	37°27'38.66"N	126°26'44.61"E	5 m
304	A	37°27'35.68"N	126°26'39.34"E	5 m
	B	37°27'36.66"N	126°26'41.08"E	5 m
309	A	37°27'27.02"N	126°26'24.03"E	5 m
	B	37°27'28.01"N	126°26'25.77"E	5 m
310	A	37°27'25.03"N	126°26'20.50"E	5 m
	B	37°27'26.02"N	126°26'22.25"E	5 m
311	A	37°27'23.03"N	126°26'16.97"E	5 m
	B	37°27'24.02"N	126°26'18.72"E	5 m
322	A	37°27'40.96"N	126°26'45.24"E	5 m
	B	37°27'41.94"N	126°26'46.99"E	5 m
323	A	37°27'38.96"N	126°26'41.72"E	5 m
	B	37°27'39.95"N	126°26'43.46"E	5 m
324	A	37°27'36.97"N	126°26'38.19"E	5 m
	B	37°27'37.95"N	126°26'39.93"E	5 m
329	A	37°27'28.32"N	126°26'22.88"E	5 m
	B	37°27'29.30"N	126°26'24.62"E	5 m
330	A	37°27'26.32"N	126°26'19.35"E	5 m
	B	37°27'27.31"N	126°26'21.10"E	5 m
331	A	37°27'24.33"N	126°26'15.82"E	5 m
	B	37°27'25.31"N	126°26'17.57"E	5 m

Stand NR.	Availability
302A/B, 303A/B, 304A/B, 309A/B, 310A/B, 311A/B, 322A/B, 323A/B, 324A/B, 329A/B, 330A/B, 331A/B	Available for aircraft up to "C" code.
For details, please contact to confirm with "the Apron Magt. Unit" at the telephone number 82-32-741-2991.	
Note.	Code letter Wing span
"B": Refer to Annex 14 to the Convention on International Civil Aviation, Volume I, Chapter 1, Table 1-1"Aerodrome reference code".	E 52 m up to but not including 65 m D 36 m up to but not including 52 m C 24 m up to but not including 36 m B 15 m up to but not including 24 m

Multiple use stands operation








Multiple use stands operation






Change : Establishment of maintenance apron 2(ACFT stands NR. 731~734).

Deicing zones operation

INCHEON DEICING	122.225	123.575
PAD CONTROL	122.175	122.325 123.325
ICE MAN	130.250	130.750 130.850



Note >
The Pilot stop line marking is located on all deicing pads to help stop without marshalling, where the transverse bar indicates the cockpit stop position. (See the figure below.)



Change : Information of de-icing pad(ACFT stand NR. 558).

OFFICE OF CIVIL AVIATION

AIRAC AIP AMDT 11/25
Effective : 1600UTC 26 NOV 2025