AERODROME OBSTACLE CHART - ICAO
TYPE A (OPERATING LIMITATIONS)

GWANGJU / Gwangju

DIMENSIONS AND ELEVATIONS IN METERS

MAGNETIC VARIATION 8° W-2025

RWY 04L / 22R

DECLARED DISTANCES

RWY 04L		RWY 22R
2835	TAKE OFF RUN AVAILABLE	2835
3141	TAKE OFF DISTANCE AVAILABLE	3141
2835	ACCELERATE STOP DISTANCE AVAILABLE	2835
2835	LANDING DISTANCE AVAILABLE	2835



VERTICAL SCALE 1:1,300

LEGEND

ITEM	SYMBOL Plan	Profile
Tree or shrub		
Pole tower spire antenna etc		Identification number
Building or large structure		
Railroad		
Transmission line or overhead cable		
Peak or Mountain		
Terrain penetrating obstacle plane		
Stopway(SWY)		
Clearway(CWY)		

OBSTACLES

NR	COORDINATES(WGS84)		ELEV(AMSL)	ITEM	NOTE
1	35°08'36.02 "N	126°49'12.28"E	25.0	building	
2	35°08'37.50 "N	126°49'18.00"E	28.0	building	
3	35°10'54.33 "N	126°50'14.05"E	74.5	building	
4	35°10'59.17 "N	126°50'16.64"E	78.0	building	
5	35°10'58.25 "N	126°50'19.15"E	94.5	building	
6	35°11'01.42 "N	126°50'22.11"E	105.5	building	

HORIZONTAL SCALE 1 : 13 000



ORDER OF ACCURACY

HORIZONTAL 5.0m
VERTICAL 0.5m

AMENDMENT RECORD

NR	DATE	ENTERED BY

Change : Amended resolution of ELEV.

AERODROME OBSTACLE CHART - ICAO
TYPE A (OPERATING LIMITATIONS)

GWANGJU / Gwangju

DIMENSIONS AND ELEVATIONS IN METERS

MAGNETIC VARIATION 8° W-2025

RWY 04R / 22L

DECLARED DISTANCES

RWY 04R		RWY 22L
2835	TAKE OFF RUN AVAILABLE	2835
3141	TAKE OFF DISTANCE AVAILABLE	3141
2835	ACCELERATE STOP DISTANCE AVAILABLE	2835
2835	LANDING DISTANCE AVAILABLE	2835



VERTICAL SCALE 1:1,300

HORIZONTAL SCALE 1 : 13 000

MTERES
500 250 0 500 1,000 1,500 2,000 2,500 3,000
1,000 500 0 1,000 2,000 3,000 4,000 5,000 6,000 7,000 8,000 9,000
FEET

LEGEND

ITEM	SYMBOL Plan	Profile
Tree or shrub		Identification number
Pole tower spire antenna etc		
Building or large structure		
Railroad		
Transmission line or overhead cable		
Peak or Mountain		
Terrain penetrating obstacle plane		
Stopway(SWY)		
Clearway(CWY)		

OBSTACLES

NR	COORDINATES(WGS84)	ELEV(AMSL)	ITEM	NOTE
1	35°08'21.01"N 126°49'11.63"E	14.5	fence	
2	35°08'29.81"N 126°49'20.88"E	18.0	building	
3	35°08'35.41"N 126°49'17.75"E	21.5	building	
4	35°08'37.34"N 126°49'17.74"E	26.5	building	
5	35°08'37.30"N 126°49'19.12"E	28.0	building	
6	35°11'56.09"N 126°52'18.81"E	111.5	building	
7	35°12'02.23"N 126°52'20.06"E	114.5	building	

ORDER OF ACCURACY

HORIZONTAL 5.0m
VERTICAL 0.5m

AMENDMENT RECORD

NR	DATE	ENTERED BY

Change : Amended resolution of ELEV.

AERODROME OBSTACLE CHART - ICAO
TYPE A (OPERATING LIMITATIONS)

GWANGJU / Gwangju

DIMENSIONS AND ELEVATIONS IN METERS

MAGNETIC VARIATION 8° W-2025



RWY 04R / 22L

DECLARED DISTANCES

RWY 04R		RWY 22L
2835	TAKE OFF RUN AVAILABLE	2835
3141	TAKE OFF DISTANCE AVAILABLE	3141
2835	ACCELERATE STOP DISTANCE AVAILABLE	2835
2835	LANDING DISTANCE AVAILABLE	2835

VERTICAL SCALE 1:1,300



LEGEND

ITEM	SYMBOL Plan	Profile
Tree or shrub		Identification number
Pole tower spire antenna etc		
Building or large structure		
Railroad		
Transmission line or overhead cable		
Peak or Mountain		
Terrain penetrating obstacle plane		
Stopway(SWY)		
Clearway(CWY)		

OBSTACLES

NR	COORDINATES(WGS84)	ELEV(AMSL)	ITEM	NOTE
1	35°06'41.58"N 126°48'02.19"E	13.5	fence	
2	35°06'41.50"N 126°47'58.25"E	14.0	fence	

ORDER OF ACCURACY

HORIZONTAL 5.0m
VERTICAL 0.5m

HORIZONTAL SCALE 1 : 13 000



AMENDMENT RECORD

NR	DATE	ENTERED BY

Change : Amended resolution of ELEV.

AERODROME OBSTACLE CHART - ICAO
TYPE A (OPERATING LIMITATIONS)

GWANGJU / Gwangju

DIMENSIONS AND ELEVATIONS IN METERS

MAGNETIC VARIATION 8° W-2025



VERTICAL SCALE 1:1,300

RWY 04L / 22R

DECLARED DISTANCES

RWY 04L		RWY 22R
2835	TAKE OFF RUN AVAILABLE	2835
3141	TAKE OFF DISTANCE AVAILABLE	3141
2835	ACCELERATE STOP DISTANCE AVAILABLE	2835
2835	LANDING DISTANCE AVAILABLE	2835

LEGEND

ITEM	SYMBOL Plan	Profile
Tree or shrub		Identification number
Pole tower spire antenna etc		
Building or large structure		
Railroad		
Transmission line or overhead cable		
Peak or Mountain		
Terrain penetrating obstacle plane		
Stopway(SWY)		
Clearway(CWY)		

OBSTACLES

NR	COORDINATES(WGS84)	ELEV(AMSL)	ITEM	NOTE
1	35°06'45.14"N 126°47'48.84"E	19.0	fence	
2	35°06'44.82"N 126°47'48.48"E	19.0	fence	
3	35°06'41.67"N 126°47'44.72"E	20.5	fence	

ORDER OF ACCURACY

HORIZONTAL 5.0m
VERTICAL 0.5m

HORIZONTAL SCALE 1 : 13 000



AMENDMENT RECORD

NR	DATE	ENTERED BY

Change : Amended resolution of ELEV.