AERODROME OBSTACLE CHART - ICAO
TYPE A (OPERATING LIMITATIONS)

DIMENSIONS AND ELEVATIONS IN METERS

DAEGU / Daegu Intl

MAGNETIC VARIATION 9° W (2025)



OBSTACLES				
NR	COORDINATES(WGS84)	ELEV(AMSL)	ITEM	NOTE
1	35°53'07.03"N 128°40'33.83"E	38.5	Light	
2	35°52'43.09"N 128°40'56.32"E	50.0	Building	
3	35°52'42.10"N 128°41'02.02"E	52.5	Building	
4	35°52'48.31"N 128°41'26.71"E	71.5	Natural high point	
5	35°52'41.93"N 128°41'36.71"E	78.0	Natural high point	
6	35°52'24.82"N 128°41'33.84"E	81.5	Building	
7	35°52'27.97"N 128°41'54.09"E	85.5	Building	
8	35°52'14.58"N 128°42'30.00"E	87.5	Building	

ORDER OF ACCURACY

HORIZONTAL	5.0 m
VERTICAL	0.5 m

HORIZONTAL SCALE 1 : 13 000



LEGEND

ITEM	SYMBOL Plan	SYMBOL Profile
Tree or shrub		Identification number
Pole tower spire antenna etc		
Building or large structure		
Railroad		
Transmission line or overhead cable		
Natural high point (Peak or Mountain)		
Terrain penetrating obstacle plane		
Stopway(SWY)		
Clearway(CWY)		

AMENDMENT RECORD

NR	DATE	ENTERED BY

Change : Amended resolution of ELEV.

AERODROME OBSTACLE CHART - ICAO
TYPE A (OPERATING LIMITATIONS)

DIMENSIONS AND ELEVATIONS IN METERS

DAEGU / Daegu Intl

MAGNETIC VARIATION 9° W (2025)



DECLARED DISTANCES

RWY 13R		RWY 31L
2 755	TAKE OFF RUN AVAILABLE	2 755
2 755	TAKE OFF DISTANCE AVAILABLE	2 755
2 755	ACCELERATE STOP DISTANCE AVAILABLE	2 755
2 755	LANDING DISTANCE AVAILABLE	2 755

VERTICAL SCALE 1: 1 300

OBSTACLES

NR	COORDINATES(WGS84)	ELEV(AMSL)	ITEM	NOTE
1	35°53'03.41"N 128°40'28.18"E	38.0	Building	
2	35°52'43.09"N 128°40'56.32"E	50.0	Building	
3	35°52'42.10"N 128°41'02.02"E	52.5	Building	
4	35°52'41.93"N 128°41'36.71"E	78.0	Natural high point	
5	35°52'24.83"N 128°41'33.76"E	81.5	Building	
6	35°52'27.97"N 128°41'54.09"E	85.5	Building	
7	35°52'14.38"N 128°42'29.99"E	87.5	Building	

HORIZONTAL SCALE 1 : 13 000



ORDER OF ACCURACY

HORIZONTAL 5.0 m
VERTICAL 0.5 m

LEGEND

ITEM	SYMBOL Plan	SYMBOL Profile
Tree or shrub		Identification number
Pole tower spire antenna etc		
Building or large structure		
Railroad		
Transmission line or overhead cable		
Natural high point (Peak or Mountain)		
Terrain penetrating obstacle plane		
Stopway(SWY)		
Clearway(CWY)		

AMENDMENT RECORD

NR	DATE	ENTERED BY

Change : Amended resolution of ELEV.

AERODROME OBSTACLE CHART - ICAO
TYPE A (OPERATING LIMITATIONS)

DIMENSIONS AND ELEVATIONS IN METERS

DAEGU / Daegu Intl

MAGNETIC VARIATION 9° W (2025)



VERTICAL SCALE 1: 1 300

RWY 13R / 31L

DECLARED DISTANCES

RWY 13R		RWY 31L
2 755	TAKE OFF RUN AVAILABLE	2 755
2 755	TAKE OFF DISTANCE AVAILABLE	2 755
2 755	ACCELERATE STOP DISTANCE AVAILABLE	2 755
2 755	LANDING DISTANCE AVAILABLE	2 755

LEGEND

ITEM	SYMBOL Plan	SYMBOL Profile
Tree or shrub	⚹	Identification number ①
Pole tower spire antenna etc	⊙	
Building or large structure	■	
Railroad		
Transmission line or overhead cable	T—T—T·	
Natural high point (Peak or Mountain)	●	
Terrain penetrating obstacle plane		
Stopway(SWY)		
Clearway(CWY)		

OBSTACLES

NR	COORDINATES(WGS84)	ELEV(AMSL)	ITEM	NOTE
1	35°54'06.89"N 128°38'34.37"E	35.0	Light	
2	35°54'06.36"N 128°38'33.04"E	36.0	Building	
3	35°54'13.57"N 128°38'28.96"E	39.0	Building	
4	35°54'35.78"N 128°37'43.90"E	64.0	Building	
5	35°54'29.81"N 128°37'38.55"E	73.0	Natural high point	
6	35°54'38.94"N 128°37'41.36"E	85.5	Natural high point	
7	35°55'34.83"N 128°36'21.12"E	121.0	Natural high point	
8	35°55'34.30"N 128°35'07.09"E	274.0	Natural high point	
9	35°56'13.22"N 128°35'03.83"E	210.5	Natural high point	
10	35°56'14.47"N 128°34'26.73"E	225.0	Natural high point	

HORIZONTAL SCALE 1 : 13 000



ORDER OF ACCURACY

HORIZONTAL 5.0 m
VERTICAL 0.5 m

AMENDMENT RECORD

NR	DATE	ENTERED BY

Change : Amended resolution of ELEV.

AERODROME OBSTACLE CHART - ICAO
TYPE A (OPERATING LIMITATIONS)

DIMENSIONS AND ELEVATIONS IN METERS

DAEGU / Daegu Intl

MAGNETIC VARIATION 9° W (2025)



RWY 13L / 31R

DECLARED DISTANCES

RWY 13L		RWY 31R
2 743	TAKE OFF RUN AVAILABLE	2 743
2 743	TAKE OFF DISTANCE AVAILABLE	2 743
2 743	ACCELERATE STOP DISTANCE AVAILABLE	2 743
2 743	LANDING DISTANCE AVAILABLE	2 743

VERTICAL SCALE 1: 1 300



LEGEND

ITEM	SYMBOL Plan	SYMBOL Profile
Tree or shrub		Identification number
Pole tower spire antenna etc		
Building or large structure		
Railroad		
Transmission line or overhead cable		
Natural high point (Peak or Mountain)		
Terrain penetrating obstacle plane		
Stopway(SWY)		
Clearway(CWY)		

OBSTACLES

NR	COORDINATES(WGS84)	ELEV(AMSL)	ITEM	NOTE
1	35°54'12.04"N 128°38'37.31"E	35.5	Light	
2	35°54'13.57"N 128°38'28.96"E	39.0	Building	
3	35°54'17.21"N 128°38'31.12"E	43.0	Light	
4	35°54'38.94"N 128°37'41.36"E	85.5	Natural high point	
5	35°55'44.08"N 128°36'33.88"E	188.0	Natural high point	
6	35°55'55.89"N 128°35'49.02"E	100.0	Natural high point	
7	35°55'34.30"N 128°35'07.09"E	274.0	Natural high point	
8	35°55'41.87"N 128°34'57.73"E	249.5	Natural high point	
9	35°56'13.22"N 128°35'03.83"E	210.5	Natural high point	
10	35°56'14.47"N 128°34'26.73"E	225.0	Natural high point	

ORDER OF ACCURACY

HORIZONTAL 5.0 m
VERTICAL 0.5 m

HORIZONTAL SCALE 1 : 13 000



AMENDMENT RECORD

NR	DATE	ENTERED BY

Change : Amended resolution of ELEV.