GEN 1.7 DIFFERENCES FROM ICAO STANDARDS, RECOMMENDED PRACTICES AND PROCEDURES

1. ANNEX 1 Personnel Licensing(14th Edition, Amendment 179)

Reference	차이점	Difference
Chapter 1		
1.2.1 1.2.1.1 1.2.4.5 1.2.5.2 1.2.5.2.4	대한민국은 현재까지 원격조종항공기체계(RPAS) 및 수직이착륙형 항공기가 도입되지 않고 있어, 관련 자격증명 및 항공신체검사증명에 관한 운영규정을 시행하고 있지 않음. 대한민국에서는 기구류를 항공기로 분류하지 않으므로 기구류 조종자에게 자격증명과 항공신체검사증명이 요구되지 않음.	The Republic of Korea has not implemented licensing or Medical Assessment provisions for remote pilots or powered-lift pilots, as RPAS and powered-lift operations have not yet been introduced in the Republic of Korea. The Republic of Korea does not require free-balloon pilots to hold a pilot licence or a Medical Assessment because balloons are not classified as aircraft under Aviation Safety Act.
1.2.8.4	대한민국은 항공정비사 지정 전문교육기관에서 성능기반 훈련(Competency-based approved training)을 시행하도록 국내규정을 개정할 예정임.	National standards for designation of specialized training organization for airman will be amended to incorporate competency-based approved training into the existing approved training program for aircraft maintenance personnel.
1.2.9.1 1.2.9.2 1.2.9.3 1.2.9.4	대한민국은 현재까지 원격조종항공기체계(RPAS) 도입·적용을 위한 자격증명 및 항공영어구술능력증명에 관한 운영규정을 도입하고 있지 않음. 대한민국은 항법사 및 항공기관사 탑승을 필요로 하는 국제민간항공운송용 항공기가 운영되지 않으므로 항법사 및 항공기관사에 대한 항공영어구술능력증명제도가 없음.	The Republic of Korea has not implemented licensing or language proficiency requirements for remote pilots because RPAS operations have not yet been introduced. The Republic of Korea does not require flight navigators and flight engineers to have the ability to speak and understand the language used for radiotelephony communications to the level specified in Annex 1 because there is no such aircraft that they are on-board excluding military airplanes.
Chapter 2		
2.1.1.1 2.1.2.1 2.1.3.2 2.3.1.2 2.10.1.1 2.10.1.2.1 2.10.1.2.2 2.10.1.3.1 2.10.1.3.2 2.10.1.3.3 2.10.1.3.4 2.10.1.4 2.10.1.5 2.10.2.1 2.10.2.2	대한민국은 부속서 1의 기준에 의한 기구류(Free balloon) 조종사 자격증명을 발급하지 않음. 기구류는 항공안전법에 따라 초경량비행장치로 분류되며, 기구류를 사용하여 비행하려는 사람은 초경량비행장치 조종자 증명을 받아야 함. 또한, 대한민국 자유기구, 수직이착륙기, 원격조종항공기 자격증명을 발급하지 않음.	A free balloon pilot licence in accordance with Annex 1 is not issued in the Republic of Korea. Free balloon is classified as the ultra-light vehicle according to Aviation Safety Act of the Republic of Korea. Any person who intends to operate a free balloon shall be held a valid free balloon operator certificate. The Republic of Korea does not issue powered-lift pilot licences or remote pilot licences also.
Chapter 6		
6.4.1.1 6.5.1.1 6.5.1.2	대한민국에서는 기구류를 항공기로 분류하지 않으므로 기구류 조종자에게 항공신체검사증명이 요구되지 않음. 대한민국은 현재까지 원격조종항공기체계(RPAS) 및 수직이착륙형 항공기 도입·운용 수요가 없어, 항공신체검사증명에 관한 운영규정을 도입하고 있지 않음.	The Republic of Korea does not require free-balloon pilots to hold a Medical Assessment because balloons are not classified as aircraft under Aviation Safety Act. The Republic of Korea has not implemented Medical Assessment provisions for remote pilots or powered-lift pilots because the operations have not yet been introduced in the Republic of Korea.

2. ANNEX 2 Rules of the Air(11th Edition, Amendment 49)

Reference	차이점	Difference
NIL		

3. ANNEX 3 Meteorological Service for International Air Navigation (21st Edition, Amendment 82)

Reference	차이점	Difference
NIL		

4. ANNEX 4 Aeronautical Charts (11th Edition, Amendment 63)

Reference	차이점	Difference
NIL		

5. ANNEX 5 Units of Measurement to be used in Air and Ground Operations (5th Edition, Amendment 17)

Reference	차이점	Difference
NIL		

6. ANNEX 6 Operation of Aircraft

Reference	차이점	Difference
PART I (12th Edition, Amendment 51)		
NIL		
PART II (11th Edition, Amendment 43)		
2.4.11.7	ICAO 기준은 2011년 1월 1일 이후 최초감항증명 받은 항공기를 대상으로 하나, 우리나라는 모든 항공기에 대해 적용하고 있음.	While ICAO standards apply to aircraft that received their first certificate of airworthiness after 1 January 2011, the ROK applies the requirement to all aircraft.
PART III (11th Edition, Amendment 27)		
NIL		

7. ANNEX 7 Aircraft Nationality and Registration Marks (6th Edition, Amendment 7)

Reference	차이점	Difference
7	기구류 및 무인자유기구는 민간항공기 등록 체계로 등록되지 않음. 따라서 이들은 별도의 국내 규제 체계로 관리되므로, 제7장에 규정된 등록원부를 유지·관리하거나 등록말소증명서를 발급하지 않음.	Balloons and unmanned free balloons are not registered under the civil aircraft registration system. Consequently, the register and deregistration certificates prescribed in Section 7 are not maintained or issued for them, as they are governed by a separate national regulatory framework.

8. ANNEX 8 Airworthiness of Aircraft (13th Edition, Amendment 110)

Reference	차이점	Difference
Part IV A		
2.2.2 2.2.2.1 2.2.2.2 2.2.3.1 2.2.3.1.1 2.2.3.1.2 2.2.3.1.3 2.2.3.1.4	ICAO는 모든 헬리콥터에 필요 이륙거리 수록을 요구하나, 대한민국 감항기준(KAS Part 27·29)은 운항 성능등급(Class 1·2·3)을 쓰지 않고 Category A·B로만 구분함. 따라서 필요 이륙거리 산정은 Category A에만 의무 적용하며, Category B는 H-V 선도 및 강제착륙 능력으로 관리하므로 ICAO 기준과 차이가 있음.	These provisions address take-off performance data for all classes of helicopters and require that this performance data include the take-off distance required. However, the Republic of Korea does not utilize operational performance classes (Class 1, 2, and 3) in airworthiness certification, and has adopted the requirements for scheduled take-off distance data only for Category A helicopters (under KAS Part 29 and eligible KAS Part 27). For Category B helicopters, take-off performance is managed through height-velocity (H-V) envelope limitations and safe forced landing capabilities without mandated take-off distance data.
PART VIII, IX, X		
PART VIII, IX, X	RPAS 관련 ICAO ANNEX 8 규정 및 관련 감항코드는 아직 국내 규제체계에 반영되지 않았으며, 이에 따른 인증체계도입도 아직 도입되지 않았음.	RPAS - related ICAO ANNEX 8 provisions and associated airworthiness codes have not yet been incorporated into the Korean regulatory framework, and corresponding certification system has not yet been introduced.

Change : Information of ANNEX 6.

9. ANNEX 9 Facilitation (17th Edition, Amendment 30)

Reference	차이점	Difference
Chapter 2		
2.10	출입국관리국과 세관 당국에 의해 항공기입출국보고서(GD)의 제출이 요구되며, 부록1 규정과 일부 상이. 당분간 동 요건은 삭제 불가함.	Presentation of General Declaration is required by the Immigration and Customs authorities, and the format of the General Declaration slightly differs from Appendix 1. For the present, it is not possible to eliminate this requirement.
2.12	운영상 사유로 여객명부(PM)의 제출이 요구됨. PM서식은 부록2와 약간 상이.	Presentation of a Passenger Manifest is required for operational reasons. The format of the Passenger Manifest is slightly different from Appendix 2.
2.14	세관당국은 기내 탑재된 비품에 대한 서면보고 의무화.	A written Customs Declaration of stores remaining on board aircraft is required.
Chapter 3		
3.21*	거류 외국인이 1년 이상 외국 체류시 재입국사증이 필요.	Re-entry visas are required for resident aliens who stay out of the Republic of Korea for more than one year.
3.23*	필요한 경우에 한하여 인터뷰를 위한 출석 요구.	In case of need, Applicant for issuance of entrance visa should attend the immigration office for the interview.
3.24	단수사증의 유효기간은 발급일로부터 3월임.	A single visa for only one-time entry into the Republic of Korea is valid for 3 months from the issuing date.
3.26*	출입국신고서 제출이 요청됨.	Presentation of the Embarkation/Disembarkation(E/D) cards are required.
3.27	출입국신고서 제출 시 주소와 직업 등 부가사항을 작성하여야 함.	Additional information including address and occupation must be written on the Embarkation/Disembarkation cards.
3.29	출입국신고서는 항공기운용자의 부담으로 제공.	E/D cards are provided by operator at its expense.
3.34	일시방문객의 출국시 수입통관증명서가 요구됨.	Income-tax clearance certificates are required when visitors depart.
3.57*	국내 두 곳 이상의 공항 입항 시 공항별 입국절차 수행.	A passenger who arrives on an international flight, making two or more stops at international airports within the territory of the Republic of Korea, is required to be cleared through border control formalities at each airport.
3.62	위탁수하물에 대한 운송처리를 잘못하여 다른 항공기로 운송하여야 할 경우에는 별도의 보안조치를 한 후에 탑재할 수 있음.	Baggage can be transported to/by another aircraft, after completing separate security steps.
Chapter 4		
4.20	국내 관세법상 부가서류 필요.	Under Article 245 (Document to be submitted at Time of Declaration) of Custom Act, additional documents are required for export clearance.
4.32*	오류의 반복방지를 위해 행정제재 가능.	Customs "may impose a administrative to discourse repetition of errors".
Chapter 6		
6.25	항공기 급유시 여객은 휴대물품을 가지고 내리도록 하고 있음.	When the aircraft refueling, passengers carry down their baggage with them.

Change : Information of ANNEX 9.

10. ANNEX 10 Aeronautical Telecommunications

Reference	차이점	Difference
Volume I (8th Edition, Amendment 95) : NIL Volume II (7th Edition, Amendment 95) : NIL Volume III (2nd Edition, Amendment 94) : NIL Volume IV (5th Edition, Amendment 92) : NIL Volume V (3rd Edition, Amendment 91) : NIL		

11. ANNEX 11 Air Traffic Services (15th Edition, Amendment 55)

Reference	차이점	Difference
NIL		

12. ANNEX 12 Search and Rescue (9th Edition, Amendment 19)

Reference	차이점	Difference
Chapter 2		
2.2.1.1	대한민국은 해양 수색구조구역(SRR)이 FIR보다 넓음.	The Search and Rescue Region (SRR) is larger than the Flight Information Region (FIR) in the Republic of Korea.

13. ANNEX 13 Aircraft Accident and Incident Investigation (13th Edition, Amendment 20)

Reference	차이점	Difference
NIL		

14. ANNEX 14 Aerodromes

Reference	차이점	Difference
Volume I - Aerodrome Design and Operations (Ninth Edition, Amendment 18)		
Chapter 1		
1.4.2	대한민국은 국제항공노선이 있는 공항 및 법령에서 정한 일부 공공용비행장에 대해서 공항운영증명을 실시하고 있음.	The Republic of Korea requires aerodrome certification for aerodromes serving international air services and certain other public-use aerodromes specified in national regulations.
Chapter 3		
3.4.10	대한민국은 활주로, 활주로 갓길 및 정지로 표면과 연결되는 착륙대 표면의 높이 차이를 7.5 cm 이하로 허용함.	The Republic of Korea permits a maximum vertical difference of 7.5 cm between the runway strip and the adjacent runway, shoulder or stopway, instead of requiring the surfaces to be flush.
3.11.5	대한민국은 유도로 또는 유도로 갓길 표면과 연결되는 유도로대 표면의 높이 차이를 7.5 cm 이하로 허용함.	The Republic of Korea permits a maximum vertical difference of 7.5 cm between the taxiway strip and the adjacent taxiway or shoulder, instead of requiring the surfaces to be flush.

Change : Information of ANNEX 10 and 13.

Reference	차이점	Difference
Chapter 4		
4.1.8 4.1.10	대한민국은 측면 오프셋(lateral offset), 오프셋(offset) 및 곡선접근(curved approaches)에 따른 접근표면 기준을 미적용함.	The Republic of Korea does not apply the approach surface criteria for lateral offset, offset and curved approaches.
4.1.25 4.1.26 4.1.27 4.1.28 4.1.29	대한민국은 이륙상승표면 대신 진입표면을 적용함.	The Republic of Korea applies an approach surface in lieu of a take-off climb surface.
4.2.2 4.2.8	대한민국은 공항별 지형, 비행절차 및 운영여건을 고려하여 장애물제한표면의 일부 세부기준을 조정하여 운영중임.	The Republic of Korea applies certain modified criteria for obstacle limitation surfaces, taking into account the terrain, flight procedures and operational conditions of each aerodrome.
4.2.9	대한민국은 진입표면의 수평구간 없이 2.5% 경사를 적용함.	The Republic of Korea does not apply the horizontal section of the approach surface. A continuous 2.5 percent slope is applied instead.
4.2.16	대한민국은 공항별 지형, 비행절차 및 운영여건을 고려하여 장애물제한표면의 일부 세부기준을 조정하여 운영중임.	The Republic of Korea applies certain modified criteria for obstacle limitation surfaces, taking into account the terrain, flight procedures and operational conditions of each aerodrome.
4.2.17	대한민국은 진입표면의 수평구간 없이 2.5% 경사를 적용함.	The Republic of Korea does not apply the horizontal section of the approach surface. A continuous 2.5 percent slope is applied instead.
4.2.22 4.2.23 4.2.24 4.2.25 4.2.26 4.2.27	대한민국은 이륙상승표면 대신 진입표면을 적용함.	The Republic of Korea applies an approach surface in lieu of a take-off climb surface.
4.3.1 4.3.2	대한민국은 OLS 외부 지상고 150 m 이상 고물체에 대하여 「공항시설법」에 따른 장애표시등 및 장애표지 설치 등을 통해 항공기 운항 안전을 관리 중임.	The Republic of Korea manages the safety of aircraft operations for objects 150 m or more above ground level outside the obstacle limitation surfaces through the installation of obstacle lights and obstacle markings in accordance with the Airport Facilities Act.
Chapter 6		
6.1.1.4 6.1.1.5	대한민국은 이륙상승표면 대신 진입표면을 적용하며, 해당 표면에 대하여 장애표시등 및 장애표지 설치 기준을 적용 중임.	The Republic of Korea applies the approach surface in lieu of the take-off climb surface and applies the relevant obstacle marking and lighting requirements accordingly.
Chapter 9		
9.2.27	대한민국은 구조 및 소방차량의 대응시간을 3분 이내로 적용 중임.	The Republic of Korea applies a response time of not more than 3 minutes for the rescue and firefighting service.
9.2.31	대한민국은 최초 대응차량을 제외한 구조 및 소방차량의 도착시간을 4분 이내로 적용 중임.	The Republic of Korea applies an arrival time of not more than 4 minutes for rescue and firefighting vehicles other than the first responding vehicle(s).
Volume II - Heliports (Fifth Edition, Amendment 10)		
Volume II - Heliports	국제헬기운송에 사용되는 비행장이 없어 미적용.	Annex 14, Volume II is not applicable, as there are no aerodromes used for international helicopter operations in the Republic of Korea.

15. ANNEX 15 Aeronautical Information Services (16th Edition, Amendment 45)

Reference	차이점	Difference
Chapter 2		
2.5	대한민국은 항공정보 수집·가공 등에 소요되는 간접비는 공항 및 항공시설 사용료 원가 산정시 포함 시지키 않으며, 인쇄비 및 우편비 등 실제 소요되는 비용을 고려하여 판매가격을 정하고 있음.	Republic of Korea does not include indirect costs associated with the collection and processing of aeronautical information in the calculation of airport and air navigation facility charges. The sales price is determined based solely on the actual costs incurred, including printing and postal expenses.

16. ANNEX 16 Environmental Protection

Reference	차이점	Difference
Volume I - Aircraft Noise (8th Edition, Amendment 15) : NIL Volume II - Aircraft Engine Emissions (5th Edition, Amendment 12) : NIL Volume III - Aeroplane CO_2 Emissions (1st Edition, Amendment 3) : NIL Volume IV - Environmental Protection (2nd Edition, Amendment 2) : NIL		

17. ANNEX 17 Security (12th Edition, Amendment 18)

Reference	차이점	Difference
NIL		

18. ANNEX 18 The Safe Transport of Dangerous Goods by Air (4th Edition, Amendment 12)

Reference	차이점	Difference
NIL		

19. ANNEX 19 Safety Management (3rd Edition, Amendment 2)

Reference	차이점	Difference
NIL		

20. PANS-ATM DOC 4444 Air Traffic Management (16th Edition, Amendment 14)

Reference	차이점	Difference
NIL		

21. PANS-OPS DOC 8168 Aircraft Operations

Reference	차이점	Difference
Volume I (6th Edition, Amendment 12)		
Part II Section 2, Chapter 3		
3.1.1 3.1.2 3.1.3	대한민국은 공항별 출발 절차를 표준계기출발절차(SID) 또는 레이더 출발로 공시하고 있어, 전방향 출발절차(Omnidirectional Departure)를 운용하지 아니함.	The Republic of Korea does not operate omnidirectional departure procedures, as the departure procedures for each aerodrome are published as Standard Instrument Departures (SIDs) or radar departures.
Volume II (7th Edition, Amendment 11) : NIL Volume III (1st Edition, Amendment 4) : NIL		

Change : Information of ANNEX 16, 17, 19 and PANS-OPS(DOC 8168).

22. PANS-ABC DOC 8400 ICAO Abbreviations and Codes (9th Edition, Amendment 36)

Reference	차이점	Difference
NIL		

23. PANS-AIM DOC 10066 Aeronautical Information Management (1st Edition, Amendment 5)

Reference	차이점	Difference
NIL		

24. PANS-IM DOC 10199 Information Management(1st Edition)

Reference	차이점	Difference
Implementation in progress		

25. REGIONAL SUPPLEMENTARY PROCEDURES(DOC 7030) MID/ASIA

Reference	차이점	Difference
NIL		

26. PANS-MET DOC 10157 Meteorology (1st Edition)

Reference	차이점	Difference
NIL		

27. PANS-AD DOC 9981 Aerodromes (3rd Edition, Amendment 5)

Reference	차이점	Difference
NIL		

28. PANS-TRG DOC 9868 Training (3rd Edition, Amendment 7)

Reference	차이점	Difference
NIL		

Change : Establishment of PANS-AD(DOC 9981), PANS-TRG(DOC 9868).