

MyPost Business V8.4

Enterprise Services – Sending
Platforms

Effective May 2025

Contents

1	Introduction	4
1.1	Document Purpose	4
1.2	What is MyPost Business	4
2	Version History	5
3	Eligible products	7
3.1	Product IDs	7
3.2	Extra Cover	8
3.3	Signature on Delivery	9
4	Getting Started	10
4.1	Platform Partner On-boarding	10
4.2	Merchant On-boarding	10
4.3	Trading overview	12
5	Headers	13
6	Onboarding via Platform Partner - Authorisation Code Grant	14
6.1	Overview	14
6.2	Examples	15
6.3	References	15
6.4	Error Responses	16
6.5	Resource information	18
7	API Calls	19
8	Required API's	20
8.1	Get Organisation	20
8.2	Create Domestic Shipments	23
8.3	Create International Shipments	31
8.4	Create Order from Shipments	39
8.5	Create Label	43
9	Recommended supplementary API's	48
9.1	Create Payment With Charge Account	48
9.2	Create Pickups with Estimated Quantity	50
9.3	Create Orders from Pickups	60
9.4	Get Pickup Price	62
9.5	Pickup Suburb Serviceability Check	63
9.6	Pickup product availability	64
9.7	Get Item Price	68
9.8	Validate suburb	69

9.9	Get Shipments	71
9.10	Delete Shipments	71
9.11	Track Items	72
10	Optional / alternate workflow APIs	73
10.1	Update Item	73
10.2	Get Label	76
10.3	Get Order	79
10.4	Create Order Including Shipments	79
10.5	Pickups with shipments (Not supported)	81
10.6	Create Orders from Shipments including pickups (Not supported)	82

1 Introduction

1.1 Document Purpose

This document will provide you with an understanding of MyPost Business, the Send and Save structure and API integration.

This document will highlight specific MyPost Business integration requirements that must be considered when using the MyPost Business API integration.

This document must be read in conjunction with the information provided in the Australia Post Developer Centre where API details can be found.

The Australia Post Developer Centre content audience is Australia Post Contracted customers utilising contract product and services. MyPost Business customers are considered Non-Contract Business customers utilising retail products and services.

1.2 What is MyPost Business

For information on MyPost Business please reference the following URL for more details:-

<https://auspost.com.au/mypost-business>

The MyPost Business Postage Rates Guide can be found using the following URL:-

https://auspost.com.au/content/dam/auspost_corp/media/documents/mypost-business-postage-rates-guide.pdf

MyPost Business terms and conditions can be found in the following URL:-

<https://auspost.com.au/terms-conditions/send-and-save-terms-conditions?fm=search-organic:send%20and%20save:1>

2 Version History

Version Number	Event	When
V1	Initial release	September 2020
V2	How to easily identify a merchant account number	January 2021
V3	Feature release - Pick-ups and Merchant onboarding via a Platform Partner	February 2021
V4	Feature release – Using Australia Post Billing Charge Account as a payment method	June 2021
V5	Updates to Get Organisation call, Product Limits, Create Payment With Charge Account From Order (correction to Account Number field name) Create Order from Shipments (Shipment limits included) Create Label (Label limits included)	September 2021
V6	Update to pickups:- 1. Increase to maximum number of shipments from 50 to 100. 2. Error management when maximum number of pickup shipments are exceeded. 3. Included examples when pickup shipments exceed 100. Payload examples 1. Formatting errors removed Conclusion section removed	May 2022
V7	Update to pickups 1. Introduction of standalone Pickups with estimated quantity 2. Example API calls 3. Example responses 4. Create Orders from Pickups 5. Relocate pickups with shipments to alternative API section Update to include Express Post label settings to include A4-4pp	June 2022
V8	Update to include. 1. Blocking customers with underpaid postage 2. Removal of some international products 3. Removal of BH1 pickup product	May 2023
V8.1	Update to remove. 1. Pickup BH1 product from response example	May 2023

V8.2	Update to: 1. Include Track Items rate limit information at the partner level 2. Remove the pickup price value and replace with a link to an online document showing the pickup price bandings for MPB customers 3. Replace pickup cost/price and GST amount with placeholder to identify values are subject to change 4. Include missing Error Response for Pickup Products	Dec 2023
V8.3	Update to: 1. Removed references to PU4,5,6,7 Pickup products as these will not be available from 28 Feb 2025 2. Updated PU3 from Next Business Day 8am-12noon to Next Business Day 9am-4pm 3. Corrected cutoff time for PU3 from prior publication 4. Corrected eligible product ids list in examples from prior publications 5. Amended Table of Contents references 6. Removed references to I63, I64 & I66. Products discontinued since 3rd July 2023	Jan 2025
V8.4	Update to: 1. Added conformed XS products BE1PM0 and BE9PM0. 2. Removed Create Pick up with Shipment IDs & Removed Create Orders with Shipment IDs in Section 10.5 & 10.6. This was superseded by Create Pickups with Estimated Qty since June 2022.	May 2025

3 Eligible products

3.1 Product IDs

Below is a list of eligible products that can be used to send parcels in MyPost Business

Product_Id	Description	Comments	Maximum Limits
B20	Express Post	This product_id is used when a merchant is using their own packaging and weight does not exceed 5kg.	Weight:- 5kg Dimensions:- 105cm
B21	Express Post	This product_id is used when a merchant is using their own packaging and weight exceed 5kg. Distance charging applies up to a maximum of 22 kg	Weight:- 22kg Dimensions:- 105cm
B30	Parcel Post	This product_id is used when a merchant is using their own packaging and weight does not exceed 5kg.	Weight:- 5kg Dimensions:- 105cm
B31	Parcel Post	This product_id is used when a merchant is using their own packaging and weight exceed 5kg. Distance charging applies	Weight:-22kg Dimensions:- 105cm
BE9PB4	Express Post Flat Rate Box (Extra Large)	Weight, Height, Length, Width are not required when using these products	Weight:- 5kg Dimensions:- 440 x 277 x 168mm
BE9PB3	Express Post Flat Rate Box (Large)	Weight, Height, Length, Width are not required when using these products	Weight:- 5kg Dimensions:- 390 x 280 x 140mm
BE9PB2	Express Post Flat Rate Box (Medium)	Weight, Height, Length, Width are not required when using these products	Weight:- 5kg Dimensions:- 240 x 190 x 120mm
BE9PB1	Express Post Flat Rate Box (Small)	Weight, Height, Length, Width are not required when using these products	Weight:- 5kg Dimensions:- 220 x 160 x 70
BE9PM0	Express Post Flat Rate Satchel 5kg (Extra Small)	Weight, Height, Length, Width are not required when using these products	Weight:- 5kg Dimensions:- 215mm x 280mm
BE9P50	Express Post Flat Rate Satchel 5kg (Extra Large)	Weight, Height, Length, Width are not required when using these products	Weight:- 5kg Dimensions:- 440mm x 510mm
BE9P30	Express Post Flat Rate Satchel 5kg (Large)	Weight, Height, Length, Width are not required when using these products	Weight:- 5kg Dimensions:- 315mm x 405mm
BE9P10	Express Post Flat Rate Satchel 5kg (Medium)	Weight, Height, Length, Width are not required when using these products	Weight:- 5kg Dimensions:- 270mm x 390mm

Classification: FOR OFFICIAL USE ONLY

BE9P05	Express Post Flat Rate Satchel 5kg (Small)	Weight, Height, Length, Width are not required when using these products	Weight:- 5kg Dimensions:- 225mm x 355mm
BE1PB4	Parcel Post Flat Rate Box (Extra Large)	Weight, Height, Length, Width are not required when using these products	Weight:- 5kg Dimensions:- 440 x 277 x 168mm
BE1PB3	Parcel Post Flat Rate Box (Large)	Weight, Height, Length, Width are not required when using these products	Weight:- 5kg Dimensions:- 390 x 280 x 140mm
BE1PB2	Parcel Post Flat Rate Box (Medium)	Weight, Height, Length, Width are not required when using these products	Weight:- 5kg Dimensions:- 240 x 190 x 120mm
BE1PB1	Parcel Post Flat Rate Box (Small)	Weight, Height, Length, Width are not required when using these products	Weight:- 5kg Dimensions:- 220 x 160 x 70
BE1PM0	Parcel Post Flat Rate Satchel 5kg (Extra Small)	Weight, Height, Length, Width are not required when using these products	Weight:- 5kg Dimensions:- 215mm x 280mm
BE1P50	Parcel Post Flat Rate Satchel 5kg (Extra Large)	Weight, Height, Length, Width are not required when using these products	Weight:- 5kg Dimensions:- 440mm x 510mm
BE1P30	Parcel Post Flat Rate Satchel 5kg (Large)	Weight, Height, Length, Width are not required when using these products	Weight:- 5kg Dimensions:- 315mm x 405mm
BE1P10	Parcel Post Flat Rate Satchel 5kg (Medium)	Weight, Height, Length, Width are not required when using these products	Weight:- 5kg Dimensions:- 270mm x 390mm
BE1P05	Parcel Post Flat Rate Satchel 5kg (Small)	Weight, Height, Length, Width are not required when using these products	Weight:- 5kg Dimensions:- 225mm x 355mm
I65	International Parcels - Standard	International Standard Parcels Air. This product now includes 0 to 20kg weight. Incorporating the old I64 product.	Weight:- 20kg Dimensions:- 140cm girth
I67	International Parcels Express	International Exp Parcels. Incorporating the old I66 product.	Weight:- 20kg Dimensions:- 140cm girth

3.2 Extra Cover

Extra Cover costs \$0 for the first \$100 of cover for both International and Domestic parcel sending. \$2.50 for Domestic and \$4 for International for each subsequent \$100 of cover (above \$100 included cover) up to \$5000. Customers may be eligible for savings on Extra Cover on their Send & Save Band.

If you don't purchase Extra Cover and your item is lost or damaged while in our care, you may still be eligible for compensation of up to \$100. We offer this for most items sent with us, with eligibility of claims assessed on a case-by-case basis. A refund of postage may also be payable.

3.3 Signature on Delivery

Signature on Delivery costs \$2.95 for Domestic and \$5.50 for International (International Standard and International Economy Air)

4 Getting Started

Both a Platform Partner and a MyPost Business merchant must onboard to Platform Partner Integration to commence trade

4.1 Platform Partner On-boarding


All platform partners must be authorised to access Australia Post APIs. Authorisation is granted via a secure API Key specific to the Platform Partner.

4.1.1 Secure Token Management

The Platform Partner API keys and merchant Secure Tokens must be stored securely and not be made accessible or viewable via the Platform Partners UI.

4.1.2 Platform Partner Onboarding and Support process

The below process provides a high-level overview of the steps required for a Platform Partner to onboard for MyPost Business Integration.



4.2 Merchant On-boarding

Merchants can connect to a Platform Partner directly using MyPost Business Dashboard or via a Platform Partner website using OAuth. Both methods are outlined below, and if you choose the Via Platform Partner method, we strongly recommend you also support via MyPost Business to allow a merchant to enter a token they may create within the MyPost Business Dashboard.


4.2.1 Via MyPost Business

Merchants must be registered for MyPost Business to connect to a Platform Partner. Merchants can sign up via the MyPost registration URL <https://auspost.com.au/mypost-business/auth/email>.

Once a merchant has logged into MyPost Business and connected to a Platform Partner they will be provided with their unique secure token, this token will be required in all API calls made by the Platform Partner. The merchant's Account Number will also need to be provided alongside their token for all shipment and label creation API calls. Details found in the [header section](#) of this document

Details on how a merchant [connects to a Platform Partner](#) can be found [here](#).

The below process provides a high-level overview of steps taken by a merchant when connecting token:-




4.2.2 Via Platform Partner (OAuth)

Merchants must be registered for MyPost Business before using this method, to connect to a Platform Partner. Merchants can sign up via the MyPost registration URL <https://auspost.com.au/mypost-business/auth/email>.


This feature initiates the merchant onboarding from the Platform Partner's interface. Merchants are not required to select a Platform Partner, as this is defaulted to the referrer. The merchant is returned to the Platform Partner's website with an authorisation code for the platform partner to retrieve that merchant's token, removing the need for the merchant to manually copy tokens from MyPost Business to the platform partner.

If a merchant email address is not registered for MyPost Business the merchant will need to first register to MyPost Business with the above URL, prior to commencing the Onboarding process via your platform. The below process highlights the steps taken to onboard via a Platform Partner:



4.3 Trading overview

The below workflow represents API calls to commence trading.



5 Headers

MyPost Business API calls require unique header records to be passed when making all API calls.

The Get organisation API header does not require the account number. Get organisation will return the account number to be used in subsequent API calls.

Attribute	Description	Example / Notes
Authorization	Basic Authorization using API key and password	Basic aGVhbHRoOndlbDB2ABCwJHQ= This is the Platform Partner Secure Token provided during Onboarding process.
auspost-partner-id	Platform Partner ID	PARTNER-4985 This is the partner-id provided during the Platform Partner onboarding process.
auspost-merchant-token	Merchant token	78c24799-4e45-4875-9ec2-18bf7a0b9a40 This is the merchant token which is provided to the merchant during the merchant onboarding a platform partner via MyPost Business.
account-number	Account number	1120eb6cf32c4446a506a73319249df9 The account number will be retrieved during the Get Organisation API call and will be mandatory for all other API calls, regardless if the payment method is Charge Account or Stored Payment.

6 Onboarding via Platform Partner - Authorisation Code Grant

When a merchant is onboarding via a Platform Partner, the following industry standard is required to redirect the merchant to MyPost Business and obtain an authorisation code which will be used to retrieve the merchant's token for future trading. This process is unique to MyPost Business and documentation will not be found in the developer centre.

Industry standard documentation please refer to [Standards documentation](#)

Note: This feature is only available in production and is not available in the test environment.

6.1 Overview

- 1) Platform redirects merchant to
`https://auspost.com.au/mypost-business/authorisation/authorize?response_type=code&client_id={platform client id}&redirect_uri={platform url}`

Example URL: (Entry point)

https://auspost.com.au/mypost-business/authorisation/authorize?response_type=code&client_id=MY_PLATFORM_2905&redirect_uri=https%3A%2F%2Fmy-site.com.au%3Fstate%3Dstate123

- 2) MyPost Business redirect merchant to (Return point)
<https://my-site.com.au/?state=state123&code=a582940f-b85d-4eb9-a493-86304e86cd90>

- 3) Exchange Authorization Code for merchant token

The platform makes a POST request to the token endpoint with the following parameters. /oauth2/token (POST)

grant_type=authorization_code - This tells the token endpoint that the application is using the Authorization Code grant type.

code - The platform includes the authorization code it was given in the redirect.

redirect_uri - The same redirect URI that was used when requesting the code.

API Key - The platform's API Key and API Key password are set in the authentication [header](#) as Basic Auth.

API Key password - The platform's client secret. This ensures that the request to get the merchant token is made only from the platform, and not from a potential attacker that may have intercepted the authorization code.

The token endpoint will verify all the parameters in the request, ensuring the code hasn't expired and that the client ID and secret match. If everything checks out, it will return the merchant token in the response.

6.2 Examples

URI: <https://digitalapi.auspost.com.au/mypostbusiness-authorisation/v1/oauth2/token>

HTTP Method: POST

Header: authorization: Basic Auth <Client ID/Secret>

Sample Request Payload:

```
{
  "grant_type": "authorization_code",
  "redirect_uri": "https://example-app.com/redirect?state=state-296b",
  "code": "e8wsfxmxHRvT2od2Dehi-jMiccQCPuqTRie3qryxVyc"
}
```

Sample Response

Field	Mandatory?	Format	Info
token	yes	String	Token

Sample Response Payload:

```
{
  "token": "e8wsfxmxHRvT2od2Dehi-jMiccQCPuqTRie3qryxVyc"
}
```

6.3 References

Element name	Description	Type	Length
grant_type	authorization_code, indicating that we are using the authorization code grant type	Mandatory	String
redirect_uri	redirect_uri must match the URI that was used to get the authorization code.	Mandatory	String
Code	code is the one-time authorization code that you got from the /authorize endpoint. The code expires in 15 minutes.	Mandatory	String

6.4 Error Responses

Error case	HTTP Status Code	Error Response Payload
Missing mandatory field(s)	400	<pre>{ "errors": [{ "status": "400 BAD_REQUEST", "code": "Pattern", "title": "Code is missing or blank.", "source": { "pointer": "code" } }] }</pre>
Invalid grant type	400	<pre>{ "errors": [{ "status": "400 BAD_REQUEST", "code": "Value", "title": "grant_type specified is invalid.", "source": { "pointer": "grant_type" } }] }</pre>
Invalid client Id * for security, the API won't provide additional information to the API client.	400	<pre>{ "errors": [{ "status": "400 BAD_REQUEST", "code": "Value", "title": "Failed to retrieve token due to invalid value(s) in the request.", "source": {} }] }</pre>

Error case	HTTP Status Code	Error Response Payload
Authorisation code has been used before.	400	<pre>{ "errors": [{ "status": "400 BAD_REQUEST", "code": "Value", "title": "Repeated attempt(s) to read one time code.", "source": { "pointer": "code" } }] }</pre>
Incorrect API key for the authorisation code.	401	<pre>{ "errors": [{ "status": "401 UNAUTHORIZED", "code": "Value", "title": "Platform partner not authorised to access the token." }] }</pre>
Invalid redirect_uri	401	<pre>{ "errors": [{ "status": "401 UNAUTHORIZED", "code": "Value", "title": "Invalid redirect_uri.", "source": { "pointer": "redirect_uri" } }] }</pre>
Platform partner not authorised to access the token	401	<pre>{ "errors": [{ "status": "401 UNAUTHORIZED", "code": "Value", "title": "Platform partner not authorised to access the token." }] }</pre>

Error case	HTTP Status Code	Error Response Payload
Code expired after 15 minutes.	404	<pre>{ "errors": [{ "status": "404 NOT_FOUND", "code": "Value", "title": "Invalid or expired code.", "source": { "pointer": "code" } }] }</pre>
Invalid API key.	500	<pre>{ "errors": [{ "id": "9cc7b5b7-8cae-4ab3-be12-0ab0c8c77ad9", "code": "INTERNAL_SERVER_ERROR", "detail": "Internal Server Error" }] }</pre>

6.5 Resource information

Rate Limited?	No	HTTP Methods	POST
Requests per rate limit window	-	Resource family	Organisations
Authentication	Secure API Key	Response object	Organisation
Response Formats	Json	API Version	v1.0

7 API Calls

Detailed API documentation can be found on the Australia Post developer centre. This section is focused on the specific MyPost Business, business rules that must be accounted for during your API development phase.

Summary of required API calls:

- Get Organisation
- Create Shipment
- Create Order from Shipments
- Create Label

Summary of recommended supplementary API calls:

- Create Payment with Charge Account (Alternate)
- Pickups
- Get Item Price
- Validate Suburb
- Get Shipments
- Delete Shipments
- Track Items

Optional / alternate workflow API calls

- Update Item
- Get Label
- Get Order
- Create Order including Shipments

8 Required API's

8.1 Get Organisation

The following API's are required when integrating to MyPost Business via API keys and is required when using all API calls except for Validate Suburb.

The Get Organisation API is not documented in the developer centre as it is specific to MyPost Business API Integration. As a result, the information and structure in this section of the document is different to other API call information.

The Get Organisation is unique to MyPost Business, please note the following: -

- Header (although not shown here) have a different structure. Please see [header](#) section in this document for details
- The Get Organisation call will return the account number which must be passed in the subsequent header calls as a HTTP header value
- It is recommended the Get Organisation should be cached regularly and be purged daily or on failure. This is due to account number changes which may happen sporadically (due to updates of contacts on the account)
- Changing credit card details will not change the organisation's account number
- The Get Organisation API after initial onboarding will verify billing status.

This service retrieves information regarding the merchant account a User has access to, and their charge accounts (if applicable).

8.1.1 Resource information

Rate Limited?	No	HTTP Methods	GET
Requests per rate limit window	-	Resource family	Organisations
Authentication	Secure API Key	Response object	Organisation
Response Formats	Json	API Version	v1.0

8.1.2 Service capabilities

Use this web service to:

- Determine the merchant account number that will be used in all subsequent requests. This is in the format of "fd20f6347073408fabdd57aa523ae999", this account number will always be required in the header, even when a customer is using a charge account as a payment method.
 - When expired = True, the account has been closed and the merchant is unable to trade. The merchant must contact MPB support via the MyPost Business Dashboard for resolution.
- Determine the merchant account number for use in the Create Payment with Charge Account API call
- Determine if the merchant charge account is credit blocked.

- When Credit Blocked = True, is returned for one or more charge accounts, the merchant is no longer able to trade. The merchant must contact Australia Post credit management support centre on 131118 for resolution
- When Credit_Available = False, that specific Charge account cannot be used as a payment method.
- A merchant's charge account must be linked in MyPost Business for the charge account to be returned in the Get organisation call and used as a payment method

8.1.3 Resource URL

<https://digitalapi.auspost.com.au/shipping/v1/organisations>

8.1.4 Parameters

- None

8.1.5 Example Response

HTTP Response Code: 200

GET

<https://digitalapi.auspost.com.au/shipping/v1/organisations>

JSON

```
{
  "organisations": [{
    "accounts": [{
      "charge_accounts": [{
        "account_number": "0009999991",
        "credit_blocked": false,
        "credit_available": true
      },
      {
        "account_number": "0009999992",
        "credit_blocked": false,
        "credit_available": true
      },
      {
        "account_number": "0009999993",
        "credit_blocked": false,
        "credit_available": false
      }
    ],
    "account_number": "fd20f6347073408fabdd57aa523ae999",
    "expired": false,
    "credit_blocked": false
  }
}]
```

Classification: FOR OFFICIAL USE ONLY

```

    }}
  }

```

8.1.6 Authentication error example

Error Scenario	Error Response	Action
Request has no Authorization header or Incorrect API key/password combination	<pre> { "errors": [{ "message": "The request failed authentication", "error_code": "API_001", "error_name": "Unauthenticated request" }] } </pre>	Use correct API key and password for Basic Auth Authorisation header.
Use incorrect token to retrieve other account's resources.	<pre> { "errors": [{ "code": "401", "name": "Unauthorized", "message": "The API key and password used to authenticate this request cannot be used to transact on the charge account with account number 48e444d3ccee42809d4eeb93062526d1. If you believe you are receiving this message in error, please contact your Account Manager or email us at customer_connectivity@auspost.com.au" }] } </pre>	This is a generic API error message presented for unauthorised API call. If presented with this error message, please refer to the MyPost Business integration support model for assistance.
Request without Merchant token	<pre> { "errors": [{ "code": "401", "name": "Unauthorized", "message": "" }] } </pre>	Customer must create a partner token in MyPost Business

8.1.7 References

Response Field Reference

Element name	Description	Type	Length
organisations	The list of organisations that the user has access to.	Array	
accounts	The merchant account details that the user can trade on behalf of.	Array	
charge_accounts	One or more charge accounts associated to the merchant account. (If applicable)	Array	
account_number	The charge account associated to the merchant account.	String	10
credit_blocked	Whether the merchant's charge account is credit blocked. Any account with this status will be forbidden from creating shipments or orders.	Boolean - true or false	
credit_available	Whether the merchant's charge account has credit available.	Boolean - true or false	
account_number	The merchant account number. This account number must be provided with all requests including creating shipments or orders. And is retrieved by the Get Organisation API.	String	32
credit_blocked	Whether the merchant's account is credit blocked. Any account with this status will be forbidden from creating shipments or orders.	Boolean - true or false	

8.2 Create Domestic Shipments

This interface creates a shipment returning a summary of the pricing for the items. A shipment created via this endpoint needs to subsequently be added to an order via the Create Order from Shipments prior to printing a label and sending.

The following variances exist when creating MyPost Business shipments: -

- Header (although not shown here) have a different structure. Please see [header](#) section in this document for details
- Customer reference 1 and 2 – not used by MyPost Business only sender reference is valid
- Contains Dangerous Goods – always False not supported in MyPost Business
- Authority to leave - not support by MyPost Business, omit or set to false
- Allow partial delivery – always false not supported in MyPost Business
- Safe Drop – always false not supported in MyPost Business
- Signature on Delivery if required – is a feature of an item and is mandatory if Extra cover is \$500 or greater
 - SIGNATURE_ON_DELIVERY.
- Extra Cover if required – is a feature of an item.
 - Extra cover costs \$0 for the first \$100 of cover and \$2.50 for each subsequent \$100 of cover (above \$100 included cover) up to \$5000.

Classification: FOR OFFICIAL USE ONLY

- When the value of extra cover is greater than \$500.00 Signature on Delivery is mandatory.
 - When using extra cover, the feature name in the request is TRANSIT_COVER
- All shipments are single Item shipments (i.e. multi-part consignments are not available via MyPost Business)

For more details such as responses, errors and URL's please see below URL

<https://developers.auspost.com.au/apis/shipping-and-tracking/reference/create-domestic-shipments>

8.2.1 Domestic Example

POST <https://digitalapi.auspost.com.au/shipping/v1/shipments>

```
{
  "shipments": [
    {
      "from": {
        "name": "test1",
        "lines": [
          "111 BOURKE ST"
        ],
        "suburb": "MELBOURNE",
        "state": "VIC",
        "postcode": "3000"
      },
      "to": {
        "name": "test1",
        "type": "STANDARD_ADDRESS",
        "country": "AU",
        "lines": [
          "WOORI YALLOCK PRIMARY SCHOOL",
          "1360 HEALESVILLE-KOO WEE RUP RD"
        ],
        "suburb": "WOORI YALLOCK",
        "state": "VIC",
        "postcode": "3139"
      },
      "items": [
```

```
{
  "contains_dangerous_goods": false,
  "product_id": "BE9PB4",
  "features": {}
}
],
{
  "from": {
    "name": "test2",
    "lines": [
      "111 BOURKE ST"
    ],
    "suburb": "MELBOURNE",
    "state": "VIC",
    "postcode": "3000"
  },
  "to": {
    "name": "test2",
    "type": "STANDARD_ADDRESS",
    "country": "AU",
    "lines": [
      "WOORI YALLOCK PRIMARY SCHOOL",
      "1361 HEALESVILLE-KOO WEE RUP RD"
    ],
    "suburb": "WOORI YALLOCK",
    "state": "VIC",
    "postcode": "3139"
  },
  "items": [
    {
      "contains_dangerous_goods": false,
      "product_id": "BE9PB4",
      "features": {}
    }
  ]
},
{
  "from": {
    "name": "test3",
    "lines": [
      "111 BOURKE ST"
```

```
    ],
    "suburb": "MELBOURNE",
    "state": "VIC",
    "postcode": "3000"
  },
  "to": {
    "name": "test3",
    "type": "STANDARD_ADDRESS",
    "country": "AU",
    "lines": [
      "WOORI YALLOCK PRIMARY SCHOOL",
      "1361 HEALESVILLE-KOO WEE RUP RD"
    ],
    "suburb": "WOORI YALLOCK",
    "state": "VIC",
    "postcode": "3139"
  },
  "items": [
    {
      "contains_dangerous_goods": false,
      "product_id": "BE9PB4",
      "features": {}
    }
  ]
}
```

8.2.2 References

Element Name	Description	Optional / Mandatory	Type	Length
shipments	Shipment information is to be supplied for each delivery of items to a physical address.	Mandatory	Array	
shipment_reference	A unique reference for the shipment, generated by the merchant.	Optional	String	50

sender_references	A merchant specified array of references for the shipment. Effectively deprecates customer_reference_1 and customer_reference_2. The array length supported varies as noted in the Sender references documentation. Allows for 2 lines with only the First Line appearing on the MyPost Business Label	Optional	Array	
customer_reference_1	Not used for MyPost Business.	Optional	String	50
customer_reference_2	Not used for MyPost Business	Optional	String	50
from	The address where the items will be sent from.	Mandatory		
name	The name of the sender.	Mandatory	String	40
business_name	The name of the sending business.	Optional	String	40
lines	The address lines of the address. Minimum of one address line, up to a maximum of three for Australia Post products, and up to a maximum of two for StarTrack products. Each address line is a maximum of 40 characters.	Mandatory	Array	40
suburb	The suburb for the address.	Mandatory	String	40
state	The state code for the address. Valid values are: ACT, NSW, NT, QLD, SA, TAS, VIC, WA.	Mandatory	String	3
postcode	The postcode for the address.	Mandatory	String	4
country	The country code for the address.	Optional. If specified, it must be "AU".	String	2
phone	The sender's phone number. For StarTrack shipments, the maximum length is 10 characters and the allowable characters are "0-9" (digits only.) Examples are: 0491570156, 0855502312.	Not available	String	See Desc.
	For AusPost shipments, the maximum length is 20 characters and the allowable characters are "+()- 0-9" (plus, digits, space, hyphen and parentheses.) Examples are:			

	0491-570-156, 02) 5550 1234, +61 (3) 7010 4321.			
email	The sender's email address.	Optional	String	50
to	The address where the items will be delivered.	Mandatory		
name	The name of the receiver.	Mandatory	String	40
apcn	The Australia Post customer number.	Optional	String	10
business_name	The name of the business for the address.	Optional	String	40
type	The type of address. Valid values are:	Optional	String (See Desc.)	
	PARCEL_LOCKER - an address with this type represents an Australia Post Parcel Locker.			
	PARCEL_COLLECT - an address with this type represents an Australia Post Parcel Collection location.			
	STANDARD_ADDRESS - an address with this type represents a normal delivery address.			
lines	The address lines of the address. Minimum of one address line, up to a maximum of three. Each address line is a maximum of 40 characters.	Mandatory	Array	40
suburb	The suburb for the address.	Mandatory	String	40
state	The state code for the address. For domestic shipments, valid values are: ACT, NSW, NT, QLD, SA, TAS, VIC, WA.	AU: Mandatory Int'l: Optional	String	AU: 3
				Int'l: 10
postcode	The postcode for the address. This is mandatory for domestic shipments and international shipments going to some countries. Please refer to addresses for the list.	Usually mandatory (See Desc.)	String	AU: 4
				Int'l: 10
country	The country code for the address. The country code must conform to ISO 3166-1 alpha-2 standard.	Optional. Defaults to "AU".	String	2

phone	The receiver's phone number. For StarTrack shipments, the maximum length is 10 characters and the allowable characters are "0-9" (digits only.) Examples are: 0491570156, 0855502312.	Not Available	String	See Desc.
	For AusPost shipments, the maximum length is 20 characters and the allowable characters are "+()- 0-9" (plus, digits, space, hyphen and parentheses.) Examples are: 0491-570-156, 02) 5550 1234, +61 (3) 7010 4321.	Optional		
email	The receiver's email address.	Optional	String	50
delivery_instructions	Instructions to aid in prompt delivery of the item.	Optional	String	128
		(See Desc.)		
items	An item element is to be supplied for each parcel.	Mandatory	Array	
item_reference	A unique reference for the item, generated by the merchant.	Optional	String	50
product_id	The Australia Post code representing the postage product for the item.	Mandatory	String	5
item_description	A description of the item, generated by the merchant.	Optional	String	
length	The length of the parcel in centimetres. If volumetric pricing applies then this is mandatory. Alternatively, you can use the cubic_volume field. You cannot specify both length/width/height and cubic_volume.	Optional (See Desc.)	Decimal	4.1
width	The width of the parcel in centimetres. If volumetric pricing applies then this is mandatory. Please refer to the length field for more information.	Optional (See Desc.)	Decimal	4.1
height	The height of the parcel in centimetres. If volumetric pricing applies then this is mandatory. Please refer to the length field for more information.	Optional (See Desc.)	Decimal	4.1
weight	The parcel's weight in kilograms.	See Desc.	Decimal	N.3

contains_dangerous_goods	Whether the item contains dangerous goods, generated by the merchant.	Optional. Defaults to false.	false	
packaging_type	Valid values are: OWN_PACKAGING for using your own packaging. For Australia Post satchels: AP_SATCHEL_S AP_SATCHEL_M AP_SATCHEL_L AP_SATCHEL_XL For Australia Post boxes: AP_BOX_S AP_BOX_M AP_BOX_L AP_BOX_XL Please ensure the correct product ID for packaging types is used.	Mandatory	String	
features	Additional features for the item.	Optional		
name	Name of the feature. Eg: TRANSIT_COVER. And /or SIGNATURE_ON_DELIVERY	Mandatory	String	
attributes	Additional information about the feature. Please note that attributes depend on the feature.	Depends on feature.	String	
cover_amount	Cover amount.		Decimal	4.2

8.2.3 Error examples

Error Scenario	Error Response	Action
Authority_to_Leave	<pre>{ "errors": [{ "code": "40005", "name": "FIELD_NOT_SUPPORTED", "message": "Field authority_to_leave is not supported for this product.", "field": "shipments[0].items[0].authority_to_leave",</pre>	Authority to leave not supported remove from shipment request

Error Scenario	Error Response	Action
	<pre> "context": { "item_index": "0", "field": "authority_to_leave", "item_internal_ref": "shipments[0].items[0]", "shipment_index": "0" } }, </pre>	
Safe_Drop_enabled	<pre> { "code": "40005", "name": "FIELD_NOT_SUPPORTED", "message": "Field safe_drop_enabled is not supported for this product.", "field": "shipments[0].items[0].safe_drop_enabled", "context": { "item_index": "0", "field": "safe_drop_enabled", "item_internal_ref": "shipments[0].items[0]", "shipment_index": "0" } }] } </pre>	Safe drop is not supported remove safe drop from the shipment request

8.3 Create International Shipments

This interface creates a shipment and item with a summary of the pricing for the item. This uses the same endpoint as domestic shipments but has different field requirements.

The following variances exist when integrating to MyPost Business via API's: -

- Header (although not shown here) have a different structure. Please see [header](#) section in this document for details
- Customer reference 2 – Not used by MyPost Business
- Contains Dangerous goods – defaults to false
- Shipment Features
 - Signature on Delivery - SIGNATURE_ON_DELIVERY
 - Email Tracking - EMAIL_TRACKING
 - SMS tracking - SMS_TRACKING
 - Extra Cover – TRANSIT_COVER
 - Extra Cover costs \$0 for the first \$100 of cover and \$4 for each subsequent \$100 of cover (above \$100 included cover) up to \$5,000.

For more details such as responses, errors and URL's please see below URL

<https://developers.auspost.com.au/apis/shipping-and-tracking/reference/create-international-shipments>

Classification: FOR OFFICIAL USE ONLY

8.3.1 International Example

POST <https://digitalapi.auspost.com.au/shipping/v1/shipments>

```
{
  "shipments": [
    {
      "from": {
        "business_name": "Send from Business name",
        "name": "Test UAT",
        "email": "senderl@outlook.com",
        "phone": "418000000000",
        "postcode": "3000",
        "state": "VIC",
        "suburb": "Melbourne",
        "lines": [
          "111 BOURKE ST"
        ]
      },
      "to": {
        "business_name": "Deliver to business name",
        "country": "GB",
        "delivery_instructions": "delivery instructions",
        "email": "receiver@outlook.com",
        "lines": [
          "Crossland & Dudson Training Ltd",
          "39-41 Upperton Road"
        ],
        "name": "Z6 UK EXP 2kg I66",
        "phone": "0418777666",
        "postcode": "BN21 1LN",
        "suburb": "EASTBOURNE",
        "type": "STANDARD_ADDRESS"
      },
      "items": [
        {
          "certificate_number": "Certificate numbers",
          "classification_type": "OTHER",
          "comments": "additional comments",
          "commercial_value": true,

```

```
"contains_dangerous_goods": false,
"description_of_other": "why are you exporting these goods",
"height": 10,
"import_reference_number": "importers reference number",
"invoice_number": "Invoice numbers",
"length": 10,
"licence_number": "licence numbers",
"non_delivery_action": "RETURN",
"product_id": "I64",
"weight": 2,
"width": 10,
"item_contents": [
  {
    "country_of_origin": "AU",
    "description": "Parcel contents",
    "quantity": 1,
    "tariff_code": "4421990021",
    "value": 300,
    "weight": "0.200"
  }
]
},
"features": {
  "EMAIL_TRACKING": {
    "attributes": {
      "email_address": "receiver@outlook.com"
    }
  },
  "SIGNATURE_ON_DELIVERY": {},
  "SMS_TRACKING": {
    "attributes": {
      "mobile_number": "0418777666"
    }
  },
  "TRANSIT_COVER": {
    "attributes": {
      "cover_amount": 300
    }
  }
}
```

```

]
}

```

8.3.2 References

Element Name	Description	Optional / Mandatory	Type	Length+A1:E52
shipments	Shipment information is to be supplied for each delivery of items to a physical address.	Mandatory	Array	
shipment_reference	A unique reference for the shipment, generated by the merchant.	Optional	String	50
sender_references	A merchant specified array of references for the shipment. Effectively deprecates customer_reference_1 and customer_reference_2. The array length supported varies as noted in the Sender references documentation. Allows for 2 lines with only the First Line appearing on the MyPost Business Label	Optional	Array	
customer_reference_1	Not used for MyPost Business	Optional	String	50
customer_reference_2	Not used for MyPost Business	Optional	String	50
email_tracking_enabled	Whether the recipient of the shipment will receive tracking notification email. The email address of the receiver must be provided if the email_tracking_enabled field is set to true.	Optional - for some products this defaults to true	Boolean - true or false	N/A
from	The address where the items will be sent from.	Mandatory		
name	The name of the sender.	Mandatory	String	40
business_name	The name of the sending business.	Optional	String	40

lines	The address lines of the address. Minimum of one address line, up to a maximum of three. The second address line can accommodate up to 60 characters.	Mandatory	Array	40
suburb	The suburb for the address.	Mandatory	String	40
state	The state code for the address. Valid values are: ACT, NSW, NT, QLD, SA, TAS, VIC, WA.	Mandatory	String	3
postcode	The postcode for the address.	Mandatory	String	4
phone	The sender's phone number.	Optional	String	20
email	The sender's email address.	Optional	String	50
to	The address where the items will be delivered.	Mandatory		
name	The name of the receiver.	Mandatory	String	35
apcn	The Australia Post customer number.	Optional	String	10
business_name	The name of the business for the address.	Optional	String	40
lines	The address lines of the address. Minimum of one address line, up to a maximum of three. The second address line can accommodate up to 60 characters.	Mandatory	Array	40
suburb	The suburb for the address.	Mandatory	String	40
state	The state code for the address.	Optional	String	10
postcode	The postcode for the address.	Mandatory	String	20
country	The country code for the address. The country code must conform to ISO 3166-1 alpha-2 standard.	Mandatory	String	2
phone	The receiver's phone number.	Optional	String	20
email	The receiver's email address.	Optional	String	50
delivery_instructions	Instructions to aid in prompt delivery of the item.	Optional	String	128
attributes	Additional information about the feature. Please note that attributes depend	Mandatory	String	N/A

	on the feature. Please refer to Shipment Features.			
items	An item element is to be supplied for each parcel.	Mandatory	Array	
item_reference	A unique reference for the item, generated by the merchant.	Optional	String	50
product_id	The Australia Post code representing the postage product for the item.	Mandatory	String	5
item_description	A description of the item, generated by the merchant. It is mandatory for APGL products and is used to capture the overall description of the article.	Optional (See Desc.)	String	
length	The length of the parcel in centimetres. If volumetric pricing applies then this is mandatory.	Optional (See Desc.)	Decimal	4.1
width	The width of the parcel in centimetres. If volumetric pricing applies then this is mandatory. Please refer to the length field for more information.	Optional (See Desc.)	Decimal	4.1
height	The height of the parcel in centimetres. If volumetric pricing applies then this is mandatory. Please refer to the length field for more information.	Optional (See Desc.)	Decimal	4.1
weight	The parcel's weight in kilograms. This must not be specified for flat-rate return shipments (movement_type = RETURN). However, it is mandatory for normal (outbound) shipments (movement_type = DESPATCH) and zonal returns (movement_type = RETURN). Your contract with Australia Post (not your API call) determines whether a return shipment has zonal pricing or flat-rate pricing. Note that most returns contracts are flat-rate.	See Desc.	Decimal	N.3

contains_dangerous_goods	Dangerous goods not available in MYPost Business	Optional. Defaults to false.	Boolean - true or false	
features	Additional features for the item.	Optional		
name	Name of the feature. Eg: TRANSIT_COVER. And/or SIGNATURE_ON_DELIVERY	Mandatory	String	
attributes	Additional information about the feature. Please note that attributes depend on the feature.	Depends on feature.	String	
cover_amount	Cover amount.		Decimal	4.2
commercial_value	Whether the item has commercial value (i.e. the goods are for resale). This is generated by the merchant and will be shown on the customers form and label.	Mandatory	Boolean - true or false	
export_declaration_number	Export declaration number (EDN), generated by the merchant. This field is mandatory for item contents worth more than AUD\$2000.	Optional (See Desc.)	String	9 to 12
import_reference_number	Receiver's reference number. The merchant can use this field to provide information to the receiver as it is printed on the label.	Optional	String	40
classification_type	Category or classification of the goods. If commercial_value is true, then this field must be set to "OTHER", otherwise it must be set to "GIFT", "SAMPLE", "DOCUMENT", "RETURN" or "SALE_OF_GOODS".	Mandatory	String	
description_of_other	Description of the goods. This is mandatory if classification_type is "OTHER".	See Desc.	String	40
non_delivery_action	Your desired action if the delivery cannot be completed. You can specify "RETURN" or "ABANDONED". The default if not specified is to return	Optional	String	

	the item by the most economical route or by air.			
certificate_number	If you are supplying certificates with your customs forms, you can include the certificate numbers in this field.	Optional	String	35
licence_number	If you are supplying licence information with your customs forms, you can include the licence numbers in this field.	Optional	String	35
invoice_number	Use this field to include an invoice number on the label.	Optional	String	35
comments	Use this field to include any additional comments on the label.	Optional	String	120
item_contents	An item_contents element describes part of the contents of the item. You can specify up to 20 elements in this array.	Mandatory	Array	20
description	Description of the contents. This description is validated against a defined list of keywords, to determine whether the item can be carried by Australia Post and/or the item is prohibited in the destination country.	Mandatory	String	40
quantity	The quantity of this described content.	Mandatory	Integer	
weight	The weight in kilograms of this described content. If you provide a weight for one item_contents element, you must provide weights for all item_contents elements.	See Desc.	Decimal	N.3
value	The Unit Value of the item (of this described content) in Australian dollar. The Unit Value x the Quantity provided will determine the total value of the content.	Mandatory	Decimal	4.2
tariff_code	The Harmonised Tariff number that indicates the type of this described	See Desc.	String	6 to 12

	content. It is only mandatory if commercial_value is "true", otherwise it is optional. However, it is a recommended field to expedite the customs process in the receiving country.			
country_of_origin	The country in which this described content was manufactured. It is only mandatory if commercial_value is "true", otherwise it is optional.	See Desc.	String	2

8.3.3 International parcel sending general information references

Current restrictions due to COVID-19

<https://auspost.com.au/about-us/news-media/important-updates/coronavirus/coronavirus-international-updates>

General information on the countries Australia Post do send to:

<https://auspost.com.au/sending/send-overseas>

Counties and their zones. International zones do not apply to MyPost Business sending

<https://auspost.com.au/sending/send-overseas/international-zones>

<https://auspost.com.au/sending/send-overseas/international-post-guide>

8.4 Create Order from Shipments

This service creates an Order and **pays** for the referenced shipments that have previously been created using the Create Shipments service.

Create Order from Shipments has 2 payment options

- **STORED_PAYMENT**: which will make payment against the stored credit card provided by the merchant during the onboarding platform partner process
 - You will need to support this as a minimum requirement as a majority of merchants will use this
- **CHARGE_TO_ACCOUNT**: which indicates the order is intended to be paid for by Charge Account, where a subsequent Create Payment With Charge Account will be required
 - This is optional to support, and if you do look to support this you will need to build an interface for merchants to configure their chosen payment method. Noting they may have multiple charge accounts

Important considerations: -

- If a Merchant is paying for more than 1 label, the Create Orders From Shipments call must contain consolidated shipments to avoid the financial institute from blocking multiple payments on a credit card. This will ensure greater efficiency and improved response speed.
- It is important that time out is set to 55 seconds, to ensure you receive a response of payment/order confirmation and subsequent label generation can be completed.

The following variances exist when integrating to MyPost Business via API's: -

- Header (although not shown here) have a different structure. Please see [header](#) section in this document for details
- Payment method "STORED_PAYMENT" – The merchant has stored their Credit Card as a Payment Method in MyPost Business.
- Payment method "CHARGE_TO_ACCOUNT" – The merchant is using their Billing Charge Account as a payment via the Platform Partner.
- When using CHARGE_TO_ACCOUNT as a payment method an additional mandatory API call is required "Create Payment With Charge Account.
- Although the maximum number of shipments is 2000, it is recommended the threshold be set at 100. When more than 100 shipments are included, the subsequent "Create Label" call must be broken down to comply with the maximum 100 label requests.
- Blocking customers with underpaid postage, our APIs contain a check that will prevent a Create Order from being made for customers who have overdue underpaid postage. This will only occur if the customer has an overdue underpaid postage charge. This check is only done on the Create Order call, and if the customer has outstanding underpaid postage an error message will be return by our API's

In addition to the information provided in this section the developer centre can be referenced by the following URL

<https://developers.auspost.com.au/apis/shipping-and-tracking/reference/create-order-from-shipments>

8.4.1 Create orders from Shipments example

PUT <https://digitalapi.auspost.com.au/shipping/v1/orders>

Example if using STORED_PAYMENT – Merchants using their credit card as a payment method which is stored in MyPost Business.

```
{
  "order_reference": "My order reference",
  "payment_method": "STORED_PAYMENT",
  "shipments": [
    {
      "shipment_id": "569b9a3accdc791c4ba34d6f"
    },
    {
      "shipment_id": "569b9a3accdc991c4ba34d6f"
    },
    {
      "shipment_id": "569b9a7accdc791c4ba34d6f"
    }
  ]
}
```

```
{
  },
  {
    "shipment_id":"569b9a9accdc991c4ba34d6f"
  }
]
}
```

Example if using CHARGE_TO_ACCOUNT – Merchants using their Billing Charge account as a payment method provided by the Platform Partner.

```
{
  "order_reference":"My order reference",
  "payment_method":"CHARGE_TO_ACCOUNT",
  "shipments":[
    {
      "shipment_id":"569b9a3accdc791c4ba34d6f"
    },
    {
      "shipment_id":"569b9a3accdc991c4ba34d6f"
    }
    {
      "shipment_id":"569b9a7accdc791c4ba34d6f"
    },
    {
      "shipment_id":"569b9a9accdc991c4ba34d6f"
    }
  ]
}
```

8.4.2 References

Element Name	Description	Optional / Mandatory	Type	Length
order_reference	A unique reference for the order, generated by the merchant.	Optional	String	50

Classification: FOR OFFICIAL USE ONLY

payment_method	The intended method of payment, the only valid value is: STORED_PAYMENT or CHARGE_TO_ACCOUNT.	Mandatory	String	50
shipments	Shipment information must be supplied for each shipment to be included in the order.	Mandatory	Array	
shipment_id	Australia Post's unique reference for the shipment. This must reference a shipment previously created but not yet contained in an order. Multiple shipments are separated by a comma	Mandatory	String	50

8.4.3 Payment and order error examples

Error Scenario	Error Response	Action
Payment failed - Credit Card expired	<pre>{ "errors": [{ "code": "45007", "name": "PAYMENT_SERVICE_UNAVAILABLE", "message": "Unable to pay for the order using the stored payment method. Credit Card Expired." }] }</pre>	Customer to update Credit Card details in MyPost Business https://auspost.com.au/mypost-business/account-management/payment-methods
Payment failed - Missing payment token	<pre>{ "errors": [{ "code": "45008", "name": "NO_PAYMENT_INSTRUMENTS_SET_UP", "message": "No payment instruments are set up for customer C00011920555 and order PT10175492", "context": { "customer_number": "C00011920555", "order_id": "AP10175492" } }] }</pre>	Customer to store payment method in MyPost Business https://auspost.com.au/mypost-business/account-management/payment-methods
Payment failed - Declined	<pre>{ "errors": [{ "code": "45006", "name": "PAYMENT_FAILED",</pre>	Customer to contact their financial institution or store another payment method in MyPost Business

Error Scenario	Error Response	Action
	<pre>"message": "Unable to pay for the order using the stored payment method. Merchant may need to update payment details. " }] }</pre>	
Shipment not found error	<pre>{ "errors": [{ "code": "44013", "name": "SHIPMENT_NOT_FOUND_ERROR", "message": "The shipment with shipment id, rBYK1UpgX0cAAAF0szoF0thj, you requested can not be found. Please check the shipment id requested and submit the request again.", "field": "", "context": { "shipment_id": "rBYK1UpgX0cAAAF0szoF0thj", "location_id": "48e444d3ccee42809d4eeb93062526d1" } }] }</pre>	Submit correct shipment ID. Shipment may have been deleted, or added to another order
Order blocked	<pre>{ "errors": [{ "code": "403", "name": "Forbidden", "message": "This MyPost Business account is on hold due to underpaid postage. To continue creating orders, log into MyPost Business and pay for the articles with underpaid postage: https://auspost.com.au/mypost-business/underpaid- postage" }] }</pre>	The customer must log into MyPost Business and pay for underpaid postage orders.

8.5 Create Label

This service initiates the generation of labels for the requested shipments that have been previously created using a Create Shipments service.

The following variances exist when creating MyPost Business labels: -

Classification: FOR OFFICIAL USE ONLY

- Header (although not shown here) have a different structure. Please see [header](#) section in this document for details
- File format – PDF as ZPL is not support
- Branded – True
- wait_for_label_url - true (recommended) this removes the need to call the Get Label API
- Left_offset and Top_offset - always set to “0” (this feature is for contact customers only and is not an attribute of a MyPost Business label, always set to zero)
- International labels – Domestic group required, international labels are defaulted and determined by the shipping number
- Time out for this call must be set to 55 seconds, and the maximum number of labels that can be requested in one call is 100.

For more details such as responses, errors and URL’s please see below URL

<https://developers.auspost.com.au/apis/shipping-and-tracking/reference/create-labels>

Parcel	Label Layouts
Parcel Post	A4-4pp
	A4-1pp
	THERMAL-LABEL-A6-1PP
Express Post	A4-4pp
	A4-1pp
	THERMAL-LABEL-A6-1PP
International	A4 -1pp

8.5.1 Create Label Examples

POST <https://digitalapi.auspost.com.au/shipping/v1/labels>

```
{
  "wait_for_label_url": true,
  "preferences": [
    {
      "type": "PRINT",
      "format": "PDF",

```

Classification: FOR OFFICIAL USE ONLY

```
"groups": [
  {
    "group": "Parcel Post",
    "layout": "A4-1pp",
    "branded": true,
    "left_offset": 0,
    "top_offset": 0
  },
  {
    "group": "Express Post",
    "layout": "A4-1pp",
    "branded": false,
    "left_offset": 0,
    "top_offset": 0
  }
],
"shipments": [
  {
    "shipment_id": "t4AK0EhQTu4AAAFvSxGqhLO",
    "items": [
      {
        "item_id": "2vsK0EhQT1YAAAFvWMxGqhLO"
      }
    ]
  }
]
```

8.5.2 References

Element Name	Description	Optional / Mandatory	Type	Length
preferences	The required preferences to be applied.	Mandatory	Array	
type	For printing preferences, the type is "PRINT".	Mandatory	String	
format	Specifies print format. Valid formats are: PDF only, ZPL is not supported	Optional. Defaults to PDF.	String	
groups	The required page format for the labels.	Mandatory		
group	The label group to apply the print preference. Valid types are:	Mandatory	String	

	Parcel Post			
	Express Post			
layout	The layout specifies the number of labels per page and the size of the page. The layout must be valid for the product types of the items in the shipment. Please refer to the Labels page in our API Resources section.	Mandatory	String	
branded	Whether the Australia Post branding should be included on the labels. If you are using purchased stationery from Australia Post, then the generated labels should not include the branding. Note that for international shipments, this field is ignored.	Mandatory	True	
left_offset	Use this field to adjust the left margin of the page. Always "0"	Mandatory	Integer	
top_offset	Use this field to adjust the top margin of the page. Always "0"	Mandatory	Integer	
shipments	List each shipment for which you want labels generated. The print preferences will be applied to all the items in the shipments.	Mandatory	Array	
shipment_id	The Australia Post generated unique identifier for the shipment.	Mandatory	String	50
items	The list of items for which you want to generate labels. If you don't provide this list, then labels will be generated for all items in the shipment.	Optional	Array	
item_id	The unique item ID for which you want to generate labels.	Mandatory	String	50
wait_for_label_url	If set true, a label url will be provided within the response. If set false or not provided, the label url will need to be retrieved using the Get Label API.	Optional	Boolean - true or false	
item_reference	A unique reference for the item, generated by the merchant.	Optional	String	50
business_name	The name of the sending business.	Optional	String	40

8.5.3 Error examples

Error Scenario	Error Response	Action
Create Label failed	<pre>{ "errors": [{ "code": "51006", "name": "CREAT_LABEL_ERROR_SHIPMENT_NOT_READY", "message": "these labels cannot be printed because the order for shipment id \"rBYK1UpgX0cAAAF0szoF0thj\", has not been paid. Please confirm payment for your order and then resubmit your print request." }] }</pre>	These labels cannot be printed because the order for shipment "rBYK1UpgX0cAAAF0szoF0thj", has not been paid Make payment for the order to print the label

9 Recommended supplementary API's

9.1 Create Payment With Charge Account

This service initiates the payment of Order using the merchants Billing Charge Account

- This API is only required if a payment method of CHARGE_TO_ACCOUNT is used in the Create Order from Shipment (or the Create Order Including Shipment) API
- This API is required prior to printing labels for the respective order, as it triggers the payment to the Charge Account

The following variances exist when integrating to MyPost Business via API's: -

- Header (although not shown here) have a different structure. Please see [header](#) section in this document for details
- Payment method "CHARGE_TO_ACCOUNT" – The merchant is using their Billing Charge Account as a payment method provided by the Platform Partner.
- Attributes
 - Account Number – Billing charge account

9.1.1 Create Payment With Charge Account From Order example

POST <https://digitalapi.auspost.com.au/shipping/v1/payments>

```
{
  "order_id": "AP10243153",
  "payment_method": "CHARGE_TO_ACCOUNT",
  "attributes": {
    "account-number": "0009999992"
  }
}
```

9.1.2 References

Element Name	Description	Optional / Mandatory	Type	Length
order_id	A unique reference for the order, generated by the merchant.	Mandatory	String	50
payment_method	The intended method of payment, the only valid value is: CHARGE_TO_ACCOUNT.	Mandatory	String	50

Account-number	A unique billing charge account number	Mandatory	String	50
-----------------------	--	-----------	--------	----

9.1.3 Payment and order error examples

Error Scenario	Error Response	Action
Unauthorised – user has no access to billing charge account_number	{ "errors": [{ "code": "401", "name": "Unauthorized", "message": "The APCN null cannot be used to transact on the charge account wit account number 000895123" }] }	Add a valid billing charge account number associated for the merchant. Refer to Get organisation endpoint response to find the valid charge account number
Billing charge account number credit blocked	{ "errors": [{ "code": "401", "name": "Unauthorized", "message": "The action cannot be performed using the account number 000845123 because the account has exceeded the credit limit and has been blocked. Please contact your Account Manager or email us at customer_connectivity@auspost.com.au", }] }	Customer can no longer trade and must contact Australia Post Credit Management team or their Account Manager if one is assigned.
Billing charge account number credit unavailable	{ "errors": [{ "code": "403", "name": "Forbidden", "message": "Payment option Pay-by-Charge-Account cannot be selected as Charge Account 000845123 has a credit limit of zero." }] }	Select a charge account where Credit_Available = True, from the Get organisation call. If no other accounts available, the shipments must be recreated and paid with stored_payment.
Order Id not found	{ "errors": [{ "code": "44026",	Submit correct order ID.

Error Scenario	Error Response	Action
	<pre> "name": "ORDER_NOT_FOUND", "message": "An order with order id 123123 cannot be found. Please check that the identifier is correct and submit the request again.", "field": "", "context": { "order_id": "123123 ", "location_id": "48e444d3ccee42809d4eeb93062526d1" } } </pre>	Order may have been deleted because previous payment with STORED_PAYMENT might have failed
Resubmitting order again	<pre> { "errors": [{ "code": "45004", "name": "PAYMENT_TRANSACTION_ALREADY_EXIST", "message": "A payment for this order has already been made.", "field": "", "context": { "payment_method": "CHARGE_TO_ACCOUNT" } }] } </pre>	Order has been payed previously by charge to account payment method

9.1.4 Response

```

{
  "order_id": "AP10243153",
  "payment_method": "CHARGE_TO_ACCOUNT"
}

```

9.2 Create Pickups with Estimated Quantity

Pickups can be ordered on the same day if prior to 1pm or next business day, with a maximum limit of 100 shipments per pickup request.

Pick up prices for the different bands can be found in the link below:

https://auspost.com.au/content/dam/auspost_corp/media/documents/mypost-business-postage-rates-guide.pdf

If there are more than 100 shipments required to be picked up, additional pickup requests will need to be included in the Create Order with Shipments (include multiple pickups as a feature).

Classification: FOR OFFICIAL USE ONLY

If a scheduled pick-up falls on a public holiday or weekend, the pick-up will be collected on the next business day, The Create Pickup API is not documented in the developer centre as it is specific to MyPost Business API Integration. There is a specific order of API calls required to complete a pickup, these are below in order.: -

- 1) Create Pickup with Estimated Quantity
- 2) Create order from pickups
- 3) Create Payment with Charge Account (optional)

Pickup cancellations and refunds must be actioned by the customer via the MPB support portal.

The following variances exist when integrating to MyPost Business via API's: -

- Header (although not shown here) have a different structure. Please see [header](#) section in this document
- Pickups cannot be cancelled once created. Please note once a pick-up has been created via API driver scheduling is triggered, and as a result pickups cannot be cancelled. If a pickup cancellation is required, the merchant must contact MyPost Business Support who will call the dispatch hub to cancel the scheduled driver pickup and manage refunds as applicable
- If the pickup estimated quantity exceeds 100, additional pickups are to be requested.
- The driver will collect up to 10 additional articles above the estimated quantity, if exceeded they may refuse collection of those articles.
- Customers can include MyPost Business Parcels, Pre-Paid satchels or letters in a pickup request.
- Pickups can now be ordered at any time without the need to create and pay for shipments in the same order.
- You can have multiple Pickup product_ids within a Create pickup API call to request multiple pickups.
- If unattended pickups has been set to "true", pickup instructions will be mandatory
- For pickup service areas please see below URL for details
 - <https://auspost.com.au/terms-conditions/parcel-pickup-terms-and-conditions>

9.2.1 Create Pickup example

POST <https://digitalapi.auspost.com.au/shipping/v1/pickups>

Single pickup request with estimated quantity

```
{
  "pickups": [
    {
      "product_id": "PU3",
      "pickup_reference": "pickup1",
      "pickup_date": "2022-05-05",
      "pickup_starttime": "09:00",
      "pickup_endtime": "16:00",
      "pickup_request_local_time": "2022-05-04T09:00:12+10:00",
      "pickup_instructions": "ring the bell",
      "pickup_estimated_quantity": 33,
      "pickup_is_unattended": true,
      "from": {
```

```
{
  "name": "Mary Matherson",
  "postcode": "3000",
  "state": "VIC",
  "suburb": "Melbourne",
  "country_code": "AU",
  "lines": [
    "77 Mercer St"
  ],
  "email": "hello@hi.com",
  "mobile": "0333333333"
}
```

Pickup request with more than one pickup due to more than 100 shipments

```
{
  "pickups": [
    {
      "product_id": "PU3",
      "pickup_reference": "pickup1",
      "pickup_date": "2022-05-05",
      "pickup_starttime": "09:00",
      "pickup_endtime": "16:00",
      "pickup_request_local_time": "2022-05-04T09:00:12+10:00",
      "pickup_instructions": "ring the bell",
      "pickup_estimated_quantity": 100,
      "pickup_is_unattended": true,
      "from": {
        "name": "Mary Matherson",
        "postcode": "3000",
        "state": "VIC",
        "suburb": "Melbourne",
        "country_code": "AU",
        "lines": [
          "77 Mercer St"
        ],
        "email": "hello@hi.com",
        "mobile": "0333333333"
      }
    }
  ]
}
```

```

    },
    {
      "product_id": "PU3",
      "pickup_reference": "pickup1",
      "pickup_date": "2022-05-05",
      "pickup_starttime": "09:00",
      "pickup_endtime": "16:00",
      "pickup_request_local_time": "2022-05-04T09:00:12+10:00",
      "pickup_instructions": "ring the bell",
      "pickup_estimated_quantity": 20,
      "pickup_is_unattended": true,
      "from": {
        "name": "Mary Matherson",
        "postcode": "3000",
        "state": "VIC",
        "suburb": "Melbourne",
        "country_code": "AU",
        "lines": [
          "77 Mercer St"
        ],
        "email": "hello@hi.com",
        "mobile": "0333333333"
      }
    }
  ]
}

```

9.2.2 References

Element Name	Description	Optional / Mandatory	Type	Length
Phone	This is the pickup contact person's phone number.	Mandatory	String	10
Name	This is the pickup contact person.	Mandatory	String	50
Lines	The lines of the address. Minimum of one address line, up to a maximum of	Mandatory	Array	1-3

Classification: FOR OFFICIAL USE ONLY

	three. Line one can accommodate up to 55 characters while the second and third address lines can accommodate up to 55 characters combined			
Postcode	This is the pickup postcode.	Mandatory	String	12
State	This is the pickup state. Valid values are: ACT, NSW, NT, QLD, SA, TAS, VIC, WA.	Mandatory	String	3
Suburb	This is the pickup suburb	Mandatory	String	40
Pickup_date	This is the customer's intended pickup date in the format of "yyyy-mm-dd" Please note this must be a business day	Mandatory	String	5
Product_id	This is the pickup product_id in the format of "PU3" which defines the time of pick up requested refer to pickup product Id's for product list and times	Mandatory	String	3
Pickup_estimated_qty	The estimated quantity of articles to be collected	Mandatory	String	100
Pickup_is_unattended	True or False and can also be blank. Default will be false.	Optional	Boolean - true or false	
Pickup_instructions	Instructions for the driver to help locate articles to be collected. If Unattended pickups is "true" pickup instructions are mandatory.	Optional/Mandatory	String	128

9.2.3 Pickup product id's

Product_Id	Description	Note
PU1	Same Day Pick up 9am – 4pm	Cut off time is 1pm.
PU3	Next Business Day 9am – 4pm	Cut off time 11.59pm.

Pickup availability will be based on the pickup creation date and time.

9.2.4 Response example

Single response example

```
{
  "pickups": [
    {
      "from": {
        "type": "STANDARD_ADDRESS",
        "lines": [
          "77 Mercer St"
        ],
        "suburb": "Melbourne",
        "postcode": "3000",
        "state": "VIC",
        "name": "Mary Matherson",
        "country": "AU",
        "email": "hello@hi.com"
      },
      "pickup_id": "DKcK1UnHr0AAAAGBUeMCGTt1",
      "product_id": "PU3",
      "pickup_reference": "pickup1",
      "pickup_date": "2022-06-08",
      "pickup_starttime": "09:00",
      "pickup_endtime": "16:00",
      "pickup_creation_date": "2022-06-07T09:59:50.000+10:00",
      "pickup_instructions": "ring the bell",
      "pickup_summary": {
        "total_cost": 1.00,
        "total_gst": 0.09,
        "status": "Created"
      },
      "pickup_estimated_quantity": 22,
      "pickup_is_unattended": true
    }
  ]
}
```

Classification: FOR OFFICIAL USE ONLY

```
}  
]  
}
```

Pickup response example with more than one request:-

```
{  
  "pickups": [  
    {  
      "from": {  
        "type": "STANDARD_ADDRESS",  
        "lines": [  
          "77 Mercer St"  
        ],  
        "suburb": "Melbourne",  
        "postcode": "3000",  
        "state": "VIC",  
        "name": "Mary Matherson",  
        "country": "AU",  
        "email": "hello@hi.com"  
      },  
      "pickup_id": "Rick1Uc3vIsAAAGAiRUCHYza",  
      "product_id": "PU3",  
      "pickup_reference": "pickup1",  
      "pickup_date": "2022-05-05",  
      "pickup_starttime": "09:00",  
      "pickup_endtime": "16:00",  
      "pickup_creation_date": "2022-05-04T12:15:44.000+10:00",  
      "pickup_instructions": "ring the bell",  
      "pickup_summary": {  
        "total_cost": "XX.XX, *** the cost is subject to change",  
        "total_gst": "X.XX, *** the gst is subject to change",  
        "status": "Created"  
      },  
      "pickup_estimated_quantity": 100,  
      "pickup_is_unattended": true  
    },  
    {  
      "from": {  
        "type": "STANDARD_ADDRESS",
```

```

"lines": [
  "77 Mercer St"
],
"suburb": "Melbourne",
"postcode": "3000",
"state": "VIC",
"name": "Mary Matherson",
"country": "AU",
"email": "hello@hi.com"
},
"pickup_id": "xEwK1Uc337QAAAGAkxUCHYza",
"product_id": "PU3",
"pickup_reference": "pickup1",
"pickup_date": "2022-05-05",
"pickup_starttime": "09:00",
"pickup_endtime": "16:00",
"pickup_creation_date": "2022-05-04T12:15:44.000+10:00",
"pickup_instructions": "ring the bell",
"pickup_summary": {
  "total_cost": XX.XX, *** the cost is subject to change
  "total_gst": X.XX, *** the gst is subject to change
  "status": "Created"
},
"pickup_estimated_quantity": 20,
"pickup_is_unattended": true
}
]
}

```

9.2.5 Pick up errors

Error Scenario	Error Response	Action
Create Pick up failed	<pre> { "errors": [{ "code": "49011", "name": "PICKUP_OUTSIDE_CUTOFF_TIME", "message": "The pickup requested is not within the cutoff window allowed by the pickup service.", "field": "", </pre>	Cutoff time has expired. Please request next day pick up option

Error Scenario	Error Response	Action
	<pre> "context": { "product_id": "PU1", "pickup_request_local_time": "Thu Nov 19 14:27:21 AEDT 2020" } }] } </pre>	
Create pick up failed	<pre> { "errors": [{ "code": "49008", "name": "PICKUP_NOT_SERVICEABLE", "message": "The selected pickup product cannot service the requested address.", "field": "", "context": { "product_id": "PU3", "postcode": "2830", "state": "NSW", "location_id": "0f3c1cc96b1f4f69b7e9e4a2af424735" } }] } </pre>	Pickup service is not available for the address provided
Estimated quantity exceeds 100	<pre> { "errors": [{ "code": "49017", "name": "PICKUP_ESTIMATED_QUANTITY_ERROR", "message": "The pickup estimated quantity is invalid. It must be between 1 and 100.", "field": "pickup_estimated_quantity", "context": { "field": "pickup_estimated_quantity", "max_pickup_qty": "100", "location_id": "5ad9a66551c64db0bc271a353660a98f" } }] } </pre>	Create additional pickup requests, estimated quantity cannot exceed 100

Error Scenario	Error Response	Action
	<pre>] } </pre>	
Pickup request contains both shipments and estimated quantity values.	<pre> { "errors": [{ "code": "400", "name": "Bad Request", "message": "Either a pickup_estimated_quantity, or a list of shipment_ids should be given to the request, but not both.", "field": "pickups[0]" }] } </pre>	Remove shipments from request
Unattended set to "true" but no pickup instructions	<pre> { "errors": [{ "code": "400", "name": "Bad Request", "message": "The request is missing the mandatory field with the name pickup_instructions. Please resubmit the request including the required fields and values.", "field": "pickups[0].pickup_instructions" }] } </pre>	Provide pickup instructions or set unattended pickup to "false"
Invalid pickup product	<pre> { "errors": [{ "code": "42032", "name": "NO_PICKUP_PRODUCTS_FOUND", "message": "The product_id BH1 is not a valid pickup product.", "field": "", "context": { </pre>	Select a valid pickup product

Error Scenario	Error Response	Action
	<pre> "product_id": "BH1" } }] } </pre>	

9.3 Create Orders from Pickups

This service creates an Order and pays for the referenced pickups that have previously been created using the Create Pickups.

Create Order from pickups has 2 payment options

- **STORED_PAYMENT**: which will make payment against the stored credit card provided by the merchant during the onboarding platform partner process
 - You will need to support this as a minimum requirement as a majority of merchants will use this
- **CHARGE_TO_ACCOUNT**: which indicates the order is intended to be paid for by Charge Account, where a subsequent [Create Payment With Charge Account](#) will be required
 - This is optional to support, and if you do look to support this you will need to build an interface for merchants to configure their chosen payment method. Noting they may have multiple charge accounts

The following variances exist when integrating to MyPost Business via API's: -

- You will need to reference the pickup_id(s) from the Create Pickup
- Multiple pickup_ids can be included in the Create Order
- Header (although not shown here) have a different structure. Please see [header](#) section in this document for details
- Payment method "STORED_PAYMENT" – The merchant has stored their Credit Card as a Payment Method in MyPost Business.
- Payment method "CHARGE_TO_ACCOUNT" – The merchant is using their Billing Charge Account as a payment via the Platform Partner.
- When using CHARGE_TO_ACCOUNT as a payment method an additional mandatory API call is required "Create Payment With Charge Account.
- Time out must be set to 55 seconds.
- Blocking customers with underpaid postage, our APIs contain a check that will prevent a Create Order from being made for customers who have overdue underpaid postage. This will only occur if the customer has an overdue underpaid postage charge. This check is only done on the Create Order call, and if the customer has outstanding underpaid postage an error message will be return by our API's

9.3.1 Including Pickups in the Create Order API call example

PUT <https://digitalapi.auspost.com.au/shipping/v1/orders>

```
{
  "pickups": [
    {
      "pickup_id": "l7EK1Uc3YoUAAAGAEVMCHYyN"
    }
  ],
  "payment_method": "STORED_PAYMENT"
}
```

Response example

```
{
  "order": {
    "order_id": "AP0366452",
    "order_creation_date": "2022-05-04T13:04:10+10:00",
    "order_summary": {
      "total_cost": 2.51,
      "total_cost_ex_gst": 2.28,
      "total_gst": 0.23,
      "status": "Initiated",
      "tracking_summary": {},
      "number_of_shipments": 0,
      "number_of_pickups": 1,
      "dangerous_goods_included": false
    },
    "pickups": [
      {
        "from": {
          "type": "STANDARD_ADDRESS",
          "lines": [
            "77 Mercer St"
          ],
          "suburb": "Melbourne",
          "postcode": "3000",
          "state": "VIC",
          "name": "Mary Matherson",

```

```
    "country": "AU",
    "email": "hello@hi.com"
  },
  "pickup_id": "l7EK1Uc3YoUAAAGAEVMCHYyN",
  "pickup_number": "PU0005630",
  "product_id": "PU3",
  "pickup_reference": "pickup1",
  "pickup_date": "2022-05-05",
  "pickup_starttime": "09:00",
  "pickup_endtime": "16:00",
  "pickup_creation_date": "2022-05-04T10:51:53.000+10:00",
  "pickup_instructions": "ring the bell",
  "pickup_summary": {
    "total_cost": XX.XX, *** the cost is subject to change
    "total_gst": X.XX, *** the gst is subject to change
    "status": "Locked"
  },
  "pickup_estimated_quantity": 33,
  "pickup_is_unattended": true
}
],
"payment_method": "STORED_PAYMENT"
}
```

9.4 Get Pickup Price

This service retrieves the price for a pickup and is based on each pickup product.

The following variances exist when integrating to MyPost Business via API's: -

- Header (although not shown here) have a different structure. Please see [header](#) section in this document for details
- Product ID - Please see product ID section for available products

GET <https://digitalapi-ptest.npe.auspost.com.au/shipping/v1/prices/pickups>

9.4.1 Request example

```
{
```

```
"product_ids": ["PU3", "PU1"]
}
```

9.4.2 Response Example

```
{
  "prices": [
    {
      "product_id": "PU1",
      "total_price": XX.XX, *** the price is subject to change
      "total_gst": X.XX *** the gst is subject to change
    },
    {
      "product_id": "PU3",
      "total_price": XX.XX, *** the price is subject to change
      "total_gst": X.XX *** the gst is subject to change
    }
  ]
}
```

9.5 Pickup Suburb Serviceability Check

This interface provides information on the availability of a given location pickup eligibility. The request must contain the suburb, state, and postcode.

The interface response will return a true or false result.

- True represents the suburb, state and postcode is available for a MyPost Business Pickup.
- False represent the suburb, state and postcode are NOT available for a MyPost Business Pickup.

GET <https://digitalapi.auspost.com.au/shipping/v1/address?suburb=Melbourne=VIC&postcode=3000>

9.5.1 Response example

```
{
  "found": true,
  "results": [
    "MELBOURNE CITY MC",
    "MELBOURNE CITY STREET DC",
    "LATROBE STREET",
    "MELB",
    "MELBOURNE CITY",
    "MELBOURNE CITY MAIL CENTRE",
    "MELBOURNE CITY STREET DELIVERY CENTRE",
  ]
}
```

```
"MELBOURNE MAIL CENTRE",  
"MELBOURNE"  
]  
}
```

9.6 Pickup product availability

This interface provides a list of eligible pickup products based on time and date the request has been made. Additionally, this call returns eligible MyPost Business shipping products that can be requested in a pickup.

Please note:

- Product BH1 has been discontinued and will no longer be returned in this API from July 2023. If BH1 is selected the order will error.
- Product PU4, PU5, PU6, PU7 are discontinued and will no longer be returned in this API from 28 Feb 2025. If PU4, PU5, PU6, PU7 are selected the order will error.
- Product PH3 has been modified from 8am-12noon Next Business Day to 9am-4pm Next Business Day. This is effective from 28 Feb 2025.

[POST https://digitalapi.auspost.com.au/shipping/v1/products/pickups](https://digitalapi.auspost.com.au/shipping/v1/products/pickups)

9.6.1 Request example

```
{  
  "from": {  
    "postcode": "3000",  
    "state": "VIC",  
    "suburb": "MELBOURNE"  
  }  
}
```

9.6.2 Example Response

When an address is not in a pickup service area, the following response will be returned: -

```
{  
  "products": []  
}
```

Example response for a valid suburb: -

Please note, this response contains eligible product_id's, and are required when the pickup contains shipments. If the pickups contain estimated_quantity the product id's are not relevant.

```
{
```

Classification: FOR OFFICIAL USE ONLY

```
"product_id": "PU3",
"type": [
  "Pickup",
  "Article"
],
"description": "Next Business Day",
"eligible_product_ids": [
  "BE1P10",
  "BE9PB4",
  "BE9PB2",
  "BE9PB1",
  "BE9P10",
  "BE9PM0",
  "BE1PB1",
  "BE9P50",
  "BE1P05",
  "BE1PB4",
  "BE9P05",
  "BE1P30",
  "BE1P50",
  "BE1PM0",
  "B20",
  "B21",
  "B30",
  "B31",
  "I65",
  "I67",
  "BE9P30",
  "BE1PB2",
  "BE9PB3",
  "BE1PB3"
],
"order_starttime": "00:00:00",
"order_endtime": "23:59:59",
"order_min_notice": 1,
"order_max_notice": 30,
"days_of_week": [
  "Mon",
  "Tue",
  "Wed",
  "Thu",
  "Fri"
],
"public_holidays": false,
"pickup_starttime": "09:00",
"pickup_endtime": "16:00"
},
{
  "product_id": "PU1",
  "type": [
    "Pickup",
```

```
"Article"
],
"description": "Same Business Day",
"eligible_product_ids": [
  "BE1P10",
  "BE9PB4",
  "BE9PB2",
  "BE9PB1",
  "BE9P10",
  "BE9PM0",
  "B20",
  "B21",
  "B30",
  "B31",
  "I65",
  "I67",
  "BE9P30",
  "BE1PB2",
  "BE1PB1",
  "BE9P50",
  "BE1P05",
  "BE1PB4",
  "BE9P05",
  "BE1PM0",
  "BE1P30",
  "BE1P50",
  "BE9PB3",
  "BE1PB3"
],
"order_starttime": "00:00:00",
"order_endtime": "13:00:00",
"order_min_notice": 0,
"order_max_notice": 0,
"days_of_week": [
  "Mon",
  "Tue",
  "Wed",
  "Thu",
  "Fri"
],
"public_holidays": false,
"pickup_starttime": "09:00",
"pickup_endtime": "16:00"
}
}
```

Error example

```
{
  "errors": [
```

```
{
  "code": "400",
  "name": "Bad Request",
  "message": "The postcode should be 4 characters in length.",
  "field": "from.postcode"
},
{
  "code": "400",
  "name": "Bad Request",
  "message": "Postcode is not a valid postcode, valid postcodes are 4 characters in length.",
  "field": "from.postcode"
},
{
  "code": "400",
  "name": "Bad Request",
  "message": "The state must not be longer than 3 characters.",
  "field": "from.state"
},
{
  "code": "400",
  "name": "Bad Request",
  "message": "State must be one of the following VIC,NT,WA,ACT,QLD,TAS,SA,NSW",
  "field": "from.state"
},
{
  "code": "400",
  "name": "Bad Request",
  "message": "The request is missing the mandatory field with the name suburb. Please resubmit the request including the required fields and values.",
  "field": "from.suburb"
},
{
  "code": "400",
  "name": "Bad Request",
  "message": "The request is missing the mandatory field with the name state. Please resubmit the request including the required fields and values.",
  "field": "from.state"
},
{
  "code": "400",
  "name": "Bad Request",
  "message": "Your combination of suburb, state & postcode doesn't match. Please review and try again.",
  "field": "from"
}
]
```

9.7 Get Item Price

This service retrieves valid postage products and pricing based upon the merchant location address, destination, and details of the parcel. Use this web service when the user interface is required to present user product and pricing options for delivery.

An estimated price for valid products, for one or more items to be delivered to a single address is returned based on the request query. The calculated price is related to your available postage products and contract rates

The calculated price is related to your available parcel products (see parcel product section details) and MyPost Business savings band.

The following variances exist when integrating to MyPost Business via API's: -

- Header (although not shown here) have a different structure. Please see [header](#) section in this document for details
- Product ID - Please see product ID section for available products
- Signature on Delivery and Extra cover are not returned in this API call, they are only returned in the create shipment API if required – is a feature of an item and is mandatory if Extra cover is \$500 or greater and is not returned in this API call.
 - SIGNATURE_ON_DELIVERY.
- Extra Cover if required – is a feature of an item
 - TRANSIT_COVER
- Rate limit is 60 per minute per MyPost Business account

For more details such as responses, errors and URL's please see below URL

<https://developers.auspost.com.au/apis/shipping-and-tracking/reference/get-item-prices>

9.7.1 Request example

POST <https://digitalapi.auspost.com.au/shipping/v1/prices/items>

```
{
  "from":{
    "postcode":"3000"
  },
  "to":{
    "postcode":"3000"
  },
  "items":[
    {
      "item_reference":"DOMREG",
      "product_ids":[
        "BE1P05"
      ],
      "features":{
        "SIGNATURE_ON_DELIVERY":{
          },

```

```

    "TRANSIT_COVER":{
      "attributes":{
        "cover_amount":100
      }
    }
  }
}
]
}

```

9.8 Validate suburb

This service validates a suburb, state, and postcode combination for an Australian postal address and returns the valid suburbs for the given state and postcode

The following variances exist when integrating to MyPost Business via API's: -

- Header (although not shown here) have a different structure. Please see [header](#) section in this document for details

Please use the below link to access the Developer centre for Validate Suburb API: -

<https://developers.auspost.com.au/apis/shipping-and-tracking/reference/validate-suburb>

9.8.1 References

Element name	Description	Optional / Mandatory	Type	Length
from	The address where the items will be sent from.	Mandatory		
postcode	The postcode where the items will be sent from.	Mandatory	String	4
suburb	The suburb where the items will be sent from. This field is mandatory for StarTrack products, otherwise it is optional	Optional (See Desc.)	String	30
country	The country code for the address.	Optional. If specified, it must be "AU".	String	2
to	The address where the items will be delivered.	Mandatory		
postcode	The postcode for the address. This is mandatory for domestic shipments and international shipments going to some	Usually mandatory (See Desc.)	String	AU: 4

	countries. Please refer to addresses for the list.			
				Int'l: 10
suburb	The suburb where the items will be delivered. This field is mandatory for StarTrack products, otherwise it is optional.	Optional (See Desc.)	String	30
country	The country code for the address. The country code must conform to ISO 3166-1 alpha-2 standard.	Optional. Defaults to "AU".	String	2
items	An item element is to be supplied for each parcel.	Mandatory	Array	
item_reference	A unique reference for the item, generated by the merchant.	Optional	String	50
length	The length of the parcel in centimetres. If volumetric pricing applies then this is mandatory.	Optional (See Desc.)	Decimal	4.1
width	The width of the parcel in centimetres. If volumetric pricing applies then this is mandatory.	Optional (See Desc.)	Decimal	4.1
height	The height of the parcel in centimetres. If volumetric pricing applies then this is mandatory.	Optional (See Desc.)	Decimal	4.1
weight	The parcel's weight in kilograms.	Mandatory	Decimal	N.3
product_ids	The list of products to be included in the price request. If this field is provided, then a price will be returned for each of the products in the list, if they are available in the customer's contract.	Optional	List	
features	Additional features for the item.	Optional	List	
type	Type of additional feature. Eg: TRANSIT_COVER.	Mandatory	String	
attributes	Additional information about the product. Please note that feature attributes depend on the feature type.	Depends on feature type	String	

9.8.2 Validate suburb example

GET

<https://digitalapi.auspost.com.au/shipping/v1/address?suburb={suburb}&state={state}&postcode={postcode}>

9.8.3 Validate suburb response example

```
{
  "found": true,
  "results": [
    "Briar Hill",
```

```
"Greensborough",  
"St Helena"  
]
```

9.9 Get Shipments

This service retrieves the information against shipments and the items contained within for shipments created using the Create Shipments service.

The following variances exist when integrating to MyPost Business via API's: -

- Header (although not shown here) have a different structure. Please see [header](#) section in this document for details

GET

https://digitalapi.auspost.com.au/shipping/v1/shipments?shipment_ids=9lesEAOvOm4AAAFI3swaDRYB

9.10 Delete Shipments

This service creates an order for the referenced shipments that have previously been created using the Create Shipments service

The following variances exist when integrating to MyPost Business via API's: -

- Header (although not shown here) have a different structure. Please see [header](#) section in this document for details

For more details such as responses, errors and URL's please see below URL

<https://developers.auspost.com.au/apis/shipping-and-tracking/reference/delete-shipment>

DELETE

Single Shipment Deletion

<https://digitalapi.auspost.com.au/shipping/v1/shipments/9lesEAOvOm4AAAFI3swaDRYB> Single

Multiple Shipment Deletion

https://digitalapi.auspost.com.au/shipping/v1/shipments?shipment_ids=9lesEAOvOm4AAAFI3swaDRYB,54kjEFSvl o4759AJGsaaMNBf

Classification: FOR OFFICIAL USE ONLY

9.11 Track Items

This service allows the client to track the progress of delivery by returning delivery events for one or more consignments or articles.

The following variances exist when integrating to MyPost Business via API's: -

- Header (although not shown here) have a different structure. Please see [header](#) section in this document for details
- Currently international parcel tracking is not available

Please note there is a rate limit on tracking requests at the partner credential level.

The default rate limit is set to 10 requests per minute, and each request can include 10 articles, which translates to 100 articles per minute or 6000 articles per hour.

It is possible to increase the default rate limit for tracking requests by emailing mpbpartnersupport@auspost.com.au with a comprehensive justification for the increase. The request will need to be internally assessed and approved before the rate limit increase is applied.

For more details such as responses, errors and URL's please see below URL

<https://developers.auspost.com.au/apis/shipping-and-tracking/reference/track-items>

GET

https://digitalapi.auspost.com.au/shipping/v1/track?tracking_ids=7XX1000000,7XX1000634

10 Optional / alternate workflow APIs

10.1 Update Item

This service adds or updates items in an existing shipment that has previously been created using the Create Shipment service.

The following variances exist when integrating to MyPost Business via API's: -

- Header (although not shown here) have a different structure. Please see [header](#) section in this document for details
- Contains Dangerous Goods – always False not supported by MyPost Business
- Authority to leave - not support by MyPost Business, omit or set to false
- Allow partial delivery – always false not support in MyPost Business
- Safe drop enabled – not available for MyPost Business
- Signature on Delivery if required – is a feature of an item and is mandatory if Extra cover is \$500 or greater
 - SIGNATURE_ON_DELIVERY.
- Extra Cover if required – is a feature of an item
 - TRANSIT_COVER
- All shipments are single Item shipments (i.e. multi-part consignments are not available via MyPost Business)

For more details such as responses, errors and URL's please see below

<https://developers.auspost.com.au/apis/shipping-and-tracking/reference/update-items>

10.1.1 Update Item example

PUT

<https://digitalapi.auspost.com.au/shipping/v1/shipments/9lesEAOvOm4AAAFI3swaDRYB/items>

```
{
  "items": [
    {
      "item_id": "r5IK1UZjagkAAAFvwxAcefoV",
      "length": "10",
      "height": "10",
      "width": "10",
      "weight": "1",
      "item_reference": "SKU-1",
      "product_id": "XS",
      "authority_to_leave": false,
      "allow_partial_delivery": true,
      "features": {
        "TRANSIT_COVER": {
          "attributes": {
            "cover_amount": 500
          }
        }
      }
    }
  ]
}
```

Classification: FOR OFFICIAL USE ONLY

```

    }
  }
},
{
  "length": "10",
  "height": "10",
  "width": "10",
  "weight": "1",
  "item_reference": "SKU-2",
  "product_id": "B20"
}
]
}

```

10.1.2 References

Element Name	Description	Optional / Mandatory	Type	Length
items	An item element is to be supplied for each parcel.	Mandatory	Array	
item_id	The identifier for the item previously generated by Australia Post during a Create Domestic Shipments API call. You specify this field to make changes to an existing item. If you don't specify this field, then a new item is created and added to the shipment. It will replace any older items on the shipment.	Optional	String	50
item_reference	A unique reference for the item, generated by the merchant.	Optional	String	50
product_id	The Australia Post code representing the postage product for the item.	Mandatory	String	5
item_description	A description of the item, generated by the merchant.	Optional	String	
length	The length of the parcel in centimetres. If volumetric pricing applies then this is mandatory.	Optional (See Desc.)	Decimal	4.1
width	The width of the parcel in centimetres. If volumetric pricing applies then this is mandatory.	Optional (See Desc.)	Decimal	4.1
height	The height of the parcel in centimetres. If volumetric pricing applies then this is mandatory.	Optional (See Desc.)	Decimal	4.1

weight	The parcel's weight in kilograms. This is mandatory for normal shipments (movement_type = DESPATCH) but must not be specified for returns shipments (movement_type = RETURN).	Mandatory (See Desc.)	Decimal	N.3
contains_dangerous_goods	Whether the item contains dangerous goods, generated by the merchant.	Optional. Defaults to false.	Boolean - true or false	
packaging_type	The packaging type for this item. Some example values are: CTN, PAL, SAT, BAG, ENV, ITM, JIF, SKI	Mandatory for StarTrack, otherwise Optional	String	3
	Note, for StarTrack products, the packaging type (referred to as a unit type by StarTrack) is mandatory and has a maximum length of 3.			
features	Additional features for the item.	Optional		
name	Name of the feature. Eg: TRANSIT_COVER.	Mandatory	String	
attributes	Additional information about the feature. Please note that attributes depend on the feature.	Depends on feature.	String	
cover_amount	Cover amount.		Decimal	4.2
commercial_value	Whether the item has commercial value (i.e. the goods are for resale). This is generated by the merchant and will be shown on the customers form and label.	Mandatory for Int'l	Boolean - true or false	
export_declaration_number	Export declaration number (EDN), generated by the merchant. This field is mandatory for item contents worth more than AUD\$2000.	Optional (See Desc.)	String	9 to 12
import_reference_number	Receiver's reference number. The merchant can use this field to provide information to the receiver as it is printed on the label.	Optional	String	40
classification_type	Category or classification of the goods. If commercial_value is true, then this field must be set to "OTHER", otherwise it must be set to "GIFT", "SAMPLE", "DOCUMENT", "RETURN" or "SALE_OF_GOODS".	Mandatory for Int'l	String	
description_of_other	Description of the goods. This is mandatory if classification_type is "OTHER".	See Desc.	String	40
non_delivery_action	Your desired action if the delivery cannot be completed. You can specify "RETURN" or "ABANDONED". The default if not specified is to return the item by the most economical route or by air.	Optional	String	

certificate_number	If you are supplying certificates with your customs forms, you can include the certificate numbers in this field.	Optional	String	35
licence_number	If you are supplying licence information with your customs forms, you can include the licence numbers in this field.	Optional	String	35
invoice_number	Use this field to include an invoice number on the label.	Optional	String	35
comments	Use this field to include any additional comments on the label.	Optional	String	120
item_contents	An item_contents element describes part of the contents of the item. You can specify up to 20 elements in this array.	Mandatory for Int'l	Array	20
description	Description of the contents. This description is validated against a defined list of keywords, to determine whether the item can be carried by Australia Post and/or the item is prohibited in the destination country.	Mandatory	String	40
quantity	The quantity of this described content.	Mandatory	Integer	
weight	The weight in kilograms of this described content. If you provide a weight for one item_contents element, you must provide weights for all item_contents elements.	See Desc.	Decimal	N.3
value	The value in Australian Dollars of this described content.	Mandatory	Decimal	4.2
tariff_code	The Harmonised Tariff number that indicates the type of this described content. It is only mandatory if commercial_value is "true", otherwise it is optional. However, it is a recommended field to expedite the customs process in the receiving country.	See Desc.	String	6 to 12
country_of_origin	The country in which this described content was manufactured. It is only mandatory if commercial_value is "true", otherwise it is optional.	See Desc.	String	2

10.2 Get Label

This service returns information on a label request created using the Create Labels service

The following variances exist when integrating to MyPost Business via API's: -

- Header (although not shown here) have a different structure. Please see [header](#) section in this document for details

Classification: FOR OFFICIAL USE ONLY

For more details such as responses, errors and URL's please see below URL
<https://developers.auspost.com.au/apis/shipping-and-tracking/reference/get-label>

10.2.1 Get Label response example

GET

<https://digitalapi.auspost.com.au/shipping/v1/labels/d9d1445d-cd1b-452d-9d68-29dbb3967acf>

```
{
  "labels": [
    {
      "request_id ": "d9d1445d-cd1b-452d-9d68-29dbb3967acf",
      "url": "https://auspost.com.au/d9d1445d-cd1b-452d-9d68-29dbb3967acf.pdf?Expires=1458273129&Signature=Mww3Oxd%2BV2d9SjoQkrIr%2F%2F2DrFs%3D",
      "status": "AVAILABLE",
      "request_date": "2016-03-17 11:04:29",
      "shipments": [
        {
          "shipment_id": "9lesEAOvOm4AAAFI3swaDRYB"
        },
        {
          "shipment_id": "NdgK1EV5cRgAAAFThhoE7mN6"
        }
      ],
      "url_creation_date": "2016-03-17 11:04:53",
      "shipment_ids": ["9lesEAOvOm4AAAFI3swaDRYB", "NdgK1EV5cRgAAAFThhoE7mN6"]
    }
  ]
}
```

10.2.2 References

Element Name	Description	Optional / Mandatory	Type	Length
preferences	The required preferences to be applied.	Mandatory	Array	

type	For printing preferences, the type is "PRINT".	Mandatory	String	
format	Specifies print format. Valid formats are:	Optional. Defaults to PDF.	String	
groups	The required page format for the labels.	Mandatory		
group	The label group to apply the print preference. Valid types are:	Mandatory	String	
	Parcel Post			
	Express Post			
layout	The layout specifies the number of labels per page and the size of the page. The layout must be valid for the product types of the items in the shipment. Please refer to the Labels page in our API Resources section.	Mandatory	String	
branded	Whether the Australia Post branding should be included on the labels. If you are using purchased stationery from Australia Post, then the generated labels should not include the branding. Note that for international shipments, this field is ignored.	Mandatory	Boolean - true or false	
left_offset	Use this field to adjust the left margin of the page.	Mandatory	Integer	
top_offset	Use this field to adjust the top margin of the page.	Mandatory	Integer	
shipments	List each shipment for which you want labels generated. The print preferences will be applied to all the items in the shipments.	Mandatory	Array	
shipment_id	The Australia Post generated unique identifier for the shipment.	Mandatory	String	50
items	The list of items for which you want to generate labels. If you don't provide this list, then labels will be generated for all items in the shipment.	Optional	Array	
item_id	The unique item ID for which you want to generate labels.	Mandatory	String	50
wait_for_label_url	If set true, a label url will be provided within the response. If set false or not provided, the label url will need to be retrieved using the Get Label API.	Optional	Boolean - true or false	

10.2.3 Error examples

Error Scenario	Error Response	Action
Get Label failed	<pre>{ "errors": [{ "code": "51006", "name": "CREAT_LABEL_ERROR_SHIPMENT_NOT_READY", "message": "these labels cannot be printed because the order for shipment id "rBYK1UpgX0cAAAF0szoF0thj", has not been paid. Please confirm payment for your order and then resubmit your print request." }] }</pre>	These labels cannot be printed because the order for shipment "rBYK1UpgX0cAAAF0szoF0thj", has not been paid

10.3 Get Order

This service returns information related to the order previously created using the Create Order services.

The following variances exist when integrating to MyPost Business via API's:-

- Header (although not shown here) have a different structure. Please see [header](#) section in this document for details

For more details such as responses, errors and URL's please see below URL

<https://developers.auspost.com.au/apis/shipping-and-tracking/reference/get-order>

GET

<https://digitalapi.auspost.com.au/shipping/v1/orders/AP0000002422>

10.4 Create Order Including Shipments

Please note: we do not recommend this workflow in favor of Create Order from Shipments

This service creates and **pays** an order for the contained shipments and items removing the need to make multiple API calls. This service can be used when the item and shipment information is maintained within the Platform Partner's system and only required to be sent to Australia Post when the shipments are confirmed.

This service will create and **pay** an order using only the information contained within the single order request

The Create Order Including Shipments call will trigger payment against the stored credit card provided by the merchant during the onboarding platform partner process.

The following variances exist when integrating to MyPost Business via API's: -

- Header (although not shown here) have a different structure. Please see [header](#) section in this document for details
- Customer reference 2 – not used by MyPost Business
- Contains Dangerous Goods – always False not supported by MyPost Business
- Authority to leave - not support by MyPost Business, omit or set to false
- Allow partial delivery – always false not support in MyPost Business

Classification: FOR OFFICIAL USE ONLY

- Signature on Delivery if required – is a feature of an item and is mandatory if Extra cover is \$500 or greater
 - SIGNATURE_ON_DELIVERY.
- Extra Cover if required – is a feature of an item
 - TRANSIT_COVER
- All shipments are single Item shipments (i.e. multi-part consignments are not available via MyPost Business)
- International features
- Shipment Features
 - Signature on Delivery - SIGNATURE_ON_DELIVERY
 - Email Tracking - EMAIL_TRACKING
 - SMS tracking - SMS_TRACKING
 - Extra Cover – TRANSIT_COVER
- If using the payment method of CHARGE_TO_ACCOUNT, the additional Create Payment With Charge Account API is required as a subsequent call.
- Although the maximum number of shipments is 2000, it is recommended the threshold be set at 100. When more than 100 shipments are included, the subsequent “Create Label” call must be broken down to comply with the maximum 100 label requests.
- Blocking customers with underpaid postage, our APIs contain a check that will prevent a Create Order from being made for customers who have overdue underpaid postage. This will only occur if the customer has an overdue underpaid postage charge. This check is only done on the Create Order call, and if the customer has outstanding underpaid postage an error message will be return by our API’s.

For more details such as responses, errors and URL’s please see below URL

<https://developers.auspost.com.au/apis/shipping-and-tracking/reference/create-order-including-shipments>

10.4.1 Create order including shipments example

POST <https://digitalapi.auspost.com.au/shipping/v1/orders>

```
{
  "order_reference": "XYZ-001",
  "payment_method": "STORED_PAYMENT",
  "shipments": [
    {
      "shipment_reference": "XYZ-001-01",
      "customer_reference_1": "Order 001",
      "customer_reference_2": "SKU-1, SKU-2, SKU-3",
      "email_tracking_enabled": true,
      "from": {
        "name": "John Citizen",
        "lines": [
          "1 Main Street"
        ],
        "suburb": "MELBOURNE",
        "state": "VIC",
        "postcode": "3000",
        "phone": "0401234567",
      }
    }
  ]
}
```

```

    "email": "john.citizen@citizen.com"
  },
  "to": {
    "name": "Jane Smith",
    "business_name": "Smith Pty Ltd",
    "lines": [
      "123 Centre Road"
    ],
    "suburb": "Sydney",
    "state": "NSW",
    "postcode": "2000",
    "phone": "0412345678",
    "email": "jane.smith@smith.com"
  },
  "items": [
    {
      "height": "10",
      "width": "10",
      "weight": "1",
      "authority_to_leave": false,
      "allow_partial_delivery": false
    }
  ]
}

```

10.4.2 References

Please refer to the references details in domestic and international API's in section 8 & 9.

10.5 Pickups with shipments (Not supported)

Pickups with Shipments has been superseded by Pickups with Estimated Quantity and will no longer be supported. The following error will be received.

Error Scenario	Error Response	Action
Invalid pickup product call	<pre> { "errors": [{ "code": "400 error", "name": "Bad Request", </pre>	Please use Create Pickup with Estimated Qty (See section 9.2).

Error Scenario	Error Response	Action
	<pre>"message": "An order containing one or more pickups cannot be created with shipments: "", "context": { "product_id": "PU1" } }</pre>	

10.6 Create Orders from Shipments including pickups (Not supported)

Create Orders from Shipments including pickups will no longer be supported and will be removed.

- Create Orders from Shipments can be found in section 10.4.
- Create Pickups with Estimated Quality can be found in section 9.2.
- Create Orders from Pickups can be found in section 9.3.