



Configurando Keycloak

Navegar até o menu Manage Realm



Ao clicar no botão “create realm” uma modal aparecerá, preencha os campos de maneira semelhante a print abaixo



Partindo do princípio que você está no realm criado no passo anterior navegue até “users”, clique no botão new users / create new users para ser redirecionado para a tela da print abaixo

Create user

Required user actions ? Select action × ▼

Email verified ? ☒ On

General

Username *

Email

First name

Last name

Groups ?

Jump to section

- General

Aperte em criar usuário para ser redirecionado para a página a seguir:

Users > User details

guilherme

- Details
- Credentials
- Role mapping
- Groups
- Consents
- Identity provider links
- Sessions
- Events

ID * d9bae758-2f03-4eb3-af5a-b6b40ed901fc

Created at * 2/16/2026, 6:54:59 PM

Required user actions Select action X

Email verified ☒ On

General

Username * guilherme

Email guilherme@eshop.com.br

First name Guilherme

Last name Albuquerque

Jump to section

- General

Save Revert

Defina uma senha para o novo usuário na aba credentials > botão “set password”

No credentials

This user does not have any credentials. You can set password for this user.

Set password

Set password for guilherme

Password *


Password confirmation *

Temporary ☐ Off


Save Cancel

Teste se o usuário e o realm foram criado corretamente navegando para a url a seguir:

`http://localhost:9090/realms/myrealm/account`




Ao apertar em SIGN IN, se tudo foi feito corretamente, a seguinte tela vai aparecer:




Criando Client

No menu lateral à esquerda, clique em client para ser redirecionado para a tela a seguir:



Em seguida clique no botão “CREATE CLIENT”, preencha de maneira semelhante a print abaixo:



Em seguida clique em next e na tela capability configs marque os campos como na print:

Clients > Create client

Create client

Clients are applications and services that can request authentication of a user.

- 1 General settings
- 2 **Capability config**

Client authentication ☒ On

Authorization ☐ Off

Authentication flow

- ☒ Standard flow
- ☒ Direct access grants
- ☐ Implicit flow
- ☒ Service account roles
- ☐ Standard Token Exchange
- ☐ OAuth 2.0 Device Authorization Grant
- ☐ OIDC CIBA Grant

PKCE Method Choose...

Require DPoP bound tokens ☐ Off

Ao clicar em next você será redirecionado para a tela “Login Settings” preencha os campos de maneira semelhante a print abaixo e clique em salvar.

Clients > Create client

Create client

Clients are applications and services that can request authentication of a user.

- 1 General settings
- 2 Capability config
- 3 **Login settings**

Root URL

Home URL

Valid redirect URIs Add valid redirect URIs

Valid post logout redirect URIs Add valid post logout redirect URIs

Web origins Add web origins