report.html

Report generated on 05-Dec-2018 at 17:46:38 by pytest-html v1.19.0

Environment

| Packages | {'py': '1.7.0', 'pytest': '4.0.1', 'pluggy': '0.8.0'} |
|----------|---|
| Platform | Darwin-18.2.0-x86_64-i386-64bit |
| Plugins | {'tavern': '0.20.0', 'html': '1.19.0', 'metadata': '1.7.0'} |
| Python | 2.7.10 |

Summary

13 tests ran in 1.67 seconds.

(Un)check the boxes to filter the results.

13 passed, 0 skipped, 0 failed, 0 errors, 0 expected failures, 0 unexpected passes

Results

| Result | Test | Duration | Link | |
|--|--|----------|------|--|
| No results found. Try to check the filters | | | | |
| Passed | http/test_32000.tavern.yaml::gas price is nil | 0.29 | | |
| No log output captured. | | | | |
| Passed | http/test_32602.tavern.yaml::missing value for required argument 1 | 0.10 | | |
| dict_util.py 292 WARNING Structure of returned data was different than expected - Extra keys in response: set([u'id']) (expected = '{'jsonrpc': '2.0', 'error': {'message': 'missing value for required argument 1', 'code': -32602}}', actual = '{u'jsonrpc': u'2.0', u'id': 1, u'error': {u'message': u'missing value for required argument 1', u'code': -32602}}') Traceback (most recent call last): File "/Users/frank/venv/testEnv/lib/python2.7/site-packages/tavern/util/dict_util.py", line 259, in check_keys_match_recursive assert actual_val == expected_val AssertionError: assert {'error': {'conrpc': '2.0'} == {'error': {'coonrpc': '2.0'} Omitting 2 identical items, use -vv to show Left contains more items: {u'id': 1} Use -v to get the full diff | | | | |
| Passed | http/test_3260X.tavern.yaml::Invalid method name | 0.09 | | |
| No log output captured. | | | | |

| Passed | http/test_3270X.tavern.yaml::Invalid method name | 0.09 | | |
|-------------------------|--|-------------|--|--|
| No log output captured. | No log output captured. | | | |
| Passed | http/test_getAccountNonce.tavern.yaml::Ti method is used to obtain the account nonce. | nis 0.09 | | |
| No log output captured. | | | | |
| Passed | http/test_getBalance.tavern.yaml::This method returns the account balance. | 0.11 | | |
| No log output captured. | | | | |
| Passed | http/test_getBlock.tavern.yaml::This method is used to obtain the block content based on block height or block hash. | 0.11 | | |

```
dict_util.py 292 WARNING Structure of returned data was different than expected - Extra keys in
response: set([u'totalDifficulty', u'txDebts', u'transactions']) (expected["result"] =
'{'header': {'PreviousBlockHash':
'0xb6cd00c008ddb4c9d1626ea9d3c21c6b1c404bb384a25d224573e1d1eed8d30f'}, 'debts': [], 'hash':
'0x000001867f418a222735aa576b89f640f14c206621522f182848c095b6d38597'}', actual["result"] =
'{u'hash': u'0x000001867f418a222735aa576b89f640f14c206621522f182848c095b6d38597',
u'transactions': [{u'hash':
u'0xed6de14ab8206c52376eacf719b320cf210d2afd4894e4e858f2376f5f4a020f', u'gasLimit': 0, u'to':
u'0x0ea2a45ab5a909c309439b0e004c61b7b2a3e831', u'amount': 150000000, u'accountNonce': 0,
u'debts': [], u'header': {u'StateHash':
u'0x2629b200fa1a23596e2ec2991e5241c3cd62fdf95b0179c86ba9c7edf71f8476', u'PreviousBlockHash':
u'0xb6cd00c008ddb4c9d1626ea9d3c21c6b1c404bb384a25d224573e1d1eed8d30f', u'Creator':
u'0x0ea2a45ab5a909c309439b0e004c61b7b2a3e831', u'ExtraData': u'', u'Height': 1, u'Consensus': 0,
u'Difficulty': 8000000, u'TxHash':
u'0xc79705f02bf0245ec06d0989ef0a9d05105bedb74f23a12ac03845540c184e03', u'CreateTimestamp':
1543287751, u'TxDebtHash':
u'0x80215b141153f63b3e7f30f14d939dd0df99c201dcd1f79df389f5feecef1638', u'DebtHash':
u'MjU0MDY0MDY4NzY3MTkzMTAwOQ=='}, u'txDebts': [], u'totalDifficulty': 16000000}') Traceback
(most recent call last): File
"/Users/frank/venv/testEnv/lib/python2.7/site-packages/tavern/util/dict_util.py", line 259, in
check_keys_match_recursive assert actual_val == expected_val AssertionError: assert {'debts':
[], \dots 16000000, \dots] == {'debts': [], \dots 1dleed8d30f'}} Omitting 2 identical items, use -vv to
show Differing items: {'header': {'Consensus': 0, 'CreateTimestamp': 1543287751, 'Creator':
'0x0ea2a45ab5a909c309439b0e004c61b7b2a3e831', 'DebtHash':
{'PreviousBlockHash': '0xb6cd00c008ddb4c9d1626ea9d3c21c6b1c404bb384a25d224573e1d1eed8d30f'}}
Left contains more items: {u'totalDifficulty': 16000000, u'transactions': [{u'accountNonce': 0,
u'amount': 150000000,... ...Full output truncated (9 lines hidden), use '-vv' to show
dict_util.py 292 WARNING Structure of returned data was different than expected - Extra keys in
response: set([u'StateHash', u'Creator', u'ExtraData', u'Height', u'Consensus', u'Difficulty',
u'TxHash', u'CreateTimestamp', u'TxDebtHash', u'ReceiptHash', u'DebtHash', u'Witness'])
(expected["result"]["header"] = '{'PreviousBlockHash':
'0xb6cd00c008ddb4c9d1626ea9d3c21c6b1c404bb384a25d224573e1d1eed8d30f'}',
actual["result"]["header"] = '{u'StateHash':
u'0x2629b200fala23596e2ec2991e5241c3cd62fdf95b0179c86ba9c7edf71f8476', u'PreviousBlockHash':
u'0xb6cd00c008ddb4c9d1626ea9d3c21c6b1c404bb384a25d224573e1d1eed8d30f', u'Creator':
u'0x0ea2a45ab5a909c309439b0e004c61b7b2a3e831', u'ExtraData': u'', u'Height': 1, u'Consensus': 0,
u'Difficulty': 8000000, u'TxHash':
u'0xc79705f02bf0245ec06d0989ef0a9d05105bedb74f23a12ac03845540c184e03', u'CreateTimestamp':
1543287751, u'TxDebtHash':
u'0x80215b141153f63b3e7f30f14d939dd0df99c201dcd1f79df389f5feecef1638', u'DebtHash':
u'MjU0MDY0MDY4NzY3MTkzMTAwOQ=='}') Traceback (most recent call last): File
"/Users/frank/venv/testEnv/lib/python2.7/site-packages/tavern/util/dict_util.py", line 259, in
check_keys_match_recursive assert actual_val == expected_val AssertionError: assert
{'Consensus':...00000000', ...} == {'PreviousBloc...eldleed8d30f'} Omitting 1 identical items,
use -vv to show Left contains more items: {u'Consensus': 0, u'CreateTimestamp': 1543287751,
u'Creator': u'0x0ea2a45ab5a909c309439b0e004c61b7b2a3e831', u'DebtHash':
8000000,... ... Full output truncated (9 lines hidden), use '-vv' to show
```

| Passed | http/test_getBlockByHash.tavern.yaml::Thi method is used to obtain the block content based on block hash. | s 0.09 |
|-------------------------|--|-------------|
| No log output captured. | | |
| Passed | http/test_getBlockByHeight.tavern.yaml::TI method is used to obtain the block content based on block height. | nis 0.09 |

```
dict_util.py 292 WARNING Structure of returned data was different than expected - Extra keys in
response: set([u'totalDifficulty', u'txDebts', u'transactions']) (expected["result"] =
'{'header': {'PreviousBlockHash':
'0xb6cd00c008ddb4c9d1626ea9d3c21c6b1c404bb384a25d224573e1d1eed8d30f'}, 'debts': [], 'hash':
'0x000001867f418a222735aa576b89f640f14c206621522f182848c095b6d38597'}', actual["result"] =
'{u'hash': u'0x000001867f418a222735aa576b89f640f14c206621522f182848c095b6d38597',
u'transactions': [{u'hash':
u'0xed6de14ab8206c52376eacf719b320cf210d2afd4894e4e858f2376f5f4a020f', u'gasLimit': 0, u'to':
u'0x0ea2a45ab5a909c309439b0e004c61b7b2a3e831', u'amount': 150000000, u'accountNonce': 0,
u'debts': [], u'header': {u'StateHash':
u'0x2629b200fa1a23596e2ec2991e5241c3cd62fdf95b0179c86ba9c7edf71f8476', u'PreviousBlockHash':
u'0xb6cd00c008ddb4c9d1626ea9d3c21c6b1c404bb384a25d224573e1d1eed8d30f', u'Creator':
u'0x0ea2a45ab5a909c309439b0e004c61b7b2a3e831', u'ExtraData': u'', u'Height': 1, u'Consensus': 0,
u'Difficulty': 8000000, u'TxHash':
u'0xc79705f02bf0245ec06d0989ef0a9d05105bedb74f23a12ac03845540c184e03', u'CreateTimestamp':
1543287751, u'TxDebtHash':
u'0x80215b141153f63b3e7f30f14d939dd0df99c201dcd1f79df389f5feecef1638', u'DebtHash':
u'MjU0MDY0MDY4NzY3MTkzMTAwOQ=='}, u'txDebts': [], u'totalDifficulty': 16000000}') Traceback
(most recent call last): File
"/Users/frank/venv/testEnv/lib/python2.7/site-packages/tavern/util/dict_util.py", line 259, in
check_keys_match_recursive assert actual_val == expected_val AssertionError: assert {'debts':
[], \dots 16000000, \dots] == {'debts': [], \dots 1dleed8d30f'}} Omitting 2 identical items, use -vv to
show Differing items: {'header': {'Consensus': 0, 'CreateTimestamp': 1543287751, 'Creator':
'0x0ea2a45ab5a909c309439b0e004c61b7b2a3e831', 'DebtHash':
{'PreviousBlockHash': '0xb6cd00c008ddb4c9d1626ea9d3c21c6b1c404bb384a25d224573e1d1eed8d30f'}}
Left contains more items: {u'totalDifficulty': 16000000, u'transactions': [{u'accountNonce': 0,
u'amount': 150000000,... ...Full output truncated (9 lines hidden), use '-vv' to show
dict_util.py 292 WARNING Structure of returned data was different than expected - Extra keys in
response: set([u'StateHash', u'Creator', u'ExtraData', u'Height', u'Consensus', u'Difficulty',
u'TxHash', u'CreateTimestamp', u'TxDebtHash', u'ReceiptHash', u'DebtHash', u'Witness'])
(expected["result"]["header"] = '{'PreviousBlockHash':
'0xb6cd00c008ddb4c9d1626ea9d3c21c6b1c404bb384a25d224573e1d1eed8d30f'}',
actual["result"]["header"] = '{u'StateHash':
u'0x2629b200fala23596e2ec2991e5241c3cd62fdf95b0179c86ba9c7edf71f8476', u'PreviousBlockHash':
u'0xb6cd00c008ddb4c9d1626ea9d3c21c6b1c404bb384a25d224573e1d1eed8d30f', u'Creator':
u'0x0ea2a45ab5a909c309439b0e004c61b7b2a3e831', u'ExtraData': u'', u'Height': 1, u'Consensus': 0,
u'Difficulty': 8000000, u'TxHash':
u'0xc79705f02bf0245ec06d0989ef0a9d05105bedb74f23a12ac03845540c184e03', u'CreateTimestamp':
1543287751, u'TxDebtHash':
u'0x80215b141153f63b3e7f30f14d939dd0df99c201dcd1f79df389f5feecef1638', u'DebtHash':
u'MjU0MDY0MDY4NzY3MTkzMTAwOQ=='}') Traceback (most recent call last): File
"/Users/frank/venv/testEnv/lib/python2.7/site-packages/tavern/util/dict_util.py", line 259, in
check_keys_match_recursive assert actual_val == expected_val AssertionError: assert
{'Consensus':...00000000', ...} == {'PreviousBloc...eldleed8d30f'} Omitting 1 identical items,
use -vv to show Left contains more items: {u'Consensus': 0, u'CreateTimestamp': 1543287751,
u'Creator': u'0x0ea2a45ab5a909c309439b0e004c61b7b2a3e831', u'DebtHash':
8000000,... ... Full output truncated (9 lines hidden), use '-vv' to show
```

Passed

http/test_getBlockHeight.tavern.yaml::This method is used to obtain the height of the blockchain.

0.09

dict_util.py 292 WARNING Structure of returned data was different than expected - Extra keys in response: set([u'result']) (expected = '{'jsonrpc': '2.0', 'id': 1}', actual = '{u'jsonrpc': u'2.0', u'id': 1, u'result': 49508}') Traceback (most recent call last): File "/Users/frank/venv/testEnv/lib/python2.7/site-packages/tavern/util/dict_util.py", line 259, in check_keys_match_recursive assert actual_val == expected_val AssertionError: assert {'id': 1, 'js...esult': 49508} == {'id': 1, 'jsonrpc': '2.0'} Omitting 2 identical items, use -vv to show Left contains more items: {u'result': 49508} Use -v to get the full diff

Passed

http/test_getInfo.tavern.yaml::This method returns the node information.

0.10

dict_util.py 292 WARNING Structure of returned data was different than expected - Extra keys in response: set([u'CurrentBlockHeight', u'HeaderHash']) (expected["result"] = '{'Coinbase': '0x0ea2a45ab5a909c309439b0e004c61b7b2a3e831', 'MinerStatus': 'Running', 'Shard': 2}', actual["result"] = '{u'Coinbase': u'0x0ea2a45ab5a909c309439b0e004c61b7b2a3e831', u'CurrentBlockHeight': 49508, u'MinerStatus': u'Running', u'Shard': 2, u'HeaderHash': u'0x0000001253f7c536057dcdd488ece269d834216fb587bla09b669d47405f06277'}') Traceback (most recent call last): File

"/Users/frank/venv/testEnv/lib/python2.7/site-packages/tavern/util/dict_util.py", line 259, in check_keys_match_recursive assert actual_val == expected_val AssertionError: assert {'Coinbase': ...Running', ...} == {'Coinbase': '...', 'Shard': 2} Omitting 3 identical items, use -vv to show Left contains more items: {u'CurrentBlockHeight': 49508, u'HeaderHash': u'0x0000001253f7c536057dcdd488ece269d834216fb587bla09b669d47405f06277'} Use -v to get the full diff

| Passed | http/test_nodeInfo.tavern.yaml::This method returns the node information of the node | 0.10 |
|-------------------------|--|------|
| No log output captured. | | |
| Passed | http/test_nodeStats.tavern.yaml::This method returns the information of the node | 0.12 |

No log output captured.