K9 FISHING
k9fishing.com

PRODUCT CATALOG

FLUOROCARBON · BRAID · CATFISH · TOOLS



2027

"DON'T WHINE, THROW K9"

K9FISHING.COM · GALLATIN, TENNESSEE

SCAN FOR THE
DIGITAL CATALOG

LINE FOR THE WAY YOU ACTUALLY FISH.

K9 Fishing Products is a family-owned company in Gallatin, Tennessee. We make fishing line for anglers who fish hard: fluorocarbon that casts and holds up around cover, braid from a 0.06 mm crappie line to heavy-cover 8-strand, catfish line that glows under blacklight, and the tools to cut and rig all of it.

Every line in this book is organized by family and spelled out the same way: a spec strip, the techniques it was built for, and an availability matrix of every spool and color we stock. Store buyers will find every SKU and case pack on the line sheet at the back.

HOW TO READ THIS BOOK

1 Spec strip
Construction, test range, diameter range, spool sizes and colors — the five numbers a buyer asks first.

2 Best for
The techniques the line was built around. The full technique grid is on the Quick Pick spread.

3 Availability matrix
One row per LB test, one column per spool and color. A dot means we stock it. NEW marks a size added this edition.

TECHNIQUE ICONS

FINESSE · BFS · FORWARD-FACING SONAR · SPINNING & BFS CASTING
MOVING BAITS · TOPWATER · FLIPPING · PUNCHING
FROGGING · CRAPPIE · CATFISH · LEADER
NIGHT / UV

CONTENTS

03	FLUOROCARBON	FLUORO	04	FLUOROCARBON	PRO100
05	BRAID	8 STRAND SUPER BRAID	06	BRAID	9 STRAND SUPER BRAID
07	BRAID	X8 JDM SILK BRAID	08	BRAID	CRAPPIE BRAID
09	CATFISH	KATLINE	10	CATFISH	KATLEADER
11	TOOLS	K9 TOOLS	12	QUICK PICK	WHICH K9 LINE? · THE LADDER
14	WHOLESALE	LINE SHEET · SKU · CASE PACK			

Wholesale and dealer inquiries: info@k9fishing.com · 615-265-8687 · Line sheet on pages 14–15.





FLUORO

BEST SELLER

CONSTRUCTION	TEST RANGE	DIAMETER	SPOOLS	COLORS
FLUOROCARBON BLEND	4 – 50 LB	0.165 – 0.450 MM	300 · 550 · 1400 · 2000 YD	2 COLORS

Not 100% fluorocarbon by design: the Original K9 Fluoro keeps a bit of stretch on the hookset, giving the fish that extra moment to take the bait fully. Paired with outstanding strength and abrasion resistance, it is a line you can fish all season on spinning or casting gear.

Clear for stealth, or Hi-Vis chartreuse that glows under blacklight for line-watching day and night. Ideal for most techniques, especially moving baits.

BEST FOR CRAPPIE · MOVING BAITS · FLIPPING · NIGHT / UV

LB TEST	DIAM.	300YD CL	550YD CL	1400YD CL	2000YD CL	300YD HV	550YD HV	2000YD HV
4 LB	0.165 mm	●	●	–	●	●	●	●
6 LB	0.203 mm	●	●	–	●	●	●	●
8 LB	0.234 mm	●	●	–	●	●	●	●
10 LB	0.260 mm	●	●	–	●	●	●	●
12 LB	0.286 mm	●	●	–	●	●	●	●
14 LB	0.331 mm	●	●	–	●	●	●	●
17 LB	0.370 mm	●	●	–	●	●	●	●
20 LB	0.405 mm	●	●	–	●	●	●	●
25 LB	0.450 mm	–	●	–	–	–	–	–
30 LB	0.370 mm	–	–	●	–	–	–	–
40 LB	0.405 mm	–	–	●	–	–	–	–
50 LB	0.450 mm	–	–	●	–	–	–	–



PRO100

CONSTRUCTION	TEST RANGE	DIAMETER	SPOOLS	COLOR
100% FLUOROCARBON	6 – 20 LB	0.172 – 0.405 MM	200 · 600 YD	CLEAR

Pro100 is a premium 100% fluorocarbon, engineered for minimal memory without giving up strength. Near-invisible under water, fast-sinking and low-stretch, it keeps bottom-contact baits in the zone and turns pressure bites into hooksets.

Exceptional abrasion resistance and sensitivity make it a main line for jigs, Texas rigs and reaction baits, or the leader that finishes any K9 braid setup.

BEST FOR FINESSE · FLIPPING · MOVING BAITS · LEADER

LB TEST	DIAM.	200YD	600YD
6 LB	0.172 mm	●	●
8 LB	0.249 mm	●	●
10 LB	0.265 mm	●	●
12 LB	0.288 mm	●	●
15 LB	0.341 mm	●	●
18 LB	0.381 mm	●	●
20 LB	0.405 mm	●	●



8 STRAND SUPER BRAID

CONSTRUCTION	TEST RANGE	DIAMETER	SPOOL	COLORS
8-CARRIER PE · DYNEEMA®	10 – 60 LB	0.120 – 0.370 MM	150 YD	6 COLORS

K9 8 Strand Super Braid is engineered for maximum strength, smooth casting, and less guide noise and friction. Crafted with Dyneema®, the ultra-smooth 8-strand weave runs quiet on spinning or casting reels.

Built for frogging, punching, flipping and topwater, and for braid-to-leader rigs on spinning tackle. Select sizes and colors on 150-yard spools.

BEST FOR FROGGING · PUNCHING · FLIPPING · TOPWATER

LB TEST	DIAM.	YELLOW	NEON GREEN	WHITE	NEON RED	PINK	GREEN
10 LB	0.120 mm	●	●	●	●	●	●
20 LB	0.160 mm	●	●	●	●	●	●
30 LB	0.230 mm	–	–	–	–	●	●
45 LB	0.300 mm	●	–	–	–	●	●
60 LB	0.370 mm	–	–	–	–	●	●



9 STRAND SUPER BRAID

CONSTRUCTION	TEST RANGE	DIAMETER	SPOOL	COLORS
9-CARRIER PE · LIGHT COATING	10 – 60 LB	0.120 – 0.320 MM	150 YD	5 COLORS

Built on the foundation of our 8-strand braid, with one more strand in the weave and a light coating that preserves color without changing the line's feel or performance. The rounder profile runs quieter through the guides and resists digging into the spool.

Key difference: the 9-strand runs thinner in the higher LB tests than the 8-strand. Select sizes and colors on 150-yard spools.

BEST FOR FINESSE · CRAPPIE · FLIPPING · FROGGING

LB TEST	DIAM.	YELLOW	BLACK	WHITE	PINK	GREEN
10 LB	0.120 mm	●	–	●	●	–
15 LB	0.140 mm	●	–	–	●	●
25 LB	0.160 mm	●	–	–	●	●
40 LB	0.230 mm	–	●	–	●	●
60 LB	0.320 mm	–	●	–	●	●



X8 JDM SILK BRAID

NEW · 11 LB

CONSTRUCTION	TEST RANGE	DIAMETER	SPOOL	COLOR
X8 PE · 52 WPI	11 – 25 LB	0.120 – 0.230 MM	150 YD	NEON GREEN

An industry-high 52 weaves per inch make this X8 perfectly round and silk-smooth — it launches lighter baits with ease while staying silent through the guides. Hi-vis neon green makes bite tracking instant.

Thin diameters, extreme sensitivity and rock-solid knot strength make it a weapon for every traditional finesse approach and today's forward-facing techniques. Pair with a Pro100 leader for a near-invisible presentation at the lure.

BEST FOR FINESSE · BFS · FORWARD-FACING SONAR · SPINNING & BFS CASTING

LB TEST	PE #	DIAM.	SKU	150YD NEON GREEN
11 LB NEW	#0.6	0.120 mm	150-11LB-JDMNG	●
14 LB	#0.8	0.148 mm	150-14LB-JDMNG	●
17 LB	#1.0	0.160 mm	150-17LB-JDMNG	●
20 LB	#1.5	0.203 mm	150-20LB-JDMNG	●
25 LB	#2.0	0.230 mm	150-25LB-JDMNG	●



CRAPPIE BRAID

BEST SELLER

CONSTRUCTION	TEST RANGE	DIAMETER	SPOOLS	COLORS
4-CARRIER MICRO PE	5 LB	0.060 MM	125 · 300 YD	3 COLORS

Micro-thin braid for light-tackle work. Its sensitivity keeps you connected to the bait and shows more bites, and the four-carrier construction holds strong knots and real abrasion resistance at a 0.06 mm diameter.

Braid lets you fish thinner than mono or fluorocarbon at the same strength. Now also on 300-yard spools in neon green and yellow.

BEST FOR CRAPPIE · FINESSE · SPINNING & BFS CASTING

LB TEST	DIAM.	YELLOW 125YD	N. GREEN 125YD	N. RED 125YD	YELLOW 300YD	N. GREEN 300YD
5 LB	0.060 mm	●	●	●	●	●



KATLINE

BEST SELLER

CONSTRUCTION	TEST RANGE	DIAMETER	SPOOLS	COLORS
8-STRAND DYNEEMA® · UV REACTIVE	60 – 100 LB	0.370 – 0.500 MM	400 · 1400 YD	4 COLORS

Katline is a heavy-duty, ultra-durable Dyneema® braid for serious catfish anglers: 60 to 100 lb test for trophy blues, flatheads and channels. The 8-strand weave gives superior knot strength and smooth, long casts.

Its fluorescent finish glows under blacklight, so you can track every rod in a night spread. Sleek in the hand, built for the toughest water.

BEST FOR CATFISH · NIGHT / UV · PUNCHING

LB TEST	DIAM.	ORANGE	GREEN	PINK	YELLOW
60 LB	0.370 mm	●	●	●	●
80 LB	0.450 mm	●	●	●	●
100 LB	0.500 mm	●	●	●	●

Available on 400 and 1,400-yard spools; 1,400-yard bulk spools ship one per case.



KATLEADER

CONSTRUCTION	TEST RANGE	DIAMETER	SPOOL	COLOR
HEAVY-DUTY COPOLYMER	60 – 80 LB	0.660 – 0.880 MM	200 FT	CLEAR

Katleader is a high-strength copolymer leader for catfish and other trophy species: up to 80 lb of tensile strength, with the abrasion resistance to survive rock, shell and timber.

The copolymer build adds knot strength and shock absorption at the hook, so brutal runs end in the net. 200 feet per spool, 60 and 80 lb.

BEST FOR CATFISH LEADER

LB TEST	DIAM.	200FT LEADER SPOOL
60 LB	0.660 mm	●
80 LB	0.880 mm	●



K9 TOOLS

Cutters and pliers built for braid: serrated blades that cut PE clean without fraying, and a multi-tool that keeps rigging, hook removal and treble swaps in one hand.



BRAID SCISSORS

Serrated stainless blades cut clean through braid, fluoro and mono — no fraying. Precision tips for tight knot trimming; hi-vis orange so they never disappear in the boat.

BLADES Serrated stainless steel
GRIP Ergonomic non-slip
COLOR Hi-Vis Orange



MINI-SCISSORS W/ LANYARD

Compact cutters on a lanyard — clip to a vest, graph mount or PFD and they're always in reach for a quick retie. Clean cuts on braid, fluoro and mono.

BLADES Sharp compact steel
ATTACHMENT Lanyard clip
COLOR Black



MULTI-TOOL

Pliers, serrated cutters, knife, saw and split-ring spreader in one. Pull hooks, swap trebles, rig and cut on the water. Rugged build for salt, sun and rain.

PLIERS Needle-nose w/ grip
EXTRAS Knife · Saw · Split-ring
COLORS Blue · Yellow

ITEM	SKU	COLOR	CASE PACK
Braid Scissors	K9-Scissors	Hi-Vis Orange	10
Mini-Scissors w/ Lanyard	K9-MScissorsL	Black	10
Multi-Tool	K9-Tool-B · K9-Tool-Y	Blue · Yellow	10

WHICH K9 LINE?

Find your technique. A filled dot is our first pick; an open dot also fits.

TECHNIQUE	FLUORO	PRO100	8-STRAND	9-STRAND	X8 JDM	CRAPPIE	KATLINE	KATLEADER
FINESSE	–	●	–	●	●	●	–	–
BFS	–	○	–	–	●	–	–	–
FORWARD-FACING SONAR	–	○	–	–	●	–	–	–
SPINNING & BFS CASTING	–	–	○	○	●	●	–	–
MOVING BAITS	●	●	○	○	–	–	–	–
TOPWATER	○	–	●	–	–	–	–	–
FLIPPING	●	●	●	●	–	–	–	–
PUNCHING	–	–	●	–	–	–	●	–
FROGGING	–	–	●	●	–	–	–	–
CRAPPIE	●	○	–	●	○	●	–	–
CATFISH	–	–	–	–	–	–	●	●
LEADER	○	●	–	–	○	–	–	●
NIGHT / UV	●	–	–	–	–	–	●	–

COMPLETE THE SYSTEM

Finesse system

X8 JDM Silk Braid + Pro100 leader

Long casts and instant bite tracking on the spool; near-invisible 100% fluoro at the lure.

Power system

8-Strand Super Braid + Original Fluoro leader

Zero-stretch hooksets in cover, with a fluoro leader for stealth and abrasion at the business end.

Crappie & panfish

Original Fluoro 4–6 lb or Crappie Braid

Our two most popular panfish lines — fluoro fished straight, or micro braid to a short leader. 6 lb Pro100 is the 100% fluoro option.

Catfish system

Katline + Katleader

UV-reactive braid you can track all night, into a heavy copolymer leader that survives rock, shell and timber.

THE LADDER

Pick strength first, then compare diameter. Thinner casts farther and cuts water; thicker takes more abuse. Diameters in mm.

LB TEST	FLUORO	PRO100	8-STRAND	9-STRAND	X8 JDM	CRAPPIE	KATLINE	KATLEADER
4 LB	0.165	–	–	–	–	–	–	–
5 LB	–	–	–	–	–	0.060	–	–
6 LB	0.203	0.172	–	–	–	–	–	–
8 LB	0.234	0.249	–	–	–	–	–	–
10 LB	0.260	0.265	0.120	0.120	–	–	–	–
11 LB	–	–	–	–	0.120	–	–	–
12 LB	0.286	0.288	–	–	–	–	–	–
14 LB	0.331	–	–	–	0.148	–	–	–
15 LB	–	0.341	–	0.140	–	–	–	–
17 LB	0.370	–	–	–	0.160	–	–	–
18 LB	–	0.381	–	–	–	–	–	–
20 LB	0.405	0.405	0.160	–	0.203	–	–	–
25 LB	0.450	–	–	0.160	0.230	–	–	–
30 LB	0.370	–	0.230	–	–	–	–	–
40 LB	0.405	–	–	0.230	–	–	–	–
45 LB	–	–	0.300	–	–	–	–	–
50 LB	0.450	–	–	–	–	–	–	–
60 LB	–	–	0.370	0.320	–	–	0.370	0.660
80 LB	–	–	–	–	–	–	0.450	0.880
100 LB	–	–	–	–	–	–	0.500	–
SPOOLS	300 · 550 · 1400 · 2000 YD	200 · 600 YD	150 YD	150 YD	150 YD	125 · 300 YD	400 · 1400 YD	200 FT
COLORS								
PAGE	03	04	05	06	07	08	09	10

Diameters in mm, as printed on each product page. Crappie Braid is one size; Katleader is sold by the 200 ft spool.

LINE SHEET

Every SKU with its case pack. Order by SKU: info@k9fishing.com · 615-265-8687

ORIGINAL FLUORO

SKU	DESCRIPTION	CASE
300-4LB-CL	300YD / 4LB	6
300-6LB-CL	300YD / 6LB	6
300-8LB-CL	300YD / 8LB	6
300-10LB-CL	300YD / 10LB	6
300-12LB-CL	300YD / 12LB	6
300-14LB-CL	300YD / 14LB	6
300-17LB-CL	300YD / 17LB	6
300-20LB-CL	300YD / 20LB	6
550-4LB-CL	550YD / 4LB	6
550-6LB-CL	550YD / 6LB	6
550-8LB-CL	550YD / 8LB	6
550-10LB-CL	550YD / 10LB	6
550-12LB-CL	550YD / 12LB	6
550-14LB-CL	550YD / 14LB	6
550-17LB-CL	550YD / 17LB	6
550-20LB-CL	550YD / 20LB	6
550-25LB-CL	550YD / 25LB	6
2000-04LB-CL	2000YD / 4LB	1
2000-06LB-CL	2000YD / 6LB	1
2000-08LB-CL	2000YD / 8LB	1
2000-10LB-CL	2000YD / 10LB	1
2000-12LB-CL	2000YD / 12LB	1
2000-14LB-CL	2000YD / 14LB	1
2000-17LB-CL	2000YD / 17LB	1
2000-20LB-CL	2000YD / 20LB	1
2000-25LB-CL	2000YD / 25LB	1
1400-30LB-CL	1400YD / 30LB	1
1400-40LB-CL	1400YD / 40LB	1
1400-50LB-CL	1400YD / 50LB	1

HI-VIS ORIGINAL FLUORO

SKU	DESCRIPTION	CASE
300-4LB-HV	300YD / 4LB	6
300-6LB-HV	300YD / 6LB	6
300-8LB-HV	300YD / 8LB	6
300-10LB-HV	300YD / 10LB	6
300-12LB-HV	300YD / 12LB	6
300-14LB-HV	300YD / 14LB	6
300-17LB-HV	300YD / 17LB	6
300-20LB-HV	300YD / 20LB	6
550-4LB-HV	550YD / 4LB	6
550-6LB-HV	550YD / 6LB	6
550-8LB-HV	550YD / 8LB	6
550-10LB-HV	550YD / 10LB	6
550-12LB-HV	550YD / 12LB	6
550-14LB-HV	550YD / 14LB	6
550-17LB-HV	550YD / 17LB	6
550-20LB-HV	550YD / 20LB	6
2000-04LB-HV	2000YD / 4LB	1
2000-06LB-HV	2000YD / 6LB	1
2000-08LB-HV	2000YD / 8LB	1
2000-10LB-HV	2000YD / 10LB	1
2000-12LB-HV	2000YD / 12LB	1
2000-14LB-HV	2000YD / 14LB	1
2000-17LB-HV	2000YD / 17LB	1
2000-20LB-HV	2000YD / 20LB	1

PRO100 FLUOROCARBON

SKU	DESCRIPTION	CASE
200-6LB-PRO	200YD / 6LB	10
200-8LB-PRO	200YD / 8LB	10
200-10LB-PRO	200YD / 10LB	10
200-12LB-PRO	200YD / 12LB	10
200-15LB-PRO	200YD / 15LB	10
200-18LB-PRO	200YD / 18LB	10
200-20LB-PRO	200YD / 20LB	10
600-6LB-PRO	600YD / 6LB	6
600-8LB-PRO	600YD / 8LB	6
600-10LB-PRO	600YD / 10LB	6
600-12LB-PRO	600YD / 12LB	6
600-15LB-PRO	600YD / 15LB	6
600-18LB-PRO	600YD / 18LB	6
600-20LB-PRO	600YD / 20LB	6

8-STRAND SUPERBRAID

SKU	DESCRIPTION	CASE
150-10LB-BRG8	Moss Green / 10LB	10
150-20LB-BRG8	Moss Green / 20LB	10
150-30LB-BRG8	Moss Green / 30LB	10
150-45LB-BRG8	Moss Green / 45LB	10
150-60LB-BRG8	Moss Green / 60LB	10
150-10LB-BRP8	Pink / 10LB	10
150-20LB-BRP8	Pink / 20LB	10

LINE SHEET · CONTINUED

Case = units per case. Bulk spools ship one per case.

SKU	DESCRIPTION	CASE
150-30LB-BRP8	Pink / 30LB	10
150-45LB-BRP8	Pink / 45LB	10
150-60LB-BRP8	Pink / 60LB	10
150-10LB-BRY8	Yellow / 10LB	10
150-20LB-BRY8	Yellow / 20LB	10
150-45LB-BRY8	Yellow / 45LB	10
150-10LB-BRNR8	Neon Red / 10LB	10
150-20LB-BRNR8	Neon Red / 20LB	10
150-10LB-BRW8	White / 10LB	10
150-20LB-BRW8	White / 20LB	10
150-10LB-BRNG8	Neon Green / 10LB	10
150-20LB-BRNG8	Neon Green / 20LB	10
9-STRAND SUPERBRAID		
150-10LB-BRP9	Pink / 10LB	10
150-15LB-BRP9	Pink / 15LB	10
150-25LB-BRP9	Pink / 25LB	10
150-40LB-BRP9	Pink / 40LB	10
150-60LB-BRP9	Pink / 60LB	10
150-15LB-BRG9	Moss Green / 15LB	10
150-25LB-BRG9	Moss Green / 25LB	10
150-40LB-BRG9	Moss Green / 40LB	10
150-60LB-BRG9	Moss Green / 60LB	10
150-10LB-BRY9	Yellow / 10LB	10
150-15LB-BRY9	Yellow / 15LB	10
150-25LB-BRY9	Yellow / 25LB	10
150-40LB-FLP9	Black / 40LB	10
150-60LB-FLP9	Black / 60LB	10
150-10LB-BRW9	White / 10LB	10
X8 JDM SILK BRAID		
150-11LB-JDMNG	Neon Green / 11LB (#0.6)	10
150-14LB-JDMNG	Neon Green / 14LB (#0.8)	10
150-17LB-JDMNG	Neon Green / 17LB (#1.0)	10
150-20LB-JDMNG	Neon Green / 20LB (#1.5)	10
150-25LB-JDMNG	Neon Green / 25LB (#2.0)	10
CRAPPIE BRAID		
125-5LB-CRBRY	Yellow / 125YD	10
300-5LB-CRBRY	Yellow / 300YD	6
125-5LB-CRBRNG	Neon Green / 125YD	10
300-5LB-CRBRNG	Neon Green / 300YD	6
125-5LB-CRBRNR	Neon Red / 125YD	10
KATLINE FLUORESCENT BRAID		
400-60LB-KATO	Blaze Orange / 400YD / 60LB	6
400-80LB-KATO	Blaze Orange / 400YD / 80LB	6
400-100LB-KATO	Blaze Orange / 400YD / 100LB	6
1400-60LB-KATO	Blaze Orange / 1400YD / 60LB	1
1400-80LB-KATO	Blaze Orange / 1400YD / 80LB	1
1400-100LB-KATO	Blaze Orange / 1400YD / 100LB	1
400-60LB-KATSG	Slime Green / 400YD / 60LB	6
400-80LB-KATSG	Slime Green / 400YD / 80LB	6
400-100LB-KATSG	Slime Green / 400YD / 100LB	6
1400-60LB-KATSG	Slime Green / 1400YD / 60LB	1
1400-80LB-KATSG	Slime Green / 1400YD / 80LB	1
1400-100LB-KATSG	Slime Green / 1400YD / 100LB	1
400-60LB-KATY	Yellow / 400YD / 60LB	6
400-80LB-KATY	Yellow / 400YD / 80LB	6
400-100LB-KATY	Yellow / 400YD / 100LB	6
1400-60LB-KATY	Yellow / 1400YD / 60LB	1
1400-80LB-KATY	Yellow / 1400YD / 80LB	1
1400-100LB-KATY	Yellow / 1400YD / 100LB	1
400-60LB-KATP	Pink / 400YD / 60LB	6
400-80LB-KATP	Pink / 400YD / 80LB	6
400-100LB-KATP	Pink / 400YD / 100LB	6
1400-60LB-KATP	Pink / 1400YD / 60LB	1
1400-80LB-KATP	Pink / 1400YD / 80LB	1
1400-100LB-KATP	Pink / 1400YD / 100LB	1
KATLEADER HEAVY-DUTY LEADER		
200FT-60LB-KATLDR	60LB / 200FT	10
200FT-80LB-KATLDR	80LB / 200FT	10
BRAID SCISSORS		
K9-Scissors	Hi-Vis Orange	10
MINI-SCISSORS W/ LANYARD		
K9-MScissorsL	Black	10
MULTI-TOOL		
K9-Tool-B	Blue	10
K9-Tool-Y	Yellow	10

"DON'T WHINE, THROW K9"

K9 Fishing Products LLC

PO BOX 730 · GOODLETTSVILLE, TN 37070

615-265-8687 · INFO@K9FISHING.COM · K9FISHING.COM

SCAN FOR THE DIGITAL CATALOG
WWW.K9FISHING.COM/PAGES/PRODUCT-CATALOG

© 2027 K9 Fishing Products LLC. Specifications and availability subject to change; see k9fishing.com for current stock. Dyneema® is a registered trademark of its owner. Printed in the USA.