K9 FISHING
k9fishing.com

PRODUCT CATALOG

FLUOROCARBON · BRAID · CATFISH · TOOLS




# 2027

***"DON'T WHINE, THROW K9"***

K9FISHING.COM · GALLATIN, TENNESSEE

SCAN FOR THE
DIGITAL CATALOG

# LINE FOR THE WAY YOU ACTUALLY FISH.

K9 Fishing Products is a family-owned company in Gallatin, Tennessee. We make fishing line for anglers who fish hard: fluorocarbon that casts and holds up around cover, braid from a 0.06 mm crappie line to heavy-cover 8-strand, catfish line that glows under blacklight, and the tools to cut and rig all of it.

Every line in this book is organized by family and spelled out the same way: a spec strip, the techniques it was built for, and an availability matrix of every spool and color we stock. Store buyers will find every SKU and case pack on the line sheet at the back.

## HOW TO READ THIS BOOK

**1 Spec strip**
Construction, test range, diameter range, spool sizes and colors — the five numbers a buyer asks first.

**2 Best for**
The techniques the line was built around. The full technique grid is on the Quick Pick spread.

**3 Availability matrix**
One row per LB test, one column per spool and color. A dot means we stock it. NEW marks a size added this edition.

## TECHNIQUE ICONS

FINESSE · BFS · FORWARD-FACING SONAR · SPINNING & BFS CASTING
MOVING BAITS · TOPWATER · FLIPPING · PUNCHING
FROGGING · CRAPPIE · CATFISH · LEADER
NIGHT / UV

## CONTENTS


| | | | | | |
|---|---|---|---|---|---|
| 03 | FLUOROCARBON | FLUORO | 04 | FLUOROCARBON | PRO100 |
| 05 | BRAID | 8 STRAND SUPER BRAID | 06 | BRAID | 9 STRAND SUPER BRAID |
| 07 | BRAID | X8 JDM SILK BRAID | 08 | BRAID | CRAPPIE BRAID |
| 09 | CATFISH | KATLINE | 10 | CATFISH | KATLEADER |
| 11 | TOOLS | K9 TOOLS | 12 | QUICK PICK | WHICH K9 LINE? · THE LADDER |
| 14 | WHOLESALE | LINE SHEET · SKU · CASE PACK | | | |


Wholesale and dealer inquiries: info@k9fishing.com · 615-265-8687 · Line sheet on pages 14–15.







# FLUORO

**BEST SELLER**

| CONSTRUCTION | TEST RANGE | DIAMETER | SPOOLS | COLORS |
|---|---|---|---|---|
| FLUOROCARBON BLEND | 4 – 50 LB | 0.165 – 0.450 MM | 300 · 550 · 1400 · 2000 YD | 2 COLORS |

Not 100% fluorocarbon by design: the Original K9 Fluoro keeps a bit of stretch on the hookset, giving the fish that extra moment to take the bait fully. Paired with outstanding strength and abrasion resistance, it is a line you can fish all season on spinning or casting gear.

Clear for stealth, or Hi-Vis chartreuse that glows under blacklight for line-watching day and night. Ideal for most techniques, especially moving baits.

BEST FOR CRAPPIE · MOVING BAITS · FLIPPING · NIGHT / UV

| LB TEST | DIAM. | 300YD CL | 550YD CL | 1400YD CL | 2000YD CL | 300YD HV | 550YD HV | 2000YD HV |
|---|---|---|---|---|---|---|---|---|
| 4 LB | 0.165 mm | ● | ● | – | ● | ● | ● | ● |
| 6 LB | 0.203 mm | ● | ● | – | ● | ● | ● | ● |
| 8 LB | 0.234 mm | ● | ● | – | ● | ● | ● | ● |
| 10 LB | 0.260 mm | ● | ● | – | ● | ● | ● | ● |
| 12 LB | 0.286 mm | ● | ● | – | ● | ● | ● | ● |
| 14 LB | 0.331 mm | ● | ● | – | ● | ● | ● | ● |
| 17 LB | 0.370 mm | ● | ● | – | ● | ● | ● | ● |
| 20 LB | 0.405 mm | ● | ● | – | ● | ● | ● | ● |
| 25 LB | 0.450 mm | – | ● | – | – | – | – | – |
| 30 LB | 0.370 mm | – | – | ● | – | – | – | – |
| 40 LB | 0.405 mm | – | – | ● | – | – | – | – |
| 50 LB | 0.450 mm | – | – | ● | – | – | – | – |




# PRO100

| CONSTRUCTION | TEST RANGE | DIAMETER | SPOOLS | COLOR |
|---|---|---|---|---|
| 100% FLUOROCARBON | 6 – 20 LB | 0.172 – 0.405 MM | 200 · 600 YD | CLEAR |

Pro100 is a premium 100% fluorocarbon, engineered for minimal memory without giving up strength. Near-invisible under water, fast-sinking and low-stretch, it keeps bottom-contact baits in the zone and turns pressure bites into hooksets.

Exceptional abrasion resistance and sensitivity make it a main line for jigs, Texas rigs and reaction baits, or the leader that finishes any K9 braid setup.

BEST FOR FINESSE · FLIPPING · MOVING BAITS · LEADER

| LB TEST | DIAM. | 200YD | 600YD |
|---|---|---|---|
| 6 LB | 0.172 mm | ● | ● |
| 8 LB | 0.249 mm | ● | ● |
| 10 LB | 0.265 mm | ● | ● |
| 12 LB | 0.288 mm | ● | ● |
| 15 LB | 0.341 mm | ● | ● |
| 18 LB | 0.381 mm | ● | ● |
| 20 LB | 0.405 mm | ● | ● |




# 8 STRAND SUPER BRAID

| CONSTRUCTION | TEST RANGE | DIAMETER | SPOOL | COLORS |
|---|---|---|---|---|
| 8-CARRIER PE · DYNEEMA® | 10 – 60 LB | 0.120 – 0.370 MM | 150 YD | 6 COLORS |

K9 8 Strand Super Braid is engineered for maximum strength, smooth casting, and less guide noise and friction. Crafted with Dyneema®, the ultra-smooth 8-strand weave runs quiet on spinning or casting reels.

Built for frogging, punching, flipping and topwater, and for braid-to-leader rigs on spinning tackle. Select sizes and colors on 150-yard spools.

BEST FOR FROGGING · PUNCHING · FLIPPING · TOPWATER

| LB TEST | DIAM. | YELLOW | NEON GREEN | WHITE | NEON RED | PINK | GREEN |
|---|---|---|---|---|---|---|---|
| 10 LB | 0.120 mm | ● | ● | ● | ● | ● | ● |
| 20 LB | 0.160 mm | ● | ● | ● | ● | ● | ● |
| 30 LB | 0.230 mm | – | – | – | – | ● | ● |
| 45 LB | 0.300 mm | ● | – | – | – | ● | ● |
| 60 LB | 0.370 mm | – | – | – | – | ● | ● |




# 9 STRAND SUPER BRAID

| CONSTRUCTION | TEST RANGE | DIAMETER | SPOOL | COLORS |
|---|---|---|---|---|
| 9-CARRIER PE · LIGHT COATING | 10 – 60 LB | 0.120 – 0.320 MM | 150 YD | 5 COLORS |

Built on the foundation of our 8-strand braid, with one more strand in the weave and a light coating that preserves color without changing the line's feel or performance. The rounder profile runs quieter through the guides and resists digging into the spool.

Key difference: the 9-strand runs thinner in the higher LB tests than the 8-strand. Select sizes and colors on 150-yard spools.

BEST FOR FINESSE · CRAPPIE · FLIPPING · FROGGING

| LB TEST | DIAM. | YELLOW | BLACK | WHITE | PINK | GREEN |
|---|---|---|---|---|---|---|
| 10 LB | 0.120 mm | ● | – | ● | ● | – |
| 15 LB | 0.140 mm | ● | – | – | ● | ● |
| 25 LB | 0.160 mm | ● | – | – | ● | ● |
| 40 LB | 0.230 mm | – | ● | – | ● | ● |
| 60 LB | 0.320 mm | – | ● | – | ● | ● |




# X8 JDM SILK BRAID

**NEW · 11 LB**

| CONSTRUCTION | TEST RANGE | DIAMETER | SPOOL | COLOR |
|---|---|---|---|---|
| X8 PE · 52 WPI | 11 – 25 LB | 0.120 – 0.230 MM | 150 YD | NEON GREEN |

An industry-high 52 weaves per inch make this X8 perfectly round and silk-smooth — it launches lighter baits with ease while staying silent through the guides. Hi-vis neon green makes bite tracking instant.

Thin diameters, extreme sensitivity and rock-solid knot strength make it a weapon for every traditional finesse approach and today's forward-facing techniques. Pair with a Pro100 leader for a near-invisible presentation at the lure.

BEST FOR FINESSE · BFS · FORWARD-FACING SONAR · SPINNING & BFS CASTING

| LB TEST | PE # | DIAM. | SKU | 150YD NEON GREEN |
|---|---|---|---|---|
| 11 LB NEW | #0.6 | 0.120 mm | 150-11LB-JDMNG | ● |
| 14 LB | #0.8 | 0.148 mm | 150-14LB-JDMNG | ● |
| 17 LB | #1.0 | 0.160 mm | 150-17LB-JDMNG | ● |
| 20 LB | #1.5 | 0.203 mm | 150-20LB-JDMNG | ● |
| 25 LB | #2.0 | 0.230 mm | 150-25LB-JDMNG | ● |




# CRAPPIE BRAID

BEST SELLER

| CONSTRUCTION | TEST RANGE | DIAMETER | SPOOLS | COLORS |
|---|---|---|---|---|
| 4-CARRIER MICRO PE | 5 LB | 0.060 MM | 125 · 300 YD | 3 COLORS |

Micro-thin braid for light-tackle work. Its sensitivity keeps you connected to the bait and shows more bites, and the four-carrier construction holds strong knots and real abrasion resistance at a 0.06 mm diameter.

Braid lets you fish thinner than mono or fluorocarbon at the same strength. Now also on 300-yard spools in neon green and yellow.

BEST FOR CRAPPIE · FINESSE · SPINNING & BFS CASTING

| LB TEST | DIAM. | YELLOW 125YD | N. GREEN 125YD | N. RED 125YD | YELLOW 300YD | N. GREEN 300YD |
|---|---|---|---|---|---|---|
| 5 LB | 0.060 mm | ● | ● | ● | ● | ● |




# KATLINE

BEST SELLER

| CONSTRUCTION | TEST RANGE | DIAMETER | SPOOLS | COLORS |
|---|---|---|---|---|
| 8-STRAND DYNEEMA® · UV REACTIVE | 60 – 100 LB | 0.370 – 0.500 MM | 400 · 1400 YD | 4 COLORS |

Katline is a heavy-duty, ultra-durable Dyneema® braid for serious catfish anglers: 60 to 100 lb test for trophy blues, flatheads and channels. The 8-strand weave gives superior knot strength and smooth, long casts.

Its fluorescent finish glows under blacklight, so you can track every rod in a night spread. Sleek in the hand, built for the toughest water.

BEST FOR CATFISH · NIGHT / UV · PUNCHING

| LB TEST | DIAM. | ORANGE | GREEN | PINK | YELLOW |
|---|---|---|---|---|---|
| 60 LB | 0.370 mm | ● | ● | ● | ● |
| 80 LB | 0.450 mm | ● | ● | ● | ● |
| 100 LB | 0.500 mm | ● | ● | ● | ● |

Available on 400 and 1,400-yard spools; 1,400-yard bulk spools ship one per case.




# KATLEADER

| CONSTRUCTION | TEST RANGE | DIAMETER | SPOOL | COLOR |
|---|---|---|---|---|
| HEAVY-DUTY COPOLYMER | 60 – 80 LB | 0.660 – 0.880 MM | 200 FT | CLEAR |

Katleader is a high-strength copolymer leader for catfish and other trophy species: up to 80 lb of tensile strength, with the abrasion resistance to survive rock, shell and timber.

The copolymer build adds knot strength and shock absorption at the hook, so brutal runs end in the net. 200 feet per spool, 60 and 80 lb.

BEST FOR CATFISH LEADER

| LB TEST | DIAM. | 200FT LEADER SPOOL |
|---|---|---|
| 60 LB | 0.660 mm | ● |
| 80 LB | 0.880 mm | ● |



# K9 TOOLS

Cutters and pliers built for braid: serrated blades that cut PE clean without fraying, and a multi-tool that keeps rigging, hook removal and treble swaps in one hand.



## BRAID SCISSORS

Serrated stainless blades cut clean through braid, fluoro and mono — no fraying. Precision tips for tight knot trimming; hi-vis orange so they never disappear in the boat.

BLADES Serrated stainless steel
GRIP Ergonomic non-slip
COLOR Hi-Vis Orange



## MINI-SCISSORS W/ LANYARD

Compact cutters on a lanyard — clip to a vest, graph mount or PFD and they're always in reach for a quick retie. Clean cuts on braid, fluoro and mono.

BLADES Sharp compact steel
ATTACHMENT Lanyard clip
COLOR Black



## MULTI-TOOL

Pliers, serrated cutters, knife, saw and split-ring spreader in one. Pull hooks, swap trebles, rig and cut on the water. Rugged build for salt, sun and rain.

PLIERS Needle-nose w/ grip
EXTRAS Knife · Saw · Split-ring
COLORS Blue · Yellow

| ITEM | SKU | COLOR | CASE PACK |
|---|---|---|---|
| **Braid Scissors** | K9-Scissors | Hi-Vis Orange | 10 |
| **Mini-Scissors w/ Lanyard** | K9-MScissorsL | Black | 10 |
| **Multi-Tool** | K9-Tool-B · K9-Tool-Y | Blue · Yellow | 10 |

# WHICH K9 LINE?

Find your technique. A filled dot is our first pick; an open dot also fits.

| TECHNIQUE | FLUORO | PRO100 | 8-STRAND | 9-STRAND | X8 JDM | CRAPPIE | KATLINE | KATLEADER |
|---|---|---|---|---|---|---|---|---|
| FINESSE | – | ● | – | ● | ● | ● | – | – |
| BFS | – | ○ | – | – | ● | – | – | – |
| FORWARD-FACING SONAR | – | ○ | – | – | ● | – | – | – |
| SPINNING & BFS CASTING | – | – | ○ | ○ | ● | ● | – | – |
| MOVING BAITS | ● | ● | ○ | ○ | – | – | – | – |
| TOPWATER | ○ | – | ● | – | – | – | – | – |
| FLIPPING | ● | ● | ● | ● | – | – | – | – |
| PUNCHING | – | – | ● | – | – | – | ● | – |
| FROGGING | – | – | ● | ● | – | – | – | – |
| CRAPPIE | ● | – | – | ● | ○ | ● | – | – |
| CATFISH | – | – | – | – | – | – | ● | ● |
| LEADER | ○ | ● | – | – | ○ | – | – | ● |
| NIGHT / UV | ● | – | – | – | – | – | ● | – |

## COMPLETE THE SYSTEM

### Finesse system

**X8 JDM Silk Braid + Pro100 leader**

Long casts and instant bite tracking on the spool; near-invisible 100% fluoro at the lure.

### Power system

**8-Strand Super Braid + Original Fluoro leader**

Zero-stretch hooksets in cover, with a fluoro leader for stealth and abrasion at the business end.

### Crappie & panfish

**Original Fluoro 4–6 lb or Crappie Braid**

Our two most popular panfish lines: Hi-Vis or Clear fluoro fished straight, or micro braid to a short fluoro leader.

### Catfish system

**Katline + Katleader**

UV-reactive braid you can track all night, into a heavy copolymer leader that survives rock, shell and timber.

# THE LADDER

Pick strength first, then compare diameter. Thinner casts farther and cuts water; thicker takes more abuse. Diameters in mm.

| LB TEST | FLUORO | PRO100 | 8-STRAND | 9-STRAND | X8 JDM | CRAPPIE | KATLINE | KATLEADER |
|---|---|---|---|---|---|---|---|---|
| 4 LB | 0.165 | – | – | – | – | – | – | – |
| 5 LB | – | – | – | – | – | 0.060 | – | – |
| 6 LB | 0.203 | 0.172 | – | – | – | – | – | – |
| 8 LB | 0.234 | 0.249 | – | – | – | – | – | – |
| 10 LB | 0.260 | 0.265 | 0.120 | 0.120 | – | – | – | – |
| 11 LB | – | – | – | – | 0.120 | – | – | – |
| 12 LB | 0.286 | 0.288 | – | – | – | – | – | – |
| 14 LB | 0.331 | – | – | – | 0.148 | – | – | – |
| 15 LB | – | 0.341 | – | 0.140 | – | – | – | – |
| 17 LB | 0.370 | – | – | – | 0.160 | – | – | – |
| 18 LB | – | 0.381 | – | – | – | – | – | – |
| 20 LB | 0.405 | 0.405 | 0.160 | – | 0.203 | – | – | – |
| 25 LB | 0.450 | – | – | 0.160 | 0.230 | – | – | – |
| 30 LB | 0.370 | – | 0.230 | – | – | – | – | – |
| 40 LB | 0.405 | – | – | 0.230 | – | – | – | – |
| 45 LB | – | – | 0.300 | – | – | – | – | – |
| 50 LB | 0.450 | – | – | – | – | – | – | – |
| 60 LB | – | – | 0.370 | 0.320 | – | – | 0.370 | 0.660 |
| 80 LB | – | – | – | – | – | – | 0.450 | 0.880 |
| 100 LB | – | – | – | – | – | – | 0.500 | – |
| SPOOLS | 300 · 550 · 1400 · 2000 YD | 200 · 600 YD | 150 YD | 150 YD | 150 YD | 125 · 300 YD | 400 · 1400 YD | 200 FT |
| COLORS | | | | | | | | |
| PAGE | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 |

Diameters in mm, as printed on each product page. Crappie Braid is one size; Katleader is sold by the 200 ft spool.

# LINE SHEET

Every SKU with its case pack. Order by SKU: info@k9fishing.com · 615-265-8687

## ORIGINAL FLUORO

| SKU | DESCRIPTION | CASE |
|---|---|---|
| 300-4LB-CL | 300YD / 4LB | 6 |
| 300-6LB-CL | 300YD / 6LB | 6 |
| 300-8LB-CL | 300YD / 8LB | 6 |
| 300-10LB-CL | 300YD / 10LB | 6 |
| 300-12LB-CL | 300YD / 12LB | 6 |
| 300-14LB-CL | 300YD / 14LB | 6 |
| 300-17LB-CL | 300YD / 17LB | 6 |
| 300-20LB-CL | 300YD / 20LB | 6 |
| 550-4LB-CL | 550YD / 4LB | 6 |
| 550-6LB-CL | 550YD / 6LB | 6 |
| 550-8LB-CL | 550YD / 8LB | 6 |
| 550-10LB-CL | 550YD / 10LB | 6 |
| 550-12LB-CL | 550YD / 12LB | 6 |
| 550-14LB-CL | 550YD / 14LB | 6 |
| 550-17LB-CL | 550YD / 17LB | 6 |
| 550-20LB-CL | 550YD / 20LB | 6 |
| 550-25LB-CL | 550YD / 25LB | 6 |
| 2000-04LB-CL | 2000YD / 4LB | 1 |
| 2000-06LB-CL | 2000YD / 6LB | 1 |
| 2000-08LB-CL | 2000YD / 8LB | 1 |
| 2000-10LB-CL | 2000YD / 10LB | 1 |
| 2000-12LB-CL | 2000YD / 12LB | 1 |
| 2000-14LB-CL | 2000YD / 14LB | 1 |
| 2000-17LB-CL | 2000YD / 17LB | 1 |
| 2000-20LB-CL | 2000YD / 20LB | 1 |
| 2000-25LB-CL | 2000YD / 25LB | 1 |
| 1400-30LB-CL | 1400YD / 30LB | 1 |
| 1400-40LB-CL | 1400YD / 40LB | 1 |
| 1400-50LB-CL | 1400YD / 50LB | 1 |

## HI-VIS ORIGINAL FLUORO

| SKU | DESCRIPTION | CASE |
|---|---|---|
| 300-4LB-HV | 300YD / 4LB | 6 |
| 300-6LB-HV | 300YD / 6LB | 6 |
| 300-8LB-HV | 300YD / 8LB | 6 |
| 300-10LB-HV | 300YD / 10LB | 6 |
| 300-12LB-HV | 300YD / 12LB | 6 |
| 300-14LB-HV | 300YD / 14LB | 6 |
| 300-17LB-HV | 300YD / 17LB | 6 |
| 300-20LB-HV | 300YD / 20LB | 6 |
| 550-4LB-HV | 550YD / 4LB | 6 |
| 550-6LB-HV | 550YD / 6LB | 6 |
| 550-8LB-HV | 550YD / 8LB | 6 |
| 550-10LB-HV | 550YD / 10LB | 6 |
| 550-12LB-HV | 550YD / 12LB | 6 |
| 550-14LB-HV | 550YD / 14LB | 6 |
| 550-17LB-HV | 550YD / 17LB | 6 |
| 550-20LB-HV | 550YD / 20LB | 6 |
| 2000-04LB-HV | 2000YD / 4LB | 1 |
| 2000-06LB-HV | 2000YD / 6LB | 1 |
| 2000-08LB-HV | 2000YD / 8LB | 1 |
| 2000-10LB-HV | 2000YD / 10LB | 1 |
| 2000-12LB-HV | 2000YD / 12LB | 1 |
| 2000-14LB-HV | 2000YD / 14LB | 1 |
| 2000-17LB-HV | 2000YD / 17LB | 1 |
| 2000-20LB-HV | 2000YD / 20LB | 1 |

## PRO100 FLUOROCARBON

| SKU | DESCRIPTION | CASE |
|---|---|---|
| 200-6LB-PRO | 200YD / 6LB | 10 |
| 200-8LB-PRO | 200YD / 8LB | 10 |
| 200-10LB-PRO | 200YD / 10LB | 10 |
| 200-12LB-PRO | 200YD / 12LB | 10 |
| 200-15LB-PRO | 200YD / 15LB | 10 |
| 200-18LB-PRO | 200YD / 18LB | 10 |
| 200-20LB-PRO | 200YD / 20LB | 10 |
| 600-6LB-PRO | 600YD / 6LB | 6 |
| 600-8LB-PRO | 600YD / 8LB | 6 |
| 600-10LB-PRO | 600YD / 10LB | 6 |
| 600-12LB-PRO | 600YD / 12LB | 6 |
| 600-15LB-PRO | 600YD / 15LB | 6 |
| 600-18LB-PRO | 600YD / 18LB | 6 |
| 600-20LB-PRO | 600YD / 20LB | 6 |

## 8-STRAND SUPERBRAID

| SKU | DESCRIPTION | CASE |
|---|---|---|
| 150-10LB-BRG8 | Moss Green / 10LB | 10 |
| 150-20LB-BRG8 | Moss Green / 20LB | 10 |
| 150-30LB-BRG8 | Moss Green / 30LB | 10 |
| 150-45LB-BRG8 | Moss Green / 45LB | 10 |
| 150-60LB-BRG8 | Moss Green / 60LB | 10 |
| 150-10LB-BRP8 | Pink / 10LB | 10 |
| 150-20LB-BRP8 | Pink / 20LB | 10 |

# LINE SHEET · CONTINUED

Case = units per case. Bulk spools ship one per case.

| SKU | DESCRIPTION | CASE |
|---|---|---|
| 150-30LB-BRP8 | Pink / 30LB | 10 |
| 150-45LB-BRP8 | Pink / 45LB | 10 |
| 150-60LB-BRP8 | Pink / 60LB | 10 |
| 150-10LB-BRY8 | Yellow / 10LB | 10 |
| 150-20LB-BRY8 | Yellow / 20LB | 10 |
| 150-45LB-BRY8 | Yellow / 45LB | 10 |
| 150-10LB-BRNR8 | Neon Red / 10LB | 10 |
| 150-20LB-BRNR8 | Neon Red / 20LB | 10 |
| 150-10LB-BRW8 | White / 10LB | 10 |
| 150-20LB-BRW8 | White / 20LB | 10 |
| 150-10LB-BRNG8 | Neon Green / 10LB | 10 |
| 150-20LB-BRNG8 | Neon Green / 20LB | 10 |
| **9-STRAND SUPERBRAID** | | |
| 150-10LB-BRP9 | Pink / 10LB | 10 |
| 150-15LB-BRP9 | Pink / 15LB | 10 |
| 150-25LB-BRP9 | Pink / 25LB | 10 |
| 150-40LB-BRP9 | Pink / 40LB | 10 |
| 150-60LB-BRP9 | Pink / 60LB | 10 |
| 150-15LB-BRG9 | Moss Green / 15LB | 10 |
| 150-25LB-BRG9 | Moss Green / 25LB | 10 |
| 150-40LB-BRG9 | Moss Green / 40LB | 10 |
| 150-60LB-BRG9 | Moss Green / 60LB | 10 |
| 150-10LB-BRY9 | Yellow / 10LB | 10 |
| 150-15LB-BRY9 | Yellow / 15LB | 10 |
| 150-25LB-BRY9 | Yellow / 25LB | 10 |
| 150-40LB-FLP9 | Black / 40LB | 10 |
| 150-60LB-FLP9 | Black / 60LB | 10 |
| 150-10LB-BRW9 | White / 10LB | 10 |
| **X8 JDM SILK BRAID** | | |
| 150-11LB-JDMNG | Neon Green / 11LB (#0.6) | 10 |
| 150-14LB-JDMNG | Neon Green / 14LB (#0.8) | 10 |
| 150-17LB-JDMNG | Neon Green / 17LB (#1.0) | 10 |
| 150-20LB-JDMNG | Neon Green / 20LB (#1.5) | 10 |
| 150-25LB-JDMNG | Neon Green / 25LB (#2.0) | 10 |
| **CRAPPIE BRAID** | | |
| 125-5LB-CRBRY | Yellow / 125YD | 10 |
| 300-5LB-CRBRY | Yellow / 300YD | 6 |
| 125-5LB-CRBRNG | Neon Green / 125YD | 10 |
| 300-5LB-CRBRNG | Neon Green / 300YD | 6 |
| 125-5LB-CRBRNR | Neon Red / 125YD | 10 |
| **KATLINE FLUORESCENT BRAID** | | |
| 400-60LB-KATO | Blaze Orange / 400YD / 60LB | 6 |
| 400-80LB-KATO | Blaze Orange / 400YD / 80LB | 6 |
| 400-100LB-KATO | Blaze Orange / 400YD / 100LB | 6 |
| 1400-60LB-KATO | Blaze Orange / 1400YD / 60LB | 1 |
| 1400-80LB-KATO | Blaze Orange / 1400YD / 80LB | 1 |
| 1400-100LB-KATO | Blaze Orange / 1400YD / 100LB | 1 |
| 400-60LB-KATSG | Slime Green / 400YD / 60LB | 6 |
| 400-80LB-KATSG | Slime Green / 400YD / 80LB | 6 |
| 400-100LB-KATSG | Slime Green / 400YD / 100LB | 6 |
| 1400-60LB-KATSG | Slime Green / 1400YD / 60LB | 1 |
| 1400-80LB-KATSG | Slime Green / 1400YD / 80LB | 1 |
| 1400-100LB-KATSG | Slime Green / 1400YD / 100LB | 1 |
| 400-60LB-KATY | Yellow / 400YD / 60LB | 6 |
| 400-80LB-KATY | Yellow / 400YD / 80LB | 6 |
| 400-100LB-KATY | Yellow / 400YD / 100LB | 6 |
| 1400-60LB-KATY | Yellow / 1400YD / 60LB | 1 |
| 1400-80LB-KATY | Yellow / 1400YD / 80LB | 1 |
| 1400-100LB-KATY | Yellow / 1400YD / 100LB | 1 |
| 400-60LB-KATP | Pink / 400YD / 60LB | 6 |
| 400-80LB-KATP | Pink / 400YD / 80LB | 6 |
| 400-100LB-KATP | Pink / 400YD / 100LB | 6 |
| 1400-60LB-KATP | Pink / 1400YD / 60LB | 1 |
| 1400-80LB-KATP | Pink / 1400YD / 80LB | 1 |
| 1400-100LB-KATP | Pink / 1400YD / 100LB | 1 |
| **KATLEADER HEAVY-DUTY LEADER** | | |
| 200FT-60LB-KATLDR | 60LB / 200FT | 10 |
| 200FT-80LB-KATLDR | 80LB / 200FT | 10 |
| **BRAID SCISSORS** | | |
| K9-Scissors | Hi-Vis Orange | 10 |
| **MINI-SCISSORS W/ LANYARD** | | |
| K9-MScissorsL | Black | 10 |
| **MULTI-TOOL** | | |
| K9-Tool-B | Blue | 10 |
| K9-Tool-Y | Yellow | 10 |

# "DON'T WHINE, THROW K9"


**K9 Fishing Products LLC**

PO BOX 730 · GOODLETTSVILLE, TN 37070

615-265-8687 · INFO@K9FISHING.COM · K9FISHING.COM


SCAN FOR THE DIGITAL CATALOG
WWW.K9FISHING.COM/PAGES/PRODUCT-CATALOG


© 2027 K9 Fishing Products LLC. Specifications and availability subject to change; see k9fishing.com for current stock. Dyneema® is a registered trademark of its owner. Printed in the USA.