



SALESFORCE DEVELOPER LIMITS AND ALLOCATIONS QUICK REFERENCE

Summary

Find the most critical limits for developing Lightning Platform applications.

About This Quick Reference

This quick reference provides common limits and allocations for Salesforce and doesn't cover all limits and allocations. It might contain limits or allocations that don't apply to your Salesforce org. Stated limits aren't a promise that the specified resource is available at its limit in all circumstances. Load, performance, and other system issues can prevent some limits from being reached. Limits can change without notice.

This guide doesn't include limits or allocations for:

- User interface elements in the Salesforce application
- Field lengths of Salesforce objects
- Desktop integration clients
- Your Salesforce contract

Information for specific feature limits, such as the number of total and active rules in your org, are also in Salesforce Help; see the topics for using that feature. For allocations per edition, see [Salesforce Features and Edition Allocations](#). For information on limits when using Salesforce Functions, see [Functions Limits](#). Contractual limits might also apply, as per your Salesforce contract.

Apex Governor Limits

Read up on Apex limits details in [Execution Governors and Limits](#)

Because Apex runs in a multitenant environment, the Apex runtime engine strictly enforces limits so that runaway Apex code or processes don't monopolize shared resources. If some Apex code exceeds a limit, the associated governor issues a runtime exception that can't be handled.

For more information about per-transaction Apex limits, per-transaction certified managed package limits, Salesforce Platform Apex limits, static Apex limits, size-specific Apex limits, and push notification limits, see [Execution Governors and Limits](#).

API Request Limits and Allocations

These limits and allocations apply to Salesforce Platform SOAP and REST APIs and any other API built on those frameworks, unless noted otherwise. For information about limits on other Salesforce APIs, visit that specific documentation.

To maintain optimum performance and ensure that the Lightning Platform API is available to all our customers, Salesforce balances transaction loads by imposing three types of limits:

- Concurrent API Request Limits
- API Timeout Limits
- Total API Request Allocations

When a call exceeds a request limit, an error is returned.

Note: This release is in preview. Features described in this document don't become generally available until the latest general availability date that Salesforce announces for this release. Before then, and where features are noted as beta, pilot, or developer preview, we can't guarantee general availability within any particular time frame or at all. Make your purchase decisions only on the basis of generally available products and features.

Last updated: August 14, 2026

Concurrent API Request Limits

The following table lists the limits for various types of orgs for concurrent inbound requests (calls) with a duration of 20 seconds or longer.

Org Type	Limit
Developer Edition and Trial orgs	5
Production orgs and Sandboxes	25

If the number of long running requests exceeds the limit, the API returns a `REQUEST_LIMIT_EXCEEDED` exception code. Any new concurrent requests aren't processed until there are fewer requests than the allowed limit. For example, in a production org, no new concurrent requests are allowed until there are fewer than 25 long running requests.

There isn't a limit on the number of concurrent requests shorter than 20 seconds.

API Timeout Limits

The timeout limit for REST and SOAP API calls is 10 minutes, except for any query call. The timeout for query calls is set by the SOQL limits. For details on SOQL limits, visit *SOQL and SOSL Limits for Search Queries*. For timeout limits on calls made using other Salesforce APIs, such as the Bulk APIs, visit the specific documentation for those APIs.

If a request exceeds this limit, the API returns a `REQUEST_RUNNING_TOO_LONG` status code (for SOAP API) or a `QUERY_TIMEOUT` exception code (for REST API).

For calls to [Composite Resources](#) in REST API, this timeout applies to the entire composite request, not to each subrequest.

Total API Request Allocations

The following table lists the limits for the total inbound API requests (calls) per 24-hour period for an org.

 **Note:** As indicated in the table, the limits for the External Identity license type vary. If you're not sure whether your limit is 70,000 calls, 750,000 calls, or 4,000,000 calls, contact your Salesforce representative.

Salesforce Edition	API Calls Per License Type Per 24-Hour Period	Total Calls Per 24-Hour Period
Developer Edition	N/A	15,000
- Enterprise Edition - Professional Edition with API access enabled	- Salesforce: 1,000 - Salesforce Platform: 1,000 - Lightning Platform - One App: 200 - Customer Community: 0	100,000 + (number of licenses x calls per license type) + purchased API Call Add-Ons

Salesforce Edition	API Calls Per License Type Per 24-Hour Period	Total Calls Per 24-Hour Period
	- Customer Community Login: 0 - Customer Community Plus: 200 - Customer Community Plus Login: 10 - External Identity 25,000: 70,000 - External Identity 250,000: 750,000 - External Identity 1,000,000: 4,000,000 - Partner Community: 200 - Partner Community Login: 10 - Lightning Platform Starter: 200 per member for Enterprise Edition orgs - Lightning Platform Plus: 1000 per member for Enterprise Edition orgs	
- Unlimited Edition - Performance Edition	- Salesforce: 5,000 - Salesforce Platform: 5,000 - Lightning Platform - One App: 200 - Customer Community: 0 - Customer Community Login: 0 - Customer Community Plus: 200 - Customer Community Plus Login: 10 - External Identity 25,000: 70,000 - External Identity 250,000: 750,000 - External Identity 1,000,000: 4,000,000 - Partner Community: 200 - Partner Community Login: 10	100,000 + (number of licenses x calls per license type) + purchased API Call Add-Ons

Salesforce Edition	API Calls Per License Type Per 24-Hour Period	Total Calls Per 24-Hour Period
	- Lightning Platform Starter: 200 per member for Unlimited and Performance Edition orgs - Lightning Platform Plus: 5,000 per member for Unlimited and Performance Edition orgs	
Full Sandbox	N/A	5,000,000 This limit applies only to Full Sandboxes that aren't created from a template. For any sandbox created from a template, values in the template determine the limits. For more information, visit Salesforce Help: Sandbox Types and Templates .

For Experience Cloud limits, see [Experience Cloud User Licenses](#).

 **Note:** Load, performance, and other system issues can prevent you from using your entire allocation of calls in a 24-hour period.

APIs that count toward this allocation include the Lightning Platform REST API, the Lightning Platform SOAP API, Bulk API, Bulk API 2.0, and most Connect REST APIs. API calls issued by certain Salesforce connected apps (for example, the Salesforce mobile app) don't count.

Calls that include DebuggingHeader have a separate allocation limit of 1,000 calls per 24-hour period. These calls can continue to be made after the total request limit for an org is reached.

Limits and allocations are enforced against the aggregate of all API calls made to the org in a 24-hour period. Limits and allocations are not on a per-user basis.

Monitoring Your API Usage

To better monitor your org's API usage and limits, you can use these resources:

- The API Usage section of the System Overview page in Setup.
- The API Requests, Last 24 Hours item in the Organization Detail section of the System Overview page in Setup.
- The API Request Limit per Month usage-based entitlement, which shows you your org's API calls aggregated over 30 days. This information can be found on the Company Information page in Setup.
- Information returned in the `Sforce-Limit-Info` response header for REST APIs.
- Information returned in the response body (in `<type>API_REQUESTS</type>`) for SOAP APIs.
- The `/limits` call in the Lightning Platform REST API.

You can configure your org so that email is sent to a designated user when the number of API requests has exceeded a specified percentage of the amount allotted. Perform this configuration from Setup by

entering *API Usage Notifications* in the Quick Find box and then selecting **API Usage Notifications**.

 **Note:** API calls made from installed managed packages, count against your org limit.

What Happens If You Reach or Exceed Your API Request Limit

If your org reaches or exceeds its daily API request limit, Salesforce still lets the operations proceed by a certain amount, if possible. It helps avoid blocking your workflows during unexpected spikes in workloads and occasional peak periods. A hard cap is in place to safeguard platform resources and prevent API requests from exceeding the daily limit unimpeded.

 **Note:** The ability to go over your normal daily limit is always subject to restrictions to protect the overall health of the Salesforce instance that hosts your org. (You can monitor the health of your instance on [Salesforce Trust](#).)

This ability is designed to be used occasionally to help avoid interruptions in your workflow. Don't rely on it on an ongoing basis. To increase your allocation, contact your Salesforce account representative.

This ability only applies to paid orgs in active status. It doesn't apply to trial orgs, Developer Edition, or sandboxes.

API request activity is aggregated into 30-day periods, starting with your contract start date, and includes calls that exceed the org's entitled limit.

Increasing Total API Request Allocations

The total number of API requests allowed is defined by the users' licenses in the org. If you need more API requests in your org, use Your Account App to buy additional user licenses or extra API calls. For more information, visit [Salesforce Help: Add Products and Licenses with the Your Account App](#) or contact your account executive.

Before you buy more API calls, review your current API usage, and reduce your total number of requests, if possible. For example, you can optimize either your own or a partner client application to use fewer API calls and still accomplish the same work. If you use a partner app, consult with the vendor to verify that the product makes optimal use of the API. A product that makes inefficient use of the API incurs unnecessary costs for your company. You can also use REST API [Composite Resources](#) to improve your application's performance by minimizing the number of round-trips between the client and server.

Example API Usage Metering Calculations

These examples illustrate API usage metering calculations for several scenarios.

- For an Enterprise Edition org with 15 Salesforce licenses, the request limit is 115,000 requests (100,000 plus 15 licenses x 1,000 calls).
- For a Developer Edition org that made 14,500 calls at 5:00 AM Wednesday, 499 calls at 11:00 PM Wednesday, only one more call can successfully be made until 5:00 AM Thursday.

Request Size Limits

In each REST call, the allowed length for the combined URI and headers is 16,384 bytes. Requests exceeding this limit can return a 431 Request Header Fields Too Large error at any time. For URIs exceeding this limit, requests can return a 414 URI Too Long error at any time.



Note: Other factors, such as browsers and load balancers, can lower the maximum length of the URI and headers. For public-facing services, it's recommended to limit URI length to 2000 characters and headers to approximately 8000 bytes.

Length of Stored Third-Party Refresh and Access Tokens

Salesforce stores third-party access and refresh tokens of up to 10,000 characters in length.

Connect REST API Limits

Limits protect shared resources. These limits are for Connect REST API consumers.

Most Connect REST API requests are subject to the same rate limits as other Salesforce APIs. Only requests to Chatter REST API resources (a subset of Connect REST API resources) are subject to a per user, per application, per hour rate limit. When you exceed the rate limit, Connect REST API resources return a 503 Service Unavailable error code.

For applications using a session ID from Salesforce, the rate limit is per user, per hour—there isn't a separate bucket for applications. All applications the user accesses with a session ID use this general quota. To take advantage of the per user, per application, per hour limit, use OAuth tokens.



Note: Load, performance, and other system issues can prevent some limits from being reached. Limits can change without notice. Ensure that your applications make efficient use of available requests and gracefully handle the 503 error code.

Bulk API and Bulk API 2.0 Limits and Allocations

Any data operation that includes more than 2,000 records is a good candidate for Bulk API 2.0 to successfully prepare, execute, and manage an *asynchronous* workflow that makes use of the Bulk framework. Jobs with fewer than 2,000 records should involve “bulkified” *synchronous* calls in REST (for example, Composite) or SOAP.

Batch Allocations

You can submit up to 15,000 batches per rolling 24-hour period. This allocation is shared between Bulk API and Bulk API 2.0, so every batch that is processed in Bulk API or Bulk API 2.0 counts towards this allocation.

In Bulk API 2.0, only ingest jobs consume batches. Query jobs don't. For details, see [How Requests Are Processed](#) in the *Bulk API 2.0 Developer Guide*.

In Bulk API 2.0, batches are created for you automatically. In Bulk API, you must create the batches yourself.

General Limits

Item	Bulk API Limit	Bulk API 2.0 Limit
Batch and job lifespan	Batches and jobs that are older than seven days are removed from the queue if batches are in a terminal state (completed, aborted, or failed), regardless of their respective job status. The seven days are measured from the youngest batch associated with a job, or the age of the job if there are no batches. You can't create batches associated with a job that is more than 24 hours old. Batches in a non-terminal state that are older than seven days are periodically cleaned up with their respective jobs.	Jobs in a terminal state (completed, aborted, or failed) that are older than seven days are deleted. Jobs in a non-terminal state that are older than seven days are periodically cleaned up.
Binary content	- The length of any file name can't exceed 512 bytes. - A zip file can't exceed 10 MB. - The total size of the unzipped content can't exceed 20 MB. - A maximum of 1,000 files can be contained in a zip file. Directories don't count toward this total.	N/A
Maximum time that a job can remain open	24 hours	The same. (But this only applies to ingest jobs, not query jobs.)

Limits Specific to Ingest Jobs

Item	Bulk API Limit	Bulk API 2.0 Limit
Maximum number of records uploaded per 24-hour rolling period	150,000,000 (15,000 batches x 10,000 records per batch maximum)	150,000,000
Batch processing time	Batches are processed in chunks. The chunk size depends on the API version. In API version 20.0 and earlier, the chunk size is 100 records. In API version 21.0 and later, the chunk size is 200 records. Start with the maximum batch size of 10,000 records. Salesforce processes each batch asynchronously. Adjust batch sizes based on processing times. If processing a batch takes too long, then the batch times out	Same as Bulk API

Item	Bulk API Limit	Bulk API 2.0 Limit
	and an error is returned. If that happens, reduce the batch size and resubmit. Likewise, if a job only takes a few seconds, increase up the batch size toward the maximum size. Avoid using smaller batches as this increases the total number of batches, and therefore, increases the risk of hitting your daily batch limit.	
Maximum time before a batch is retried	5 minutes	The API automatically handles retries. If you receive a message that the API retried more than 20 times, use a smaller upload file and try again.
Results lifespan	You can retrieve the ingest job's results (success, failed, and unprocessed records) within 7 days of job completion, unless the job has been deleted explicitly.	Same as Bulk API
Maximum file size	10 MB per batch	150 MB per job A request can provide CSV data that does not in total exceed 150 MB of base64 encoded content. When job data is uploaded, it is converted to base64. This conversion can increase the data size by approximately 50%. To account for the base64 conversion increase, upload data that does not exceed 100 MB.
Maximum number of characters in a field	131072	Same as Bulk API
Maximum number of fields in a record	5,000	Same as Bulk API
Maximum number of characters in a record	400,000	Same as Bulk API
Maximum number of records in a batch	10,000	N/A
Maximum number of characters for all the data in a batch	10,000,000	N/A

Limits Specific to Query Jobs

Item	Bulk API Limit	Bulk API 2.0 Limit
Number of attempts to query	30 attempts at 5 minutes each to process the batch. There's also a 2-minute limit on the time to process the query. If more than 30 attempts are made for the query, an error message of "Tried more than thirty times" is returned. If the query takes more than 2 minutes to process, a <code>QUERY_TIMEOUT</code> error is returned.	The API automatically handles retries. If you receive a message that the API retried more than 15 times, apply a filter criteria and try again.
Batch size	Without PK chunking enabled, only one batch is created. If you create a batch <i>with</i> PK chunking enabled, batches are broken up based on the number of records in the chunk. This can range from 100,000 to 250,000 records. A chunk size between 100,000 and 250,000 is recommended because smaller chunk sizes can cause empty batches to be created and sent.	The API automatically handles "batch" management.
Number of retrieved files	15 files. If the query returns more than 15 files, add filters to the query to return less data. Bulk batch sizes aren't used for bulk queries.	N/A
Timeout for retrieving query results	20 minutes	Same as Bulk API
Results lifespan	You can retrieve the query job's results within 7 days of job completion.	Same as Bulk API
Maximum retrieved file size	1 GB. If processing of the batch results in 1 GB of retrieved data, then those results are saved to disk, and then the batch is put back on the queue to be resumed later. This also counts as one of the 15 retries.	Same as Bulk API. Additionally, the API client can navigate through the full set of results by using the <code>locator</code> and <code>maxRecords</code> query parameters. The client isn't bound to a set of files.

Item	Bulk API Limit	Bulk API 2.0 Limit
Number of query jobs that can be submitted per 24-hour rolling window	See Batch Allocations on page 6.	10,000 The current number can be seen in the <code>DailyBulkV2QueryJobs</code> value in the response to the <code>/vXX.X/limits/</code> REST API method.
Total query results that can be generated per 24 hour rolling window	N/A	1 TB. The current size can be seen in the <code>DailyBulkV2QueryFileStorageMB</code> value in the response to the <code>/vXX.X/limits/</code> REST API method.

API Query Cursor Limits

Cursors and their related query results are available for 2 days, including results in nested queries. There isn't a limit on the number of open cursors.

When results for a large or complex query can't be returned in a single batch, one or more server-side cursors and corresponding query locators are automatically created. A cursor marks the location of additional query results in the database, and a query locator finds the cursor. To get the additional results, use query locator within another call, such as `queryMore()` call in SOAP API or `nextRecordUrl` field in REST API.

Salesforce cursor limits were changed with the release of API version 56.0. Previously, a maximum of 10 cursors per user were accessible at the same time, which limited the query results and pagination to 10 result sets per user. The oldest cursor and result set expired after 15 minutes of inactivity. The removal of cursor limits is universal, and applies to all versions of Apex, SOAP API, REST API, Bulk API, Bulk API 2.0, and any features built using these technologies.

SOAP API Call Limits

API Name	API Limit	Limit Description
<code>create()</code>	Maximum number of records created	Your client application can add up to 200 records in a single <code>create()</code> call. If a create request exceeds 200 records, then the entire operation fails.
<code>describeObjects()</code>	Maximum number of objects returned	The <code>describeObjects()</code> call is limited to a maximum of 100 objects returned.
<code>getDeleted()</code>	Limits for returned records	If a <code>getDeleted()</code> call returns more than 600,000 records, the exception <code>EXCEEDED_ID_LIMIT</code> is returned.

API Name	API Limit	Limit Description
<code>login()</code>	Login request size limit	The login request size is limited to 10 KB.
<code>merge()</code>	Merge request limits	- Up to 200 merge requests can be made in a single SOAP call. - Up to three records can be merged in a single request, including the master record. This limit is the same as the limit enforced by the Salesforce user interface. To merge more than 3 records, do a successive merge. - External ID fields can't be used with <code>merge()</code>. - If you selected the option to retain the most recently updated data privacy record for merging leads and contacts, but the caller doesn't have CRUD permission for the selected data privacy record, the merge process selects the data privacy record already associated with the master record.
<code>update()</code>	Maximum number of records updated	Your client application can change up to 200 records in a single <code>update()</code> call. If an update request exceeds 200 records, the entire operation fails.
<code>query()</code> and <code>queryMore()</code>	Batch size limits	The maximum batch size is 2,000 records, but this number is only a suggestion. To maximize performance, the requested batch size isn't necessarily the actual batch size. Salesforce Web Service Connector (WSC) clients can set the batch size by calling <code>setQueryOptions()</code> on the connection object. C# client applications can change the batch size in the <code>QueryOptions</code> portion of the SOAP header before invoking the <code>query()</code> call. If the SOQL statement selects two or more custom fields of type long text, the batch size can't be greater than 200 records. This limit prevents large SOAP messages from being returned.

Metadata Limits

The following limits apply to the Salesforce Extensions for Visual Studio Code, the Ant Migration Tool, and the Metadata API.

Limit	Description
Retrieving and deploying metadata	You can deploy or retrieve up to 10,000 files at once. The maximum size of the deployed or retrieved .zip file is 39 MB. If the files are uncompressed in an unzipped folder, the size limit is 600 MB or 629,145,600 bytes. The size limit in bytes is calculated as 600 x 1024 x 1024. Note the following:

Limit	Description
	• Metadata API base-64 encodes components after they're compressed. The resulting .zip file can't exceed 50 MB, which is the limit for SOAP messages. Base-64 encoding increases the size of the payload, so your compressed payload can't exceed approximately 39 MB before encoding. • You can perform a <code>retrieve()</code> call for a big object only if its index is defined. If a big object is created in Setup and doesn't yet have an index defined, you can't retrieve it. • Limits can change without notice.
Change sets	Inbound and outbound change sets can have up to 10,000 files of metadata.
Retrieving metadata types with dependencies	• Make up to 25 retrieve requests using the <code>rootTypesWithDependencies</code> parameter per day. • A single retrieve request using the <code>rootTypesWithDependencies</code> parameter can request dependencies for up to 100 components.

SOQL and SOSL Limits for Search Queries

Feature	Limit	Limit Description
SOQL statements	Maximum length of SOQL statements	By default, 100,000 characters. For details on SOQL statement limits, including information on queries that involve external objects, see Understanding Relationship Query Limitations. Long, complex SOQL statements, such as statements that contain many formula fields, can result in a <code>QUERY_TOO_COMPLICATED</code> error. The error occurs because the statement is expanded internally when processed by Salesforce, even though the original SOQL statement is under the 100,000 character limit. To avoid this error, reduce the complexity of your SOQL statement. Page layouts in Lightning with more than 250 fields can also cause a <code>QUERY_TOO_COMPLICATED</code> error. Lightning uses auto-generated SOQL to retrieve fields for a record page layout, so the error can occur even if there isn't any customer-written SOQL. The character limit can also be reached by including too many currency fields. Currency fields require SOQL to use a format method, roughly doubling the field API name length for each currency field. The SOQL statement character limit does not apply when using SOQL with dynamic Apex.

Feature	Limit	Limit Description
	Maximum number of junction IDs	500 IDs per query. If a query includes 501 or more junction IDs, the query fails and returns the <code>MALFORMED_QUERY</code> exception.
SOQL <code>WHERE</code> clause	Strings in SOQL <code>WHERE</code> clauses	4,000 characters for each string within a <code>WHERE</code> clause.
SOQL query results	Maximum rows returned	2,000 results per request (API version 28.0 and later), unless you specify custom limits in the query. This limit includes results from child objects. Previous API versions return 200 results. When a query is executed from within an Apex class, additional limits apply. See Apex Governor Limits for more information.
	Availability	2 days, including results in nested queries.
SOQL query timeout	Maximum runtime for a SOQL query	32 minutes total for both executing the operation and processing the results, but a query can time out at either the execution or processing stage. A query operation has 2 minutes to execute and 30 minutes to process results before timeout occurs.
SOSL statements	Maximum length of SOSL statements	By default, 100,000 characters. This limit is tied to the SOQL statement character limit defined for your org.
SOSL search query strings	Maximum length of <code>SearchQuery</code> string	If the <code>SearchQuery</code> string is longer than 10,000 characters, no result rows are returned. If <code>SearchQuery</code> is longer than 4,000 characters, any logical operators are removed. For example, the <code>AND</code> operator in a statement with a <code>SearchQuery</code> that's 4,001 characters defaults to the <code>OR</code> operator, which could return more results than expected.
SOSL query results	Maximum rows returned	2,000 results total (API version 28.0 and later), unless you specify custom limits in the query. This limit includes results from child objects. Previous API versions return 200 results.
Relationship queries	Relationship query limits	- No more than 55 child-to-parent relationships can be specified in a query. A custom object allows up to 40 relationships, so you can reference all the child-to-parent relationships for a custom object in one query. - A single query of polymorphic fields can count multiple times against the child-to-parent relationship limit. For more information, see Understanding Relationship Query Limitations. - No more than 20 parent-to-child relationships can be specified in a query.

Feature	Limit	Limit Description
		- In each specified relationship, no more than five levels can be specified in a child-to-parent relationship. For example, <code>Contact.Account.Owner.FirstName</code> (three levels). - In API version 57.0 and earlier, only two levels of parent-to-child relationship can be specified in a query. - In API version 58.0 and later, up to five levels of parent-to-child relationship can be queried via REST, SOAP, and Apex query calls for standard and custom objects. SOQL queries with five-level parent-to-child relationships aren't supported for big objects, external objects, or Bulk API and Bulk API 2.0.
FOR VIEW and FOR REFERENCE	Maximum RecentlyViewed records allowed	The RecentlyViewed object is updated every time the logged-in user views or references a record. It is also updated when records are retrieved using the <code>FOR VIEW</code> or <code>FOR REFERENCE</code> clause in a SOQL query. To ensure that the most recent data is available, RecentlyViewed data is periodically truncated down to 200 records per object. RecentlyViewed data is retained for 90 days, after which it is removed on a periodic basis.
OFFSET clause	Maximum number of rows skipped by OFFSET	The maximum offset is 2,000 rows. Requesting an offset greater than 2,000 results in a <code>NUMBER_OUTSIDE_VALID_RANGE</code> error.
ORDER BY clause in SOQL statement	ORDER BY fields limit	The <code>ORDER BY</code> clause in the <code>SELECT</code> statement of a SOQL query controls the order of the query results, such as alphabetically beginning with z. If records are null, you can use <code>ORDER BY</code> to display the empty records first or last.

Visualforce Limits

Limit	Value
Maximum response size for a Visualforce page	Less than 15 MB
Maximum view state size in a Visualforce page	170KB
Maximum size of a Visualforce email template	1 MB
Maximum file size for a file uploaded using a Visualforce page	10 MB
Maximum size of HTML response <i>before</i> rendering, when Visualforce page is rendered as PDF	Less than 15 MB

Limit	Value
Maximum PDF file size for a Visualforce page rendered as a PDF	60 MB
Maximum total size of all images included in a Visualforce page rendered as a PDF	30 MB
Maximum header size of a Visualforce page	8,192 bytes
Maximum request size of a JavaScript remoting call	4 MB
Default timeout for a JavaScript remoting call	30,000 milliseconds (30 seconds)
Maximum timeout for a JavaScript remoting call	120,000 milliseconds (120 seconds)
Maximum rows retrieved by queries for a single Visualforce page request	50,000
Maximum rows retrieved by queries for a single Visualforce page request in read-only mode	1,000,000
Maximum collection items that can be iterated in an iteration component such as <code><apex:pageBlockTable></code> and <code><apex:repeat></code>	1,000
Maximum collection items that can be iterated in an iteration component such as <code><apex:pageBlockTable></code> and <code><apex:repeat></code> in read-only mode	10,000
Maximum field sets that can be displayed on a single Visualforce page.	50
Maximum field sets allowed per sObject.	2,000
Maximum fields through lookup relationships allowed per field set.	25
Maximum records that can be handled by StandardSetController	10,000

Platform Event Allocations

Check out allocations for platform events, change data capture events, and Pub/Sub API.

Platform Event Allocations: Learn about the allocations for platform events including platform event definitions, event publishing, and event delivery.

Change Data Capture Allocations: Learn about the allocations for change events including the number custom channels, selected entities in a channel, and event delivery.

Pub/Sub API and Event Allocations: Learn about the allocations related to publishing and subscribing to platform events and change events with Pub/Sub API.