

L^AT_EX for Linguists

My first T_EX document

Sebastian Nordhoff Antonio Machicao y Priemer

July 29, 2019

Contents

1	Headlines and paragraphs	1
1.1	First subsection	2
1.1.1	First subsubsection	2
1.2	Second subsection	2
1.2.1	Second subsubsection	2
1.3	Paragraphs and line brakes	2
2	Footnotes	3
3	Special characters	3
4	Spacing & line breaks	3
5	Commenting out	4
5.1	Finding the error	4
5.2	Dividing a word	5
6	Text formatting commands	5
7	Text environments	6
7.1	Quotations	6
7.2	Lists	6
7.2.1	Itemize and enumerate environments	7
7.2.2	Description and list	8
7.3	Abstract	8

1 Playing with headlines and paragraphs

This is my first L^AT_EX file.

This an example with a word in **bold**. This an example with a word in *italics*.

This sentence is centered.

This sentence is not centered.

This sentence has a huge word. This sentence is in normal size.

1.1 My first subsection

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using. This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

1.1.1 My first subsubsection

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using. This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

1.2 My second subsection

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using. This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

1.2.1 My second subsubsection

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using. This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

1.3 Playing with paragraphs and line brakes

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

This text is **not indented**. This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

This text is **not indented**. This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

My first paragraph This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

My first subparagraph This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

2 Playing with footnotes

This is a sample text. The only purpose of this text¹ is to show how to work with footnotes in L^AT_EX.² It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

3 Special characters

Here you can practice some commands for accents: Ü Ë ÿ ö í è ā ß û ñ ċ

This is a sample list of special characters: \ ~ ^ > < | # \$ & - { } %

4 Spacing & line breaks

Write this sentence with five blanks before the first word in this sentence. Put five blanks after the following German word: *Muße* and put one line break after the

¹A text (literary theory) is any object that can be read.

²L^AT_EX is a document preparation system.

5.2 Dividing a word

6 Text formatting commands

This word is tiny. These words are in script size. These words are in footnote size. This word is small. This word is large. This word is **Large**, and this one is **LARGE**. This word is **huge** and this one **Huge**.

7 Text environments

7.1 Quotations

Use the `quote` and the `quotation` environments as to produce the following output and check out the differences.

This is a sentence before the `quote` environment.

Furthermore, each actual “language” will incorporate a periphery of borrowings, historical residues, inventions, and so on, which we can hardly expect to – and indeed would not want to – incorporate within a principled theory of UG. [...]

Viewed against the reality of what a particular person may have inside his head, core grammar is an idealization. (Chomsky, 1981: 8)

This is a sentence after the `quote` environment.

This is a sample text. The only purpose of this text is to show how to work with `LATEX`. It is not necessary that this text has any meaning. It should only show some properties of the system we are using. This is a sample text. The only purpose of this text is to show how to work with `LATEX`. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

This is a sentence before the `quotation` environment.

Furthermore, each actual “language” will incorporate a periphery of borrowings, historical residues, inventions, and so on, which we can hardly expect to – and indeed would not want to – incorporate within a principled theory of UG. [...]

Viewed against the reality of what a particular person may have inside his head, core grammar is an idealization. (Chomsky, 1981: 8)

This is a sentence after the `quotation` environment.

This is a sample text. The only purpose of this text is to show how to work with `LATEX`. It is not necessary that this text has any meaning. It should only show some properties of the system we are using. This is a sample text. The only purpose of this text is to show how to work with `LATEX`. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

7.2 Lists

`LATEX` has 3 pre-defined and 1 general list environments:

- `itemize`
- `enumerate`
- `description`
- `list`

7.2.1 Itemize and enumerate environments

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

- syntax
- semantics
 - lexical semantics
 - propositional semantics
 - * propositional logic
 - * lambda calculus
- morphology

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

1. syntax
2. semantics
 - a) lexical semantics
 - b) propositional semantics
 - i. propositional logic
 - ii. lambda calculus
3. morphology

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

1. syntax
2. semantics
 - lexical semantics
 - propositional semantics
 - a) propositional logic
 - b) lambda calculus
3. morphology

7.2.2 Description and list

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

Morpheme: smallest grammatical unit in a language bearing a meaning

Allomorph: phonetic variant of a morpheme

Phoneme: systematic unit of sound (or gesture in the case of sign languages, see chereme) that distinguish one word from another in a particular language

Find out how the `list` environment works and replicate the following output.

- This is a sample text. The only purpose of this text is to show how to work with L^AT_EX.
- This is a sample text. The only purpose of this text is to show how to work with L^AT_EX.
 - This is a sample text.
 - This is a sample text.
- This is a sample text. The only purpose of this text is to show how to work with L^AT_EX.

This is a sample text. The only purpose of this text is to show how to work with L^AT_EX. It is not necessary that this text has any meaning. It should only show some properties of the system we are using.

7.3 Abstract

Include an abstract in this document after the table of contents but before the first section.