HUMBOLDT-UNIVERSITÄT ZU BERLIN



LATEX for Linguists LATEX 5: IPA & verbatim

Sebastian Nordhoff & Antonio Machicao y Priemer www.linguistik.hu-berlin.de/staff/amyp

LOT 2019, Amsterdam

January 13, 2019

Contents

Transcriptions with IPA

2 Verbatim

- Transcriptions with IPA
- 2 Verbatim

Transcriptions with IPA

With XelaTeX, you can use **Unicode characters** for your transcriptions:

You can copy the Unicode characters for transcriptions from here:

http://ipa.typeit.org/full/

Some fonts cannot display all Unicode characters, e.g. try to copy the Unicode characters for the following word and compile using first <code>lmodern</code> and then <code>libertine</code>.

(1) ['?ɛtsəndəre]

The package tipa offers commands for transcriptions with IPA, but it is not compatible with all other packages.

\usepackage{tipa}

tipa provides 3 ways to use IPA characters:

macros:

[\textglotstop{}an.\textesh{}\textinvscr{}\texttoptiebar{a\textsci{}}. \textschwa{}n]

[\textsecstress\textepsilon kspl\textschwa \textprimstress ne\textsci\textsh \textschwa nl

(2) [3an.] [8aî.ən]

[sksplə'neɪ[ən]

groups of macros:

\textipa{[Pan.SK\t{aI}.@n]} \textipa{[""Ekspl@"neIS@n]}

- [?an.ʃʁaî.ən]
- (5) [eksplə'nerfən]

tipa environment:

\begin{IPA} [Pan.SK\t{aI}.@n]

[""Ekspl@"neIS@n] \end{IPA}

- [San.[Rai.ən] (6)
- (7) [eksplə'neifən]

- Transcriptions with IPA
- 2 Verbatim

Verbatim

If you want to **write code**, LATEX provides the verb **command** and the verbatim **environment**.

```
\verb|\textbf{test}|
\begin{verbatim}
\textbf{test}
\end{verbatim}
\textbf{test}
\end{verbatim}
```

With the package listings, **more options** for verbatim can be specified:

```
\usepackage{listings}
\lstset{
language=TeX,
backgroundcolor=\color{lightgray},
basicstyle={\footnotesize\ttfamily\color{blue}},
showstringspaces=false,
columns=flexible
}
```

This package offers an **in-line version** with the \lstinline **command** and the lstlisting **environment**.

For the in-line version, use **characters** as **delimiters** for your command \lstinline that are not used in your code.

Exercise

Go to

https://github.com/langsci/latex4linguists/blob/master/3-1.md and follow the instructions of **all blocks** in your .tex file.

Internet sources I

 Link: CTAN - The Comprehensive TeX Archive Network . http://www.ctan.org/ [Access: 02/01/2019]

 Link: Type IPA phonetic symbols. http://ipa.typeit.org/full/ [Access: 02/01/2019]

Literature I

- Freitag, Constantin & Antonio Machicao y Priemer. 2015. LaTeX-Einführung für Linguisten. Manuscript. https://www.linguistik.hu-berlin.de/de/staff/amyp/latex-einfuehrung.
- Knuth, Donald E. 1986. The TeX book. Boston: Addison-Wesley.
- Kopka, Helmut. 1994. LaTeX: Einführung, vol. 1. Bonn: Addison-Wesley.
- Linke, Rona & Alex Linke. 2005. LaTeX für Linguisten: IPA, Glossing und Baumstrukturen. Manuscript.
 - http://homepage.ruhr-uni-bochum.de/alexander.linke-2/linguistik/LaTeX/.
- Rei, Fukui. 2004. Tipa manual version 1.3. CTAN: Comprehensive TeX Archive Network http://www.ctan.org/tex-archive/fonts/tipa/tipa.