CODECHECK certificate 2025-01

Not yet published.





| Item | Value |
|---------------|---|
| Title | Evaluating individualized treatment effect predictions: A model- |
| | based perspective on discrimination and calibration assessment |
| Authors | Jeroen Hoogland o , Orestis Efthimiou o , Tri-Long Nguyen o , |
| | Thomas P A Debray o |
| Reference | https://doi.org/10.1002/sim.10186 |
| Codechecker | Samuel Langton © |
| Date of check | 2024-12-16 10:00:00 |
| Summary | R to generate and analyze simulated data in order to evaluate the |
| | prediction performance of individualized treatment effects. |
| Repository | https://github.com/langtonhugh/iteval-sims |
| | |

Table 1: CODECHECK summary

| Output | Comment | Size (b) |
|--|---------------------|----------|
| codecheck_outputs/figure1.png | manuscript Figure 1 | 104252 |
| <pre>codecheck_outputs/figure2.png</pre> | manuscript Figure 2 | 65322 |
| <pre>codecheck_outputs/F1.png</pre> | manuscript F 1 | 101575 |
| codecheck_outputs/F2.png | manuscript F 2 | 69888 |
| <pre>codecheck_outputs/table1.png</pre> | manuscript table 1 | 194273 |
| <pre>codecheck_outputs/table2.png</pre> | manuscript table 2 | 58913 |

Table 2: Summary of output files generated

Summary

The three R scripts comprising this project were fairly straightforward to execute. I had some issues getting the simulation script (sim.R) running. It kept throwing an error but the specifics were masked by the usage of doParallel – you only get the error about "cannot open connection" but the problem was actually that the results folder did not exist. Once this was created, the script executed fine. The results folder is not necessary if users are only interested in producing the plots and tables in replicate.R, because by default that script loads in pre-computed simulated data. The full simulation had to be run overnight (~6 hours) on a standard laptop.

The figures are not saved automatically. Because each figure is constructed within a loop, I could not easily add in a <code>ggsave()</code> to save the figures using specific dimensions and DPI. The tables are generated automatically but the script appears to only generate the corresponding LaTeX syntax and print it to the Console. To actually do the codecheck, I copied the <code>replicate.R</code> code into a .qmd file and displayed the tables using <code>flextable</code>.

Recommendations

I have raised an issue on the repository to propose fixing the results folder problem.

The figures and tables could be saved automatically. As it stands, the scripts only output the results to either the R Console or the Plot window. This means that my reproduced figures differ slightly (e.g., dimensions, aspect ratio) from those in the paper, even though the results match. It also means that the code produces tables that are not labelled as per the paper, making it more difficult for readers to check their outputs to the results in the paper. Rmarkdown, flextable, and ggsave might be nice additions to solve this.

 $^{^{1} \}rm https://github.com/jeroenhoogland/iteval-sims/issues/1\#issue-2762859630$

Manifest files

figure1.png

Comment: manuscript Figure 1






figure2.png

Comment: manuscript Figure 2



F1.png



F2.png

Comment: manuscript F $2\,$




table1.png

Comment: manuscript table 1

Table 1

| Statistic | V1 | V2 | V3 | V4 |
|------------------|-------------------|-------------------|-------------------|-------------------|
| apparent.discr | 0.036,0.028,0.025 | 0.05,0.037,0.033 | 0.046,0.035,0.031 | 0.036,0.028,0.024 |
| ext1.app.discr | 0.027,0.027,0.029 | 0.029,0.03,0.029 | 0.033,0.032,0.029 | 0.037,0.028,0.024 |
| ext2.app.discr | 0.025,0.023,0.024 | 0.03,0.031,0.03 | 0.042,0.042,0.042 | 0.085,0.08,0.078 |
| boot0.632.discr | 0.041,0.033,0.027 | 0.038,0.03,0.027 | 0.037,0.029,0.026 | 0.039,0.031,0.025 |
| boot.opt.discr | 0.041,0.033,0.028 | 0.053,0.039,0.034 | 0.046,0.036,0.031 | 0.037,0.029,0.024 |
| ext1.total.discr | 0.027,0.027,0.029 | 0.029,0.03,0.029 | 0.031,0.031,0.031 | 0.023,0.025,0.024 |
| ext2.total.discr | 0.025,0.023,0.024 | 0.03,0.031,0.03 | 0.03,0.028,0.028 | 0.023,0.022,0.022 |

table2.png

Comment: manuscript table 2

Table 2

| Statistic | V1 | V2 | V3 | V4 | V5 | V6 |
|----------------|------|------|------|------|------|------|
| apparent.cal | 0.23 | 0.20 | 0.17 | 0.28 | 0.24 | 0.21 |
| boot0.632.cal | | | | 0.38 | 0.30 | 0.24 |
| boot.opt.cal | 0.23 | 0.21 | 0.18 | 0.29 | 0.26 | 0.22 |
| ext1.total.cal | 0.17 | 0.18 | 0.18 | 0.19 | 0.21 | 0.21 |
| ext2.total.cal | 0.18 | 0.15 | 0.16 | 0.20 | 0.18 | 0.19 |

Citing this document

Samuel Langton (2024). CODECHECK Certificate 2025-01. Zenodo. Not yet published.

About CODECHECK

This certificate confirms that the codechecker could independently reproduce the results of a computational analysis given the data and code from a third party. A CODECHECK does not check whether the original computation analysis is correct. However, as all materials required for the reproduction are freely available by following the links in this document, the reader can then study for themselves the code and data.

About this document

This document was created using R Markdown using the codecheck R package. make codecheck.pdf will regenerate the report file.

Session info

replicate.R

```
load("../replicate_script_info.RData")
rep_info
```

```
## R version 4.4.2 (2024-10-31 ucrt)
## Platform: x86_64-w64-mingw32/x64
## Running under: Windows 11 x64 (build 22621)
## Matrix products: default
##
##
## locale:
## [1] LC_COLLATE=English_United States.utf8
## [2] LC CTYPE=English United States.utf8
## [3] LC_MONETARY=English_United States.utf8
## [4] LC_NUMERIC=C
## [5] LC_TIME=English_United States.utf8
##
## time zone: Europe/Amsterdam
## tzcode source: internal
##
## attached base packages:
## [1] stats
                 graphics grDevices utils
                                                datasets
## [6] methods
                 base
##
## other attached packages:
## [1] DescTools 0.99.58 xtable 1.8-4
                                           stringr_1.5.1
## [4] patchwork_1.3.0 ggplot2_3.5.1
##
```

```
## loaded via a namespace (and not attached):
##
  [1] gld_2.6.6
                                gtable_0.3.6
  [3] xfun_0.49
                                lattice 0.22-6
## [5] vctrs_0.6.5
                                tools_4.4.2
##
   [7] generics_0.1.3
                                tibble_3.2.1
## [9] proxy_0.4-27
                                fansi 1.0.6
## [11] pkgconfig_2.0.3
                                Matrix 1.7-1
## [13] data.table_1.16.4
                                uuid_1.2-1
## [15] readxl_1.4.3
                                lifecycle_1.0.4
## [17] rootSolve_1.8.2.4
                                flextable_0.9.7
## [19] compiler_4.4.2
                                farver_2.1.2
## [21] textshaping_0.4.1
                                Exact_3.3
## [23] munsell_0.5.1
                                fontquiver_0.2.1
## [25] fontLiberation_0.1.0
                                htmltools_0.5.8.1
## [27] class_7.3-22
                                yaml_2.3.10
## [29] pillar_1.9.0
                                MASS_7.3-61
## [31] openssl_2.2.2
                                boot_1.3-31
## [33] fontBitstreamVera_0.1.1 zip_2.3.1
## [35] tidyselect_1.2.1
                                digest_0.6.37
## [37] mvtnorm_1.3-2
                                stringi_1.8.4
## [39] dplyr_1.1.4
                                labeling_0.4.3
## [41] forcats_1.0.0
                                fastmap_1.2.0
## [43] grid_4.4.2
                                colorspace_2.1-1
## [45] lmom_3.2
                                expm_1.0-0
## [47] cli_3.6.3
                                magrittr_2.0.3
## [49] utf8_1.2.4
                                e1071_1.7-16
## [51] withr_3.0.2
                                gdtools_0.4.1
## [53] scales_1.3.0
                                rmarkdown_2.29
## [55] officer_0.6.7
                                httr_1.4.7
## [57] cellranger_1.1.0
                                askpass_1.2.1
## [59] ragg_1.3.3
                                hms_1.1.3
## [61] evaluate_1.0.1
                                knitr_1.49
## [63] haven_2.5.4
                                rlang_1.1.4
## [65] Rcpp_1.0.13-1
                                glue_1.8.0
## [67] xml2_1.3.6
                                rstudioapi_0.17.1
## [69] jsonlite_1.8.9
                                R6_2.5.1
## [71] plyr_1.8.9
                                systemfonts_1.1.0
```

sim.R

```
load("../results/info.RData")
info
```

```
## R version 4.4.2 (2024-10-31 ucrt)
## Platform: x86_64-w64-mingw32/x64
## Running under: Windows 11 x64 (build 22621)
##
## Matrix products: default
##
##
## locale:
## [1] LC_COLLATE=English_United States.utf8
```

```
## [2] LC_CTYPE=English_United States.utf8
## [3] LC_MONETARY=English_United States.utf8
## [4] LC_NUMERIC=C
## [5] LC_TIME=English_United States.utf8
## time zone: Europe/Amsterdam
## tzcode source: internal
## attached base packages:
## [1] parallel stats
                           graphics grDevices utils
## [6] datasets methods
                           base
## other attached packages:
## [1] pbapply_1.7-2
                         doParallel_1.0.17 iterators_1.0.14
## [4] foreach_1.5.2
##
## loaded via a namespace (and not attached):
## [1] compiler_4.4.2
                         tools_4.4.2
                                           rstudioapi_0.17.1
## [4] codetools_0.2-20
```