

```
laniah-franklin@laniah-franklin-QEMU-Virtual-Machine: ~/lab1
-> customer_id INT PRIMARY KEY,
-> name VARCHAR(100),
-> address VARCHAR(150)
-> );
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'customer_id INT PRIMARY KEY,
name VARCHAR(100),
address VARCHAR(150)
)' at line 2
mysql> CREATE TABLE customer (
-> customer_id INT PRIMARY KEY,name VARCHAR(100),address VARCHAR(150));
Query OK, 0 rows affected (0.05 sec)

mysql> INSERT INTO customer VALUES
-> (101, 'Alice Smith', '10 Main Street'),
-> (102, 'Bob Jones', '25 Oak Avenue');
Query OK, 2 rows affected (0.06 sec)
Records: 2 Duplicates: 0 Warnings: 0

mysql> SELECT * FROM customer;
+-----+-----+-----+
| customer_id | name      | address      |
+-----+-----+-----+
|          101 | Alice Smith | 10 Main Street |
|          102 | Bob Jones  | 25 Oak Avenue  |
+-----+-----+-----+
2 rows in set (0.00 sec)

mysql>
```

```
laniah-franklin@laniah-franklin-QEMU-Virtual-Machine: ~/lab1
+-----+
| customer_id | name      | address      |
+-----+
|          101 | Alice Smith | 500 University Drive |
|          102 | Bob Jones  | 25 Oak Avenue  |
+-----+
2 rows in set (0.01 sec)

mysql> DESCRIBE customer;
+-----+
| Field      | Type      | Null | Key | Default | Extra |
+-----+
| customer_id | int       | NO   | PRI | NULL    |       |
| name        | varchar(100) | YES  |     | NULL    |       |
| address     | varchar(150) | YES  |     | NULL    |       |
+-----+
3 rows in set (0.03 sec)

mysql> DESCRIBE customer;
+-----+
| Field      | Type      | Null | Key | Default | Extra |
+-----+
| customer_id | int       | NO   | PRI | NULL    |       |
| name        | varchar(100) | YES  |     | NULL    |       |
| address     | varchar(150) | YES  |     | NULL    |       |
+-----+
3 rows in set (0.02 sec)

mysql>
```


```
Linux
Sep 29 21:36
laniah-franklin@laniah-franklin-QEMU-Virtual-Machine: ~/lab1

MySQL server version for the right syntax to use near 'customer_id INT PRIMARY KEY,
name VARCHAR(100),
address VARCHAR(150)
)' at line 2
mysql> CREATE TABLE customer (
-> customer_id INT PRIMARY KEY,name VARCHAR(100),address VARCHAR(150));
Query OK, 0 rows affected (0.05 sec)

mysql> INSERT INTO customer VALUES
-> (101, 'Alice Smith', '10 Main Street'),
-> (102, 'Bob Jones', '25 Oak Avenue');
Query OK, 2 rows affected (0.06 sec)
Records: 2 Duplicates: 0 Warnings: 0

mysql> SELECT * FROM customer;
+-----+
| customer_id | name      | address      |
+-----+
|          101 | Alice Smith | 10 Main Street |
|          102 | Bob Jones  | 25 Oak Avenue  |
+-----+
2 rows in set (0.00 sec)

mysql>
```



```
laniah-franklin@laniah-franklin-QEMU-Virtual-Machine: ~/lab1
laniah-franklin@laniah-franklin-QEMU-Virtual-Machine:~$ mkdir ~/lab1
laniah-franklin@laniah-franklin-QEMU-Virtual-Machine:~$ cd ~/lab1
laniah-franklin@laniah-franklin-QEMU-Virtual-Machine:~/lab1$
laniah-franklin@laniah-franklin-QEMU-Virtual-Machine:~/lab1$ nano billing.txt
laniah-franklin@laniah-franklin-QEMU-Virtual-Machine:~/lab1$ nano shipping.txt
laniah-franklin@laniah-franklin-QEMU-Virtual-Machine:~/lab1$ cat billing.txt
cat shipping.txt
101,Alice Smith,10 Main Street
102,Bob Jones,25 Oak Avenue
101,Alice Smith,10 Main Street
102,Bob Jones,25 Oak Avenue
laniah-franklin@laniah-franklin-QEMU-Virtual-Machine:~/lab1$
laniah-franklin@laniah-franklin-QEMU-Virtual-Machine:~/lab1$ [200~nano billing.txt~
[200~nano: command not found
laniah-franklin@laniah-franklin-QEMU-Virtual-Machine:~/lab1$ nano billing.txt
laniah-franklin@laniah-franklin-QEMU-Virtual-Machine:~/lab1$ grep "Alice" *.txt
billing.txt:101,Alice Smith,500 University Drive
shipping.txt:101,Alice Smith,10 Main Street
laniah-franklin@laniah-franklin-QEMU-Virtual-Machine:~/lab1$
```

Question 1- the customer id, customer name and the addresses are duplicated in the billing and shipping files.

Question 2- the files files are inconsistent because Alice's addressed changed in the billing.txt but her other address was still in shipping.txt

Question 3- the problem is the information was stored in more than one file so when changing one of the files, the other doesnt update.

Question 4- the database base stored the data while the DBMS is the software that's used in order to manage the database.

Question 5- 1 record

For Question 6- the database keeps customers information in a single shared space.

Question 7- it shows shows the structure that's in the customer table

Question 8- its considered metadata because its data that is about data