```
<?nhn
session start();
$personnage = $_SESSION['personnage'] ?? '';
// Charger les données depuis le fichier XML et les convertir en JSON
$xmlFileGPS = "gps.xml";
    "À la taverne Les Trois Balais" => ["lat" => 52.9984, "lng" => -0.2485],
    "À Poudlard" => ["lat" => 52.0000, "lng" => -2.0000],
    "Au magasin Weasley, Farces pour sorciers facétieux" => ["lat" => 51.5223, "lng" => -0.1270],
    "À la maison" => ["lat" => 51.397, "lng" => -0.687],
    "Chez Ollivander - Fabricants de baguettes magiques" => ["lat" => 52.5074, "lng" => -0.1280],
    "À la banque Gringotts" => ["lat" => 52.3, "lng" => -2.7],
    "À la Cabane hurlante" => ["lat" => 52.3, "lng" => -2.7]
$positions = [];
if (file_exists($xmlFileGPS)) {
   $xmlGPS = @simplexml_load_file($xmlFileGPS);
    if ($xmlGPS !== false) {
        foreach ($xmlGPS->identite as $identite) {
           $nom = (string) $identite->nom;
           $lieu = (string) $identite->lieu;
           $date = (string) $identite->date;
           if (isset($lieux_coords[$lieu])) {
                $coord = $lieux_coords[$lieu];
                $positions[] = [
                   "nom" => $nom,
"lieu" => $lieu,
                   "date" => $date,
                   "lat" => $coord["lat"],
                    "lng" => $coord["lng"]
               1;
      }
  }
$positions_json = json_encode($positions);
<!DOCTYPE html>
<html lang="fr">
<head>
    <meta charset="UTF-8">
    <title>Carte des Sorciers</title>
    <link rel="stylesheet" href="https://unpkg.com/leaflet/dist/leaflet.css" />
    <style>
       #map { height: 500px; width: 100%; }
    </style>
</head>
<body class="is-preload">
    <header id="header">
        <h1>Bonjour <?= htmlspecialchars($personnage) ?> !</h1>
        Voici la position de tes sorciers :
    </header>
    <div class="topright">
       <a href="index.php" class="icon fa-user"><span class="label">Retour à la page de connexion</span></a>
        </div>
    <div id="map"></div>
    <script src="https://unpkg.com/leaflet/dist/leaflet.js"></script>
    <script>
       var map = L.map('map').setView([51.5074, -0.1278], 6);
       L.tileLayer('https://{s}.tile.openstreetmap.org/{z}/{x}/{y}.png', {
           attribution: '© <a href="https://www.openstreetmap.org/copyright">OpenStreetMap</a> contributors'
       }).addTo(map);
       var positions = JSON.parse('<?= $positions json ?>');
       positions.forEach(function(position) {
           var marker = L.marker([position.lat, position.lng]).addTo(map);
           marker.bindPopup("<strong id=\"map\">" + position.nom + "</strong><br>" +
                             "Lieu : " + position.lieu + "<br>" +
                            "Dernière mise à jour : " + position.date);
       });
    </script>
</body>
</html>
```