```
In [ ]: HTML/XML => DOM(BeautifulSoup)
                  => CSSOM(selector;pseudo)
         selector(*) { X }
         tags, #id, .class, .class1.class2
         [attr], [attr=value], [attr^=,$=]
         ( ) => 자손, > => 자식, + => 내 다음 형제
         :nth-of-type, :first/last-child, :nth-child, ...
         :has, :not
         => Crawling/Scraping
         while 더이상 url 없을때까지
           0: robots.txt 파싱(수정)
           O: HTTP Req/Resp ===> Resp.body (Scraping) => content-type;dom;cssom;re;bytes
           0: anchor(a;hyper link) => URL(*;urljoin)
           0: link => regularization(full url)
           O: visited O/X => URL Pool => ()
           0: pop(url) => (BFS/DFS/Focused => 탐색전략)
 In [ ]: HyperLinks = ?
         [Tags]
         A, FORM, IMG, EMBEDED, VIDEO, AUDIO,
         META, SCRIPT, STYLE, IFRAME, ...
         [Attributes]
         HREF, SRC, ACTION
         => *[href|src|action]
 In [1]: from requests import request
         headers = {
             'user-agent':'Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KH
 In [2]: url = 'https://search.naver.com/search.naver'
         params = {
             'where':'nexearch',
             'query':'뉴진스'
         resp = request('GET', url, params=params, headers=headers)
 In [3]: from bs4 import BeautifulSoup
         dom = BeautifulSoup(resp.text, 'html5lib')
In [14]: len(dom.select('[href]')),\
         len(dom.select('[src]')),\
         len(dom.select('[action]'))
         # Len(dom.select('[data-]')) ?
Out[14]: (760, 252, 3)
In [16]: dom.select('[href]')[0].attrs['href'], \
         dom.select('[src]')[0].attrs['src'], \
         dom.select('[action]')[0].attrs['action'] == '?'
Out[16]: ('https://ssl.pstatic.net/sstatic/search/favicon/favicon_191118_pc.ico',
          'https://ssl.pstatic.net/sstatic/sdyn.js?f=/au/pc/_nx/jindo_1.5.3_171116.js+/search/js/
         nhn.Component.js+/search/js/jindo.Component.1.1.0.js+/search/js/jindo.component.library_
```

```
e/sfe/web-vitals/web-vitals_230627.js+/fe/sfe/scrollLog/Controller_220714.js&o=search',
          '?')
In [21]: from requests.compat import urlparse, urljoin
         urlparse(resp.url).path,\
         urljoin(resp.url, '?a=b'),\
         urljoin(resp.url, 'http://www.text.com')
Out[21]: ('/search.naver',
           'https://search.naver.com/search.naver?a=b',
           'http://www.text.com')
In [22]:
         dom.select('[action]')[0].attrs['method']
Out[22]: 'get'
In [30]: from urllib.parse import parse_qs
         parse_qs(urlparse(resp.url).query)
Out[30]: {'where': ['nexearch'], 'query': ['뉴진스']}
In [26]: for node in dom.select('[action]')[0].select('input'):
             print(node.attrs['name']+'='+node.attrs['value'])
         sm=tab hty.top
         where=nexearch
         query=뉴진스
         oquery=뉴진스
         tqi=i6WQUsp0J14ssEw+SoNssssssK8-022298
         acq=
         acr=
         qdt=
         acir=
         0s =
         bid=
         pkid=
         eid=
         mra=
In [34]: dom.select('[href^]')
Out[34]: [<a href="#lnb"><span>메뉴 영역으로 바로가기</span></a>,
          <a href="#content"><span>본문 영역으로 바로가기</span></a>,
          <a aria-pressed="false" class="bt setkr" href="#" id="ke kbd btn" onclick="return tCR</pre>
          ('a=sch.ime');" role="button"><i class="spnew ico_keyboard">한글 입력기</i></a>,
          <a aria-pressed="false" class="bt_atcp _btn_arw" data-atcmp-element="" href="#" id="nau</pre>
         tocomplete" role="button"><i class="spnew ico_arrow">자동완성 레이어</i></a>,
          <a aria-pressed="false" class="item delAll" href="#" role="button">전체삭제</a>,
          <a class="kwd" href="#"> <span class="fix"><span class="common ico kwd"><i class="imsc</pre>
         ico search"></i></span><span>@txt@</span></span> </a>,
          <a aria-pressed="false" class="bt_item _del" href="#" role="button"><i class="imsc ico_</pre>
         del">삭제</i></a>,
          <a class="close _keywordOnOff" href="#">자동저장 끄기</a>,
          <a class="link_item" href="#"> <span class="common_ico_kwd"><i class="imsc ico_search">
         </i></span> <div class="dsc_area"> <span class="tit">@5@회 로또당첨번호</span> <span clas
```

120927.js+/au/s/pc/_common/jindo/jindo.Rolling_140526.js+/fe/sfe/common/pc-1.2.3.js+/fe/sfe/nx_jquery/pc/nx_jquery_221215.js+/fe/meerkat/logger/sfe/naver.common.meerkat.logger.sfe_pc_230601.js+/fe/sfe/naver_autocomplete/pc/naver.common.atcmp.naver_web_230216.js+/f

- @ Class="link_item @li@" nret= #"> <1 class="imsc ico @l2</td>

 @">@14@</i> <div class="dsc_area"> @txt@@curr

 ency@ <i class="imsc ico_arr"></i>@

 @ (@9@%) </div> <em class="num">

 @6@ 전
 ,
- <i class="imsc ico_sea
 rch"></i> <div class="dsc_area"> @txt@ <span class="ds
 c"> @7@, @message@ </div> <spa
 n class="etc"> <i class="imsc ico ico@iconNo@">@7@</i> <em class="degree">@8@[°] ,
- <i class="imsc
 ico_search"></i>@txt@ ,
- <a aria-pressed="false" class="bt_item _add" href="#" role="button"><i class="imsc ico_
 insert">추가</i>,
- <i class="imsc
 ico_search"></i>@txt@ ,
- <a aria-pressed="false" class="bt_item _add" href="#" role="button"><i class="imsc ico_
 insert">추가</i>,
- <i class="imsc
 ico_search"></i>@query@ @intend@ ,
- <a aria-pressed="false" class="bt_item _add" href="#" role="button"><i class="imsc ico_
 insert">추가</i>,
- <a aria-pressed="false" class="bt_switch active _plus_btn" href="#" role="button"><i cl
 ass="imsc ico option">컨텍스트 자동완성</i>,
- <a class="btn_close _plus_layer_close" href="#" onclick="return tCR('a=sug.cxhide');" r
 ole="button"><i class="imsc ico_close">컨텍스트 자동완성 레이어 닫기</i>,
- 자동완성 끄기,
- <a aria-pressed="false" class="lnb_more _more_btn" href="#" onclick="tCR(jQuery(this).a
 ttr('aria-pressed') === 'false' ? 'a=tab.more' : 'a=tmr.less');" role="button"> <i class
 ="spnew ico lnb more">더보기</i> ,
- <a aria-pressed="false" class="btn_option _option_btn" href="#" onclick="return tCR('a=
 tmr.optn');" role="button">검색옵션,

- <a aria-selected="true" class="spnew_bf ico_calendar _start_trigger" href="#" onclick
 ="tCR('a=opt.str');" role="tab">,
- <a aria-selected="false" class="spnew_bf ico_calendar _end_trigger" href="#" onclick="t</pre>

```
CR('a=opt.fin');" role="tab"></a>,
 <a class="btn_save _keep_trigger" data-url="https://search.naver.com/search.naver?where</pre>
=nexearch&sm=tab_etc&mra=bjky&x_csa=%7B%22fromUi%22%3A%22kb_artist%22%7D&am
p;pkid=1&os=28564418&qvt=0&query=%EB%89%B4%EC%A7%84%EC%8A%A4" href="#" nocr
="" onclick="goOtherTCR(this, 'a=nco_x29*u.keep&r=1&i=1800000D_000001B3DBC2');re
turn false; "role="button"> <i class="spnew ico_save">문서 저장하기</i> </a>,
 <a class="spnew_af item item_save _keep_save" data-cr-off="a=nco_x29*u.keepoff&amp;r=1&</pre>
amp;i=1800000D_000001B3DBC2" data-cr-on="a=nco_x29*u.keepon&r=1&i=1800000D_00000
1B3DBC2" href="#" nocr="" role="button">Keep에 저장</a>,
 <a class="pre_visual _prev _left" href="#" nocr="">이전</a>,
<a class="next_visual _next _right" href="#" nocr="">다음</a>,
 <a class="pre visual prev" href="#" nocr="" onclick="goOtherTCR(this, 'a=nco x29*u.aba</pre>
nscrleft&r=1&i=1800000D_00000000000');return false;">이전</a>,
 <a class="next_visual _next on" href="#" nocr="" onclick="goOtherTCR(this, 'a=nco x29*</pre>
u.abanscrright&r=1&i=1800000D_00000000000');return false;">다음</a>,
<a class="pre_visual" data-kgs-page-action-prev="" href="#" nocr="" onclick="goOtherTCR</pre>
(this, 'a=nco_x29*u.videoscrleft&r=1&i=1800000D_0000000000000');return false;"><s
pan class="blind">이전</span></a>,
<a class="next_visual" data-kgs-page-action-next="" href="#" nocr="" onclick="goOtherTC</pre>
R(this, 'a=nco_x29*u.videoscrright&r=1&i=1800000D_000000000000');return false;">
<span class="blind">다음</span></a>,
 <a class="pre_visual _prev" href="#" nocr="" onclick="goOtherTCR(this, 'a=nco x29*u.mem</pre>
scrleft&r=1&i=1800000D_000000000000');return false;">이전</a>,
<a class="next_visual _next on" href="#" nocr="" onclick="goOtherTCR(this, 'a=nco_x29*</pre>
u.memscrright&r=1&i=1800000D 000000000000');return false;">다음</a>,
 <a class="pre_visual _prev" href="#" nocr="" onclick="goOtherTCR(this, 'a=nco_x29*u.ast</pre>
pan></a>,
 <a class="next_visual _next" href="#" nocr="" onclick="goOtherTCR(this, 'a=nco_x29*u.as</pre>
tscrright&r=1&i=1800000D_000000000000');return false;"><span class="blind">다음
</span></a>,
 <a href="#" onclick='return goOtherCR(this,"a=nco_x29*u&amp;r=1&amp;i="+urlencode("1800</pre>
000D_000001B3DBC2")+"&u="+urlencode(this.href));'>트위터</a>,
 <a href="#" onclick='return goOtherCR(this,"a=nco_x29*u&amp;r=1&amp;i="+urlencode("1800
000D_000001B3DBC2")+"&u="+urlencode(this.href));'>Weverse</a>,
 <a href="#" onclick='return goOtherCR(this,"a=nco x29*u&amp;r=1&amp;i="+urlencode("1800</pre>
000D_000001B3DBC2")+"&u="+urlencode(this.href));'>유튜브</a>,
 <a href="#" onclick='return goOtherCR(this,"a=nco_x29*u&amp;r=1&amp;i="+urlencode("1800</pre>
000D_000001B3DBC2")+"&u="+urlencode(this.href));'>네이버 NOW.</a>,
 <a class="pre_visual _prev" href="#" nocr="" onclick="goOtherTCR(this, 'a=nco_x29*u.asn</pre>
sscrleft&r=1&i=1800000D_00000000000');return false;">이전</a>,
 <a class="next visual next on" href="#" nocr="" onclick="goOtherTCR(this, 'a=nco x29*</pre>
u.asnsscrright&r=1&i=1800000D_00000000000');return false;">다음</a>,
 <a class="play_tab" href="#" nocr="" onclick="goOtherTCR(this, 'a=nco_x29*u.rsngtap&am</pre>
p;r=1&i=1800000D_000001B3DBC2');return false;">극</a>,
<a class="play_tab" href="#" nocr="" onclick="goOtherTCR(this, 'a=nco_x29*u.ralbtap&am</pre>
p;r=1&i=1800000D_000001B3DBC2');return false;">앨범</a>,
 <a class="play_tab" href="#" nocr="" onclick="goOtherTCR(this, 'a=nco_x29*u.rplaytap&am</pre>
p;r=1&i=1800000D 000001B3DBC2');return false;">공연</a>,
 <a class="play_tab" href="#" nocr="" onclick="goOtherTCR(this, 'a=nco_x29*u.rtvtap&amp;</pre>
r=1&i=1800000D_000001B3DBC2');return false;">방송</a>,
 <a class="pre_visual _prev" href="#" nocr="" onclick="goOtherTCR(this, 'a=nco_x29*u.rsn</pre>
gleft&r=1&i=1800000D_000000000000');return false;">이전</a>,
 <a class="next_visual _next on" href="#" nocr="" onclick="goOtherTCR(this, 'a=nco_x29*</pre>
u.rsngright&r=1&i=1800000D_00000000000');return false;">다음</a>,
 <a class="pre visual prev" href="#" nocr="" onclick="goOtherTCR(this, 'a=nco x29*u.ral</pre>
bleft&r=1&i=1800000D_000000000000');return false;">이전</a>,
 <a class="next_visual _next on" href="#" nocr="" onclick="goOtherTCR(this, 'a=nco_x29*</pre>
u.ralbright&r=1&i=1800000D_00000000000');return false;">다음</a>,
```

- <a class="next_visual _next on" href="#" nocr="" onclick="goOtherTCR(this, 'a=nco_x29*
 u.rplayright&r=1&i=1800000D_00000000000000000);return false;">다음,
- <a class="pre_visual _prev" href="#" nocr="" onclick="goOtherTCR(this, 'a=nco_x29*u.rtv
 left&r=1&i=1800000D_000000000000');return false;">이전,
- <a class="next_visual _next on" href="#" nocr="" onclick="goOtherTCR(this, 'a=nco_x29*
 u.rtvright&i=1&i=1800000D_00000000000000000);return false;">다음,
- - 이전,
- 다음,

- <a aria-pressed="false" class="btn_save _keep_trigger" data-url="https://www.news1.kr/a
 rticles/5102811" href="#" onclick="tCR('a=nws_all*a.kep&r=7&i=08138263_000000000
 000000006916711&u=javascript'); return false;" role="button"><i class="spnew ico_save">문서 저장하기</i>,

- <a class="spnew_af item item_save _keep_save" data-cr-off="a=sit_4po.keepoff" data-cr-o
 n="a=sit_4po.keepon" href="#" role="button">Keep에 저장,

```
<a class="btn" href="#" onclick="tCR('a=itb bas*0.prev&amp;r=&amp;i=&amp;u=javascrip</pre>
t');" role="button"><i class="spnew ico_arr">이전</i></a>,
 <a class="btn" href="#" onclick="tCR('a=itb_bas*0.next&amp;r=&amp;i=&amp;u=javascrip</pre>
t');" role="button"><i class="spnew ico_arr">다음</i></a>,
 <a aria-pressed="false" class="btn_save _keep_trigger" data-cr-off="a=itb_bas*b.kep&am</pre>
p;r=15&i=SYS-0000000005344485.90000003 00000000000033F48A0DE8&g=%7B%22bid%22%3
A%22SYS-0000000005344485%22%2C%22docRank%22%3A1%7D" data-cr-on="a=itb bas*b.kep&r=15
S-0000000005344485%22%2C%22docRank%22%3A1%7D" data-url="https://blog.naver.com/lo_meo/22
3146020328" href="#" role="button"><i class="spnew ico_save">문서 저장하기</i></a>,
 <a class="btn" href="#" onclick="tCR('a=itb_bas*b.imgflk&amp;r=&amp;i=&amp;u=javascrip</pre>
t'); role="button"><i class="spnew ico arr">이전</i></a>,
 <a class="btn" href="#" onclick="tCR('a=itb_bas*b.imgflk&amp;r=&amp;i=&amp;u=javascrip</pre>
t');" role="button"><i class="spnew ico_arr">다음</i></a>,
 <a aria-pressed="false" class="btn_save _keep_trigger" data-cr-off="a=itb_bas*b.kep&am</pre>
p;r=16&i=SYS-0000000005344485.90000003_00000000000033F4709394&g=%7B%22bid%22%3
A%22SYS-0000000005344485%22%2C%22docRank%22%3A2%7D" data-cr-on="a=itb_bas*b.kep&r=16
&i=SYS-0000000005344485.90000003 000000000000033F4709394&g=%7B%22bid%22%3A%22SY
S-0000000005344485%22%2C%22docRank%22%3A2%7D" data-url="https://blog.naver.com/dedoeoh/2
23144350612" href="#" role="button"><i class="spnew ico_save">문서 저장하기</i></a>,
 <a aria-pressed="false" class="btn_save _keep_trigger" data-cr-off="a=itb_bas*f.kep&am</pre>
p;r=17&i=SYS-0000000005344485.a0209rl4_nblog_post_223150735176&g=%7B%22bid%22%3
A%22SYS-0000000005344485%22%2C%22docRank%22%3A3%7D" data-cr-on="a=itb_bas*f.kep&r=17
&i=SYS-0000000005344485.a0209rl4_nblog_post_223150735176&g=%7B%22bid%22%3A%22SYS
-000000005344485%22%2C%22docRank%22%3A3%7D" data-url="https://in.naver.com/buucuukuu/co
ntents/internal/583820162714208" href="#" role="button"><i class="spnew ico_save">문서
 <a aria-pressed="false" class="btn_save _keep_trigger" data-cr-off="a=itb_bas*b.kep&am</pre>
p;r=18&i=SYS-0000000026426284.90000003_000000000000033EC356503&g=%7B%22bid%22%3
A%22SYS-0000000026426284%22%2C%22docRank%22%3A1%7D" data-cr-on="a=itb bas*b.kep&r=18
&i=SYS-0000000026426284.90000003 000000000000033EC356503&g=%7B%22bid%22%3A%22SY
S-0000000026426284%22%2C%22docRank%22%3A1%7D" data-url="https://blog.naver.com/hello_joo
ya00/223006254339" href="#" role="button"><i class="spnew ico_save">문서 저장하기</i></a
<a class="btn" href="#" onclick="tCR('a=itb_bas*b.imgflk&amp;r=&amp;i=&amp;u=javascrip</pre>
t'); "role="button"><i class="spnew ico arr">이전</i></a>,
 <a class="btn" href="#" onclick="tCR('a=itb_bas*b.imgflk&amp;r=&amp;i=&amp;u=javascrip</pre>
t');" role="button"><i class="spnew ico_arr">다음</i></a>,
<a aria-pressed="false" class="btn_save _keep_trigger" data-cr-off="a=itb_bas*b.kep&am</pre>
p;r=19&i=SYS-0000000026426284.90000003_000000000000033E3ECE9C6&g=%7B%22bid%22%3
A%22SYS-0000000026426284%22%2C%22docRank%22%3A2%7D" data-cr-on="a=itb_bas*b.kep&r=19
&i=SYS-0000000026426284.90000003 000000000000033E3ECE9C6&g=%7B%22bid%22%3A%22SY
S-0000000026426284%22%2C%22docRank%22%3A2%7D" data-url="https://blog.naver.com/secretint
o/222867286470" href="#" role="button"><i class="spnew ico_save">문서 저장하기</i></a>,
 <a aria-pressed="false" class="btn_save _keep_trigger" data-cr-off="a=itb_bas*b.kep&am</pre>
p;r=20&i=SYS-0000000026426284.90000003_00000000000033E7DB887F&g=%7B%22bid%22%3
A%22SYS-0000000026426284%22%2C%22docRank%22%3A3%7D" data-cr-on="a=itb bas*b.kep&r=20
&i=SYS-0000000026426284.90000003 000000000000033E7DB887F&g=%7B%22bid%22%3A%22SY
S-0000000026426284%22%2C%22docRank%22%3A3%7D" data-url="https://blog.naver.com/thrue111/
222933256319" href="#" role="button"><i class="spnew ico_save">문서 저장하기</i></a>,
 <a class="api_link_help _trigger" href="#" onclick="tCR('a=crs_itb.info&amp;r=&amp;i=&a</pre>
mp;u=javascript');" role="button"><i class="spnew api_ico_alert">이 정보가 표시된 이유</i
></a>,
 <a class="btn" href="#" onclick="tCR('a=crs itb.frk&amp;r=&amp;i=&amp;u=javascript');"</pre>
role="button"><i class="spnew ico_arr">이전</i></a>,
 <a class="btn" href="#" onclick="tCR('a=crs itb.frk&amp;r=&amp;i=&amp;u=javascript');"</pre>
role="button"><i class="spnew ico_arr">다음</i></a>,
 <a class="rec_btn_close _intent_cross_collection_close_button" href="#" onclick="tCR('a</pre>
=crs_itb.close&r=&i=&u=javascript');" role="button"><i class="spnew api_ico_</pre>
```

close">함께 볼만한 검색어 닫기</i>, <a aria-pressed="false" class="btn_save _keep_trigger" data-cr-off="a=itb_bas*b.kep&am</pre> p;r=21&i=SYS-0000000028866570.90000003_000000000000033F3E79541&g=%7B%22bid%22%3 A%22SYS-0000000028866570%22%2C%22docRank%22%3A1%7D" data-cr-on="a=itb_bas*b.kep&r=21 &i=SYS-0000000028866570.90000003_00000000000033F3E79541&g=%7B%22bid%22%3A%22SY S-0000000028866570%22%2C%22docRank%22%3A1%7D" data-url="https://blog.naver.com/hello joo ya00/223135372609" href="#" role="button"><i class="spnew ico_save">문서 저장하기</i>, <a class="btn" href="#" onclick="tCR('a=itb_bas*b.imgflk&r=&i=&u=javascrip</pre> t');" role="button"><i class="spnew ico_arr">이전</i>, <a class="btn" href="#" onclick="tCR('a=itb_bas*b.imgflk&r=&i=&u=javascrip</pre> t');" role="button"><i class="spnew ico arr">다음</i>, <a aria-pressed="false" class="btn_save _keep_trigger" data-cr-off="a=itb_bas*b.kep&am</pre> p;r=22&i=SYS-0000000028866570.90000003 00000000000033F1E832E6&g=%7B%22bid%22%3 A%22SYS-0000000028866570%22%2C%22docRank%22%3A2%7D" data-cr-on="a=itb_bas*b.kep&r=22 &i=SYS-0000000028866570.90000003_00000000000033F1E832E6&g=%7B%22bid%22%3A%22SY S-0000000028866570%22%2C%22docRank%22%3A2%7D" data-url="https://blog.naver.com/icecreamy am222/223101858534" href="#" role="button"><i class="spnew ico save">문서 저장하기</i>, <a aria-pressed="false" class="btn_save _keep_trigger" data-cr-off="a=itb_bas*b.kep&am</pre> p;r=23&i=SYS-0000000028866570.90000003_00000000000033F1184234&g=%7B%22bid%22%3 A%22SYS-0000000028866570%22%2C%22docRank%22%3A3%7D" data-cr-on="a=itb_bas*b.kep&r=23 &i=SYS-0000000028866570.90000003_00000000000033F1184234&g=%7B%22bid%22%3A%22SY S-0000000028866570%22%2C%22docRank%22%3A3%7D" data-url="https://blog.naver.com/dcje1024/ 223088230964" href="#" role="button"><i class="spnew ico save">문서 저장하기</i>, <a class="btn_confirm _ok" href="#" onclick="return tCR('a=img_bas.reportok');" role="b</pre> utton">확인, <a class="btn_cancel _cancel" href="#" onclick="return tCR('a=img_bas.reportno');" role</pre> ="button">취소, <a class="btn_report _btn" href="#" onclick="return tCR('a=img_bas.report');" role="but</pre> ton">이미지 신고하기, <a aria-pressed="false" class="api_link_help _trigger" href="#" onclick="return tCR('a=</pre> shp_gui.imark&r=&i=&u=javascript');" role="button" title="이 정보가 표시된 이 유"><i class="spnew api_ico_alert">이 정보가 표시된 이유</i>, <a aria-selected="true" class="item _item" href="#" onclick="return tCR('u=javascript&a</pre> mp;r=&i=&a=shp_gui*9.tab');" role="tab">키워드추천, <a aria-selected="false" class="item _item" href="#" onclick="return tCR('u=javascript&</pre> amp;r=&i=&a=shp_gui*3.tab');" role="tab">수집품종류</a <a aria-selected="false" class="item _item" href="#" onclick="return tCR('u=javascript&</pre> amp;r=&i=&a=shp_gui*i.tab');" role="tab">가격, <a aria-selected="true" class="item _item" data-adlog="https://event.impression-neo.nav</pre> er.com/api/v1/impressions?impressionKey=Cmkg1wAAAYk9bIMqFFgxRXM5aHA%3D&channelAlias= naver.search.pc.npla&ui=GUIDE" data-clicklog-id="shp_gui*a" data-cpnt="etc" data-ctn t="all" data-more-count="27562" data-more-link="https://search.shopping.naver.com/searc h/all?query=%EB%89%B4%EC%A7%84%EC%8A%A4&bt=-1&frm=NVSCPRO" data-searchword="" da ta-start="1" href="#" onclick="return tCR('u=javascript&r=&i=&a=shp gui*a.ta b&g=C etc all');" role="tab"> 전체 , <a aria-selected="false" class="item item" data-clicklog-id="shp gui*9" data-cpnt="et</pre> c" data-ctnt="뉴진스앨범" data-more-count="1687" data-more-link="https://search.shoppin g.naver.com/search/all?query=%EB%89%B4%EC%A7%84%EC%8A%A4&iq=%EB%89%B4%EC%A7%84%EC%8 A%A4%EC%95%A8%EB%B2%94&bt=-1&frm=NVSCPRO" data-searchword="뉴진스앨범" data-star t="9" href="#" onclick="return tCR('u=javascript&r=&i=&a=shp_gui*9.tab&g =C etc %EB%89%B4%EC%A7%84%EC%8A%A4%EC%95%A8%EB%B2%94');" role="tab"> 앨범 , <a aria-selected="false" class="item item" data-clicklog-id="shp gui*9" data-cpnt="et</pre> c" data-ctnt="뉴진스블루북" data-more-count="105" data-more-link="https://search.shoppin g.naver.com/search/all?query=%EB%89%B4%EC%A7%84%EC%8A%A4&iq=%EB%89%B4%EC%A7%84%EC%8

A%A4%EB%B8%94%EB%A3%A8%EB%B6%81&bt=-1&frm=NVSCPRO" data-searchword="뉴진스블루북"

```
data-start="17" href="#" onclick="return tCR('u=javascript&r=&i=&a=shp gui*
9.tab&g=C_etc_%EB%89%B4%EC%A7%84%EC%8A%A4%EB%B8%94%EB%A3%A8%EB%B6%81');" role="tab">
<span class="txt">블루북</span> </a>,
 <a aria-selected="false" class="item _item" data-clicklog-id="shp_gui*9" data-cpnt="et</pre>
c" data-ctnt="뉴진스omg" data-more-count="1538" data-more-link="https://search.shopping.
naver.com/search/all?query=%EB%89%B4%EC%A7%84%EC%8A%A4&iq=%EB%89%B4%EC%A7%84%EC%8A%A
4omg&bt=-1&frm=NVSCPRO" data-searchword="뉴진스omg" data-start="25" href="#" onc
lick="return tCR('u=javascript&r=&i=&a=shp_gui*9.tab&g=C_etc_%EB%89%B4%E
C%A7%84%EC%8A%A4omg');" role="tab"> <span class="txt">omg</span> </a>,
 <a aria-selected="false" class="item _item" data-clicklog-id="shp_gui*9" data-cpnt="et</pre>
c" data-ctnt="뉴진스getup" data-more-count="66" data-more-link="https://search.shopping.
naver.com/search/all?query=%EB%89%B4%EC%A7%84%EC%8A%A4&iq=%EB%89%B4%EC%A7%84%EC%8A%A
4getup&bt=-1&frm=NVSCPRO" data-searchword="뉴진스getup" data-start="33" href="#"
onclick="return tCR('u=javascript&r=&i=&a=shp gui*9.tab&g=C etc %EB%89%B
4%EC%A7%84%EC%8A%A4getup');" role="tab"> <span class="txt">getup</span> </a>,
<a aria-selected="false" class="item _item" data-clicklog-id="shp_gui*9" data-cpnt="et</pre>
c" data-ctnt="뉴진스위버스" data-more-count="227" data-more-link="https://search.shoppin
g.naver.com/search/all?query=%EB%89%B4%EC%A7%84%EC%8A%A4&iq=%EB%89%B4%EC%A7%84%EC%8
A%A4%EC%9C%84%EB%B2%84%EC%8A%A4&bt=-1&frm=NVSCPRO" data-searchword="뉴진스위버스"
data-start="41" href="#" onclick="return tCR('u=javascript&r=&i=&a=shp_gui*
9.tab&g=C_etc_%EB%89%B4%EC%A7%84%EC%8A%A4%EC%9C%84%EB%B2%84%EC%8A%A4');" role="tab">
<span class="txt">위버스</span> </a>,
 <a aria-selected="false" class="item _item" data-clicklog-id="shp_gui*9" data-cpnt="et</pre>
c" data-ctnt="뉴진스포카" data-more-count="1121" data-more-link="https://search.shoppin
g.naver.com/search/all?query=%EB%89%B4%EC%A7%84%EC%8A%A4&iq=%EB%89%B4%EC%A7%84%EC%8
A%A4%ED%8F%AC%EC%B9%B4&bt=-1&frm=NVSCPRO" data-searchword="뉴진스포카" data-star
t="49" href="#" onclick="return tCR('u=javascript&r=&i=&a=shp gui*9.tab&
g=C_etc_%EB%89%B4%EC%A7%84%EC%8A%A4%ED%8F%AC%EC%B9%B4');" role="tab"> <span class="txt">
포카</span> </a>,
 <a aria-selected="false" class="item item" data-clicklog-id="shp gui*9" data-cpnt="et</pre>
c" data-ctnt="뉴진스비치백" data-more-count="108" data-more-link="https://search.shoppin
g.naver.com/search/all?query=%EB%89%B4%EC%A7%84%EC%8A%A4&iq=%EB%89%B4%EC%A7%84%EC%8
A%A4%EB%B9%84%EC%B9%98%EB%B0%B1&bt=-1&frm=NVSCPRO" data-searchword="뉴진스비치백"
data-start="57" href="#" onclick="return tCR('u=javascript&r=&i=&a=shp_gui*
9.tab&g=C_etc_%EB%89%B4%EC%A7%84%EC%8A%A4%EB%B9%84%EC%B9%98%EB%B0%B1');" role="tab">
<span class="txt">비치백</span> </a>,
 <a aria-selected="false" class="item _item" data-clicklog-id="shp_gui*9" data-cpnt="et</pre>
c" data-ctnt="뉴진스시즌그리팅" data-more-count="130" data-more-link="https://search.shop
ping.naver.com/search/all?query=%EB%89%B4%EC%A7%84%EC%8A%A4&iq=%EB%89%B4%EC%A7%84%E
C%8A%A4%EC%8B%9C%EC%A6%8C%EA%B7%B8%EB%A6%AC%ED%8C%85&bt=-1&frm=NVSCPRO" data-sea
rchword="뉴진스시즌그리팅" data-start="65" href="#" onclick="return tCR('u=javascript&am
p;r=&i=&a=shp gui*9.tab&g=C etc %EB%89%B4%EC%A7%84%EC%8A%A4%EC%8B%9C%EC%A6%8
C%EA%B7%B8%EB%A6%AC%ED%8C%85');" role="tab"> <span class="txt">시즌그리팅</span> </a>,
 <a aria-selected="false" class="item _item" data-clicklog-id="shp_gui*9" data-cpnt="et</pre>
c" data-ctnt="뉴진스cd" data-more-count="127" data-more-link="https://search.shopping.na
ver.com/search/all?query=%EB%89%B4%EC%A7%84%EC%8A%A4&iq=%EB%89%B4%EC%A7%84%EC%8A%A4c
d&bt=-1&frm=NVSCPRO" data-searchword="뉴진스cd" data-start="73" href="#" onclick
="return tCR('u=javascript&r=&i=&a=shp gui*9.tab&g=C etc %EB%89%B4%EC%A
7%84%EC%8A%A4cd');" role="tab"> <span class="txt">cd</span> </a>,
 <a aria-selected="false" class="item _item" data-clicklog-id="shp_gui*9" data-cpnt="et</pre>
c" data-ctnt="뉴진스포스터" data-more-count="88" data-more-link="https://search.shopping.
naver.com/search/all?query=%EB%89%B4%EC%A7%84%EC%8A%A4&iq=%EB%89%B4%EC%A7%84%EC%8A%A
4%ED%8F%AC%EC%8A%A4%ED%84%B0&bt=-1&frm=NVSCPRO" data-searchword="뉴진스포스터" da
ta-start="81" href="#" onclick="return tCR('u=javascript&r=&i=&a=shp gui*9.t
ab&g=C etc %EB%89%B4%EC%A7%84%EC%8A%A4%ED%8F%AC%EC%8A%A4%ED%84%B0');" role="tab"> <s
pan class="txt">포스터</span> </a>,
 <a aria-selected="false" class="item _item" data-clicklog-id="shp_gui*9" data-cpnt="et</pre>
c" data-ctnt="뉴진스해린" data-more-count="2580" data-more-link="https://search.shoppin
```

g.naver.com/search/all?query=%EB%89%B4%EC%A7%84%EC%8A%A4&iq=%EB%89%B4%EC%A7%84%EC%8

```
A%A4%ED%95%B4%EB%A6%B0&bt=-1&frm=NVSCPRO" data-searchword="뉴진스해린" data-star t="89" href="#" onclick="return tCR('u=javascript&r=&i=&a=shp_gui*9.tab&g=C_etc_%EB%89%B4%EC%A7%84%EC%8A%A4%ED%95%B4%EB%A6%B0');" role="tab"> <span class="txt"> 해린</span> </a>,
```

- <a class="btn" href="#" onclick="return tCR('u=javascript&r=&i=&a=shp_gui.t
 mor');" role="button"><i class="spnew ico arr">○Ⅰ전</i>,
- <a class="btn" href="#" onclick="return tCR('u=javascript&r=&i=&a=shp_gui.t
 mor');" role="button"><i class="spnew ico_arr">다음</i></i>,
- <a class="api_sub_link _trigger" href="#" onclick="return tCR('u=javascript&r=&
 i=&a=shp_gui*h.hlp');"> <i class="spsh ico_aitems">by AiTEMS</i><i class="spnew api_ico_alert"></i>,

```
<a class="btn" href="#" onclick="return tCR('u=javascript&amp;r=&amp;i=&amp;a=shp gui*</pre>
h.scr');" role="button"><i class="spnew ico_arr">이전</i></a>,
 <a class="btn" href="#" onclick="return tCR('u=javascript&amp;r=&amp;i=&amp;a=shp_gui*</pre>
h.scr');" role="button"><i class="spnew ico_arr">다음</i></a>,
 <a class="btn_save _keep_trigger" data-url="https://newjeans.kr/" href="#" onclick='tCR</pre>
("a=web_gen.kep&r=&i=&u=javascript")' role="button"><i class="spnew ico_sav
e">문서 저장하기</i></a>,
<a class="spnew_af item item_save _keep_save" data-cr-off="a=web_gen.keepoff" data-cr-o</pre>
n="a=web_gen.keepon" href="#" role="button">Keep에 저장</a>,
<a class="btn_save _keep_trigger" data-url="https://www.youtube.com/channel/UCMki_UkHb4</pre>
qSc0qyEcOHHJw" href="#" onclick='tCR("a=web_gen.kep&r=&i=&u=javascript")' ro
le="button"><i class="spnew ico save">문서 저장하기</i></a>,
 <a class="spnew_af item item_save _keep_save" data-cr-off="a=web_gen.keepoff" data-cr-o</pre>
n="a=web_gen.keepon" href="#" role="button">Keep에 저장</a>,
 <a class="btn_save _keep_trigger" data-url="https://www.tiktok.com/@newjeans_official"</pre>
href="#" onclick='tCR("a=web_gen.kep&r=&i=&u=javascript")' role="button"><i</pre>
class="spnew ico_save">문서 저장하기</i></a>,
 <a class="spnew_af item item_save _keep_save" data-cr-off="a=web_gen.keepoff" data-cr-o</pre>
n="a=web_gen.keepon" href="#" role="button">Keep에 저장</a>,
 <a class="btn_save _keep_trigger" data-url="https://gall.dcinside.com/mgallery/board/li</pre>
sts/?id=newjeans" href="#" onclick='tCR("a=web_gen.kep&r=&i=&u=javascript")'
role="button"><i class="spnew ico_save">문서 저장하기</i></a>,
<a class="spnew_af item item_save _keep_save" data-cr-off="a=web_gen.keepoff" data-cr-o</pre>
n="a=web_gen.keepon" href="#" role="button">Keep에 저장</a>,
<a class="item" href="#" role="button" target="_self">내 업체 등록</a>,
<a class="item" href="#" role="button" target="_self">신규장소 등록</a>,
 <a class="BfF3H" href="#" role="button" target="_self"><span class="place_blind">안내</
span><svg aria-hidden="true" class="wHa0T" viewBox="0 0 15 15" xmlns="http://www.w3.org/
2000/svg"><path d="M7.5 0a7.5 7.5 0 110 15 7.5 7.5 0 010-15zm0 1a6.5 6.5 0 100 13 6.5 6.
5 0 000-13zM8 6v6H7V6h1zm-.5-2.5a.75.75 0 110 1.5.75.75 0 010-1.5z"></path></svg></a>,
<a aria-expanded="false" aria-haspopup="true" class="vcshc" href="#" role="button" targ</pre>
et="_self"><span class="hClKF">안산 단원구 초지동</span><span class="JXQZb"><svg aria-hid
den="true" class="FEhi4" viewBox="0 0 12 7" xmlns="http://www.w3.org/2000/svg"><path d
="M6 5.59L11.35 01.65.7L6 7 0 .7.65 0z"></path></syg></span></a>,
<a class="_T010 naver-splugin spi_sns_share" data-bookmark-display="off" data-friend-di</pre>
splay="on" data-kakaostory-display="off" data-kakaotalk-button-text="네이버 플레이스로 보
기" data-kakaotalk-description="경기도 안산시 단원구 광덕2로 32 1405동 6층 604호" data-kak
aotalk-image-url="https://ldb-phinf.pstatic.net/20230319 71/1679203400675yIW7Y PNG/0.%B
4%BA%C1%F8%BD%BA_%B0%B3_%C7%B3%BC%B1_600-600.png" data-kakaotalk-template-type="custom_w
eb" data-kakaotalk-title="뉴진스" data-keep-display="on" data-line-description="경기도 안
산시 단원구 광덕2로 32 1405동 6층 604호" data-line-template-type="custom_web" data-line-t
itle="뉴진스" data-mail-display="off" data-memo-display="off" data-style="type_a" data-t
itle="뉴진스
 경기도 안산시 단원구 광덕2로 32 1405동 6층 604호" data-url-extra="뉴진스
 경기도 안산시 단원구 광덕2로 32 1405동 6층 604호" data-use-short-url="on" href="#" id="_.
share" target="_self"><span class="D18SE"><svg aria-hidden="true" class="yR6ue" viewBox</pre>
="0 0 20 20" xmlns="http://www.w3.org/2000/svg"><path d="M15.6 17.6H1.4V6.4h4.58V5H0v14h
17v-4.35h-1.4v2.95zm-4.18-8.26h3.03v3.47L20 7.41 14.45 2v3.35h-3.03c-3.6 0-5.66 3.53-5.9
7 7.7 0 0 1.42-3.71 5.96-3.71z"></path></svg></span>공유</a>,
<a class="PznE8 aNw43 FQjW7 bVGv3" href="#" role="button"><span class="nK_aH"><svg aria</pre>
-hidden="true" class="Vg1dR" viewBox="0 0 6 11" xmlns="http://www.w3.org/2000/svg"><path
d="M.4.4c.2-.2.6-.2.8 014.5 4.7c.2.2.2.6 0 .81-4.5 4.7c-.2.2-.6.2-.8 0a.6.6 0 010-.814.1
-4.3L.4 1.2C.1 1 .1.6.4.4z"></path></svg><span class="place_blind">이전</span></a
>,
<a class="ZCqf_ aNw43 FQjW7 bVGv3" href="#" role="button"><span class="nK_aH"><svg aria</pre>
-hidden="true" class="Vg1dR" viewBox="0 0 6 11" xmlns="http://www.w3.org/2000/svg"><path
d="M.4.4c.2-.2.6-.2.8 014.5 4.7c.2.2.2.6 0 .81-4.5 4.7c-.2.2-.6.2-.8 0a.6.6 0 010-.814.1
-4.3L.4 1.2C.1 1 .1.6.4.4z"></path></svg><span class="place_blind">다음</span></san></a
>,
```

```
span><svg aria-hidden="true" class="wHa0T" viewBox="0 0 15 15" xmlns="http://www.w3.org/
2000/svg"><path d="M7.5 0a7.5 7.5 0 110 15 7.5 7.5 0 010-15zm0 1a6.5 6.5 0 100 13 6.5 6.
5 0 000-13zM8 6v6H7V6h1zm-.5-2.5a.75.75 0 110 1.5.75.75 0 010-1.5z"></path></svg></a>,
<a aria-expanded="false" aria-haspopup="true" class="vcshc" href="#" role="button" targ</pre>
et=" self"><span class="hClKF">서울 강남구 청담동</span><span class="JXQZb"><svg aria-hid
den="true" class="FEhi4" viewBox="0 0 12 7" xmlns="http://www.w3.org/2000/svg"><path d
="M6 5.59L11.35 01.65.7L6 7 0 .7.65 0z"></path></svg></span></a>,
<a class="_T010 naver-splugin spi_sns_share" data-bookmark-display="off" data-friend-di</pre>
splay="on" data-kakaostory-display="off" data-kakaotalk-button-text="네이버 플레이스로 보
기" data-kakaotalk-description="서울특별시 강남구 압구정로60길 17-14 제이와이(J.Y.)" data-k
akaotalk-image-url="https://ldb-phinf.pstatic.net/20220901 231/1662016859480AuWgr JPEG/4
AE81E23-2FDE-455E-AEB6-5F9BF235F315.jpeg" data-kakaotalk-template-type="custom_web" data
-kakaotalk-title="제이와이" data-keep-display="on" data-line-description="서울특별시 강남
구 압구정로60길 17-14 제이와이(J.Y.)" data-line-template-type="custom_web" data-line-titl
e="제이와이" data-mail-display="off" data-memo-display="off" data-style="type_a" data-ti
tle="제이와이
서울특별시 강남구 압구정로60길 17-14 제이와이(J.Y.)" data-url-extra="제이와이
서울특별시 강남구 압구정로60길 17-14 제이와이(J.Y.)" data-use-short-url="on" href="#" id
="_.share" target="_self"><span class="D18SE"><svg aria-hidden="true" class="yR6ue" view
Box="0 0 20 20" xmlns="http://www.w3.org/2000/svg"><path d="M15.6 17.6H1.4V6.4h4.58V5H0v
14h17v-4.35h-1.4v2.95zm-4.18-8.26h3.03v3.47L20 7.41 14.45 2v3.35h-3.03c-3.6 0-5.66 3.53-
5.97 7.7 0 0 1.42-3.71 5.96-3.71z"></path></svg></span>공유</a>,
<a class="PznE8 aNw43 FQjW7 bVGv3" href="#" role="button"><span class="nK_aH"><svg aria</pre>
-hidden="true" class="Vg1dR" viewBox="0 0 6 11" xmlns="http://www.w3.org/2000/svg"><path
d="M.4.4c.2-.2.6-.2.8 014.5 4.7c.2.2.2.6 0 .81-4.5 4.7c-.2.2-.6.2-.8 0a.6.6 0 010-.814.1
-4.3L.4 1.2C.1 1 .1.6.4.4z"></path></svg><span class="place_blind">이전</span></san></a
>,
<a class="ZCqf_ aNw43 FQjW7 bVGv3" href="#" role="button"><span class="nK_aH"><svg aria</pre>
-hidden="true" class="Vg1dR" viewBox="0 0 6 11" xmlns="http://www.w3.org/2000/svg"><path
d="M.4.4c.2-.2.6-.2.8 014.5 4.7c.2.2.2.6 0 .81-4.5 4.7c-.2.2-.6.2-.8 0a.6.6 0 010-.814.1
-4.3L.4 1.2C.1 1 .1.6.4.4z"></path></svg><span class="place_blind">다음</span></a
>,
<a aria-expanded="false" aria-haspopup="true" class="vcshc" href="#" role="button" targ</pre>
et="_self"><span class="hClKF">서울 강남구 신사동</span><span class="JXQZb"><svg aria-hid
den="true" class="FEhi4" viewBox="0 0 12 7" xmlns="http://www.w3.org/2000/svg"><path d
="M6 5.59L11.35 01.65.7L6 7 0 .7.65 0z"></path></svg></span></a>,
<a class=" T010 naver-splugin spi sns share" data-bookmark-display="off" data-friend-di</pre>
splay="on" data-kakaostory-display="off" data-kakaotalk-button-text="네이버 플레이스로 보
기" data-kakaotalk-description="서울특별시 강남구 가로수길 19 1층" data-kakaotalk-image-ur
l="https://ldb-phinf.pstatic.net/20201122_203/1605974022110JX1R1_JPEG/yPxM7gy1s47a3YJA6T
1c4yPZ.jpg" data-kakaotalk-template-type="custom web" data-kakaotalk-title="오렌즈 가로수
길점" data-keep-display="on" data-line-description="서울특별시 강남구 가로수길 19 1층" dat
a-line-template-type="custom_web" data-line-title="오렌즈 가로수길점" data-mail-display
="off" data-memo-display="off" data-style="type_a" data-title="오렌즈 가로수길점
서울특별시 강남구 가로수길 19 1층" data-url-extra="오렌즈 가로수길점
 서울특별시 강남구 가로수길 19 1층" data-use-short-url="on" href="#" id="_.share" target
=" self"><span class="D18SE"><svg aria-hidden="true" class="yR6ue" viewBox="0 0 20 20" x
mlns="http://www.w3.org/2000/svg"><path d="M15.6 17.6H1.4V6.4h4.58V5H0v14h17v-4.35h-1.4v
2.95zm-4.18-8.26h3.03v3.47L20 7.41 14.45 2v3.35h-3.03c-3.6 0-5.66 3.53-5.97 7.7 0 0 1.42
-3.71 5.96-3.71z"></path></svg></span>공유</a>,
<a class="PznE8 aNw43 FQjW7 bVGv3" href="#" role="button"><span class="nK_aH"><svg aria</pre>
-hidden="true" class="Vg1dR" viewBox="0 0 6 11" xmlns="http://www.w3.org/2000/svg"><path
d="M.4.4c.2-.2.6-.2.8 014.5 4.7c.2.2.2.6 0 .81-4.5 4.7c-.2.2-.6.2-.8 0a.6.6 0 010-.814.1
-4.3L.4 1.2C.1 1 .1.6.4.4z"></path></svg><span class="place_blind">이전</span></a
>,
<a class="ZCqf_ aNw43 FQjW7 bVGv3" href="#" role="button"><span class="nK_aH"><svg aria</pre>
-hidden="true" class="Vg1dR" viewBox="0 0 6 11" xmlns="http://www.w3.org/2000/svg"><path
d="M.4.4c.2-.2.6-.2.8 014.5 4.7c.2.2.2.6 0 .81-4.5 4.7c-.2.2-.6.2-.8 0a.6.6 0 010-.814.1
```

안내</

```
-4.3L.4 1.2C.1 1 .1.6.4.4z"></path></syg><span class="place blind">다음</span></span></a
<a aria-expanded="false" aria-haspopup="true" class="vcshc" href="#" role="button" targ</pre>
et="_self"><span class="hClKF">서울 마포구 서교동</span><span class="JXQZb"><svg aria-hid
den="true" class="FEhi4" viewBox="0 0 12 7" xmlns="http://www.w3.org/2000/svg"><path d
="M6 5.59L11.35 01.65.7L6 7 0 .7.65 0z"></path></syg></span></a>,
 <a class="_T010 naver-splugin spi_sns_share" data-bookmark-display="off" data-friend-di</pre>
splay="on" data-kakaostory-display="off" data-kakaotalk-button-text="네이버 플레이스로 보
기" data-kakaotalk-description="서울특별시 마포구 동교로 107 홍익제일빌딩 1층,2층" data-kak
aotalk-image-url="https://ldb-phinf.pstatic.net/20230220_99/1676877442960G9F3j_PNG/20230
220_161605.png" data-kakaotalk-template-type="custom_web" data-kakaotalk-title="비트로
드" data-keep-display="on" data-line-description="서울특별시 마포구 동교로 107 홍익제일빌딩
1층,2층" data-line-template-type="custom_web" data-line-title="비트로드" data-mail-displa
y="off" data-memo-display="off" data-style="type a" data-title="비트로드
서울특별시 마포구 동교로 107 홍익제일빌딩 1층,2층" data-url-extra="비트로드
서울특별시 마포구 동교로 107 홍익제일빌딩 1층,2층" data-use-short-url="on" href="#" id="_.
share" target="_self"><span class="Dl8SE"><svg aria-hidden="true" class="yR6ue" viewBox</pre>
="0 0 20 20" xmlns="http://www.w3.org/2000/svg"><path d="M15.6 17.6H1.4V6.4h4.58V5H0v14h
17v-4.35h-1.4v2.95zm-4.18-8.26h3.03v3.47L20 7.41 14.45 2v3.35h-3.03c-3.6 0-5.66 3.53-5.9
7 7.7 0 0 1.42-3.71 5.96-3.71z"></path></svg></span>공유</a>,
<a class="PznE8 aNw43 FQjW7 bVGv3" href="#" role="button"><span class="nK_aH"><svg aria</pre>
-hidden="true" class="Vg1dR" viewBox="0 0 6 11" xmlns="http://www.w3.org/2000/svg"><path
d="M.4.4c.2-.2.6-.2.8 014.5 4.7c.2.2.2.6 0 .81-4.5 4.7c-.2.2-.6.2-.8 0a.6.6 0 010-.814.1
-4.3L.4 1.2C.1 1 .1.6.4.4z"></path></svg><span class="place_blind">이전</span></span></a
<a class="ZCqf_ aNw43 FQjW7 bVGv3" href="#" role="button"><span class="nK_aH"><svg aria</pre>
-hidden="true" class="Vg1dR" viewBox="0 0 6 11" xmlns="http://www.w3.org/2000/svg"><path
d="M.4.4c.2-.2.6-.2.8 014.5 4.7c.2.2.2.6 0 .81-4.5 4.7c-.2.2-.6.2-.8 0a.6.6 0 010-.814.1
-4.3L.4 1.2C.1 1 .1.6.4.4z"></path></svg><span class="place_blind">다음</span></span></a
>,
<a class="BfF3H" href="#" role="button" target="_self"><span class="place_blind">안내</
span><svg aria-hidden="true" class="wHa0T" viewBox="0 0 15 15" xmlns="http://www.w3.org/
2000/svg"><path d="M7.5 0a7.5 7.5 0 110 15 7.5 7.5 0 010-15zm0 1a6.5 6.5 0 100 13 6.5 6.
5 0 000-13zM8 6v6H7V6h1zm-.5-2.5a.75.75 0 110 1.5.75.75 0 010-1.5z"></path></svg></a>,
<a aria-expanded="false" aria-haspopup="true" class="vcshc" href="#" role="button" targ</pre>
et=" self"><span class="hClKF">서울 마포구 합정동</span><span class="JXQZb"><svg aria-hid
den="true" class="FEhi4" viewBox="0 0 12 7" xmlns="http://www.w3.org/2000/svg"><path d
="M6 5.59L11.35 01.65.7L6 7 0 .7.65 0z"></path></syg></span></a>,
<a class="_T010 naver-splugin spi_sns_share" data-bookmark-display="off" data-friend-di</pre>
splay="on" data-kakaostory-display="off" data-kakaotalk-button-text="네이버 플레이스로 보
기" data-kakaotalk-description="서울특별시 마포구 독막로 9 1층" data-kakaotalk-image-url
="https://ldb-phinf.pstatic.net/20210204 143/16124264673590Ksxv JPEG/zmKenhVyBzz4bDFjm7V
J9uZ3.jpg" data-kakaotalk-template-type="custom_web" data-kakaotalk-title="오렌즈 합정점"
data-keep-display="on" data-line-description="서울특별시 마포구 독막로 9 1층" data-line-te
mplate-type="custom_web" data-line-title="오렌즈 합정점" data-mail-display="off" data-mem
o-display="off" data-style="type_a" data-title="오렌즈 합정점
서울특별시 마포구 독막로 9 1층" data-url-extra="오렌즈 합정점
서울특별시 마포구 독막로 9 1층" data-use-short-url="on" href="#" id=" .share" target=" se
lf"><span class="D18SE"><svg aria-hidden="true" class="yR6ue" viewBox="0 0 20 20" xmlns
="http://www.w3.org/2000/svg"><path d="M15.6 17.6H1.4V6.4h4.58V5H0v14h17v-4.35h-1.4v2.95
zm-4.18-8.26h3.03v3.47L20 7.41 14.45 2v3.35h-3.03c-3.6 0-5.66 3.53-5.97 7.7 0 0 1.42-3.7
1 5.96-3.71z"></path></svg></span>공유</a>,
<a class="PznE8 aNw43 FQjW7 bVGv3" href="#" role="button"><span class="nK_aH"><svg aria</pre>
-hidden="true" class="Vg1dR" viewBox="0 0 6 11" xmlns="http://www.w3.org/2000/svg"><path
d="M.4.4c.2-.2.6-.2.8 014.5 4.7c.2.2.2.6 0 .81-4.5 4.7c-.2.2-.6.2-.8 0a.6.6 0 010-.814.1
-4.3L.4 1.2C.1 1 .1.6.4.4z"></path></svg><span class="place_blind">이전</span></span></a
<a class="ZCqf aNw43 FQjW7 bVGv3" href="#" role="button"><span class="nK aH"><svg aria</pre>
-hidden="true" class="Vg1dR" viewBox="0 0 6 11" xmlns="http://www.w3.org/2000/svg"><path
```

```
<a aria-expanded="false" aria-haspopup="true" class="vcshc" href="#" role="button" targ</pre>
         et="_self"><span class="hClKF">부천 상동</span><span class="JXQZb"><svg aria-hidden="tru
         e" class="FEhi4" viewBox="0 0 12 7" xmlns="http://www.w3.org/2000/svg"><path d="M6 5.59L"
         11.35 01.65.7L6 7 0 .7.65 0z"></path></svg></span></a>,
          <a class="_T010 naver-splugin spi_sns_share" data-bookmark-display="off" data-friend-di</pre>
         splay="on" data-kakaostory-display="off" data-kakaotalk-button-text="네이버 플레이스로 보
         기" data-kakaotalk-description="경기도 부천시 상동로 79 1층 101호" data-kakaotalk-image-ur
         l="https://ldb-phinf.pstatic.net/20201122_172/1605974228618f3hJw_JPEG/ExLe8_2hTCRfZZsNTI
         3IyHdD.jpg" data-kakaotalk-template-type="custom web" data-kakaotalk-title="오렌즈 상동
         점" data-keep-display="on" data-line-description="경기도 부천시 상동로 79 1층 101호" data-
         line-template-type="custom web" data-line-title="오렌즈 상동점" data-mail-display="off" d
         ata-memo-display="off" data-style="type_a" data-title="오렌즈 상동점
          경기도 부천시 상동로 79 1층 101호" data-url-extra="오렌즈 상동점
          경기도 부천시 상동로 79 1층 101호" data-use-short-url="on" href="#" id="_.share" target
         ="_self"><span class="D18SE"><svg aria-hidden="true" class="yR6ue" viewBox="0 0 20 20" x
         mlns="http://www.w3.org/2000/svg"><path d="M15.6 17.6H1.4V6.4h4.58V5H0v14h17v-4.35h-1.4v
         2.95zm-4.18-8.26h3.03v3.47L20 7.41 14.45 2v3.35h-3.03c-3.6 0-5.66 3.53-5.97 7.7 0 0 1.42
         -3.71 5.96-3.71z"></path></svg></span>공유</a>,
          <a class="PznE8 aNw43 FQjW7 bVGv3" href="#" role="button"><span class="nK_aH"><svg aria</pre>
         -hidden="true" class="Vg1dR" viewBox="0 0 6 11" xmlns="http://www.w3.org/2000/svg"><path
         d="M.4.4c.2-.2.6-.2.8 014.5 4.7c.2.2.2.6 0 .81-4.5 4.7c-.2.2-.6.2-.8 0a.6.6 0 010-.814.1
         -4.3L.4 1.2C.1 1 .1.6.4.4z"></path></svg><span class="place_blind">이전</span></a
         >,
          <a class="ZCqf aNw43 FQjW7 bVGv3" href="#" role="button"><span class="nK aH"><svg aria</pre>
         -hidden="true" class="Vg1dR" viewBox="0 0 6 11" xmlns="http://www.w3.org/2000/svg"><path
         d="M.4.4c.2-.2.6-.2.8 014.5 4.7c.2.2.2.6 0 .81-4.5 4.7c-.2.2-.6.2-.8 0a.6.6 0 010-.814.1
         -4.3L.4 1.2C.1 1 .1.6.4.4z"></path></svg><span class="place_blind">다음</span></a
          <a class="spnew_bf cmm_pg_prev" href="#" role="button" target="_self">이전</a>,
          <a class="spnew_bf cmm_pg_next on" href="#" role="button" target="_self">다음</a>,
          <a class="top" href="#" onclick="window.scrollTo(0,0); document.querySelector('#wrap</pre>
         a').focus(); return false;"><i class="spnew ico_top">맨위로</i></a>]
In [ ]:
                      root:WWW
                 Α
                              B (10, depth=1)
              C
                  D
                          E(10)
                                   F(400, depth=2)
         => root A B C D E F
                          * (leaf)
         BFS => pop(앞에서;Queue) =>
                관련도순으로...
         DFS => pop(뒤에서;Stack) => 너무 깊으면, 못빠져나옴
         Focused Crawling(전략) => 웹툰, 뉴스,
In [35]: from urllib.robotparser import RobotFileParser
         # rb = RobotFileParser(주소)
         # rb.read()
         # rb.can fetch(agent, path) T/F
In [85]: import re
         from requests.exceptions import HTTPError
         ROBOT = dict()
                 # netloc:[(agent, path, allowT/F),()]
```

d="M.4.4c.2-.2.6-.2.8 014.5 4.7c.2.2.2.6 0 .81-4.5 4.7c-.2.2-.6.2-.8 0a.6.6 0 010-.814.1 -4.3L.4 1.2C.1 1 .1.6.4.4z"></path></svg>다음</a

```
# 1. robots.txt => 중복해서 reg X
# 2. ROBOT 1의 url을 key로 물어본거
# 3. 없으면, req/resp
   3.1 status_code != 200, return True
# 3.2 parsing, User-Agent/allow/disallow
  3.3 User-agent 물어보고, 지금 작업중인 ua를 ua로 설정
  3.4 allow/disallow  

≥ key = tuple(ua, path, allow/disallow)
# 4. ROBOT 없으면, 3.1
# 5. 있으면, param.agent값으로, path에 re
    p = * \Rightarrow [^/]+?, match(p, param.path)
    5.1 없으면, True
  5.2 있으면, Sorting(/, /test/, /test/about, /*/about, /test/*.... )
def canFetch(url, agent='*', path='/'):
   k = urlparse(url).netloc
   if k not in ROBOT:
       robot = urljoin(url, '/robots.txt')
       resp = request('GET', robot)
       if resp.status_code == 200:
           ua = '*'
           ROBOT[k] = list()
           for 1 in resp.text.lower().splitlines():
               a = re.search(r'user-agent:(.+)', 1, re.IGNORECASE)
                   ua = a.group(1).strip()
               else:
                   p = re.search(
                       r'((?:dis)?allow):(.+)', 1, re.IGNORECASE)
                   if p:
                       allow = False if p.group(1) == 'disallow' else True
                       ROBOT[k].append((ua, p.group(2).strip(), allow))
             rp = RobotFileParser(robot)
#
             rp.read()
#
             return rp.can_fetch(agent, path)
   # robots.txt 파싱이 끝남
   if k in ROBOT:
         candidates = list()
#
#
         for L in ROBOT[k]:
#
             if L[0] == agent and \setminus
#
                     re.match(l[1].replace('*', '[^/]+?'), path):
#
                 candidates.append(l)
       re.match(l[1].replace('*', '[^/]+?'), path),
                               ROBOT[k]))
       # re.match(* => relace)
       # /*/asdfasd => * => ([^/]+?)
       candidates = sorted(candidates, key=lambda c:len(c[1]),
                          reverse=True)
       # *, / = True, /search = False
       if len(candidates) > 0:
           return candidates[0][-1]
```

```
return True
             return True
         # canFetch('https://lms.sunde41.net', path='/fddd')
          canFetch('https://www.google.com', agent='*',
                  path='/search/about')
         #
               try:
         #
                   resp.raise_for_status()
         #
               except HTTPError as e:
          #
Out[85]: True
In [100]... # canFetch('https://news.naver.com', agent='*', path='/search')
         # canFetch('https://lms.sunde41.net', path='/fddd')
         canFetch('https://www.google.com', agent='*', path='/search/?asdfasdf')
Out[100]: False
 In []: # 원본:[], 전략:[{}], DB
         urls = [{'url':'https://www.google.com/search?q=%EB%89%B4%EC%A7%84%EC%8A%A4&oq=%EB%89%B4
                   'depth':0}]
         visited = []
         # 전략:1.depth
         focused = 3#[전략](depth, domain<-netloc)
         # 종료조건: 더이상 방문할 페이지가 없을때 while urls
         while urls:
             # Queue(BFS;FIFO);
             # url pool에서 다음 방문 url 가져오기(1processor, 1thred)
             url = urls.pop(0) # Queue # Stack
             # 전략 종료조건:1.depth > threshold
             if url['depth'] > focused:
                 visited.append(url)
                 continue
             # robots.txt 확인(관심있이면 나중에 수정, Naver, Google만 됨)
             try:
                 print(urlparse(url['url']).path, \
                       canFetch(url['url'], path=urlparse(url['url']).path))
             except:
                 print(url['url'])
             # 실제 방문 reg => resp
             resp = request('GET', url['url'], headers=headers)
             # HTML <meta> robots.txt 속성 확인이 있어야 함
             # <meta> index/noindex, follow/nofoolow
              meta = dom.select one('meta[name="robots"]')
              meta.attrs['content'].split(',')
             # 정상적으로 받음
             if resp.status code == 200:
                 # 방문한 목록에 추가
                 visited.append(url)
                 # content-type: text/html or text/xml (지금 관심사)
```

```
application/json, images/*
                 if re.search('xml|html', resp.headers['content-type']):
                     # TEXT(Markup) => DOM
                     dom = BeautifulSoup(resp.text, 'lxml')
                     a = list()
                     # Node탐색 CSS Selector(rules;CSSOM)
                     # <태그>의 속성(attributes) 중에 href, src가 있는 경우만
                     for node in dom.select('[href], [src]'):
                         # dom.tag.attrs in href, src
                         # temp에는 str 형태의 주소(온전한 X)
                         temp = node.attrs['href'
                                           if node.has_attr('href')
                                           else 'src']
                         # 링크 필터링(방문할 필요 X)
                         # #(위치;내부주소), javascript, data, ...
                         if not re.match(r'#|javascript|data:|about:', temp):
                             newurl = urljoin(url['url'], temp)
                             a.append({'url':newurl, 'depth':url['depth']+1})
          #
                           else:
          #
                               print(temp, urlparse(urljoin(url, temp)))
                     print(len(a))
                     # URL pool 관리
                     # 이미 방문한 주소 X, 앞으로 방문할 주소 X
                     urls += list(filter(
                         lambda link:link['url'] not in [v['url'] for v in visited] \
                         and link['url'] not in [u['url'] for u in urls], a))
                     # visited, urls => ['url']
                     #
                                     => [{'url', 'depth'}]
                     print()
                     # 방문이력, url pool 관리
                 # else 일때, 처리 X, 500 =>
              # 서버부하, delay
                       a = [urljoin(url, node.attrs['href'
          #
          #
                                   if node.has_attr('href') else 'src'])
          #
                            for node in dom.select('[href], [src]')]
              # 정상적으로 못받았을때, 400(내 에러),500(쟤 에러)
              else:
                 if resp.status_code >= 500:
                     # Queue(FIFO)
                     urls.append(url)
                 else:
                     # 방문한 목록
                     visited.append(url)
              # 서버 부하 피하기 위해서
               sleep()
In [134]... urlparse('https://search.naver.com/path/?a=b#lnb'), \
          urlparse('https://search.naver.com/path?a=b')
Out[134]: (ParseResult(scheme='https', netloc='search.naver.com', path='/path/', params='', query
          ='a=b', fragment='lnb'),
           ParseResult(scheme='https', netloc='search.naver.com', path='/path', params='', query
          ='a=b', fragment=''))
In [149]... urls[0], visited[-1]
Out[149]: ({'url': 'https://support.google.com/websearch/?hl=ko', 'depth': 2},
```

```
{'url': 'https://www.google.com/accounts/TOS', 'depth': 2})
In [147]... len(urls), len(visited)
Out[147]: (16999, 238)
In [142]...
           [urlparse(_).netloc for _ in visited]
Out[142]: ['www.google.com',
            'www.google.com',
            'support.google.com',
            'www.google.com',
            'www.google.com',
            'www.google.com',
            'www.google.com',
            'www.google.com',
            'www.google.com',
            'www.google.com',
            'namu.wiki',
            'namu.wiki',
            'namu.wiki',
            'namu.wiki',
            'namu.wiki',
            'www.google.com',
            'namu.wiki',
            'namu.wiki',
            'namu.wiki',
            'www.youtube.com',
            'open.spotify.com']
```