

(a) meanconn makes every feature a PC1 proxy
(b) variance in PC1
same subjects, same atlas:
the median R^2 moves 0.018 → 0.677
ABIDE I AAL116 CPAC meanconn
ABIDE I AAL116 CPAC gsr
ABIDE I AAL116 CPAC pcresid
ABIDE I AAL116 CPAC partial
ABIDE I AAL116 NIAK meanconn
ABIDE I AAL116 NIAK gsr
ABIDE I AAL116 NIAK pcresid
ABIDE I AAL116 NIAK partial
ABIDE I CC200 CPAC meanconn
ABIDE I CC200 CPAC gsr
ABIDE I CC200 CPAC pcresid
ABIDE I CC200 CPAC partial
ABIDE I HO CPAC meanconn
ABIDE I HO CPAC gsr
ABIDE I HO CPAC pcresid
ABIDE I HO CPAC partial
ABIDE II Power2011 meanconn
ABIDE II Power2011 gsr
ABIDE II Power2011 pcresid
ABIDE II Power2011 partial
10^{-4}
10^{-3}
10^{-2}
10^{-1}
10^{0}
R^2 of each feature on its own first principal component
0.62
0.30
0.14
0.04
0.55
0.54
0.17
0.05
0.65
0.17
0.12
0.04
0.67
0.21
0.14
0.04
0.19
0.27
0.13
0.18
0.0
0.2
0.4
0.6
PC1 share