

THE SAD TRUTH ABOUT VACCINES

Lanthano 5/11/2024



THE MAINLINE STORY

Every child should be vaccinated with a very large variety of shots. These make them super-humans, immune to illnesses that have plagued man for centuries. They do this by exposing the body to a small part of an illness. The body learns how to fight this illness and builds immunity to it.

Or at least that's what we're told.

But what if these shots are actually making you sicker? What if these shots contain poisonous materials? What if the vaccines are causing so much damage that any possible immunity isn't worth the risk? What if vaccines are just a way to make money?

Well, lets try and see if this accusation could possibly be true.

This one video, has the information that might change your mind:

<https://childrenshealthdefense.org/vaccine-secrets/>

THE MOTIVES

First off, for vaccines to be harming people, there has to be motives. There must be an incentive for them to be hurting people. And then there has to be a way for them to get away with this dirty work. There must be a way out of the liability these products would cause.

First off, why would Pharma hurt people? Well, think of it this way: You have a person who is sick, you sell him some medicine, and he is cured; you never see him again. But, if you can keep him sick, he will constantly keep coming back to you buying your latest medicine to cure his latest ill.

That is Pharma's inherent problem: ever patient that gets cured is a customer lost.

Next you'd want to know why they would be doing this. And that should be pretty clear. The answer to this question is the same as it has always been for anything of this sort throughout all of history. Power and money. And when it comes to big Pharma, they are making the money—their worth about \$534 billion in 2020^{B1}.

How could they? They wouldn't get away with it, right? Well, what if I told you that they cannot be sued for anything wrong with their products. Would that be a way for them to get away with stuff? Of course it would.

IMMUNITY OF THE WRONG KIND

If a child is harmed by an unsafe product, the producer is liable to compensate for the injuries. However, vaccine manufacturers cannot be sued over a vaccine side effect. They were granted full liability immunity in 1986^{B2}.

Congress passed the National Childhood Vaccine Injury Act in 1986 because vaccine manufacturers were pressuring that they could not afford to continue compensating the excessive amount of injuries and deaths that their products caused.

That is a huge statement.

Once there was no longer the threat of being sued, Pharma's value greatly increased with increased production. It's value went from \$750 million in 1986, to \$534 billion in 2021.

No producer should be given this kind of immunity. It allows them to do anything they want, without any side effects.

Now, those harmed by vaccines must go to the National Vaccine Injury Compensation Program (NVICP). The NVICP has no judge, no jury, and does not follow the most basic laws or rules. Instead using something called special masters for judge and jury.

The burden of proof falls in those injured. And while other injuries and other compensations can exceed it, there is a maximum of \$250,000 for vaccine-related deaths. As of 2025, the NVICP has dealt out more than \$5 billion in damages.

MCTLAW

When you think of these numbers, they seem distant and kind of meaningless. To bring it home a little, I'm going to list off cases that were won by MCTLaw in the state of Kansas.

SETTLEMENT	DAMAGE	VACCINE	COURT DECISION	DATE
\$115,000	SIRVA	Influenza Vaccine	https://www.govinfo.gov/content/pkg/USCOURTS-cofc-1_21-vv-00684/pdf/USCOURTS-cofc-1_21-vv-00684-1.pdf	7/14/2022
\$88,000	SIRVA	Flu	https://www.mctlaw.com/vaccine-cases/vaccine-case-results/16-1531v-Influenza-SIRVA.pdf	9/10/2018
\$130,000	Guillain Barre Syndrome (GBS)	Tetanus-Diphtheria Acellular Pertussis (Tdap)	https://www.mctlaw.com/vaccine-cases/vaccine-case-results/16-15V-TetanusDiphtheriaAcellularPertussis(Tdap)-Guillain-BarreSyndrome(GBS).pdf	5/17/2018
\$337,000	Neurologic Injuries, CIDP	Influenza Vaccine	https://www.mctlaw.com/vaccine-cases/vaccine-case-results/14-642V-Neurologic-injuries-CIDP-flu-vaccine.pdf	4/6/2017
\$101,686	SIRVA	Influenza Vaccine	https://www.mctlaw.com/vaccine-cases/vaccine-case-results/16-966V-flu-vaccine-SIRVA.pdf	3/31/2017
\$85,000	Guillain Barre Syndrome (GBS)	Influenza Vaccine	https://www.mctlaw.com/vaccine-cases/vaccine-case-results/11-367V-flu-vaccine-gbs.pdf	8/31/2012
\$60,000	Guillain Barre Syndrome (GBS)	Flu Vaccine	https://www.mctlaw.com/vaccine-cases/vaccine-case-results/11-121V-flu-vaccine-gbs.pdf	9/14/2011

MCTLaw lists seven cases for Kansas, with a total of \$916,686 in paid settlements. Next on the list is Kentucky with 17 listed cases. Kentucky has paid over \$3.5 million in vaccine injury settlements.

And that's not the most or least of any state. Alaska has just one case listed on MCTLaw, and it was for \$150,000. Where as California has 84 cases listed, and over \$15 million paid in settlements.

If you're curious, here's a link that will allow you to see the lawsuits that have been won in your state and how much the different payouts were:

<https://www.mctlaw.com/vaccine-injury/cases/results-by-state/>

And remember, this is just MCTLaw. On their site, they claim to have gathered more than \$300 million. That's just a small piece of the \$5.4 billion that the NVICP has paid out. \$300 million is only about 6% of the total \$5.4 billion.

VACCINE TESTING

How are vaccines tested. If they go through the correct procedures, there isn't much that I could say. But as is, the process is a complete bloody mess. Placebos are anything from previous vaccines to aluminum injections. This completely masks the side effects of the shot being tested.

And on top of that, the FDA does not conduct the testing. The vaccine manufacturers are the ones doing that work. They get to decide how safe their own products are.

The FDA states:

The U.S. Food and Drug Administration (FDA) ensures the safety, effectiveness, and availability of vaccines for the United States. Before the FDA licenses (approves) a vaccine, **the vaccine is tested extensively by its manufacturer.**^{C1}

So, while the shots may be FDA approved, they weren't tested by the FDA. The FDA leaves that up to the vaccine manufacturer.

COMBINED VACCINE TESTING

It is a simple fact that vaccines are tested individually, and that vaccines are very often injected with many other shots. Without testing, it is just impossible to know the whole extent of the chemical reactions when multiple vaccines are injected at once.

This is common knowledge for those vaccinating animals^{C2}. The Merck Veterinary Manual, a highly respected reference in veterinary medicine, says this in one of their manuals:

Vaccines should never be mixed indiscriminately because one component may dominate and interfere with responses to the other components.

Both the Merck Veterinary Manual, and PMC/NCBI, advise against mixing vaccines because every combination of multiple vaccinations are different and show different effects and chemical reactions.

CAES said this in an online published PDF:

Never mix two different vaccines in the same syringe or bottle unless the manufacturers' labels recommend this approach.

Zoetis' livestock vaccine handling guide says:

Never combine vaccines unless specifically stated on the vaccine label.

From the Australian Immunisation Handbook (Health Department of Australia):

Never mix multiple vaccines together in 1 syringe. . . .Never mix a local anaesthetic with a vaccine.

Regardless of the known damage that mixing vaccines does to animals, no one warns about mixing human vaccines. And this is not due to there being research on the reactions or effects of doing so. There currently is no research dealing with the effects of mixing human vaccines.

There are tons of personal testimonies out there, and most of them deal with mixed vaccines. Just from this paper, these are some parents stories you can read about (to read them, go to [THE PARENTS CRY on page 8](#)):

- A mother's trust in routine vaccination ends in her son's battle with seizures and chronic illness due to mixed vaccines.
- Two children's lives altered after combination shots leave lasting neurological scars.
- An 18-month-old's hospital ordeal after multiple vaccines leads to terrifying seizures.
- One mixed shot, one hour, and a lifetime changed. From a healthy toddler to severe autism.
- Mother and daughter both fall ill after flu and mixed childhood shots, sparking years of neurological and physical decline.

These are just a few stories you can find in this paper. There are thousands more.

INDIVIDUAL VACCINE TESTING

Single vaccine testing isn't controlled either. According to the Department of Health and Human Services (HHS), long-term testing isn't required before a vaccine is approved:

Inert placebo controls are not required to understand the safety profile of a new vaccine and are thus not required^{C3}.

If vaccines were like any other product, they would go through a double-blind placebo-controlled study. This ensures that bias isn't getting in the way, and that the results are correct. But that's not the case for vaccines, because these experiments would be deemed "unethical" and prohibited by the institutional review board.

But what is a double-blind, placebo-controlled test?

A double-blind, placebo-controlled study is a study in which neither the participants nor the researcher is aware of who is getting the actual product or the placebo. A placebo is jut salt-water, and will do nothing to the patent. This ensures that the trail is blind and completely unbiased; the results show exactly what the product does when compared to an inert salt-water injection.

What the HHS is saying, is that a placebo controls, which are the first part of a double-blind placebo-controlled experiment, is not necessary.

And even when a placebo is used, it isn't really a true inert placebo. Vaccine companies typically use another vaccine as their placebo. So as long as the vaccine isn't really bad when compared to another vaccine (which could be really bad), it'll pass—but wait, it would pass anyway according to the HHS.

PLACEBOS

Vaccine tests are not conducted with true inert placebos. They are conducted with other vaccines used as the placebos. This is extremely untruthful, because you have no idea what

your getting when you compare a new vaccine against an older shot. This method of testing is just absolutely absurd in the scientific community.

Paul Offit is:

- Director of the Vaccine Education Center and professor of pediatrics in the Division of Infectious Diseases at Children's Hospital of Philadelphia.
- Maurice R. Hilleman Professor of Vaccinology at the Perelman School of Medicine at the University of Pennsylvania.
- An internationally recognized expert in the fields of virology and immunology.
- A founding advisory board member of the Autism Science Foundation and the Foundation for Vaccine Research.
- A member of the Institute of Medicine and co-editor of the foremost vaccine text, "Vaccines."
- The author or co-author of more than 150 papers in medical and scientific journals in the areas of rotavirus-specific immune responses and vaccine safety.
- The co-inventor of the rotavirus vaccine, RotaTeg®, recommended for universal use in infants by the CDC.
- A recipient of the Charles Mérieux Award from the National Foundation for Infectious Diseases.

He knows more about vaccines than me or you. So when he tweeted this about not using a salt-water placebo, it was very confusing.

The purpose of placebos, which are immunologically inert, is to determine the effect of the vaccine. All vaccine trials meet that standard. @AaronSiriSG believes that only water or salt water are placebos because they "have no effect on living beings." That's absurd. Drink enough water, and you can cause a seizure. Salt can also be toxic.^{C4}

Basically, Offit is making excuses for why they don't use salt-water as the placebo. He says that water and salt are not truly inert. My simple question is this: if salt-water isn't inert, what in the world is?

Saline (which is salt-water) is used as a placebo because the salt-water solution reasonably matches the sodium concentration in our body's plasma. This solution is used to dilute medications and replenish blood volume.

So when he says it's absurd to think that salt-water can be used as a placebo, he's wrong.

He is right about being able to overdose on water and plasma sodium. If you drink large amounts of saline, you can lower the threshold for seizures. And if you eat large amounts of salt, you can die.

But the amount of salt and water in a saline injection is many, many times too little to even begin to harm a person. Offit is making excuses for why it's okay to use other vaccines as placebos. Vaccines are not remotely close to being inert.

This method of testing is completely insane. It doesn't work.

VACCINE INJURIES

People are often told that vaccine injuries are "one in a million." And seemingly trustworthy sources even make this claim. But they are completely wrong.

Harvard conducted a study in 2011. They found that less than 1% of all vaccine injuries are ever reported. Then you have the Vaccine Adverse Events Reporting System (VAERS)—which relies on people taking the time to report their injuries—reporting over 2,570,000 vaccine injuries^{D1}.

You can find countless stories of children's mental state being altered, getting very sick, and dying months, weeks, days, or even hours after receiving a shot.

Terrifying.

EVIL DOCTORS?

Many people find this hard to believe because they have a doctor who advises them to get vaccines. They argue that the doctor obviously knows what's good for them, and he wouldn't ever want to hurt them.

But most doctors just tell people to follow the CDC's guidance. Most doctors have no idea what vaccines actually do to people.

VACCINATION INCENTIVES

How badly do they want you to take the shots? Really bad, and they pressure people to do it in three main ways.

1. Doctors and experts push for them.
2. Society pushes them on you, and threatens you if you refuse.
3. You are offered incentive for getting vaccinated.

When it comes to doctors making money for vaccinating you, it's pretty apparent how it works: you buy vaccine, they make money. But, if that still doesn't make sense, according to Dr. Paul Thomas, Pediatrician's get paid for vaccinating people. He said:

You cannot stay in business if you're not giving pretty close to the CDC [childhood vaccine] schedule^{D2}.

He examined his own bills, and the results shocked him: "We were losing ... over a million dollars in vaccines that were refused."

For society pushing them, it's very popular for people to think that parents that don't vaccinate their children are irresponsible. Some people think that the parents are putting their children in needless danger, and some are so extreme that they have gone so far as to say that children should be confiscated from the parents if they refuse to allow them to be vaccinated.

And finally, the incentive to get vaccinated. During covid, people were offered money, gift cards, free food, and much more. You were also praised for getting the jab.

INJURY TESTIMONIES

What do we do when someone comes forward and claims that a vaccine injured them? Nowadays we call them crazy and dismiss their claims.

What happens when parents say that a shot injured and changed their child's personality? We do the same, say their blaming something good for something unrelated or that the parents caused. We called parents who refuse to vaccinate their children careless and unsafe. Some places threaten to take children from their parents.

THE PARENTS CRY

If you were giving your child a regular dose of something that was hurting them neurologically, would that be something you would want to share? Would you want to admit that? Probably not.

However, tens of thousands of parents around the world insist that the vaccines they gave their children, hurt them. Thousands of parents claim that their child got the shot and then stopped making eye contact and started hitting Autism markers. One mother said:

Every time he would get his vaccines, he would have high fevers. He would have ear infections, his language stopped, he wasn't curious anymore. It just felt like he wa-retreated within himself. He wasn't the same baby.

Many parents claim that their child would have a bad reaction with every shot they were given. Parents mention their child's language development coming to a halt.

You can see more parents' stories here: <https://childrenshealthdefense.org/vaccine-curriculum/>

And you can read more than 55 stories from parents of children that have been hurt or injured by vaccines: <https://childrenshealthdefense.org/uncategorized/vaccine-injury-stories-touches-families-united-states/>

Not only are the parents saying that the vaccines hurt their child, the ingredients for the shots give us a pretty good argument for how and why they do.

This is a drop of what's out there. There are thousands, upon thousands of stories like the following. But, here is a sample of what parents across the nation are saying^{E1}.

MMR: TEMPORARY ITP

Alisa Pittaluga, a pediatric occupational therapist and mother of three in upstate New York, had always felt a bit cautious when it came to vaccinations. "I've questioned it because of my profession," she explains, noting that many parents over the years have expressed beliefs that their child's medical conditions were somehow related to vaccines. Pittaluga believed in vaccinating, though, and compromised by delaying and spacing out the shots for her youngest child, Daniel, now 7. He had his first MMR shot right before he turned 4 (rather than at the CDC-recommended age of 12 to 15 months).

"He was a totally healthy 3-year-old," she says. **But within two weeks of Daniel's shot**, his mom began to notice he had bruises in strange places — on his chin, along his spine. One night, while bathing him, she saw that his whole upper body appeared to be bruised. **"He looked like he'd been in a car accident — his arms and back were purple with bruises,"** she recalls, adding that she became an

instant “wreck,” as she’d worked with kids who had leukemia, and knew that excessive bruising was an early symptom. During a doctor’s exam to rule out the cancer, she recalls, “I was shaking from head to toe for an hour.”

Leukemia was ruled out; instead, he was diagnosed with the disorder idiopathic thrombocytopenic purpura (ITP), which leads to excessive bleeding or bruising because of low blood platelets that help to clot the blood. His pediatrician mentioned that it could have been associated with his MMR vaccination — as it has been found to be, according to the CDC’s list of MMR side effects, for about 1 in 30,000 doses.

“I was devastated,” Pittaluga recalls. “I cried. I felt so guilty that I took this kid in and made him get his shot.”

Luckily, Daniel’s condition resolved itself in a year (as do the majority of MMR-related cases). But during that time, he had to be monitored with weekly blood tests, hooked up to a IV blood bag for dangerously low platelet levels, and supervised constantly to make sure he never fell down and hit his head, which could have been deadly. “The hardest part was having a 3-year-old boy who was not allowed to run or jump,” Pittaluga says. **She filed a claim with the vaccine-injury court and, at the end of 2014, was awarded compensation** (a sum she requested be kept private), to be put into a trust for Daniel.

DTAP: KILLS 7 YEAR OLD

Harry Tembenis of Massachusetts has similar reactions to the discourse. His only child, a son named Elias, developed a seizure disorder **as the result of a routine DTaP shot at four months old; he eventually died, at the age of 7, during a major seizure**, while his case with the Vaccine Injury Compensation Program court was still pending. The court, after seven years, eventually **determined that the vaccine caused his disorder, agreeing to pay out more than \$1 million** in 2013. “We got justice, we got closure,” Tembenis tells Yahoo Parenting. But he takes umbrage when he hears medical experts saying that vaccines are completely safe, noting that when they took Elias in for his shots, on schedule, they knew nothing about any possible risks. “We took the pediatrician’s word as gospel,” he says. “Unfortunately, my wife and I learned the hard way.”

DTAP: RARE FORM OF EPILEPSY

Jacob Thompson is 13 years old. He loves airplanes, swimming and Chick-fil-A. But Jacob can speak only a handful of words and needs help walking more than a few yards.

John Thompson: We had this perfectly normal, happy little baby. He would be able to jump up and down on my wife’s lap, and very alert, recognized who mom and dad was.

At his six-month checkup, **Jacob received a combination shot** that included the recommended childhood vaccinations against diphtheria, tetanus and pertussis, or DTaP, all deemed safe and effective in clinical trials.

Hours later, Jacob began to seize. Doctors hoped it was a one-time reaction. It wasn’t.

John Thompson: Within I’d say six months or less, he didn’t know that we were mom and dad anymore, and he was slithering on the floor like a snake.

By age two, Jacob could suffer up to 700 seizures in one day. He was diagnosed with a rare and severe form of epilepsy.

The Thompsons became increasingly convinced that his condition could be traced back to his six-month vaccinations. And, they began to seek accountability. They took their case to attorney Renée Gentry.

She’s a leading vaccine injury litigator and director of the Vaccine Injury Litigation Clinic at George Washington University Law School in Washington, D.C.

In July the Thompsons received a judgment of \$2.1 million based on the special master's ruling that it was more probable than not that Jacob's six-month vaccinations aggravated an underlying genetic mutation. Jacob also received a lifetime annuity to cover his future care.

MIXED SHOTS: EPILEPSY

My son was born a healthy 10 lb. baby with a high score on his Apgar test. **He has his Hep B and Vitamin K on the day of birth and developed jaundice immediately.** We worked hard to keep his bilirubin count low enough to be allowed to keep him home under lights. He had all of his childhood immunizations on time, but went downhill gradually with each one. He developed GI issues and food sensitivities. He stopped breathing and turned blue on us twice. We continued vaccinating him and his brothers, listening to our pediatrician. His impulse control took a dive and he started getting in trouble in school. The circles under his eyes got darker and darker.

He was exhausted and put himself to bed in the middle of the day. He got sicker and the doctor attempted a fructose malabsorption test. The methane gas level coming off of him was too high to establish a baseline and he was diagnosed with SIBO. He did a very strong dose of antibiotics and started on an elimination diet. He improved for a short time and then took a dive again. This time we were sent for a colonoscopy and an endoscopy. He was diagnosed with microscopic colitis. We were told to go home and manage it as long as we could, because all that they could offer us was a round of steroids every three months. When his youngest brother was born, it was suggested that he get the flu shot to protect his brother. I was concerned about this and so the doctor recommended the flu nasal vaccination instead. **I authorized this spray and my son developed grand mal seizures and was diagnosed with epilepsy shortly after.** He continued to be extremely exhausted, so we were sent to a sleep study where it was discovered that he quit breathing 12-14 times per minute. He has now been diagnosed with sleep apnea and travels with an oxygen machine. In the last year, he has also developed a tic.

MIXED SHOTS: NEUROLOGICAL INJURY

At 18 months of age, **my healthy and joyful daughter was given DT, OPV and MMR at one time. Eight days later she woke up from a nap, screaming in pain and unable to walk.** I raced her to the emergency room. We had to wait a few hours to see a doctor, and during that time she seemed to recover. The doctors said they didn't think it was a reaction. Her own doctor also did not think it was a reaction. I didn't agree, but did not know how to prove it. At no time was I told about VAERS and the ability to report it. Only in the last couple of years did I learn that "gait disturbance" is a reported reaction, and indicates a brain inflammation. Her reaction was not reported to VAERS.

Then **at age 7, she began to develop a series of tics.** Her doctor said she would probably grow out of it, but at puberty they got worse. Much worse. Her friends' mothers said to me, "what is wrong with her?" It was very obvious and disturbing. Later I learned from my own research that thimerosal (which my children received in their vaccines) causes tics. It can also cause OCD and anxiety, which are things she also must contend with. She also has difficulty with stress; becoming overwhelmed by things that to me were so small I didn't believe her at first, thinking she was just complaining. She wasn't. It's real.

My daughter's pediatrician put in her chart notes that she is "under vaccinated." The doctor was extremely closed to the possibility of harm from her vaccines and had no interest in reading the information I brought her. She also was one of the doctors in our area who signed a Guest Opinion in the paper urging people NOT to see the movie Vaxxed.

I thought my son was not harmed by his vaccines, but he had learning challenges and slowed development. He did not learn to read until he was 9 and academics was always a struggle. As a young boy, he was treated for sensory processing issues and he was a toe walker, both of which can be caused by neurological damage. His learning difficulties led me to have him tested for special needs support when he was 16. The report said that his intelligence was normal, but he had unusually slow processing of information. He qualified for accommodations for his college education, although as it turned out, he didn't end up needing to use them.

I am now convinced that both of my children, born in the second half of the 1990's, were harmed by their vaccines. Certainly the thimerosal played a part, but it may have been other ingredients as well. Since their vaccines were given in combination there is no way to know exactly which vaccines did the harm. But I do know they were harmed.

MIXED SHOTS: SEIZURES

We aren't anti-vaxx, we are EX-vaxx and we have a story. Sadly, we are just one of the tens of thousands of families touched by vaccine injury. Below is our VAERS report, #339165-1, submitted (at the request of our pediatrician) after our daughter's adverse reaction to a set of 6 vaccinations. Many details I had actually forgotten. I weep over seeing this and feel every second unfold like it was yesterday. I thank God that we delayed our daughter's 12 month immunizations until she was 18 months. I know that extra 6 months of life gave her body the strength to fully recover. We are fortunate, look around, many children are not.

VAERS Report from 2009

Vaccinated with 3 vaccines: HIB(HAEMOPHILUS B CONJUGATE VACCINE), MMR(MEASLES, MUMPS AND RUBELLA VIRUS VACCINE, LIVE), and PCV(PNEUMOCOCCAL VACCINE, POLYVALENT)

Patient (let's not forget this is **our 18month old daughter**) **had a hard time walking the day after her immunizations**, she was stiff and sore. Then again, **a week after her immunizations she had trouble walking, it was a stiffness in her legs all day**. That same Wednesday (8 days post vaccination) she started having "not normal, oatmeal-like" looking bowel movements. Saturday morning she was vomiting and then was back to her normal self, she wanted to eat but then vomited up her breakfast again, the rest of the day she didn't have a very strong appetite. Sunday (the 18th), the same thing, she vomited up her morning cup of milk, mom thought trying more solid food would be better so she made pancakes. When she was ready to eat, mom put her in the high chair and she had her first seizure. Mom called 9-1-1 and the EMT's came and took her to the ER. In the ER she had her blood drawn and was clearly upset, screaming. While they were trying to catheterize her(to get a urine sample) she started screaming again and proceeded to have another seizure. She was taken to have a CT scan and then admitted to the hospital. The nurse in pediatrics said they needed to weigh her again, only this time it needed to be while she was naked. This woke patient (our 18 month old daughter) up and got her agitated, screaming and upset again. She was weighed and re-dressed and while on mom's shoulder, she was crying and not settling down. It was then that she had another seizure. **She was put on anti-seizure medication. MRI(with and without contrast), EEG(with and without strobe lights), blood work, urine, and a CT scan** all came back "normal". She was released from the hospital on Tuesday the 20th.

Follow up received 03/15/2010. She has not had another seizure and is not on anti-seizure medication. So far, to date, she has not had any further adverse reactions.

MIXED SHOTS: AUTISM

In December of 1999 **my daughter received MMR, DTaP and four other vaccines** at 15 months of age. **In one hour, she developed a fever of 104° which held 5 days**. When the fever broke, **she lost speech, eye contact, couldn't be touched, developed bowel disease** and later received a diagnosis of severe Autism. Within three weeks of her MMR, she shed the measles virus and her mother caught it, triggering Multiple Sclerosis. Her mother these days is in a nursing home at age 53. My daughter, now 18, still has severe autism and bowel disease. She is forever dependent on me, her father. I raise her alone. I have sacrificed my career and a decent living to care for her and we struggle financially. My home has entered and exited foreclosure multiple times and our bills are always a challenge. There are countless families just like mine (I personally know a few thousand). America cannot sustain the projected 1-in-2 prevalence rate we expect by 2032.

MIX SHOTS: MENTALLY INJURED

In 2006, **I had a flu shot** when my daughter was 13 months old. **Within an hour, I had literal projectile vomiting, and was ill for days.** I later developed severe chronic fatigue syndrome.

After the shots my daughter received at 13 months (DTaP, Hib and a flu vax), she had a high fever and constant crying for almost 24 hours. I then noticed that she was unable to walk properly. She was now walking and falling, continuously, tipping over like she was drunk. She had been a robustly healthy baby, ahead on all her milestones, extremely social, just perfect. **She later developed symptoms of the following: Sensory Processing Disorder, ADD, eczema, IBS, and was diagnosed with neuro-developmental vision disorder, dyslexia, mitochondria dysfunction, MTHFR, and Celiac disease.** She has very low energy and is unable to play sports. She has constant stomach aches. My entire life is spent trying to recover the vibrant, healthy child I had. She is beautiful and smart and deserved better.

MMR/BOOSTERS: MEDICALLY UNSTABLE/AUTISM

I have 2 vaccine injured children. My son was born normal and healthy in 1995. He met every developmental milestone at 18 months, even exceeding some. Then **he got his MMR and we lost him. It took over \$1 million dollars of treatment for him to get him to a stable place medically.** He'll still never be a taxpayer but at least he's healthy.

My daughter was a normal, precocious, healthy kid. Then **she was given her Kindergarten boosters a month before her 5th birthday and almost immediately she changed.** Even the doctor who "missed" my son's autism, was floored by my daughter's swift decline. Chelation, **diet and supplements recovered her from autism** and she is now a 23y/o taxpayer with a degree in mechanical engineering. Vaccines RUIN lives when given to the wrong people. We are NOT one-size-fits-all and medicines shouldn't be either. We want NO mandates, bring back manufacturer liability, and respect parent choice. Period.

SHOTS AT 14 MONTHS: PETIT-MAL SEIZURES AND INFLAMMATION

My daughter had an adverse reaction to her **vaccinations at 14 months old. She suffered with petit-mal seizures and an encephalopathy about a week later. She suffers with severe gastrointestinal inflammation and pain, brain inflammation, liver glutathione deficiency, hyperacusis, genetic mutations and methylation deficiency.** She is now 13 and still suffers. I have had a very hard time with her having to stay home, the school will not help, mainstream doctors have not helped and I cannot afford to see her only doctor who has done the most help for her because he no longer accepts health insurance due to their not covering the ONLY treatments that have helped her!

DTAP: AUTISM, ASTHMA, AND ECZEMA

My 9-year-old son was injured I believe by the DTAP vaccine when he was 10 months old. There was a drastic change in him including **loss of all words, loss of eye contact, and he became unaware of our world.** He started bouncing his head in his crib which was a very strange and clear sign that something was very wrong. I took him to his doctor and of course was told it was just coincidence that this was happening right after this shot. My family has been swimming in the dark ever since that moment and our lives have been turned upside down. We have lost family and friends because of this.

He finally got a diagnosis of severe Autism along with Asthma, and eczema that resulted in bleeding and infection. He's also allergic to peanuts and all tree nuts that requires us to carry an epi pen which by the way is so unaffordable I haven't been able to renew the prescription. He's also allergic to bee stings. Because insurance isn't willing to pay for any treatments, homeopathic doctors, or any therapy, we had to relocate to a place where they have the ATAP program—Autism treatment assistance program that helps pay for his ABA therapy. The more I have learned and am still learning, I am so angry and feel let down by our country. How disgusting it is that our children are injured for life, that we the parents were lied to and never given informed consent so that we can make an informed decision!

PERSONAL TESTIMONIES

This is a collection of more personal testimonies. No parent-child stories here. Just first hand experience.

RUBELLA: LOST VOICE

My friend Betty, lost her **voice for four days after getting a Rubella vaccination** in February of 2006. She couldn't speak at all during the time and is sure it is connected to the vaccination.

INGREDIENTS

This is a list of some of the worst ingredients in vaccines^{F1}.

Remember, this is not a complete list. There are only 12 ingredients mentioned here, it is best to research all ingredients yourself.

THIMEROSAL

Thimerosal (which is a mercury based preservative) has been linked to many serious health conditions such as autism.

We were led to believe that thimerosal was removed from all vaccines in 2001. But it has been found in some flu shots (including flu shots that are given to infants and pregnant woman), and the tetanus toxoid vaccine.

Over 80 studies have been done that show health effects of thimerosal and mercury on humans. The effects include cognitive difficulties (like autism), memory and vision loss, coordination issues, tremors, skin rashes and mood instability.

Although mercury is a known neurotoxin, it is given out to people and children of all ages. Neurotoxins disrupt normal neurotransmitter function, interfere with nerve conduction and transmission, damage or kill neurons, and alter the structure and function of synapses.

VACCINES CONTAINING THIMEROSAL	
• Influenza (Afluria) Quadrivalent • Influenza (Flucelvax) Quadrivalent	• Influenza (Fluzone) Quadrivalent • Td (TDVAX)

ALUMINUM

According to the CDC, aluminum gels or salts are added to vaccines to stimulate a better immune response. Without aluminum (according to the AAP) more vaccine doses might be required.

Aluminum is a toxic metal though, so why putting are they putting it in vaccines? There has been very little research done on the injection of aluminum through vaccines. Seems like some research that needs done.

VACCINES CONTAINING ALUMINUM	
• MenB (Trumenba) • PCV13 (Prevnar 13) • Td (Tevivac) • Td (TDVAX) • Tdap (Adacel) • DT (Sanofi) • DTaP (Daptacel) • DTaP-IPV (Quadracel)	• DTaP-HepB-IPV (Pediarix) • DTaP-IPV/HIB (Pentacel) • DTaP-IPV-Hib-HepB (Vaxelis) • Hib (PedvaxHIB) • Hep A (Vaqta) • Hep B (Recombivax) • Hep A/Hep B (Twinrix) • HPV (Gardasil 9)

ANTIBIOTICS

Antibiotics are added to vaccines to stop germs from developing while the vaccine is being stored or shipped (One common form of aluminum in vaccines is called neomycin). But recent studies show that it could be harmful to expose children to antibiotics too early. A recent study found that multiple antibiotics used in early childhood may lead to weight gain, altered gut bacteria, and increased bone growth.

VACCINES CONTAINING ANTIBIOTICS (NEOMYCIN)	
• DTaP-IPV (Kinrix) • DTaP-IPV (Quadracel) • DTaP-HepB-IPV (Pediarix) • DTaP-IPV/Hib (Pentacel) • DTaP-IPV-Hib-HepB (Vaxelis) • Hep A (Havrix) • Hep A (Vaqta) • Hep A/Hep B (Twinrix) • Influenza (Afluria) Quadrivalent	• Influenza (Fluad) Quadrivalent • IPV (Ipol) • MMR (MMR-II) • MMRV (ProQuad) (Frozen: Recombinant Albumin) • Rabies (Imovax) • Rabies (RabAvert) • Smallpox (Vaccinia) (ACAM2000) • Varicella (Varivax) Frozen

FORMALDEHYDE

Formaldehyde is added to vaccines to kill unwanted bacteria and viruses that could mess with the vaccine during production.

The CDC insists that most formaldehyde is removed from the vaccines before it's packaged and shipped. That's just a fancy way of saying that formaldehyde is still in the vaccines. But they make it sound like they remove it, because they would want you to think it's gone. Formaldehyde has some major health concerns.

According to the National Institute of Environmental Health Sciences, formaldehyde is a human carcinogen (that means it's a substance that causes cancer in humans), and it is used by funeral services to preserve dead bodies for years.

Formaldehyde side-effects include: irritation of the eyes, nose, throat, and skin; respiratory issues; nasal cancer; kidney damage; pneumonia and bronchitis; leucocytic infiltration.

With this knowledge, you can see why the CDC wants you to believe that it is removed from vaccines. However, formaldehyde can still be found in many vaccines.

VACCINES CONTAINING FORMALDEHYDE	
• Anthrax (Biothrax) • DT (Sanofi) • DTaP (Daptacel) • DTaP (Infanrix) • DTaP-IPV (Kinrix) • DTaP-IPV (Quadracel) • DTaP-HepB-IPV (Pediarix) • DTaP-IPV/Hib (Pentacel) • DTaP-IPV-Hib-HepB (Vaxelis) • Hib (ActHIB) • Hib (Hiberix) • Hep A (Vaqta) • Hep B (Recombivax) • Influenza (Fluad) Quadrivalent	• Influenza (Fluarix) Quadrivalent • Influenza (Flulaval) Quadrivalent • Influenza (Fluzone) Quadrivalent • Influenza (Fluzone) High Dose • IPV (Ipol) • Japanese Encephalitis (Ixiaro) • MenACWY (Menactra) • MenACWY (MenQuadfi) • MenACWY (Menveo) • Td (Tenivac) • Td (TDVAX) • Tdap (Adacel) • Tdap (Boostrix) • Typhoid (Typhim Vi)

MONOSODIUM GLUTAMATE (MSG)

Monosodium Glutamate is more commonly known as a food additive. MSG is used in vaccines as a stabilizer. MSG is meant to keep the vaccine stable when exposed to heat, light, acidity, or humidity.

MSG consumption is known for causing headaches. According to the Mayo Clinic, it can also cause fatigue, disorientation, and heart palpitation. MSG has also been called an "excitotoxin," which means it over-stimulates neuron receptors in the brain causing them to die.

VACCINES CONTAINING MSG	
• Influenza (FluMist) Quadrivalent	• Adenovirus

SQUALENE

A study found that squalene causes arthritis in rats. But it is added to increase the immune systems response to a certain vaccine.

Some also believe (although more research is needed) that this is the main culprit in triggering the Gulf War Syndrome among American troops who served in the Persian Gulf War.

VACCINES CONTAINING SQUALENE
• Influenza (Fluad) Quadrivalent

POLYSORBATE 80

This is mainly found in the HPV vaccine. It is added to vaccines to act as a stabilizer. You can find Polysorbate 80 used as an emulsifier in some foods, you can also find it in cosmetics.

Polysorbate 80 has been found to cause premature ovarian failure in girls. But more research is needed to determine if this is actually caused by Polysorbate 80 or another ingredient in the HPV vaccine.

Based on animal testing, Polysorbate 80 causes adverse reproduction effects, and cancer.

The Material Safety Data Sheet indicates that no safety testing has ever been done on humans.

VACCINES CONTAINING POLYSORBATE 80	
• DTaP (Infanrix) • DTaP-IPV (Kinrix) • DTaP-IPV (Quadracel) • DTaP-HepB-IPV (Pediarix) • DTaP-IPV/Hib (Pentacel) • DTaP-IPV-Hib-HepB (Vaxelis) • Hep B (Heplisav-B) • HPV (Gardasil 9)	• Influenza (Fluad) Quadrivalent • Influenza (Fluarix) Quadrivalent • Influenza (Flucelvax) Quadrivalent • Influenza (Flulaval) Quadrivalent • MenB (Trumenba) • PCV13 (Prevnar 13) • Rotavirus (RotaTeq) • Tdap (Boostrix) • Zoster (Shingles) (Shingrix)

ABORTED BABY TISSUE

The Hepatitis A, shingles, rubella, varicella, and rabies, all are made using aborted baby tissue. They have been made this way for decades.

The reason baby tissue cells are used is, viruses tend to grow better in these cells. The dead baby's cells can divide for a long time before dying.

It is unclear how the DNA from these cells react inside another human body, but Sound Choice Pharmaceutical Institute research indicates that it may cause a distinct increase in autism rates.

The moral issue here is quite apparent too. Using a dead baby's body to grow vaccines is completely and utterly evil. Killing the child was evil, but using the child's corpse in supposed medicine is messed up on a completely different level.

This is cannibalism in one of the strangest and most disgusting ways.

VACCINES CONTAINING CELL LINES FROM MURDERED CHILDREN	
• Hep A (Vaqta) • Zoster (Shingles) (Shingrix) • MMRV (ProQuad) (Frozen: Recombinant Albumin)	• MMR (MMR-II) • Varicella (Varivax) Frozen • Rabies (Imovax)

POTASSIUM PHOSPHATE

Potassium phosphate is used as a nutritional supplement (for those suffering from low blood phosphorus levels) and food additive. If incorrectly used or too much is taken, it can lead to hyperphosphatemia, iatrogenic hyperkalemia, and renal failure.

It is also quite possible that potassium phosphate will interact with other medications causing other serious issues.

VACCINES CONTAINING POTASSIUM PHOSPHATE	
• Adenovirus • BCG (Tice) • Influenza (Afluria) Quadrivalent • Influenza (FluMist) Quadrivalent	• MMRV (ProQuad) (Frozen: Recombinant Albumin) • Varicella (Varivax) Frozen • Zoster (Shingles) (Shingrix)

SODIUM PHOSPHATE

Sodium phosphate is used to soften water, removed impurities, and prevent corrosion in pipes. Along with this, it is used in the food industry as well.

Sodium phosphate can cause kidney damage (leading to kidney disease) in large quantities, some studies have indicated that large quantities of sodium phosphate can also lead to cardiovascular disease.

Apart from cardiovascular and kidney disease, sodium phosphate can cause allergic reactions in some individuals. These reactions include respiratory issues, skin irritation, and more.

VACCINES CONTAINING SODIUM PHOSPHATE	
• Hep B (Engerix-B) • Hep B (Heplisav-B) • Influenza (Afluria) Quadrivalent • Influenza (Fluarix) Quadrivalent • Influenza (Flublok) Quadrivalent • Influenza (Fluzone) Quadrivalent • Influenza (Fluzone) High Dose	• MenACWY (Menactra) • MMRV (ProQuad) (Frozen: Recombinant Albumin) • Rotavirus (RotaTeq) • Rotavirus (Rotarix) • Typhoid (Typhim Vi) • Varicella (Varivax) Frozen • Zoster (Shingles) (Shingrix)

SORBITOL

Sorbitol is an alcohol with a sweet taste. It is commonly used as a sweetener, thickener, and humectant in cosmetics. It can be found in cosmetics, biotechnology, and foods and beverages.

Sorbitol has a long list of side-effects though, the side-effects include: gastrointestinal discomfort (bloating, gas, abdominal pain, and diarrhea); excessive bowel activity; nausea and vomiting; abdominal cramping; rectal bleeding; black stools; weakness; dizziness; allergic reactions (rash, itching/swelling of the face/tongue/throat), severe dizziness, trouble breathing; lactic acid buildup in blood (lactic acidosis); high glucose levels in blood (hyperglycemia); dehydration; fluid and electrolyte losses; dry mouth (xerostomia); swelling (edema); abdominal cramps; and diarrhea.

VACCINES CONTAINING SORBITOL	
• Dengue (Dengvaxia) • MMR (MMR-II) • MMRV (ProQuad) (Frozen:	- Recombinant Albumin) • Rotavirus (Rotarix) • Yellow Fever (YF-Vax)

2-PHENOXYETHANOL

2-phenoxyethanol is used in vaccines as a preservative to stop bacteria or fungal growth. It is also used in some cosmetics, and antiseptics.

2-phenoxyethanol is also a known neurotoxin. A neurotoxin being something that disrupts normal neurotransmitter function, interferes with normal nerve conduction and transmission, damages or kills neurons, and alters the structure and function of synapses.

Seeing that 2-phenoxyethanol is a neurotoxin, it is no surprise that it comes with a huge list of side-effects: headache; diminished sensation and strength in hands and fingers (worst in the dominant hand); persistent neuropathy; cognitive impairment; skin irritation and blistering; and eye irritation.

It also comes with very real potential effects on the brain, hormonal activity, and may also cause endocrine disruption.

VACCINES CONTAINING 2-PHENOXYETHANOL	
• DTaP (Daptacel) • DTaP-IPV (Quadracel)	• DTaP-IPV/Hib (Pentacel) • IPV (Ipol) • Tdap (Adacel)

VACCINE INGREDIENTS CHECK

Here is a color coded chart for each vaccine that showed up in any of the previous sections. The colors and arranged from lightest being the best, and darkest being the worst vaccination.

VACCINE	SCORE	INGREDIENTS
Adenovirus	2/12 83%	MSG, Potassium Phosphate
Anthrax (Biothrax)	1/12 92%	Formaldehyde
BCG (Tice)	1/12 92%	Potassium Phosphate
DT (Sanofi)	2/12 83%	Aluminum, Formaldehyde
DTaP (Daptacel)	2/12 83%	Aluminum, Formaldehyde
DTaP (Infanrix)	2/12 83%	Formaldehyde, Polysorbate 80
DTaP-IPV (Kinrix)	4/12 67%	Antibiotics (Neomycin), Formaldehyde, Polysorbate 80, 2-Phenoxyethanol
DTaP-IPV (Quadracel)	4/12 67%	Antibiotics (Neomycin), Formaldehyde, Polysorbate 80, 2-Phenoxyethanol
DTaP-HepB-IPV (Pediarix)	4/12 67%	Aluminum, Antibiotics (Neomycin), Formaldehyde, Polysorbate 80
DTaP-IPV/Hib (Pentacel)	4/12 67%	Antibiotics (Neomycin), Formaldehyde, Polysorbate 80, 2-Phenoxyethanol
DTaP-IPV-Hib-HepB (Vaxelis)	4/12 67%	Aluminum, Antibiotics (Neomycin), Formaldehyde, Polysorbate 80

VACCINE	SCORE	INGREDIENTS
Hib (ActHIB)	1/12 92%	Formaldehyde
Hib (Hiberix)	1/12 92%	Formaldehyde
Hib (PedvaxHIB)	1/12 92%	Aluminum
Hep A (Havrix)	1/12 92%	Antibiotics (Neomycin)
Hep A (Vaqta)	4/12 67%	Aluminum, Antibiotics (Neomycin), Formaldehyde, Fetal Cell Lines
Hep A/Hep B (Twinrix)	2/12 83%	Aluminum, Antibiotics (Neomycin)
Hep B (Recombivax)	2/12 83%	Aluminum, Formaldehyde
Hep B (Engerix-B)	1/12 92%	Sodium Phosphate
Hep B (Heplisav-B)	2/12 83%	Polysorbate 80, Sodium Phosphate
HPV (Gardasil 9)	2/12 83%	Aluminum, Polysorbate 80
Influenza (Afluria) Quadrivalent	4/12 67%	Thimerosal, Antibiotics (Neomycin), Potassium Phosphate, Sodium Phosphate
Influenza (Fluad) Quadrivalent	3/12 75%	Antibiotics (Neomycin), Formaldehyde, Squalene

VACCINE	SCORE	INGREDIENTS
Influenza (Fluarix) Quadrivalent	3/12 75%	Formaldehyde, Polysorbate 80, Sodium Phosphate
Influenza (Flublok) Quadrivalent	1/12 92%	Sodium Phosphate
Influenza (Flucelvax) Quadrivalent	2/12 83%	Thimerosal, Polysorbate 80
Influenza (Flulaval) Quadrivalent	2/12 83%	Formaldehyde, Polysorbate 80
Influenza (FluMist) Quadrivalent	2/12 83%	MSG, Potassium Phosphate
Influenza (Fluzone) Quadrivalent	2/12 83%	Thimerosal, Formaldehyde
Influenza (Fluzone) High Dose	2/12 83%	Formaldehyde, Sodium Phosphate
IPV (Ipol)	3/12 75%	Antibiotics (Neomycin), Formaldehyde, 2-Phenoxyethanol
Japanese Encephalitis (Ixiaro)	1/12 92%	Formaldehyde
MenACWY (Menactra)	2/12 83%	Formaldehyde, Sodium Phosphate
MenACWY (MenQuadfi)	1/12 92%	Formaldehyde
MenACWY (Menveo)	1/12 92%	Formaldehyde

VACCINE	SCORE	INGREDIENTS
MenB (Trumenba)	2/12 83%	Aluminum, Polysorbate 80
MMR (MMR-II)	2/12 83%	Antibiotics (Neomycin), Fetal Cell Lines
MMRV (ProQuad) (Frozen: Recombinant Albumin)	4/12 67%	Antibiotics (Neomycin), Fetal Cell Lines, Potassium Phosphate, Sodium Phosphate
PCV13 (Prevnar 13)	2/12 83%	Aluminum, Polysorbate 80
Rabies (Imovax)	2/12 83%	Antibiotics (Neomycin), Fetal Cell Lines
Rabies (RabAvert)	1/12 92%	Antibiotics (Neomycin)
Rotavirus (RotaTeq)	2/12 83%	Polysorbate 80, Sodium Phosphate
Rotavirus (Rotarix)	2/12 83%	Sodium Phosphate, Sorbitol
Td (Tenivac)	1/12 92%	Formaldehyde
Td (TDVAX)	3/12 75%	Thimerosal, Aluminum, Formaldehyde
Tdap (Adacel)	3/12 75%	Aluminum, Formaldehyde, 2-Phenoxyethanol
Tdap (Boostrix)	2/12 83%	Formaldehyde, Polysorbate 80

VACCINE	SCORE	INGREDIENTS
Typhoid (Typhim Vi)	2/12 83%	Formaldehyde, Sodium Phosphate
Varicella (Varivax) Frozen	4/12 67%	Antibiotics (Neomycin), Fetal Cell Lines, Potassium Phosphate, Sodium Phosphate
Zoster (Shingles) (Shingrix)	3/12 75%	Fetal Cell Lines, Potassium Phosphate, Sodium Phosphate
Yellow Fever (YF-Vax)	1/12 92%	Sorbitol
Dengue (Dengvaxia)	1/12 92%	Sorbitol

POISON CONTROL

Iris Figueroa conducted a test of her own with Poison Control. She listed all of the previously covered vaccine ingredients. It goes like this:

I gathered all vaccine ingredients into a list and contacted Poison Control. After intros and such, and asking to speak with someone tenured and knowledgeable, this is the gist of that conversation.

Me: My question to you is how are these ingredients categorized? As benign or poison? (I ran a few ingredients, **formaldehyde**, **Tween 80 [Polysorbate 80]**, **mercury [thimerosal]**, **aluminum**, **phenoxyethanol [2-phenoxyethanol]**, **potassium phosphate**, **sodium phosphate**, **sorbitol**, etc.)

He: Well, that's quite a list... But I'd have to easily say that they're all toxic to humans... Used in fertilizers... Pesticides... To stop the heart... To preserve a dead body... They're registered with us in different categories, but pretty much poisons. Why?

Me: If I were deliberately to feed or inject my child with these ingredients often, as a schedule, obviously I'd put my daughter in harm's way... But what would legally happen to me?

He: Odd question... But you'd likely be charged with criminal negligence... perhaps with intent to kill... and of course child abuse... Your child would be taken away from you... Do you know of someone's who's doing this to their child? This is criminal...

Me: An industry... These are the ingredients used in vaccines... With binding agents to make sure the body won't flush these out... To keep the antibody levels up indefinitely...

He: WHAT?!

Your conclusion?





The man was beside himself. He asked if I would email him all this information. He wanted to share it with his adult kids who are parents. He was horrified and felt awful he didn't know... his kids are vaccinated and they have health issues...

That's pretty interesting to say the least.


MAKING US SICKER

There is a difference in health between vaccinated and unvaccinated children. And that difference may be reversed from what you expected, and far larger than you thought.


According to the latest research, and over 100 studies, populations of unvaccinated people consistently have fewer chronic health conditions when compared to those populations that are vaccinated^{H1}.




EAR INFECTIONS




DEVELOPMENTAL DELAYS




ASTHMA




CHRONIC DISEASES




HAY FEVER




MULTIPLE SCEROSIS




NEURODEVELOPMENTAL DISORDERS




MORTALITY RATE




NON-FLU INFECTION




TYPE 1 DIABETES (PER 100K) BEFORE AND AFTER VACCINE SCHEDULE EXPANSION




TYPE 1 DIABETES (PER 100K)




AUTISM RATE




CROHN'S DISEASE AND ULCERATIVE COLITIS




ASTHMA RATE




MISCARRIAGE RATE WITHIN 28 DAYS OF VACCINATION




THIMEROSAL EXPOSURE




SIDS DEATHS




HEPATITUS B (WITH THIMEROSAL)



INFANT MORTALITY RATE



MORTALITY RATE



VACCINES DIDN'T ERADICATE DISEASES

Some people may immediately scream and start foaming at the mouth after reading that title. It is an undeniable fact that vaccines cured many of the diseases that plagued mankind for thousands of years, anyone who argues this point is considered to be a moron.


But I am already considered a moron. So lets look at the facts.

MEASLES

This is a chart showing measles in America.

As you can see, the vaccine basically eliminated the virus. Measles was around until in the 1960s the measles vaccine wiped it out.


But I said that vaccines didn't eliminate diseases, didn't I? I did.



Turns out that they have been using a tiny chart to make things look bad. Let's look at the extended chart showing measles in America. And yeah, this is deaths from measles, not cases as you see in the first graph. But cases and deaths follow pretty much the same curve, with deaths just being much lower than the number of cases for most diseases.

And look at that, you sure see a completely different perspective¹¹. You've been fed selective evidence.

The official story is that in 1963 the measles vaccine was created and the disease disappeared. They don't tell you that the shot was a failure and caused an even worse form of measles called atypical measles. It wasn't until 1968 that a second version was rolled out. And by looking at the extended




chart, you can see that measles deaths were basically gone by 1963 and 1968, so it really doesn't even matter if it was a success or failure. Measles was retreating, and almost gone.

WHAT CURED THEM?

If vaccines didn't cure diseases, what did?

Many argue that it was modernization. Sanitation awareness, refrigeration, indoor plumbing, etc. It's unarguable that all these greatly increased the lives of people and benefited everyone's health. And that's what cured our diseases.

How do we know that it wasn't vaccines? Well, let's just do what we did for measles, let's look farther back than they show us.




As you can see from this graph, many diseases were on the decline well before vaccines were implemented. The vaccines were implemented after the diseases were already on the decline, then we get told that these shots cured everything.

Regardless of the fact that diseases were already declining, you hear about how vaccines have saved us from a life of disease and illness. But for measles and these other diseases, that obviously wasn't the case.

The graph above shows five diseases, and it shows the year that vaccines for three of them were introduced. One of those diseases (Scarlet fever) never had a vaccine, and the vaccine for Typhoid was used so late (not widespread until 1980s) that it doesn't even show up on the chart. But those diseases still follow the same decay curve as the others that had a vaccine.

So we see all these diseases declining, completely independent of their respective vaccinations. How can anyone claim that vaccines cured the diseases? Or even effected the outcomes? The data seems to be pretty clear.

But then, you see this:



This is directly from the CDC. This is misinformation. They have the right to say it, and the information in this is technically true. But they are conveying the data in such a way as to push their negative. Yes, measles was really high in the 20th century. And yeah, it did come way down by 2023. But they do not show you the full context and they leave you stumbling in the dark with only the data and context they gave you.

REDEFINING YOUR TERMS

A man named Salk created a vaccine for polio. And when Salk's vaccine was marketed, to make it appear as if the shot was helping, the definition of Polio was redefined.

Before 1954, two doctor exams, 48 hours apart were required before you could be diagnosed paralytic polio. But after Salk's vaccine for polio was rolled out, they changed it to two doctor visits, 60 days (1,440 hour) apart.

I'm not sure if you noticed, but that change makes a huge difference. And yes, the recorded cases of polio dropped drastically. Making people think that the vaccine was actually doing something.


That wasn't all though.

Before 1954, a polio epidemic was defined as 20 diagnosed cases of polio out of 100,000. But after the polio vaccine rolled out, they made it harder for anything to be classified as an epidemic by redefining it as 35 diagnosed cases out of 100,000.

So, as soon as the vaccine rolls out, polio appears to become much more scarce. Everyone believes its a huge win, but really the data is just being manipulated. And now we can have misleading graphs like this from the CDC:

The polio vaccine eradicated the disease in the United States

Annual number of new cases of paralytic poliomyelitis, 1951–2023



Source: Centers for Disease Control and Prevention, "CDC Stacks Collections of Annual Tables of Infectious Diseases and Conditions" (last accessed January 2025).

VACCINES GONE BAD

Here in this section, we're going to focus just on vaccines that went bad. The forgotten pandemics that were caused by failed vaccines, and the vaccines that cause injury to hundreds of thousands.

CUTTER EVENT

Many have forgotten the Cutter event¹. But here's the story.

A man named Dr. Humphries tried to warn people about a deadly flaw in Salk's polio vaccine. He pointed out that the formaldehyde was not able to keep the polio virus inactive. A Swedish virology expert warned those in places of power that this was the case, but he was ignored—as anti-vaxxers are today.

The polio vaccine virus was impossible to keep sufficiently inactive with formaldehyde. Some bottles passed safety tests, but many were full of the live virus when tested three months later.

This error caused a polio outbreak. 220,000 people were infected after receiving a vaccine containing the live strain of polio, 164 people were severely paralyzed, and ten people were killed.

That isn't all. 70,000 people also experienced muscle weakness, millions were likely exposed to the virus, and there was 40,000 cases of abortive polio—which is a milder version of the disease.

The shot that was hailed as a cure to polio was actually an infection shot that caused an epidemic.

All hail the saving shots.

19 DISEASES IN 1 SHOT

Haemophilus influenzae type B (known as Hib), is a bacterium that can cause anything ranging from ear infections, to pneumonia and meningitis. Vaccines to protect young children from Hib were first licensed in 1987.

Wyeth (now Pfizer), sold their HibTITER vaccine from when it was first licensed in 1990 until 2007. It was given to children at age 2 months or older (as recommended by CDC).

In 2003, Pfizer reformulated the vaccine to remove thimerosal, after there was a public outcry over the dangers of mercury in vaccines. Then in 2007, Pfizer quietly took the HibTITER vaccine off of the market.

CHD (Children's Health Defense) researchers, Karl Jabonowski, and chief scientific officer Brian Hooker, compared adverse events among children who received the HibTITER to those who received other Hib vaccines.

Using the public Florida Medicaid database, Jablonowski and Hooker analyzed data from 277,484 children between 2003 and 2007. They verified their findings using VAERS (Vaccine Adverse Event Reporting System).

Jablonowski and Hooker conducted their research using Fisher's Exact Test statistical model to compare the disease frequencies in each group. They also used Bonferroni correction, which eliminates random results. In other words, their research results were as accurate as Jablonowski and Hooker could get them to be. And they linked the thimerosal-free HibTITER vaccine to 19 different diseases^{J2}.

These diseases range from serious to life-threatening. The effects include: gastrointestinal adverse outcomes, respiratory adverse outcomes, dermatological adverse outcomes, and infectious diseases (which makes up nine of the 19 adverse outcomes).

The packaging insert for the HibTITER vaccine mentions none of the serious or life-threatening conditions. The only side-effects it accommodates are fever and rash.

It was calculated that 35 million Americans took the shot during its time on the market, and are thus at risk of developing one or more of these 19 diseases.

The HibTITER vaccine is just another sad story of a vaccine manufacturer void of liability.

GOOD VACCINES?

I've had people tell me that they know that vaccines have terrible ingredients in them. I've been told by people that they probably are all bad for us. But the same people tell me that there are some that aren't bad, or that are necessary at times.


Now I'm going to address these claims.

TETANUS

Many claim that Tetanus is one infection where it's worth it to get a the shot. They tell me that Tetanus is far too serious to risk, and even if the Tetanus shot is horrible for you, it's harm is outweighed by it's benefits.

First off, Tetanus wasn't cured by the vaccines. If you look up any charts for Tetanus cases, you will find charts going as far back as 1947 or 1950. You won't find any data charts going farther back unless there from conspiracy theorists.


The CDC shows data charts like this, and anyone else that references Tetanus data, uses this chart^{K1}. This is also considered to be one of the strongest proofs of the Tetanus vaccines' effectiveness.



If you go through and pool available data though, you can find enough to create this chart^{K2}. And this tells a different story. And the same story as Measles, Scarlet Fever, Typhoid, Diphtheria, and many, many more illnesses and infections.

The Tetanus vaccine was created in 1924, but it saw no widespread use until 1947. That is when it became a childhood vaccine and was incorporated into the schedule.

Tetanus Deaths (1960-2022)



The dots on this chart showcase a data point—somewhere in time that we have Tetanus data. As you can see, there are only three data-points that I found before the year 1947. But what those three points show, is that Tetanus was on the decline long before the vaccine ever came into the picture.

Tetanus is caused by the *Clostridium tetani* bacteria, this bacteria lives in soil, dust, and animal feces. Once in the body, the bacteria starts creating a toxin that moves through the nervous system. This is why Tetanus is so dangerous.

Against popular belief, rust does not spread Tetanus. Rusty nails actually have nothing to do with getting infected.

The second most common idea is the animal feces are what you need to watch out for. And while this is technically true, you have a higher chance of getting Tetanus from dirt.

Tetanus lives in the soil, so you are more likely to get it from a cut that got some dirt in it, than you are from getting feces in the wound or stepping on a rusty nail. *Clostridium tetani* can live in animal feces anywhere from a couple days, to a few weeks. On the other hand, in dirt it can be found surviving for decades or longer.

Another misconception is that if you think that you have been exposed to Tetanus, you should go get vaccinated for it. That's not true. Even assuming the vaccine works the way they say it does, it only protects from Tetanus as long as you've not already been exposed to it. If you have been exposed to Tetanus, it is a medical emergency and you may need to start antibiotics and get a tetanus immune globulin (TIG) shot^{K3}.

Antibiotics are used to fight against Tetanus^{K4}. Select antibiotics kill any living *Clostridium tetani* bacteria in the body. Here's a list of antibiotics that are used today:

- Metronidazole is the most common antibiotic used today, it is very effective at neutralizing *Clostridium tetani*.
- Penicillin G is the historical treatment. It still works, but Metronidazole works better, and has fewer complications.
- Doxycycline, Clindamycin, and Erythromycin are used if allergies or medical issues get in the way.


However, these antibiotics only kill the bacteria, they don't neutralize the toxin already in the nervous system. A TIG shot is used to soak up any toxin that is already inside the nervous system.

Supportive care (muscle relaxants, ventilators if needed) are commonly used, recovery may take months, and a variety of different drugs may be used along the way as support. But the main way of combating an active case of Tetanus, is with antibiotics and TIG shots, not vaccinations.

If you think you might have Tetanus, don't get vaccinated. I recommend getting a TIG shot, and starting antibiotics for *Clostridium tetani*. While a Tetanus vaccine may be prescribed during recovery or if the wound is clean and they suspect that you haven't actually been exposed, no doctor or expert is going to advise getting vaccinated as a means of combating the infection after you've already been exposed to it.


RABIES

Rabies actually follows a similar pattern to Tetanus. First, the CDC shows that mass vaccination wipes out the Rabies infection^{K5}.



But then when you look a chart going back farther, you see that Rabies was going up and down, and that the Rabies vaccine actually just catches the infection, not as its about to dip, but right after it already has and come back up.

Rabies Deaths per Year (1800-2000)



Rabies shows the same decay curve as so many other illnesses and diseases. Even the dogs are getting healthier.

The CDC is so deceptive with its way of showing data and information. If you ever see anything from them, remember this and try and see if they are withholding information.

Rabies is a viral disease that affects the central nervous system. It primarily attacks the brain and spinal cord. It's usually transmitted through the bite of an infected animal. Dogs are the most common carrier worldwide, but in America it's bats, raccoons, skunks, and foxes that are the most common carrier. The rabies virus spreads via saliva into the body and then travels along the peripheral nerves to the brain.

That said, Rabies is almost completely preventable, if treated before symptoms appear. Once symptoms show up, treatment is usually supportive, and survival is extremely rare.

The standard procedure with Rabies (PEP) for both the vaccinated and unvaccinated is to wash the bite thoroughly with soap and water, apply antiseptics like iodine or alcohol.

Then if the person is not vaccinated, they will be given a Rabies Immune Globulin (RIG) shot. This gives them antibodies to fight the infection with. The shot is administered around the wound, and this gives you antibodies to fight the infection quickly. After this, the person is put on a series of Rabies vaccines given over 14 days (days 0, 3, 7, 14, and an optional 28th day booster for the immunocompromised).

For those who are vaccinated, no RIG shot is required. They just give you two booster vaccines on days 0 and 3. This works because, although the vaccine does contain toxic elements, it does give you Rabies antibodies that do allow you to fight the infection yourself.

As long as you catch Rabies before you start seeing symptoms, and these steps are followed, it is almost sure that you will survive. But if you start seeing signs of infection, it's too late. The chance of survival at that point is less than 1%.

But the incubation phase (the time you have to catch the infection and start treatment), can last between one and three months. At that point the Prodromal phase starts. This phase lasts two to 10 days, and symptoms you will experience within this time include: fever, headache, fatigue; pain, itching, or tingling at the bite site; and nausea or vomiting. If PEP is started within this phase, you can still easily survive.

Then the Acute Neurologic phase begins. This is the phase that a person will experience: anxiety, agitation, confusion, hydrophobia, excessive salivation, hallucinations, seizures, and paralysis. This phase lasts only two to seven days and ends with death^{K6}.

The good news is, you have possibly over a month to catch it, you have signs to look for, and Rabies is incredibly rare. Only three people die of Rabies every year in America. 60,000 to 100,000 people get PEP as a precaution, there are only about 10 confirmed cases of Rabies every year nationwide, and of the precautionary recipients of PEP, it's estimated that only 1,000 to 2,000 people were actually exposed to Rabies^{K7}.

With this data, mathematically the odds are 1 in 223,000. The odds of being struck by lightning is roughly 1 in 161,000 (according to the CDC)^{K8}.

It's possible that your chance of contracting or being exposed to Rabies is less than being hit by lightning. That's pretty rare.

YELLOW FEVER

Yellow Fever has been nonexistent since the beginning of the 1900s. And you don't actually hear very much about it nowadays.


Yellow fever is a viral disease spread by infected *Aedes aegypti* mosquitoes (the same type that spreads dengue and Zika). It's called "yellow" because in severe cases, it causes jaundice (yellowing of the skin and eyes due to liver damage).

Since about 1905, the risk of Yellow Fever in America is basically zero. And Vaccination is essentially pointless.

For the first three to six days after infection, you will start experiencing the following: fever, chills, muscle pain (especially back pain), nausea, fatigue. In some severe cases (roughly 15%) you will experience: the return of a high fever, jaundice, bleeding, and organ failure. And in up to half of all infections without treatment, death can result.

There currently isn't a cure for Yellow Fever, but you also really can't get it in the United States^{K9}.



Yellow Fever per Year (1800-2000)





DOWNWARD TREND


At this point, it should be obvious that many infections and diseases were already declining long before the vaccine was put on the market.

Much of this has already been discussed, but this will act as an area to compile the previous information, as well as add more^{L1}.







Tetanus Deaths (1960-2022)



Rabies Deaths per Year (1800-2000)



Yellow Fever per Year (1800-2000)



IF YOU VACCINATE

If the research contained inside this paper wasn't enough to make you skeptical, or quite vaccinations, it should at least make you extremely cautious. You should at least examine the shots that you give to yourself or your children.

GENERAL ADVICE

If, for any reason you still vaccinate yourself or your children, this is my general advice to those who still wish to vaccinate.

1. Do not ever mix multiple vaccines

First, do not ever mix multiple vaccines together at once. This is important because there are no studies on the chemical and biological effects that mixing multiple vaccines can cause. We know that there are a ton of side effects when it comes to mixing shots, but we don't have any peer-reviewed studies or investigations into the effects of mixing certain shots. It's when mixing shots that you start seeing really dangerous adverse reactions and tons of pain and suffering.

2. Space out the shots you give you or your children by at least 6 months

Second, space out the shots given to you or your children by six months or (preferably) more. This advice is given because it gives time for the vaccine that is already in the body to dissipate as much as possible and avoid mixing with any new shots given. Again, mixing vaccines is very dangerous and should be avoided.

3. Never vaccinate a child under 13

And lastly, do not give vaccines to children under 10 years of age. This is recommended, because in all my research, the most dangerous and concerning adverse reactions happened to children under 13 years old. After 13, they mostly get sick, or run a fever. But those children that died, or developed Autism, Asthma, or one of many major issues, they were mainly children under 13.

If you do absolutely nothing else I recommend, please take this advice into consideration.

SELECTIVE VACCINATION

If you aren't completely against vaccines, and just want to know which ones to avoid, here's my advice on that.

- Tetanus shots are the worst of all shots.

The Tetanus vaccines have the least supporting data of any vaccine I've ever researched. The vaccines also come with some of the worst ingredients, and Tetanus is incredibly difficult to get and can be fought with Antibiotics and TIG shots. This is why I recommend against receiving any of these:

- DT (Sanofi)
- DTaP (Daptacel)
- DTaP (Infanrix)
- DTaP-IPV (Kinrix)
- DTaP-IPV (Quadracel)
- DTaP-HepB-IPV (Pediarix)
- DTaP-IPV/Hib (Pentacel)
- DTaP-IPV-Hib-HepB (Vaxelis)
- Td (Tenivac)
- Td (TDVAX)
- Tdap (Adacel)
- Tdap (Boostrix)
- Rabies shots are not a necessary, and one contains fetal cells.
 One of the Rabies vaccines contains aborted baby cells. Along with this, there isn't a reason to take a Rabies vaccination. Rabies is a preventable disease, and is absolutely incredibly rare. Rare enough that I recommend not receiving any Rabies shot:
 - Rabies (Imovax)
 - Rabies (RabAvert)
- There is no need to give your child any shots pertaining to STDs.
 Unless you already suffer from one, or your child is sexually immoral, there isn't a reason to give your child a Hep A or Hep B shot. Even if you have Hepatitis A, Hep A vaccines are worthless because Hepatitis A does not transfer through kissing, touch, or hugs. Below is a list of shots that most children should never need:
 - HPV (Gardasil 9)
 - Hep B (Recombivax)
 - Hep B (Heplisav-B)
 - Hep B (Engerix-B)
 - Hep A (Havrix)
 - Hep A (Vaqta)
 - Hep A/Hep B (Twinrix)
 - DTaP-HepB-IPV (Pediarix)
 - DTaP-IPV-Hib-HepB (Vaxelis)

- There is no need for a Yellow Fever vaccination.

Yellow Fever has been basically nonexistent in America for about 100 years. And while we're told that it is a problem in Africa, and other places around the world, it remains a problem there for reasons other than vaccination.

- Yellow Fever (YF-Vax)

- The Vitamin K shot is detrimental to newborns.

While it is almost standard for newborns in the hospital to receive it, the Vitamin K shot is unnecessary due to the fact that it is used to stop cases of VKDB. VKDB is incredibly rare around the world, and even more rare in developed countries. Due to the fact that the issue is both very, very rare, and that the shot itself contains many harmful ingredients, I advise against giving this shot to children. (More details: [VITAMIN K on page 54](#))

- Vitamin K1

REQUESTED RESEARCH

This part will focus not on any group, variety, or brand of vaccines, but on vaccines I have been requested to research and add to this paper.

VITAMIN K

The Vitamin K shot is not actually a vaccine. Instead it is an intramuscular injection of phytonadione. Phytonadione is given to stop Vitamin K Deficiency Bleeding (VKDB) in infants. VKDB is a rare but potentially life-threatening bleeding disorder in newborns caused by insufficient vitamin K, which is essential for blood clotting. Once an infant begins bleeding internally, it becomes very dangerous and difficult to stop.

However, VKDB is very rare. With lower wage countries sitting at around 30 cases of VKDB out of 100,000 live births. And higher wage countries (like the USA) sitting at around 8.8 out of 100,000 live births. Of that 8.8 cases of VKDB in the USA, only about two cases will actually be serious. With about one child dying, and one recovering with possible neurological damage.

Here is the complete list of the known ingredients in the Vitamin K1 phytonadione injection, emulsion^{N1}:

- Phytonadione (Vitamin K)
 - This is used in injections to prevent or treat bleeding disorders, is generally safe. Issues include: allergic reactions, local irritation at the injection site, or rare hypersensitivity reactions such as difficulty breathing or anaphylaxis. Overdose is uncommon but could lead to hemolytic anemia or liver dysfunction in extreme cases.
- Polyoxyl 35 Castor oil
 - Often used as a solubilizer or emulsifier in injectable medications, can cause side effects such as allergic reactions, local irritation at the injection site, and, rarely, systemic reactions like nausea, vomiting, or low blood pressure. High doses or rapid administration may increase the risk of these effects.
- Dextrose Monohydrate
 - Dextrose monohydrate, when used in medical settings such as injections or IV fluids, is generally safe but can have some issues. It can cause high blood sugar levels (hyperglycemia), fluid and electrolyte imbalances, and in rare cases, allergic reactions. Excessive or rapid administration may lead to swelling, vein irritation, or metabolic complications, especially in people with diabetes or kidney problems.
- Benzyl alcohol
 - Benzyl alcohol, used in injections as a preservative, can cause allergic reactions, skin or tissue irritation, and in rare cases, nervous system effects such as headache or dizziness. High doses, especially in newborns or very young children,

can lead to a serious condition called "gasping syndrome," characterized by respiratory and metabolic problems.

- Hydrochloric acid
 - When used in pharmaceuticals in very small amounts to adjust pH, it is generally safe. At higher concentrations, it can cause tissue irritation, burning, or damage to cells and mucous membranes.
- Polyoxyethylated fatty acid derivatives (varies by brand)
 - Often used in injections as solubilizers or emulsifiers, can sometimes cause allergic reactions, local irritation at the injection site, or mild systemic effects like nausea or headache. Rarely, hypersensitivity reactions or effects on liver metabolism may occur.
- Polysorbate-80
 - Used in injections and vaccines as a stabilizer or emulsifier, can cause allergic reactions in some individuals. Rarely, it may trigger hypersensitivity, low blood pressure, or local irritation at the injection site. High concentrations could potentially affect the immune system or interact with other substances in the body. Animal studies have suggested it has effects on fertility. (See more, go to [POLYSORBATE-80 on page 18](#))
- Propylene glycol
 - Used in injections as a solvent or stabilizer, is generally considered safe at the low levels present in pharmaceuticals. Potential issues include allergic reactions, local irritation at the injection site, and, in rare cases or high doses, kidney or liver stress, central nervous system effects, or metabolic disturbances.
- Acetic acid
 - When used in pharmaceuticals in very small amounts to adjust pH, is generally safe. At higher concentrations, it can cause tissue irritation, burning, or damage to cells and mucous membranes.
- Glacial acetic acid
 - Glacial acetic acid is the concentrated, anhydrous form of acetic acid. In its concentrated form, it is highly corrosive and can cause severe tissue burns, irritation, and respiratory damage if mishandled.
- Sodium hydroxide
 - In concentrated form, it is highly caustic and can cause severe burns, tissue damage, or irritation, but the trace amounts present in injections are unlikely to produce harmful effects.
- Dextrose

- Generally safe but can cause high blood sugar (hyperglycemia), fluid and electrolyte imbalances, or vein irritation if given too rapidly. People with diabetes, kidney issues, or certain metabolic conditions may be more sensitive to its effects.
- Sodium Citrate
 - Used in injections and IV solutions to adjust acidity or act as an anticoagulant, is generally safe. Possible issues include mild electrolyte imbalances, alkalosis (if overused), or local irritation at the injection site.

Basically, there isn't anything in there that is actually okay for you. They all have uncomfortable side-effects. And one item (Polysorbate-80) has already been mentioned in this paper for its effects on fertility in girls. It has been linked to possibly causing premature ovarian failure in girls.

Only about 20 court cases have been brought up regarding the Vitamin K shot, but here's what parents are saying:

- Vitamin K: Jaundice and liver overload (Julie Donuts, 2024): "If I was pregnant right now, I wouldn't step foot into a hospital... Within 1 hr, your baby gets a "vitamin k" shot that's not really vitamin k (synthetic phytonadione) has aluminum and alcohol in it... **THIS IS WHY YOUR BABY GETS JAUNDICE.** Their tiny livers can't handle it."
- Vitamin K: damage (Dee Mani, 2025): "For 13 years I've been telling people that childhood **vaccines caused damage to my son, specifically the Vitamin K...** In and out of hospital constantly. Then at 6, a paediatrician confirmed it was vaccine related... Stopped jabbing at 6, detoxed naturally—he's thriving at 19."
- Vitamin K: Jaundice (Lisa Power, 2025): First baby, hospital-born, got **the toxic shot and jaundice hit hard**; next two, home births, skipped it—no jaundice. "Go figure."
- Vitamin K: metabolic turmoil (NAM, 2025): First child post-shot: blood work skewed, temp dysregulation, high white cells, pustular melanosis (maybe misdiagnosed toxin rash), false fatty acid disorder positive—self-resolved after refusing more interventions. **"Vit K was the trigger... By no means benign."**
- Vitamin K: Jaundice (Rebecca Keller, 2025): **"The vitamin K shot is toxic. It put my newborn into jaundice...** They never told me. I just figured it out 25 years later."

The side-effects that parents talk about in regards to the Vitamin K1 shot the most are:

- Severe jaundice/yellowing starting day 1 to 2
- Lethargy/floppy baby/hard to wake for feeds
- Projectile vomiting or feeding refusal
- Red, swollen, hard lump at injection site that lasts weeks
- Weird rashes or pustular melanosis outbreaks
- In rare cases, a reaction can occur and death within minutes

In the end, I would not recommend the Vitamin K shot due to the fact that VKDB is an extremely rare condition with only less than half of the 8.8 cases per 100,000 actually being serious or life-threatening.

LAST WORDS

The information presented in this paper may be too much for some people, but I am not content with just knowing the truth. I must share it.

I cannot change the way you think, what you believe about vaccines, or what you'll do to your children. But I can give you my thoughts, and share information. That's my right, and that's what I've tried to do here.

I could be wrong about vaccines. Maybe they are safe and effective. But I need evidence that they are so, and I need the points in this paper to be addressed.

It's important to not to consider vaccines safe and effective until you have done the research on them.

Consider nothing you believe to be immutable until you have tried to destroy it from every angle. Because until you've looked at the other side of the argument, you don't know if your side is correct.

It matters not how incredibly ridiculous or stupid something seems, the truth isn't always obvious. It's like George Bernard Shaw once said:

All great truths begin as blasphemies.

MORE RESEARCH

COVID VACCINES

10 reasons not to get the COVID vaccine: <https://childrenshealthdefense.org/child-health-topics/known-culprit/vaccines-culprit/top-ten-reasons-not-to-let-your-child-get-a-covid-shot/>

10 things to know about the COVID shots: <https://childrenshealthdefense.org/Top-10-things-you-need-to-know-about-COVID-19-Vaccines>

FLU VACCINES

The flu shots: <https://childrenshealthdefense.org/wp-content/uploads/2019-CHD-Flu-Brochure.pdf>

SOURCES

Email LanthanoResearch@protonmail.com if you would like to ask a question, found an error throughout this paper, or have more evidence you would like to present to me (regarding either side of the debate).

THE MOTIVES

[B1] Big Pharma's worth in 2020: <https://www.fortunebusinessinsights.com/u-s-pharmacy-market-106306>

[B2] Vaccine manufacturer liability immunity: https://en.wikipedia.org/wiki/National_Childhood_Vaccine_Injury_Act; Exerpt from The National Vaccine Injury Compensation Program (the "VICP") (42 U.S.C. §§ 300aa-10 et seq.) as established in The National Childhood Vaccine Injury Act of 1986.

VACCINE TESTING

[C1] FDA doesn't test the vaccines: <chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/https://www.fda.gov/media/83528/download>

[C2] Warnings against mixing animal vaccinations and quotes: <https://immunisationhandbook.health.gov.au/contents/vaccination-procedures/administration-of-vaccines>; <chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/https://www2.zoetis.co.nz/content/assets/PDFs/Livestock-solutions/Dairy-Wellness/Livestock-vaccine-handling-guide.pdf?com>; <https://www.merckvetmanual.com/pharmacology/vaccines-and-immunotherapy/administration-of-vaccines-in-animals>; chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/https://secure.caes.uga.edu/extension/publications/files/pdf/B_1431_1.PDF?com

[C3] Response to Robert F. Kennedy Jr. and Aaron Siri from HHS on January 18, 2018, explaining how HHS justifies licensing any pediatric vaccine without first conducting a long-term clinical trial in which the rate of adverse reactions are compared between the subject group and a control group receiving an inert placebo.

[C4] Dr. Paul Offit lets us know that the experts have officially lost their minds:
<https://childrenshealthdefense.org/defender/paul-offit-vaccines-placebos/>

VACCINE INJURIES

[D1] VAERS Data: <https://vaers.hhs.gov/data/datasets.html>

[D2] 'We Get Paid to Vaccinate Your Children': Pediatrician Reveals Details of Big Pharma Payola Scheme: <https://childrenshealthdefense.org/defender/pediatricians-paid-vaccinate-children-pharma-payment-scheme-dr-paul-thomas/>

INJURY TESTIMONIES

[E1] Parent stories: <https://www.yahoo.com/lifestyle/parents-of-vaccine-injured-children-speak-out-110904439577.html>; <https://www.cbsnews.com/news/vaccine-court-americans-who-suffer-rare-injury-after-vaccination-take-claims-60-minutes-transcript/>; <https://www.oregoniansformedicalfreedom.com/stories/>; <https://childrenshealthdefense.org/uncategorized/vaccine-injury-stories-touches-families-united-states/>

INGREDIENTS

[F1] Extensive list of all ingredients in all vaccines:
<https://www.cdc.gov/vaccines/pubs/pinkbook/downloads/appendices/B/excipient-table-2.pdf>;
Mercury, Thimerosal, and Autism:
<https://childrenshealthdefense.org/known-culprits/mercury/thimerosal-history/research-critiques/>; The effects of the worst vaccine ingredients:
<https://childrenshealthdefense.org/news/toxic-vaccine-ingredients-the-devils-in-the-details/>

MAKING US SICKER

[H1] Asthma, Development Delays, and Autism: <https://childrenshealthdefense.org/vaccine-curriculum/>; CHD peer-reviewed, published research showing the adverse effects of mercury: <https://childrenshealthdefense.org/wp-content/uploads/autism-mercury-abstracts-2.27.20.pdf>; Abstracts from 240 studies: <https://childrenshealthdefense.org/wp-content/uploads/mercury-all-sources-research-combined-chd.pdf>; The health difference between vaccinated and unvaccinated kids: <https://childrenshealthdefense.org/wp-content/uploads/VaxUnvax-FullFlyer-071824.pdf>

VACCINES DIDN'T ERADICATE DISEASES

[I1] Vaccines didn't cure diseases: <https://visionlaunch.com/vaccines-eradicate-diseases-20th-century/>

VACCINES GONE BAD

[J1] The Cutter event: <https://elylazar.substack.com/p/the-most-deadly-epidemic-of-all-constant>

[J2] Vaccine 'Quietly' Pulled Off Market in 2007 Now Linked to 19 Diseases — 35 Million Babies Who Got the Shot Now at Risk as Adults:
<https://childrenshealthdefense.org/defender/hib-vaccine-off-market-babies-diseases-adults/>

GOOD VACCINES?

[K1] CDC Tetanus data: <https://www.cdc.gov/mmwr/preview/mmwrhtml/mm6012a1.htm>

[K2] Tetanus data 1940s: https://www.cdc.gov/nchs/data/vsus/vsus_1940_1.pdf; 1910s: https://www.cdc.gov/nchs/data/vsushistorical/mortstatsh_1910.pdf; 1860s: https://www.cdc.gov/nchs/data/vsus/mort65_2b.pdf

[K3] Proper medication for Tetanus: <https://www.who.int/news-room/fact-sheets/detail/tetanus>; <https://www.cdc.gov/tetanus/hcp/clinical-care/index.html>; <https://www.mayoclinic.org/diseases-conditions/tetanus/diagnosis-treatment/drc-20351631>

[K4] Tetanus treatments: <https://en.wikipedia.org/wiki/Tetanus>; <https://pmc.ncbi.nlm.nih.gov/articles/PMC4057067/>; <https://emedicine.medscape.com/article/229594-medication?form=fpf>; <https://www.cdc.gov/yellow-book/index.html>; https://en.wikipedia.org/wiki/Anti-tetanus_immunoglobulin

[K5] CDC Rabies data: <https://www.cdc.gov/mmwr/volumes/68/wr/mm6823e1.htm>

[K6] Rabies and vaccination: <https://www.cdc.gov/rabies/hcp/clinical-care/post-exposure-prophylaxis.html>; <https://www.cdc.gov/vaccines/hcp/current-vis/rabies.html>; <https://www.cdc.gov/rabies/about/index.html>

[K7] Rabies numbers and lightning: <https://www.cdc.gov/rabies/php/protecting-public-health/index.html>; <https://www.cdc.gov/lightning/about/index.html>; Using wildlife rabies prevalence (~5–15% for bats, raccoons, skunks, foxes) and confirmed rabid animals, only about 1,000–2,000 people per year are bitten by animals that are actually rabid.

[K8] Lightning strike odds: chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/https://www.cdc.gov/disasters/lightning/docs/LightningDeaths_09132022-H.pdf?.com

[K9] Yellow Fever and vaccination: <https://www.who.int/news-room/fact-sheets/detail/yellow-fever>; <https://www.merckmanuals.com/home/quick-facts-infections/arboviruses-arenaviruses-and-filoviruses/yellow-fever>; <https://www.paho.org/en/topics/yellow-fever>; <https://www.cdc.gov/yellow-fever/vaccine/index.html>

DOWNWARD TREND

[L1] Tetanus: [see source K2 on page 61](#)

REQUESTED RESEARCH

[N1] Vitamin K1 phytonadione injection, emulsion:

<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=e0b0c8f1-75be-4f25-898a-7b97b608c615>, <https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=e8808230-2c44-44c6-8cab-8f29b6b34051>

CONTENTS

THE MAINLINE STORY.....	1
THE MOTIVES.....	1
IMMUNITY OF THE WRONG KIND.....	2
MCTLAW.....	2
VACCINE TESTING.....	4
COMBINED VACCINE TESTING.....	4
INDIVIDUAL VACCINE TESTING.....	5
PLACEBOS.....	5
VACCINE INJURIES.....	7
EVIL DOCTORS?.....	7
VACCINATION INCENTIVES.....	7
INJURY TESTIMONIES.....	8
THE PARENTS CRY.....	8
MMR: TEMPORARY ITP.....	8
DTAP: KILLS 7 YEAR OLD.....	9
DTAP: RARE FORM OF EPILEPSY.....	9
MIXED SHOTS: EPILEPSY.....	10
MIXED SHOTS: NEUROLOGICAL INJURY.....	10
MIXED SHOTS: SEIZURES.....	11
MIXED SHOTS: AUTISM.....	11
MIX SHOTS: MENTALLY INJURED.....	12
MMR/BOOSTERS: MEDICALLY UNSTABLE/AUTISM.....	12
SHOTS AT 14 MONTHS: PETIT-MAL SEIZURES AND INFLAMMATION.....	12
DTAP: AUTISM, ASTHMA, AND ECZEMA.....	12
PERSONAL TESTIMONIES.....	13
RUBELLA: LOST VOICE.....	13
INGREDIENTS.....	14
THIMEROSAL.....	14
ALUMINUM.....	15
ANTIBIOTICS.....	15
FORMALDEHYDE.....	16
MONOSODIUM GLUTAMATE (MSG).....	17
SQUALENE.....	17
POLYSORBATE 80.....	18
ABORTED BABY TISSUE.....	19
POTASSIUM PHOSPHATE.....	19
SODIUM PHOSPHATE.....	20
SORBITOL.....	20
2-PHENOXYETHANOL.....	21
VACCINE INGREDIENTS CHECK.....	22
POISON CONTROL.....	27

MAKING US SICKER.....	28
VACCINES DIDN'T ERADICATE DISEASES.....	35
MEASLES.....	35
WHAT CURED THEM?.....	36
REDEFINING YOUR TERMS.....	38
VACCINES GONE BAD.....	39
CUTTER EVENT.....	39
19 DISEASES IN 1 SHOT.....	39
GOOD VACCINES?.....	41
TETANUS.....	41
RABIES.....	43
YELLOW FEVER.....	45
DOWNWARD TREND.....	47
IF YOU VACCINATE.....	51
GENERAL ADVICE.....	51
SELECTIVE VACCINATION.....	51
REQUESTED RESEARCH.....	54
VITAMIN K.....	54
LAST WORDS.....	58
MORE RESEARCH.....	59
COVID VACCINES.....	59
FLU VACCINES.....	59
SOURCES.....	59
THE MOTIVES.....	59
VACCINE TESTING.....	59
VACCINE INJURIES.....	60
INJURY TESTIMONIES.....	60
INGREDIENTS.....	60
MAKING US SICKER.....	60
VACCINES DIDN'T ERADICATE DISEASES.....	61
VACCINES GONE BAD.....	61
GOOD VACCINES?.....	61
DOWNWARD TREND.....	62
REQUESTED RESEARCH.....	62

Pharmakōn in Greek means to drug, remedy, or to **poison** someone

The word **pharmacy** is derived from the Greek word **pharmakōn**

In the last days, speaking of mankind, the Bible says

Neither repented they of their murders, nor of their **sorceries**, nor of their fornication, nor of their thefts.

kai ou metenoēsan ek tōn phonōn autōn oute ek tōn **pharmakōn**
autōn oute ek tēs porneias autōn oute ek tōn klemmatōn autōn

(KJV, Revelation 9:21)

The root word of **sorceries** in Revelation 9:21 is **pharmakōn**.